







Mode	4																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH01_2412MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>68.02</td><td>74.00</td><td>-5.98</td><td>61.53</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	68.02	74.00	-5.98	61.53	31.69	8.31	33.51	100	203	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.39</td><td>-----</td><td>-----</td><td>96.83</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.39	-----	-----	96.83	31.74	8.33	33.51	100	203
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.82	68.02	74.00	-5.98	61.53	31.69	8.31	33.51	100	203	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	103.39	-----	-----	96.83	31.74	8.33	33.51	100	203	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.93</td><td>54.00</td><td>-4.07</td><td>43.44</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	49.93	54.00	-4.07	43.44	31.69	8.31	33.51	100	203	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.43</td><td>-----</td><td>-----</td><td>89.87</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	96.43	-----	-----	89.87	31.74	8.33	33.51	100	203
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.95	49.93	54.00	-4.07	43.44	31.69	8.31	33.51	100	203	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	96.43	-----	-----	89.87	31.74	8.33	33.51	100	203	AVERAGE																																																																																







Mode	4																																																																																																																																																											
	Harmonic																																																																																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																																																				
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two peaks are marked with blue vertical lines and numbered 1 and 2.							Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two peaks are marked with blue vertical lines and numbered 3 and 4.																																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>57.36</td><td>33.78</td><td>9.89</td><td>56.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7725.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>59.82</td><td>35.90</td><td>11.75</td><td>59.35</td><td>202</td><td>0</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4824.00	44.46	74.00	-29.54	57.36	33.78	9.89	56.57	--	--	Peak	2	7725.00	48.12	74.00	-25.88	59.82	35.90	11.75	59.35	202	0	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>68.67</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>58</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>60.28</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>58</td><td>Average</td></tr><tr><td>3</td><td>7725.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>64.36</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>81</td><td>Peak</td></tr><tr><td>4</td><td>7725.00</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>58.62</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>81</td><td>Average</td></tr></table>									Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4824.00	55.77	74.00	-18.23	68.67	33.78	9.89	56.57	100	58	Peak	2	4824.00	47.38	54.00	-6.62	60.28	33.78	9.89	56.57	100	58	Average	3	7725.00	52.66	74.00	-21.34	64.36	35.90	11.75	59.35	100	81	Peak	4	7725.00	46.92	54.00	-7.08	58.62	35.90	11.75	59.35	100	81	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	4824.00	44.46	74.00	-29.54	57.36	33.78	9.89	56.57	--	--	Peak																																																																																																																																																	
2	7725.00	48.12	74.00	-25.88	59.82	35.90	11.75	59.35	202	0	Peak																																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	4824.00	55.77	74.00	-18.23	68.67	33.78	9.89	56.57	100	58	Peak																																																																																																																																																	
2	4824.00	47.38	54.00	-6.62	60.28	33.78	9.89	56.57	100	58	Average																																																																																																																																																	
3	7725.00	52.66	74.00	-21.34	64.36	35.90	11.75	59.35	100	81	Peak																																																																																																																																																	
4	7725.00	46.92	54.00	-7.08	58.62	35.90	11.75	59.35	100	81	Average																																																																																																																																																	







Mode	5																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																															
ANT	1																																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>58.78</td><td>33.72</td><td>9.88</td><td>56.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>58.51</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7800.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>59.30</td><td>35.90</td><td>11.84</td><td>59.36</td><td>201</td><td>0</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	45.83	74.00	-28.17	58.78	33.72	9.88	56.55	--	--	Peak	2	7311.00	46.34	74.00	-27.66	58.51	35.60	11.45	59.22	--	--	Peak	3	7800.00	47.68	74.00	-26.32	59.30	35.90	11.84	59.36	201	0	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>66.62</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>60.62</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>57.49</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7800.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>64.83</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>89</td><td>Peak</td></tr><tr><td>5</td><td>7800.00</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>58.36</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>89</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	53.67	74.00	-20.33	66.62	33.72	9.88	56.55	100	59	Peak	2	4874.00	47.67	54.00	-6.33	60.62	33.72	9.88	56.55	100	59	Average	3	7311.00	45.32	74.00	-28.68	57.49	35.60	11.45	59.22	--	--	Peak	4	7800.00	53.21	74.00	-20.79	64.83	35.90	11.84	59.36	100	89	Peak	5	7800.00	46.74	54.00	-7.26	58.36	35.90	11.84	59.36	100	89
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4874.00	45.83	74.00	-28.17	58.78	33.72	9.88	56.55	--	--	Peak																																																																																																																																																																					
2	7311.00	46.34	74.00	-27.66	58.51	35.60	11.45	59.22	--	--	Peak																																																																																																																																																																					
3	7800.00	47.68	74.00	-26.32	59.30	35.90	11.84	59.36	201	0	Peak																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4874.00	53.67	74.00	-20.33	66.62	33.72	9.88	56.55	100	59	Peak																																																																																																																																																																					
2	4874.00	47.67	54.00	-6.33	60.62	33.72	9.88	56.55	100	59	Average																																																																																																																																																																					
3	7311.00	45.32	74.00	-28.68	57.49	35.60	11.45	59.22	--	--	Peak																																																																																																																																																																					
4	7800.00	53.21	74.00	-20.79	64.83	35.90	11.84	59.36	100	89	Peak																																																																																																																																																																					
5	7800.00	46.74	54.00	-7.26	58.36	35.90	11.84	59.36	100	89	Average																																																																																																																																																																					





Mode	6																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.15</td><td>65.48</td><td>74.00</td><td>-8.52</td><td>58.46</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>308</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.15	65.48	74.00	-8.52	58.46	32.05	8.43	33.46	100	308	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.21</td><td>-----</td><td>-----</td><td>97.29</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>308</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	104.21	-----	-----	97.29	31.98	8.41	33.47	100	308
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.15	65.48	74.00	-8.52	58.46	32.05	8.43	33.46	100	308	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	104.21	-----	-----	97.29	31.98	8.41	33.47	100	308	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>38.57</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	45.59	54.00	-8.41	38.57	32.05	8.43	33.46	100	308	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.31</td><td>-----</td><td>-----</td><td>89.39</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.31	-----	-----	89.39	31.98	8.41	33.47	100	308
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.51	45.59	54.00	-8.41	38.57	32.05	8.43	33.46	100	308	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	96.31	-----	-----	89.39	31.98	8.41	33.47	100	308	AVERAGE																																																																																







Mode	6																																																	
	Band Edge																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																	
ANT	1																																																	
Pol.	Vertical																																																	
Peak																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.81</td><td>66.88</td><td>74.00</td><td>-7.12</td><td>59.86</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>213</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.81	66.88	74.00	-7.12	59.86	32.05	8.43	33.46	100	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.81	66.88	74.00	-7.12	59.86	32.05	8.43	33.46	100	213	PEAK																																							
Fundamental																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.58</td><td>-----</td><td>-----</td><td>95.66</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>213</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	102.58	-----	-----	95.66	31.98	8.41	33.47	100	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2462.00	102.58	-----	-----	95.66	31.98	8.41	33.47	100	213	PEAK																																							
Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>39.00</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>213</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	46.02	54.00	-7.98	39.00	32.05	8.43	33.46	100	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.70	46.02	54.00	-7.98	39.00	32.05	8.43	33.46	100	213	AVERAGE																																							
Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.08</td><td>-----</td><td>-----</td><td>89.16</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>213</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.08	-----	-----	89.16	31.98	8.41	33.47	100	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2462.00	96.08	-----	-----	89.16	31.98	8.41	33.47	100	213	AVERAGE																																							



Mode	6																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal																																																																																																									
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>60.12</td><td>34.03</td><td>9.87</td><td>56.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>55.63</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7875.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>57.99</td><td>35.90</td><td>11.83</td><td>59.38</td><td>201</td><td>0</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	47.49	74.00	-26.51	60.12	34.03	9.87	56.53	--	--	Peak	2	7386.00	43.58	74.00	-30.42	55.63	35.69	11.51	59.25	--	--	Peak	3	7875.00	46.34	74.00	-27.66	57.99	35.90	11.83	59.38	201	0	Peak																								
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	47.49	74.00	-26.51	60.12	34.03	9.87	56.53	--	--	Peak																																																																																															
2	7386.00	43.58	74.00	-30.42	55.63	35.69	11.51	59.25	--	--	Peak																																																																																															
3	7875.00	46.34	74.00	-27.66	57.99	35.90	11.83	59.38	201	0	Peak																																																																																															
Vertical																																																																																																										
																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>67.36</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>62</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>59.89</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>62</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>56.50</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7875.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>64.62</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>81</td><td>Peak</td></tr><tr><td>5</td><td>7875.00</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>58.62</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>81</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	54.73	74.00	-19.27	67.36	34.03	9.87	56.53	100	62	Peak	2	4924.00	47.26	54.00	-6.74	59.89	34.03	9.87	56.53	100	62	Average	3	7386.00	44.45	74.00	-29.55	56.50	35.69	11.51	59.25	--	--	Peak	4	7875.00	52.97	74.00	-21.03	64.62	35.90	11.83	59.38	100	81	Peak	5	7875.00	46.97	54.00	-7.03	58.62	35.90	11.83	59.38	100	81	Average
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	54.73	74.00	-19.27	67.36	34.03	9.87	56.53	100	62	Peak																																																																																															
2	4924.00	47.26	54.00	-6.74	59.89	34.03	9.87	56.53	100	62	Average																																																																																															
3	7386.00	44.45	74.00	-29.55	56.50	35.69	11.51	59.25	--	--	Peak																																																																																															
4	7875.00	52.97	74.00	-21.03	64.62	35.90	11.83	59.38	100	81	Peak																																																																																															
5	7875.00	46.97	54.00	-7.03	58.62	35.90	11.83	59.38	100	81	Average																																																																																															



Mode	7																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2380.07</td><td>67.61</td><td>74.00</td><td>-6.39</td><td>61.17</td><td>31.67</td><td>8.29</td><td>33.52</td><td>289</td><td>71 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2380.07	67.61	74.00	-6.39	61.17	31.67	8.29	33.52	289	71 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.27</td><td>-----</td><td>-----</td><td>96.68</td><td>31.75</td><td>8.34</td><td>33.50</td><td>289</td><td>71 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.27	-----	-----	96.68	31.75	8.34	33.50	289	71 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2380.07	67.61	74.00	-6.39	61.17	31.67	8.29	33.52	289	71 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2412.00	103.27	-----	-----	96.68	31.75	8.34	33.50	289	71 PEAK																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>40.41</td><td>31.69</td><td>8.31</td><td>33.51</td><td>289</td><td>71 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	46.90	54.00	-7.10	40.41	31.69	8.31	33.51	289	71 AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.55</td><td>-----</td><td>-----</td><td>89.97</td><td>31.75</td><td>8.34</td><td>33.51</td><td>289</td><td>71 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	96.55	-----	-----	89.97	31.75	8.34	33.51	289	71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2389.95	46.90	54.00	-7.10	40.41	31.69	8.31	33.51	289	71 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	2412.00	96.55	-----	-----	89.97	31.75	8.34	33.51	289	71 AVERAGE																																																																						





Mode	7																																																																																						
	Band Edge																																																																																						
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>66.30</td><td>74.00</td><td>-7.70</td><td>59.81</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>52 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.48	66.30	74.00	-7.70	59.81	31.69	8.31	33.51	100	52 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.97</td><td>-----</td><td>-----</td><td>97.39</td><td>31.75</td><td>8.34</td><td>33.51</td><td>100</td><td>52 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.97	-----	-----	97.39	31.75	8.34	33.51	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2387.48	66.30	74.00	-7.70	59.81	31.69	8.31	33.51	100	52 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	103.97	-----	-----	97.39	31.75	8.34	33.51	100	52 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>39.48</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>52 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	45.97	54.00	-8.03	39.48	31.69	8.31	33.51	100	52 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.16</td><td>-----</td><td>-----</td><td>90.60</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>52 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	97.16	-----	-----	90.60	31.74	8.33	33.51	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2389.95	45.97	54.00	-8.03	39.48	31.69	8.31	33.51	100	52 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	97.16	-----	-----	90.60	31.74	8.33	33.51	100	52 AVERAGE																																																																													



Mode	7																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4824.00	44.64	74.00	-29.36	57.54	33.78	9.89	56.57	--	--	Peak	2	7718.00	49.92	74.00	-24.08	61.62	35.90	11.74	59.34	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>66.63</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>60.60</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7718.00</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>62.62</td><td>35.90</td><td>11.74</td><td>59.34</td><td>100</td><td>81</td><td>Peak</td></tr><tr><td>4</td><td>7718.00</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>58.62</td><td>35.90</td><td>11.74</td><td>59.34</td><td>100</td><td>81</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4824.00	53.73	74.00	-20.27	66.63	33.78	9.89	56.57	100	52	Peak	2	4824.00	47.70	54.00	-6.30	60.60	33.78	9.89	56.57	100	52	Average	3	7718.00	50.92	74.00	-23.08	62.62	35.90	11.74	59.34	100	81	Peak	4	7718.00	46.92	54.00	-7.08	58.62	35.90	11.74	59.34	100	81
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4824.00	44.64	74.00	-29.36	57.54	33.78	9.89	56.57	--	--	Peak																																																																																																																																			
2	7718.00	49.92	74.00	-24.08	61.62	35.90	11.74	59.34	--	--	Peak																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4824.00	53.73	74.00	-20.27	66.63	33.78	9.89	56.57	100	52	Peak																																																																																																																																			
2	4824.00	47.70	54.00	-6.30	60.60	33.78	9.89	56.57	100	52	Average																																																																																																																																			
3	7718.00	50.92	74.00	-23.08	62.62	35.90	11.74	59.34	100	81	Peak																																																																																																																																			
4	7718.00	46.92	54.00	-7.08	58.62	35.90	11.74	59.34	100	81	Average																																																																																																																																			







Mode	8																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>61.01</td><td>33.72</td><td>9.88</td><td>56.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>56.51</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7800.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>59.92</td><td>35.90</td><td>11.84</td><td>59.36</td><td>152</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	48.06	74.00	-25.94	61.01	33.72	9.88	56.55	--	--	Peak	2	7311.00	44.34	74.00	-29.66	56.51	35.60	11.45	59.22	--	--	Peak	3	7800.00	48.30	74.00	-25.70	59.92	35.90	11.84	59.36	152	360	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>66.22</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>53</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>60.61</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>53</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>58.27</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7800.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>64.23</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>82</td><td>Peak</td></tr><tr><td>5</td><td>7800.00</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>58.26</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>82</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	53.27	74.00	-20.73	66.22	33.72	9.88	56.55	100	53	Peak	2	4874.00	47.66	54.00	-6.34	60.61	33.72	9.88	56.55	100	53	Average	3	7311.00	46.10	74.00	-27.90	58.27	35.60	11.45	59.22	--	--	Peak	4	7800.00	52.61	74.00	-21.39	64.23	35.90	11.84	59.36	100	82	Peak	5	7800.00	46.64	54.00	-7.36	58.26	35.90	11.84	59.36	100	82
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	48.06	74.00	-25.94	61.01	33.72	9.88	56.55	--	--	Peak																																																																																																																																																									
2	7311.00	44.34	74.00	-29.66	56.51	35.60	11.45	59.22	--	--	Peak																																																																																																																																																									
3	7800.00	48.30	74.00	-25.70	59.92	35.90	11.84	59.36	152	360	Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	53.27	74.00	-20.73	66.22	33.72	9.88	56.55	100	53	Peak																																																																																																																																																									
2	4874.00	47.66	54.00	-6.34	60.61	33.72	9.88	56.55	100	53	Average																																																																																																																																																									
3	7311.00	46.10	74.00	-27.90	58.27	35.60	11.45	59.22	--	--	Peak																																																																																																																																																									
4	7800.00	52.61	74.00	-21.39	64.23	35.90	11.84	59.36	100	82	Peak																																																																																																																																																									
5	7800.00	46.64	54.00	-7.36	58.26	35.90	11.84	59.36	100	82	Average																																																																																																																																																									



Mode	9																																																		
	Band Edge																																																		
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																		
ANT	1																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>62.51</td><td>74.00</td><td>-11.49</td><td>55.49</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>308</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	62.51	74.00	-11.49	55.49	32.05	8.43	33.46	100	308	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.77	62.51	74.00	-11.49	55.49	32.05	8.43	33.46	100	308	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.80</td><td>-----</td><td>-----</td><td>94.88</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>308</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.80	-----	-----	94.88	31.98	8.41	33.47	100	308	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2462.00	101.80	-----	-----	94.88	31.98	8.41	33.47	100	308	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>38.56</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	45.58	54.00	-8.42	38.56	32.05	8.43	33.46	100	308	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.89	45.58	54.00	-8.42	38.56	32.05	8.43	33.46	100	308	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.90</td><td>-----</td><td>-----</td><td>87.95</td><td>32.00</td><td>8.42</td><td>33.47</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.90	-----	-----	87.95	32.00	8.42	33.47	100	308	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2462.00	94.90	-----	-----	87.95	32.00	8.42	33.47	100	308	AVERAGE																																								







Mode	9																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.37</td><td>66.92</td><td>74.00</td><td>-7.08</td><td>59.88</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.37	66.92	74.00	-7.08	59.88	32.06	8.44	33.46	100	204	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.60</td><td>-----</td><td>-----</td><td>94.68</td><td>31.98</td><td>8.41</td><td>33.47</td><td>100</td><td>204</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.60	-----	-----	94.68	31.98	8.41	33.47	100	204
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2485.37	66.92	74.00	-7.08	59.88	32.06	8.44	33.46	100	204	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	101.60	-----	-----	94.68	31.98	8.41	33.47	100	204	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.69</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>38.40</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>204</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.69	45.44	54.00	-8.56	38.40	32.06	8.44	33.46	100	204	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.32</td><td>-----</td><td>-----</td><td>87.37</td><td>32.00</td><td>8.42</td><td>33.47</td><td>100</td><td>204</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.32	-----	-----	87.37	32.00	8.42	33.47	100	204
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.69	45.44	54.00	-8.56	38.40	32.06	8.44	33.46	100	204	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	94.32	-----	-----	87.37	32.00	8.42	33.47	100	204	AVERAGE																																																																															





Mode	9																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>61.12</td><td>34.03</td><td>9.87</td><td>56.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>56.48</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7878.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>58.59</td><td>35.90</td><td>11.82</td><td>59.38</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	48.49	74.00	-25.51	61.12	34.03	9.87	56.53	--	--	Peak	2	7386.00	44.43	74.00	-29.57	56.48	35.69	11.51	59.25	--	--	Peak	3	7878.00	46.93	74.00	-27.07	58.59	35.90	11.82	59.38	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>65.68</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>59.66</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>57.48</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7878.00</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>61.63</td><td>35.90</td><td>11.82</td><td>59.38</td><td>100</td><td>82</td><td>Peak</td></tr><tr><td>5</td><td>7878.00</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>57.24</td><td>35.90</td><td>11.82</td><td>59.38</td><td>100</td><td>82</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	53.05	74.00	-20.95	65.68	34.03	9.87	56.53	100	52	Peak	2	4924.00	47.03	54.00	-6.97	59.66	34.03	9.87	56.53	100	52	Average	3	7386.00	45.43	74.00	-28.57	57.48	35.69	11.51	59.25	--	--	Peak	4	7878.00	49.97	74.00	-24.03	61.63	35.90	11.82	59.38	100	82	Peak	5	7878.00	45.58	54.00	-8.42	57.24	35.90	11.82	59.38	100	82	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																											
1	4924.00	48.49	74.00	-25.51	61.12	34.03	9.87	56.53	--	--	Peak																																																																																																																																																									
2	7386.00	44.43	74.00	-29.57	56.48	35.69	11.51	59.25	--	--	Peak																																																																																																																																																									
3	7878.00	46.93	74.00	-27.07	58.59	35.90	11.82	59.38	--	--	Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																											
1	4924.00	53.05	74.00	-20.95	65.68	34.03	9.87	56.53	100	52	Peak																																																																																																																																																									
2	4924.00	47.03	54.00	-6.97	59.66	34.03	9.87	56.53	100	52	Average																																																																																																																																																									
3	7386.00	45.43	74.00	-28.57	57.48	35.69	11.51	59.25	--	--	Peak																																																																																																																																																									
4	7878.00	49.97	74.00	-24.03	61.63	35.90	11.82	59.38	100	82	Peak																																																																																																																																																									
5	7878.00	45.58	54.00	-8.42	57.24	35.90	11.82	59.38	100	82	Average																																																																																																																																																									







Mode	10																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.39</td><td>68.53</td><td>74.00</td><td>-5.47</td><td>62.05</td><td>31.69</td><td>8.30</td><td>33.51</td><td>379</td><td>62</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.39	68.53	74.00	-5.47	62.05	31.69	8.30	33.51	379	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>101.95</td><td>-----</td><td>-----</td><td>95.35</td><td>31.76</td><td>8.34</td><td>33.50</td><td>379</td><td>62</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	101.95	-----	-----	95.35	31.76	8.34	33.50	379	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2387.39	68.53	74.00	-5.47	62.05	31.69	8.30	33.51	379	62	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	101.95	-----	-----	95.35	31.76	8.34	33.50	379	62	PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.38</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>42.85</td><td>31.68</td><td>8.30</td><td>33.52</td><td>379</td><td>62</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.38	49.31	54.00	-4.69	42.85	31.68	8.30	33.52	379	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>95.04</td><td>-----</td><td>-----</td><td>88.46</td><td>31.75</td><td>8.34</td><td>33.51</td><td>379</td><td>62</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	95.04	-----	-----	88.46	31.75	8.34	33.51	379	62
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2385.38	49.31	54.00	-4.69	42.85	31.68	8.30	33.52	379	62	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	95.04	-----	-----	88.46	31.75	8.34	33.51	379	62	AVERAGE																																																																																	





Mode	10																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																	
ANT	1																																																	
Pol.	Horizontal					Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.99</td><td>57.05</td><td>74.00</td><td>-16.95</td><td>50.00</td><td>32.07</td><td>8.44</td><td>33.46</td><td>379</td><td>62</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.99	57.05	74.00	-16.95	50.00	32.07	8.44	33.46	379	62	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2487.99	57.05	74.00	-16.95	50.00	32.07	8.44	33.46	379	62	PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.29</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>36.97</td><td>32.07</td><td>8.44</td><td>33.46</td><td>379</td><td>62</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.29	44.02	54.00	-9.98	36.97	32.07	8.44	33.46	379	62	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2487.29	44.02	54.00	-9.98	36.97	32.07	8.44	33.46	379	62	AVERAGE																																							



Mode	10																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.79</td><td>66.90</td><td>74.00</td><td>-7.10</td><td>60.45</td><td>31.68</td><td>8.29</td><td>33.52</td><td>100</td><td>133</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.79	66.90	74.00	-7.10	60.45	31.68	8.29	33.52	100	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>101.69</td><td>-----</td><td>-----</td><td>95.08</td><td>31.77</td><td>8.34</td><td>33.50</td><td>100</td><td>133</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	101.69	-----	-----	95.08	31.77	8.34	33.50	100	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2381.79	66.90	74.00	-7.10	60.45	31.68	8.29	33.52	100	133	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2422.00	101.69	-----	-----	95.08	31.77	8.34	33.50	100	133	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.62</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>42.09</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.62	48.58	54.00	-5.42	42.09	31.69	8.31	33.51	100	133	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>94.85</td><td>-----</td><td>-----</td><td>88.25</td><td>31.76</td><td>8.34</td><td>33.50</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	94.85	-----	-----	88.25	31.76	8.34	33.50	100	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2387.62	48.58	54.00	-5.42	42.09	31.69	8.31	33.51	100	133	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2422.00	94.85	-----	-----	88.25	31.76	8.34	33.50	100	133	AVERAGE																																																																																



Mode	10																																												
	Band Edge - R																																												
	2400-2483.5_802.11n HT40_CH03_2422MHz																																												
ANT	1																																												
Pol.	Vertical						Fundamental																																						
Peak							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.82</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>49.17</td><td>32.10</td><td>8.45</td><td>33.45</td><td>100</td><td>133</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.82	56.27	74.00	-17.73	49.17
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	2497.82	56.27	74.00	-17.73	49.17	32.10	8.45	33.45	100	133	PEAK																																		
Avg							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.43</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>37.48</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2486.43	44.52	54.00	-9.48	37.48
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	2486.43	44.52	54.00	-9.48	37.48	32.06	8.44	33.46	100	133	AVERAGE																																		







Mode	10																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>42.42</td><td>74.00</td><td>-31.58</td><td>55.34</td><td>33.76</td><td>9.88</td><td>56.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7755.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>57.02</td><td>35.90</td><td>11.78</td><td>59.35</td><td>151</td><td>360</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	42.42	74.00	-31.58	55.34	33.76	9.88	56.56	--	--	Peak	2	7755.00	45.35	74.00	-28.65	57.02	35.90	11.78	59.35	151	360	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>64.62</td><td>33.76</td><td>9.88</td><td>56.56</td><td>100</td><td>53</td><td>Peak</td></tr><tr><td>2</td><td>4844.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>59.61</td><td>33.76</td><td>9.88</td><td>56.56</td><td>100</td><td>53</td><td>Average</td></tr><tr><td>3</td><td>7755.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>60.47</td><td>35.90</td><td>11.78</td><td>59.35</td><td>100</td><td>81</td><td>Peak</td></tr><tr><td>4</td><td>7755.00</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>51.27</td><td>35.90</td><td>11.78</td><td>59.35</td><td>100</td><td>81</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4844.00	51.70	74.00	-22.30	64.62	33.76	9.88	56.56	100	53	Peak	2	4844.00	46.69	54.00	-7.31	59.61	33.76	9.88	56.56	100	53	Average	3	7755.00	48.80	74.00	-25.20	60.47	35.90	11.78	59.35	100	81	Peak	4	7755.00	39.60	54.00	-14.40	51.27	35.90	11.78	59.35	100	81	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4844.00	42.42	74.00	-31.58	55.34	33.76	9.88	56.56	--	--	Peak																																																																																																																																														
2	7755.00	45.35	74.00	-28.65	57.02	35.90	11.78	59.35	151	360	Peak																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4844.00	51.70	74.00	-22.30	64.62	33.76	9.88	56.56	100	53	Peak																																																																																																																																														
2	4844.00	46.69	54.00	-7.31	59.61	33.76	9.88	56.56	100	53	Average																																																																																																																																														
3	7755.00	48.80	74.00	-25.20	60.47	35.90	11.78	59.35	100	81	Peak																																																																																																																																														
4	7755.00	39.60	54.00	-14.40	51.27	35.90	11.78	59.35	100	81	Average																																																																																																																																														





Mode	11																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.28</td><td>33.72</td><td>9.88</td><td>56.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>55.46</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7798.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>59.23</td><td>35.90</td><td>11.84</td><td>59.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	44.33	74.00	-29.67	57.28	33.72	9.88	56.55	--	--	Peak	2	7311.00	43.29	74.00	-30.71	55.46	35.60	11.45	59.22	--	--	Peak	3	7798.00	47.61	74.00	-26.39	59.23	35.90	11.84	59.36	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>64.64</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>58.64</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>56.82</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7798.00</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>61.35</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>81</td><td>Peak</td></tr><tr><td>5</td><td>7798.00</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>52.69</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>81</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	51.69	74.00	-22.31	64.64	33.72	9.88	56.55	100	52	Peak	2	4874.00	45.69	54.00	-8.31	58.64	33.72	9.88	56.55	100	52	Average	3	7311.00	44.65	74.00	-29.35	56.82	35.60	11.45	59.22	--	--	Peak	4	7798.00	49.73	74.00	-24.27	61.35	35.90	11.84	59.36	100	81	Peak	5	7798.00	41.07	54.00	-12.93	52.69	35.90	11.84	59.36	100	81
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4874.00	44.33	74.00	-29.67	57.28	33.72	9.88	56.55	--	--	Peak																																																																																																																																																											
2	7311.00	43.29	74.00	-30.71	55.46	35.60	11.45	59.22	--	--	Peak																																																																																																																																																											
3	7798.00	47.61	74.00	-26.39	59.23	35.90	11.84	59.36	--	--	Peak																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4874.00	51.69	74.00	-22.31	64.64	33.72	9.88	56.55	100	52	Peak																																																																																																																																																											
2	4874.00	45.69	54.00	-8.31	58.64	33.72	9.88	56.55	100	52	Average																																																																																																																																																											
3	7311.00	44.65	74.00	-29.35	56.82	35.60	11.45	59.22	--	--	Peak																																																																																																																																																											
4	7798.00	49.73	74.00	-24.27	61.35	35.90	11.84	59.36	100	81	Peak																																																																																																																																																											
5	7798.00	41.07	54.00	-12.93	52.69	35.90	11.84	59.36	100	81	Average																																																																																																																																																											







Mode	12																																																	
	Band Edge - L																																																	
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																	
ANT	1																																																	
Pol.	Horizontal																																																	
Peak																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>50.91</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>292 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	57.40	74.00	-16.60	50.91	31.69	8.31	33.51	100	292 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2389.95	57.40	74.00	-16.60	50.91	31.69	8.31	33.51	100	292 PEAK																																								
Fundamental																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>101.60</td><td>-----</td><td>-----</td><td>94.86</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>292 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	101.60	-----	-----	94.86	31.86	8.37	33.49	100	292 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2452.00	101.60	-----	-----	94.86	31.86	8.37	33.49	100	292 PEAK																																								
Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.38</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>38.59</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>292 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.38	45.08	54.00	-8.92	38.59	31.69	8.31	33.51	100	292 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2389.38	45.08	54.00	-8.92	38.59	31.69	8.31	33.51	100	292 AVERAGE																																								
Avg																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>94.82</td><td>-----</td><td>-----</td><td>88.08</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>292 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	94.82	-----	-----	88.08	31.86	8.37	33.49	100	292 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2452.00	94.82	-----	-----	88.08	31.86	8.37	33.49	100	292 AVERAGE																																								



Mode	12																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.63</td><td>68.25</td><td>74.00</td><td>-5.75</td><td>61.23</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.63	68.25	74.00	-5.75	61.23	32.05	8.43	33.46	100	292
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2483.63	68.25	74.00	-5.75	61.23	32.05	8.43	33.46	100	292	PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.59</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>42.86</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.59	49.90	54.00	-4.10	42.86	32.06	8.44	33.46	100	292
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.59	49.90	54.00	-4.10	42.86	32.06	8.44	33.46	100	292	AVERAGE																																								



Mode	12																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.18</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>47.27</td><td>31.62</td><td>8.22</td><td>33.54</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2351.18	53.57	74.00	-20.43	47.27	31.62	8.22	33.54	100	247	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>98.12</td><td>-----</td><td>-----</td><td>91.36</td><td>31.87</td><td>8.38</td><td>33.49</td><td>100</td><td>247</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	98.12	-----	-----	91.36	31.87	8.38	33.49	100	247
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2351.18	53.57	74.00	-20.43	47.27	31.62	8.22	33.54	100	247	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	98.12	-----	-----	91.36	31.87	8.38	33.49	100	247	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.91</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>36.95</td><td>31.66</td><td>8.27</td><td>33.52</td><td>100</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2371.91	43.36	54.00	-10.64	36.95	31.66	8.27	33.52	100	247	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>91.60</td><td>-----</td><td>-----</td><td>84.86</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>247</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	91.60	-----	-----	84.86	31.86	8.37	33.49	100	247
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2371.91	43.36	54.00	-10.64	36.95	31.66	8.27	33.52	100	247	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	91.60	-----	-----	84.86	31.86	8.37	33.49	100	247	AVERAGE																																																																															







Mode	12																																																			
	Band Edge - R																																																			
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.12</td><td>67.91</td><td>74.00</td><td>-6.09</td><td>60.87</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.12	67.91	74.00	-6.09	60.87	32.06	8.44	33.46	100	247	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2485.12	67.91	74.00	-6.09	60.87	32.06	8.44	33.46	100	247	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.70</td><td>50.23</td><td>54.00</td><td>-3.77</td><td>43.19</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.70	50.23	54.00	-3.77	43.19	32.06	8.44	33.46	100	247	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2485.70	50.23	54.00	-3.77	43.19	32.06	8.44	33.46	100	247	AVERAGE																																									



Mode	12																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																																																																																		
ANT	1																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>55.57</td><td>33.82</td><td>9.87</td><td>56.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>56.66</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7845.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>56.59</td><td>35.90</td><td>11.83</td><td>59.37</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	42.72	74.00	-31.28	55.57	33.82	9.87	56.54	--	--	Peak	2	7356.00	44.56	74.00	-29.44	56.66	35.66	11.48	59.24	--	--	Peak	3	7845.00	44.95	74.00	-29.05	56.59	35.90	11.83	59.37	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>63.40</td><td>33.82</td><td>9.87</td><td>56.54</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>58.44</td><td>33.82</td><td>9.87</td><td>56.54</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7356.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.29</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7845.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>61.23</td><td>35.90</td><td>11.83</td><td>59.37</td><td>100</td><td>82</td><td>Peak</td></tr><tr><td>5</td><td>7845.00</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>55.23</td><td>35.90</td><td>11.83</td><td>59.37</td><td>100</td><td>82</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4904.00	50.55	74.00	-23.45	63.40	33.82	9.87	56.54	100	52	Peak	2	4904.00	45.59	54.00	-8.41	58.44	33.82	9.87	56.54	100	52	Average	3	7356.00	45.19	74.00	-28.81	57.29	35.66	11.48	59.24	--	--	Peak	4	7845.00	49.59	74.00	-24.41	61.23	35.90	11.83	59.37	100	82	Peak	5	7845.00	43.59	54.00	-10.41	55.23	35.90	11.83	59.37	100	82
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																										
1	4904.00	42.72	74.00	-31.28	55.57	33.82	9.87	56.54	--	--	Peak																																																																																																																																																								
2	7356.00	44.56	74.00	-29.44	56.66	35.66	11.48	59.24	--	--	Peak																																																																																																																																																								
3	7845.00	44.95	74.00	-29.05	56.59	35.90	11.83	59.37	--	--	Peak																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																										
1	4904.00	50.55	74.00	-23.45	63.40	33.82	9.87	56.54	100	52	Peak																																																																																																																																																								
2	4904.00	45.59	54.00	-8.41	58.44	33.82	9.87	56.54	100	52	Average																																																																																																																																																								
3	7356.00	45.19	74.00	-28.81	57.29	35.66	11.48	59.24	--	--	Peak																																																																																																																																																								
4	7845.00	49.59	74.00	-24.41	61.23	35.90	11.83	59.37	100	82	Peak																																																																																																																																																								
5	7845.00	43.59	54.00	-10.41	55.23	35.90	11.83	59.37	100	82	Average																																																																																																																																																								





Mode	13																																																																																						
	Band Edge																																																																																						
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.14</td><td>68.65</td><td>74.00</td><td>-5.35</td><td>62.19</td><td>31.68</td><td>8.30</td><td>33.52</td><td>100</td><td>292 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2385.14	68.65	74.00	-5.35	62.19	31.68	8.30	33.52	100	292 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.94</td><td>-----</td><td>-----</td><td>99.27</td><td>31.81</td><td>8.36</td><td>33.50</td><td>100</td><td>292 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	105.94	-----	-----	99.27	31.81	8.36	33.50	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2385.14	68.65	74.00	-5.35	62.19	31.68	8.30	33.52	100	292 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	105.94	-----	-----	99.27	31.81	8.36	33.50	100	292 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.68</td><td>48.49</td><td>54.00</td><td>-5.51</td><td>42.05</td><td>31.67</td><td>8.29</td><td>33.52</td><td>100</td><td>292 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2379.68	48.49	54.00	-5.51	42.05	31.67	8.29	33.52	100	292 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.10</td><td>-----</td><td>-----</td><td>89.45</td><td>31.80</td><td>8.35</td><td>33.50</td><td>100</td><td>292 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	96.10	-----	-----	89.45	31.80	8.35	33.50	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2379.68	48.49	54.00	-5.51	42.05	31.67	8.29	33.52	100	292 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	96.10	-----	-----	89.45	31.80	8.35	33.50	100	292 AVERAGE																																																																													



		13																																																
Mode		Band Edge																																																
		2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																
ANT		1																																																
Pol.		Vertical					Fundamental																																											
Peak			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>69.14</td><td>74.00</td><td>-4.86</td><td>62.65</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>203</td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	69.14	74.00	-4.86	62.65	31.69	8.31	33.51	100	203	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2388.13	69.14	74.00	-4.86	62.65	31.69	8.31	33.51	100	203	PEAK																																							
Avg			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.68</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>40.48</td><td>31.67</td><td>8.29</td><td>33.52</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.68	46.92	54.00	-7.08	40.48	31.67	8.29	33.52	100	203	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2379.68	46.92	54.00	-7.08	40.48	31.67	8.29	33.52	100	203	AVERAGE																																							
Peak			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.35</td><td>-----</td><td>-----</td><td>97.77</td><td>31.75</td><td>8.34</td><td>33.51</td><td>100</td><td>203</td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.35	-----	-----	97.77	31.75	8.34	33.51	100	203	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2412.00	104.35	-----	-----	97.77	31.75	8.34	33.51	100	203	PEAK																																							
Avg			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.81</td><td>-----</td><td>-----</td><td>88.25</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.81	-----	-----	88.25	31.74	8.33	33.51	100	203	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	2412.00	94.81	-----	-----	88.25	31.74	8.33	33.51	100	203	AVERAGE																																							







Mode	13																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.23</td><td>33.78</td><td>9.89</td><td>56.57 -- -- Peak</td></tr><tr><td>2</td><td>7725.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>60.42</td><td>35.90</td><td>11.75</td><td>59.35 -- -- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4824.00	44.33	74.00	-29.67	57.23	33.78	9.89	56.57 -- -- Peak	2	7725.00	48.72	74.00	-25.28	60.42	35.90	11.75	59.35 -- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>67.60</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>53</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>60.60</td><td>33.78</td><td>9.89</td><td>56.57</td><td>100</td><td>53</td><td>Average</td></tr><tr><td>3</td><td>7725.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>60.65</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>83</td><td>Peak</td></tr><tr><td>4</td><td>7725.00</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>54.65</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>83</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	54.70	74.00	-19.30	67.60	33.78	9.89	56.57	100	53	Peak	2	4824.00	47.70	54.00	-6.30	60.60	33.78	9.89	56.57	100	53	Average	3	7725.00	48.95	74.00	-25.05	60.65	35.90	11.75	59.35	100	83	Peak	4	7725.00	42.95	54.00	-11.05	54.65	35.90	11.75	59.35	100	83
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																													
1	4824.00	44.33	74.00	-29.67	57.23	33.78	9.89	56.57 -- -- Peak																																																																																																																												
2	7725.00	48.72	74.00	-25.28	60.42	35.90	11.75	59.35 -- -- Peak																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	4824.00	54.70	74.00	-19.30	67.60	33.78	9.89	56.57	100	53	Peak																																																																																																																									
2	4824.00	47.70	54.00	-6.30	60.60	33.78	9.89	56.57	100	53	Average																																																																																																																									
3	7725.00	48.95	74.00	-25.05	60.65	35.90	11.75	59.35	100	83	Peak																																																																																																																									
4	7725.00	42.95	54.00	-11.05	54.65	35.90	11.75	59.35	100	83	Average																																																																																																																									







Mode	14																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																																																																																															
ANT	1																																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																																									
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>59.32</td><td>33.72</td><td>9.88</td><td>56.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>57.20</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7800.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>59.83</td><td>35.90</td><td>11.84</td><td>59.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	46.37	74.00	-27.63	59.32	33.72	9.88	56.55	--	--	Peak	2	7311.00	45.03	74.00	-28.97	57.20	35.60	11.45	59.22	--	--	Peak	3	7800.00	48.21	74.00	-25.79	59.83	35.90	11.84	59.36	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>64.61</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>53</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>59.95</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>53</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>56.55</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7800.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>60.24</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>84</td><td>Peak</td></tr><tr><td>5</td><td>7800.00</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>54.62</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>84</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	51.66	74.00	-22.34	64.61	33.72	9.88	56.55	100	53	Peak	2	4874.00	47.00	54.00	-7.00	59.95	33.72	9.88	56.55	100	53	Average	3	7311.00	44.38	74.00	-29.62	56.55	35.60	11.45	59.22	--	--	Peak	4	7800.00	48.62	74.00	-25.38	60.24	35.90	11.84	59.36	100	84	Peak	5	7800.00	43.00	54.00	-11.00	54.62	35.90	11.84	59.36	100	84
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	cm	deg																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4874.00	46.37	74.00	-27.63	59.32	33.72	9.88	56.55	--	--	Peak																																																																																																																																																																					
2	7311.00	45.03	74.00	-28.97	57.20	35.60	11.45	59.22	--	--	Peak																																																																																																																																																																					
3	7800.00	48.21	74.00	-25.79	59.83	35.90	11.84	59.36	--	--	Peak																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	cm	deg																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																						
1	4874.00	51.66	74.00	-22.34	64.61	33.72	9.88	56.55	100	53	Peak																																																																																																																																																																					
2	4874.00	47.00	54.00	-7.00	59.95	33.72	9.88	56.55	100	53	Average																																																																																																																																																																					
3	7311.00	44.38	74.00	-29.62	56.55	35.60	11.45	59.22	--	--	Peak																																																																																																																																																																					
4	7800.00	48.62	74.00	-25.38	60.24	35.90	11.84	59.36	100	84	Peak																																																																																																																																																																					
5	7800.00	43.00	54.00	-11.00	54.62	35.90	11.84	59.36	100	84	Average																																																																																																																																																																					



Mode	15																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>66.56</td><td>74.00</td><td>-7.44</td><td>59.53</td><td>32.05</td><td>8.44</td><td>33.46</td><td>100</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.46	66.56	74.00	-7.44	59.53	32.05	8.44	33.46	100	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.12</td><td>-----</td><td>-----</td><td>96.26</td><td>31.94</td><td>8.40</td><td>33.48</td><td>100</td><td>294</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.12	-----	-----	96.26	31.94	8.40	33.48	100	294
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.46	66.56	74.00	-7.44	59.53	32.05	8.44	33.46	100	294	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	103.12	-----	-----	96.26	31.94	8.40	33.48	100	294	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.23</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>38.92</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.23	45.94	54.00	-8.06	38.92	32.05	8.43	33.46	100	294	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.83</td><td>-----</td><td>-----</td><td>86.97</td><td>31.94</td><td>8.40</td><td>33.48</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	93.83	-----	-----	86.97	31.94	8.40	33.48	100	294
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.23	45.94	54.00	-8.06	38.92	32.05	8.43	33.46	100	294	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	93.83	-----	-----	86.97	31.94	8.40	33.48	100	294	AVERAGE																																																																															



Mode	15																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.31</td><td>66.14</td><td>74.00</td><td>-7.86</td><td>59.11</td><td>32.05</td><td>8.44</td><td>33.46</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.31	66.14	74.00	-7.86	59.11	32.05	8.44	33.46	100	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.41</td><td>-----</td><td>-----</td><td>97.51</td><td>31.97</td><td>8.41</td><td>33.48</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	104.41	-----	-----	97.51	31.97	8.41	33.48	100	207
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.31	66.14	74.00	-7.86	59.11	32.05	8.44	33.46	100	207	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	104.41	-----	-----	97.51	31.97	8.41	33.48	100	207	PEAK																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.96</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>38.73</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	45.75	54.00	-8.25	38.73	32.05	8.43	33.46	100	207	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.10</td><td>-----</td><td>-----</td><td>87.20</td><td>31.97</td><td>8.41</td><td>33.48</td><td>100</td><td>207</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	94.10	-----	-----	87.20	31.97	8.41	33.48	100	207
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.96	45.75	54.00	-8.25	38.73	32.05	8.43	33.46	100	207	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	94.10	-----	-----	87.20	31.97	8.41	33.48	100	207	AVERAGE																																																																															





Mode	15																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>58.62</td><td>34.03</td><td>9.87</td><td>56.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>57.64</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7875.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>60.13</td><td>35.90</td><td>11.83</td><td>59.38</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	45.99	74.00	-28.01	58.62	34.03	9.87	56.53	--	--	Peak	2	7386.00	45.59	74.00	-28.41	57.64	35.69	11.51	59.25	--	--	Peak	3	7875.00	48.48	74.00	-25.52	60.13	35.90	11.83	59.38	--	--	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>66.66</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>32</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>58.99</td><td>34.03</td><td>9.87</td><td>56.53</td><td>100</td><td>32</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>55.19</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7875.00</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>62.65</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>83</td><td>Peak</td></tr><tr><td>5</td><td>7875.00</td><td>43.97</td><td>54.00</td><td>-10.03</td><td>55.62</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>83</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	54.03	74.00	-19.97	66.66	34.03	9.87	56.53	100	32	Peak	2	4924.00	46.36	54.00	-7.64	58.99	34.03	9.87	56.53	100	32	Average	3	7386.00	43.14	74.00	-30.86	55.19	35.69	11.51	59.25	--	--	Peak	4	7875.00	51.00	74.00	-23.00	62.65	35.90	11.83	59.38	100	83	Peak	5	7875.00	43.97	54.00	-10.03	55.62	35.90	11.83	59.38	100	83
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																	
1	4924.00	45.99	74.00	-28.01	58.62	34.03	9.87	56.53	--	--	Peak																																																																																																																																																															
2	7386.00	45.59	74.00	-28.41	57.64	35.69	11.51	59.25	--	--	Peak																																																																																																																																																															
3	7875.00	48.48	74.00	-25.52	60.13	35.90	11.83	59.38	--	--	Peak																																																																																																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																	
1	4924.00	54.03	74.00	-19.97	66.66	34.03	9.87	56.53	100	32	Peak																																																																																																																																																															
2	4924.00	46.36	54.00	-7.64	58.99	34.03	9.87	56.53	100	32	Average																																																																																																																																																															
3	7386.00	43.14	74.00	-30.86	55.19	35.69	11.51	59.25	--	--	Peak																																																																																																																																																															
4	7875.00	51.00	74.00	-23.00	62.65	35.90	11.83	59.38	100	83	Peak																																																																																																																																																															
5	7875.00	43.97	54.00	-10.03	55.62	35.90	11.83	59.38	100	83	Average																																																																																																																																																															



Mode	16																																																		
	Band Edge - L																																																		
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																		
ANT	1																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.86</td><td>69.30</td><td>74.00</td><td>-4.70</td><td>62.81</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>310</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.86	69.30	74.00	-4.70	62.81	31.69	8.31	33.51	100	310	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2389.86	69.30	74.00	-4.70	62.81	31.69	8.31	33.51	100	310	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>103.47</td><td>-----</td><td>-----</td><td>96.87</td><td>31.76</td><td>8.34</td><td>33.50</td><td>100</td><td>310</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	103.47	-----	-----	96.87	31.76	8.34	33.50	100	310	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2422.00	103.47	-----	-----	96.87	31.76	8.34	33.50	100	310	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.74</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>42.65</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.74	49.14	54.00	-4.86	42.65	31.69	8.31	33.51	100	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2389.74	49.14	54.00	-4.86	42.65	31.69	8.31	33.51	100	310	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>93.61</td><td>-----</td><td>-----</td><td>87.05</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	93.61	-----	-----	87.05	31.74	8.33	33.51	100	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2422.00	93.61	-----	-----	87.05	31.74	8.33	33.51	100	310	AVERAGE																																								





Mode	16																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.56</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>47.76</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>310</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.56	54.80	74.00	-19.20	47.76	32.06	8.44	33.46	100	310	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.56	54.80	74.00	-19.20	47.76	32.06	8.44	33.46	100	310	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>36.35</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	43.37	54.00	-10.63	36.35	32.05	8.43	33.46	100	310	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2483.62	43.37	54.00	-10.63	36.35	32.05	8.43	33.46	100	310	AVERAGE																																								



Mode	16																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.17</td><td>66.37</td><td>74.00</td><td>-7.63</td><td>59.89</td><td>31.69</td><td>8.30</td><td>33.51</td><td>100</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.17	66.37	74.00	-7.63	59.89	31.69	8.30	33.51	100	210	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>102.76</td><td>-----</td><td>-----</td><td>96.17</td><td>31.75</td><td>8.34</td><td>33.50</td><td>100</td><td>210</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	102.76	-----	-----	96.17	31.75	8.34	33.50	100	210
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2387.17	66.37	74.00	-7.63	59.89	31.69	8.30	33.51	100	210	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2422.00	102.76	-----	-----	96.17	31.75	8.34	33.50	100	210	PEAK																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.85</td><td>47.94</td><td>54.00</td><td>-6.06</td><td>41.45</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>210</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.85	47.94	54.00	-6.06	41.45	31.69	8.31	33.51	100	210	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>93.00</td><td>-----</td><td>-----</td><td>86.44</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>210</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	93.00	-----	-----	86.44	31.74	8.33	33.51	100	210
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2388.85	47.94	54.00	-6.06	41.45	31.69	8.31	33.51	100	210	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2422.00	93.00	-----	-----	86.44	31.74	8.33	33.51	100	210	AVERAGE																																																																															



Mode	16																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																
ANT	1																																																
Pol.	Vertical										Fundamental																																						
Peak											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.44</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>49.77</td><td>32.07</td><td>8.44</td><td>33.46</td><td>100</td><td>210</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.44	56.82	74.00	-17.18	49.77	32.07	8.44	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2487.44	56.82	74.00	-17.18	49.77	32.07	8.44	33.46	100	210	PEAK																																						
Avg											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.63</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>36.68</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>210</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.63	43.72	54.00	-10.28	36.68	32.06	8.44	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2484.63	43.72	54.00	-10.28	36.68	32.06	8.44	33.46	100	210	AVERAGE																																						







Mode	16																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																					
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two peaks are marked with blue vertical lines and numbered 1 and 2.										Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dBuV/m (PEAK_74), and a red average line at 54.00 dBuV/m (AVG_54). Two peaks are marked with blue vertical lines and numbered 1 and 2.																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>56.83</td><td>33.76</td><td>9.88</td><td>56.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7755.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>60.17</td><td>35.90</td><td>11.78</td><td>59.35</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	43.91	74.00	-30.09	56.83	33.76	9.88	56.56	--	--	Peak	2	7755.00	48.50	74.00	-25.50	60.17	35.90	11.78	59.35	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>66.64</td><td>33.76</td><td>9.88</td><td>56.56</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4844.00</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>59.55</td><td>33.76</td><td>9.88</td><td>56.56</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7755.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>61.33</td><td>35.90</td><td>11.78</td><td>59.35</td><td>100</td><td>82</td><td>Peak</td></tr><tr><td>4</td><td>7755.00</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>54.28</td><td>35.90</td><td>11.78</td><td>59.35</td><td>100</td><td>82</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	53.72	74.00	-20.28	66.64	33.76	9.88	56.56	100	52	Peak	2	4844.00	46.63	54.00	-7.37	59.55	33.76	9.88	56.56	100	52	Average	3	7755.00	49.66	74.00	-24.34	61.33	35.90	11.78	59.35	100	82	Peak	4	7755.00	42.61	54.00	-11.39	54.28	35.90	11.78	59.35	100	82	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																							
1	4844.00	43.91	74.00	-30.09	56.83	33.76	9.88	56.56	--	--	Peak																																																																																																																																					
2	7755.00	48.50	74.00	-25.50	60.17	35.90	11.78	59.35	--	--	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																							
1	4844.00	53.72	74.00	-20.28	66.64	33.76	9.88	56.56	100	52	Peak																																																																																																																																					
2	4844.00	46.63	54.00	-7.37	59.55	33.76	9.88	56.56	100	52	Average																																																																																																																																					
3	7755.00	49.66	74.00	-24.34	61.33	35.90	11.78	59.35	100	82	Peak																																																																																																																																					
4	7755.00	42.61	54.00	-11.39	54.28	35.90	11.78	59.35	100	82	Average																																																																																																																																					





Mode	17																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal																																																																																																		
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>57.09</td><td>33.72</td><td>9.88</td><td>56.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>58.06</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7800.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>60.15</td><td>35.90</td><td>11.84</td><td>59.36</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.14	74.00	-29.86	57.09	33.72	9.88	56.55	--	--	Peak	2	7311.00	45.89	74.00	-28.11	58.06	35.60	11.45	59.22	--	--	Peak	3	7800.00	48.53	74.00	-25.47	60.15	35.90	11.84	59.36	--	--	Peak																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4874.00	44.14	74.00	-29.86	57.09	33.72	9.88	56.55	--	--	Peak																																																																																								
2	7311.00	45.89	74.00	-28.11	58.06	35.60	11.45	59.22	--	--	Peak																																																																																								
3	7800.00	48.53	74.00	-25.47	60.15	35.90	11.84	59.36	--	--	Peak																																																																																								
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>64.61</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>59.61</td><td>33.72</td><td>9.88</td><td>56.55</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>58.56</td><td>35.60</td><td>11.45</td><td>59.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7800.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>61.32</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>83</td><td>Peak</td></tr><tr><td>5</td><td>7800.00</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>55.62</td><td>35.90</td><td>11.84</td><td>59.36</td><td>100</td><td>83</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.66	74.00	-22.34	64.61	33.72	9.88	56.55	100	52	Peak	2	4874.00	46.66	54.00	-7.34	59.61	33.72	9.88	56.55	100	52	Average	3	7311.00	46.39	74.00	-27.61	58.56	35.60	11.45	59.22	--	--	Peak	4	7800.00	49.70	74.00	-24.30	61.32	35.90	11.84	59.36	100	83	Peak	5	7800.00	44.00	54.00	-10.00	55.62	35.90	11.84	59.36	100	83
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4874.00	51.66	74.00	-22.34	64.61	33.72	9.88	56.55	100	52	Peak																																																																																								
2	4874.00	46.66	54.00	-7.34	59.61	33.72	9.88	56.55	100	52	Average																																																																																								
3	7311.00	46.39	74.00	-27.61	58.56	35.60	11.45	59.22	--	--	Peak																																																																																								
4	7800.00	49.70	74.00	-24.30	61.32	35.90	11.84	59.36	100	83	Peak																																																																																								
5	7800.00	44.00	54.00	-10.00	55.62	35.90	11.84	59.36	100	83	Average																																																																																								







Mode	18																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.88</td><td>59.76</td><td>74.00</td><td>-14.24</td><td>53.33</td><td>31.67</td><td>8.28</td><td>33.52</td><td>100</td><td>291</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2377.88	59.76	74.00	-14.24	53.33	31.67	8.28	33.52	100	291	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>103.58</td><td>-----</td><td>-----</td><td>96.84</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>291</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	103.58	-----	-----	96.84	31.86	8.37	33.49	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2377.88	59.76	74.00	-14.24	53.33	31.67	8.28	33.52	100	291	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	103.58	-----	-----	96.84	31.86	8.37	33.49	100	291	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.09</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>38.69</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.09	45.18	54.00	-8.82	38.69	31.69	8.31	33.51	100	291	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>95.49</td><td>-----</td><td>-----</td><td>88.75</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	95.49	-----	-----	88.75	31.86	8.37	33.49	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.09	45.18	54.00	-8.82	38.69	31.69	8.31	33.51	100	291	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	95.49	-----	-----	88.75	31.86	8.37	33.49	100	291	AVERAGE																																																																															





Mode	19																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																
ANT	1																																																
Pol.	Horizontal										Fundamental																																						
Peak											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.79</td><td>64.21</td><td>74.00</td><td>-9.79</td><td>57.17</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>291</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.79	64.21	74.00	-9.79	57.17	32.06	8.44	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2485.79	64.21	74.00	-9.79	57.17	32.06	8.44	33.46	100	291	PEAK																																						
Avg											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>51.65</td><td>54.00</td><td>-2.35</td><td>44.63</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	51.65	54.00	-2.35	44.63	32.05	8.43	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2483.54	51.65	54.00	-2.35	44.63	32.05	8.43	33.46	100	291	AVERAGE																																						





Mode	19																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.70</td><td>57.34</td><td>74.00</td><td>-16.66</td><td>50.88</td><td>31.68</td><td>8.30</td><td>33.52</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2383.70	57.34	74.00	-16.66	50.88	31.68	8.30	33.52	100	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>101.87</td><td>-----</td><td>-----</td><td>95.00</td><td>31.95</td><td>8.40</td><td>33.48</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	101.87	-----	-----	95.00	31.95	8.40	33.48	100	207
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2383.70	57.34	74.00	-16.66	50.88	31.68	8.30	33.52	100	207	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	101.87	-----	-----	95.00	31.95	8.40	33.48	100	207	PEAK																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>37.28</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	43.77	54.00	-10.23	37.28	31.69	8.31	33.51	100	207	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>92.34</td><td>-----</td><td>-----</td><td>85.60</td><td>31.86</td><td>8.37</td><td>33.49</td><td>100</td><td>207</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	92.34	-----	-----	85.60	31.86	8.37	33.49	100	207
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.95	43.77	54.00	-10.23	37.28	31.69	8.31	33.51	100	207	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2452.00	92.34	-----	-----	85.60	31.86	8.37	33.49	100	207	AVERAGE																																																																															







Mode	18																																																				
	Band Edge - R																																																				
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.09</td><td>63.19</td><td>74.00</td><td>-10.81</td><td>56.14</td><td>32.07</td><td>8.44</td><td>33.46</td><td>100</td><td>207</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2487.09	63.19	74.00	-10.81	56.14	32.07	8.44	33.46	100	207	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2487.09	63.19	74.00	-10.81	56.14	32.07	8.44	33.46	100	207	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.35</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>41.80</td><td>32.05</td><td>8.44</td><td>33.46</td><td>100</td><td>207</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.35	48.83	54.00	-5.17	41.80	32.05	8.44	33.46	100	207	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.35	48.83	54.00	-5.17	41.80	32.05	8.44	33.46	100	207	AVERAGE																																										







Mode	18																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal																																																																																																									
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4904.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>57.48</td><td>33.82</td><td>9.87</td><td>56.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>57.57</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7845.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>59.74</td><td>35.90</td><td>11.83</td><td>59.37</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4904.00	44.63	74.00	-29.37	57.48	33.82	9.87	56.54	--	--	Peak	2	7356.00	45.47	74.00	-28.53	57.57	35.66	11.48	59.24	--	--	Peak	3	7845.00	48.10	74.00	-25.90	59.74	35.90	11.83	59.37	--	--	Peak																								
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	4904.00	44.63	74.00	-29.37	57.48	33.82	9.87	56.54	--	--	Peak																																																																																															
2	7356.00	45.47	74.00	-28.53	57.57	35.66	11.48	59.24	--	--	Peak																																																																																															
3	7845.00	48.10	74.00	-25.90	59.74	35.90	11.83	59.37	--	--	Peak																																																																																															
Vertical																																																																																																										
																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4904.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>67.53</td><td>33.82</td><td>9.87</td><td>56.54</td><td>100</td><td>52</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>58.83</td><td>33.82</td><td>9.87</td><td>56.54</td><td>100</td><td>52</td><td>Average</td></tr><tr><td>3</td><td>7356.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.64</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7845.00</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>61.52</td><td>35.90</td><td>11.83</td><td>59.37</td><td>100</td><td>82</td><td>Peak</td></tr><tr><td>5</td><td>7845.00</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>56.62</td><td>35.90</td><td>11.83</td><td>59.37</td><td>100</td><td>82</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4904.00	54.68	74.00	-19.32	67.53	33.82	9.87	56.54	100	52	Peak	2	4904.00	45.98	54.00	-8.02	58.83	33.82	9.87	56.54	100	52	Average	3	7356.00	44.54	74.00	-29.46	56.64	35.66	11.48	59.24	--	--	Peak	4	7845.00	49.88	74.00	-24.12	61.52	35.90	11.83	59.37	100	82	Peak	5	7845.00	44.98	54.00	-9.02	56.62	35.90	11.83	59.37	100	82	Average
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4904.00	54.68	74.00	-19.32	67.53	33.82	9.87	56.54	100	52	Peak																																																																																															
2	4904.00	45.98	54.00	-8.02	58.83	33.82	9.87	56.54	100	52	Average																																																																																															
3	7356.00	44.54	74.00	-29.46	56.64	35.66	11.48	59.24	--	--	Peak																																																																																															
4	7845.00	49.88	74.00	-24.12	61.52	35.90	11.83	59.37	100	82	Peak																																																																																															
5	7845.00	44.98	54.00	-9.02	56.62	35.90	11.83	59.37	100	82	Average																																																																																															



		19																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11ax HE20_CH01_Partial RU_26/0_2412MHz																																																																																							
ANT		1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.04	53.59	74.00	-20.41	47.10	31.69	8.31	33.51	100	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.08</td><td>-----</td><td>-----</td><td>95.52</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>296</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.08	-----	-----	95.52	31.74	8.33	33.51	100	296	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.04	53.59	74.00	-20.41	47.10	31.69	8.31	33.51	100	296	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	102.08	-----	-----	95.52	31.74	8.33	33.51	100	296	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.38</td><td>42.32</td><td>54.00</td><td>-11.68</td><td>35.89</td><td>31.67</td><td>8.28</td><td>33.52</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2378.38	42.32	54.00	-11.68	35.89	31.67	8.28	33.52	100	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.46</td><td>-----</td><td>-----</td><td>86.90</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	93.46	-----	-----	86.90	31.74	8.33	33.51	100	296
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2378.38	42.32	54.00	-11.68	35.89	31.67	8.28	33.52	100	296	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2412.00	93.46	-----	-----	86.90	31.74	8.33	33.51	100	296	AVERAGE																																																																														







Mode	19																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH01_Partial RU_26/0_2412MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2353.03</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>47.08</td><td>31.62</td><td>8.23</td><td>33.53</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2353.03	53.40	74.00	-20.60	47.08	31.62	8.23	33.53	100	208	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.89</td><td>-----</td><td>-----</td><td>95.33</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	101.89	-----	-----	95.33	31.74	8.33	33.51	100	208
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2353.03	53.40	74.00	-20.60	47.08	31.62	8.23	33.53	100	208	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	101.89	-----	-----	95.33	31.74	8.33	33.51	100	208	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.64</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>35.84</td><td>31.67</td><td>8.28</td><td>33.52</td><td>100</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2378.64	42.27	54.00	-11.73	35.84	31.67	8.28	33.52	100	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.23</td><td>-----</td><td>-----</td><td>85.67</td><td>31.74</td><td>8.33</td><td>33.51</td><td>100</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	92.23	-----	-----	85.67	31.74	8.33	33.51	100	208
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2378.64	42.27	54.00	-11.73	35.84	31.67	8.28	33.52	100	208	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	92.23	-----	-----	85.67	31.74	8.33	33.51	100	208	AVERAGE																																																																																







Mode	19																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11ax HE20_CH01_Partial RU_26/0_2412MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal																																																																									
Peak Avg																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>56.82</td><td>33.78</td><td>9.89</td><td>56.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7725.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>63.88</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>86</td><td>Peak</td></tr><tr><td>3</td><td>7725.00</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>57.90</td><td>35.90</td><td>11.75</td><td>59.35</td><td>100</td><td>86</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.92	74.00	-30.08	56.82	33.78	9.89	56.57	--	--	Peak	2	7725.00	52.18	74.00	-21.82	63.88	35.90	11.75	59.35	100	86	Peak	3	7725.00	46.20	54.00	-7.80	57.90	35.90	11.75	59.35	100	86	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	4824.00	43.92	74.00	-30.08	56.82	33.78	9.89	56.57	--	--	Peak																																																															
2	7725.00	52.18	74.00	-21.82	63.88	35.90	11.75	59.35	100	86	Peak																																																															
3	7725.00	46.20	54.00	-7.80	57.90	35.90	11.75	59.35	100	86	Average																																																															
Vertical																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>57.74</td><td>33.78</td><td>9.89</td><td>56.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7725.00</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>65.58</td><td>35.90</td><td>11.75</td><td>59.35</td><td>265</td><td>342</td><td>Peak</td></tr><tr><td>3</td><td>7725.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>61.51</td><td>35.90</td><td>11.75</td><td>59.35</td><td>265</td><td>342</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.84	74.00	-29.16	57.74	33.78	9.89	56.57	--	--	Peak	2	7725.00	53.88	74.00	-20.12	65.58	35.90	11.75	59.35	265	342	Peak	3	7725.00	49.81	54.00	-4.19	61.51	35.90	11.75	59.35	265	342	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	4824.00	44.84	74.00	-29.16	57.74	33.78	9.89	56.57	--	--	Peak																																																															
2	7725.00	53.88	74.00	-20.12	65.58	35.90	11.75	59.35	265	342	Peak																																																															
3	7725.00	49.81	54.00	-4.19	61.51	35.90	11.75	59.35	265	342	Average																																																															





Mode	20																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Partial RU_26/8_2462MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>50.73</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>291</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	57.75	74.00	-16.25	50.73	32.05	8.43	33.46	100	291	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.48</td><td>-----</td><td>-----</td><td>93.52</td><td>32.01</td><td>8.42</td><td>33.47</td><td>100</td><td>291</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.48	-----	-----	93.52	32.01	8.42	33.47	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.55	57.75	74.00	-16.25	50.73	32.05	8.43	33.46	100	291	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	100.48	-----	-----	93.52	32.01	8.42	33.47	100	291	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>36.05</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.48	43.09	54.00	-10.91	36.05	32.06	8.44	33.46	100	291	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>91.74</td><td>-----</td><td>-----</td><td>84.78</td><td>32.01</td><td>8.42</td><td>33.47</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	91.74	-----	-----	84.78	32.01	8.42	33.47	100	291
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2485.48	43.09	54.00	-10.91	36.05	32.06	8.44	33.46	100	291	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	91.74	-----	-----	84.78	32.01	8.42	33.47	100	291	AVERAGE																																																																															





Mode	20																																																		
	Band Edge																																																		
	2400-2483.5_802.11ax HE20_CH11_Partial RU_26/8_2462MHz																																																		
ANT	1																																																		
Pol.	Vertical																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.50</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>50.23</td><td>32.05</td><td>8.44</td><td>33.46</td><td>100</td><td>345</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.50	57.26	74.00	-16.74	50.23	32.05	8.44	33.46	100	345	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.50	57.26	74.00	-16.74	50.23	32.05	8.44	33.46	100	345	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.04</td><td>-----</td><td>-----</td><td>94.09</td><td>32.00</td><td>8.42</td><td>33.47</td><td>100</td><td>345</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	101.04	-----	-----	94.09	32.00	8.42	33.47	100	345	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2462.00	101.04	-----	-----	94.09	32.00	8.42	33.47	100	345	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.16</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>35.97</td><td>32.07</td><td>8.44</td><td>33.46</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.16	43.02	54.00	-10.98	35.97	32.07	8.44	33.46	100	345	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2487.16	43.02	54.00	-10.98	35.97	32.07	8.44	33.46	100	345	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.78</td><td>-----</td><td>-----</td><td>85.83</td><td>32.00</td><td>8.42</td><td>33.47</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	92.78	-----	-----	85.83	32.00	8.42	33.47	100	345	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2462.00	92.78	-----	-----	85.83	32.00	8.42	33.47	100	345	AVERAGE																																								







Mode	20																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_Partial RU_26/8_2462MHz																																																																																																																																																																		
ANT	1																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>57.44</td><td>34.03</td><td>9.87</td><td>56.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.95</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7875.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>62.49</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>80</td><td>Peak</td></tr><tr><td>4</td><td>7875.00</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>57.63</td><td>35.90</td><td>11.83</td><td>59.38</td><td>100</td><td>80</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.81	74.00	-29.19	57.44	34.03	9.87	56.53	--	--	Peak	2	7386.00	45.90	74.00	-28.10	57.95	35.69	11.51	59.25	--	--	Peak	3	7875.00	50.84	74.00	-23.16	62.49	35.90	11.83	59.38	100	80	Peak	4	7875.00	45.98	54.00	-8.02	57.63	35.90	11.83	59.38	100	80	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>58.02</td><td>34.03</td><td>9.87</td><td>56.53</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>58.12</td><td>35.69</td><td>11.51</td><td>59.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7875.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>64.85</td><td>35.90</td><td>11.83</td><td>59.38</td><td>256</td><td>335</td><td>Peak</td></tr><tr><td>4</td><td>7875.00</td><td>49.11</td><td>54.00</td><td>-4.89</td><td>60.76</td><td>35.90</td><td>11.83</td><td>59.38</td><td>256</td><td>335</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.39	74.00	-28.61	58.02	34.03	9.87	56.53	--	--	Peak	2	7386.00	46.07	74.00	-27.93	58.12	35.69	11.51	59.25	--	--	Peak	3	7875.00	53.20	74.00	-20.80	64.85	35.90	11.83	59.38	256	335	Peak	4	7875.00	49.11	54.00	-4.89	60.76	35.90	11.83	59.38	256	335	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	44.81	74.00	-29.19	57.44	34.03	9.87	56.53	--	--	Peak																																																																																																																																																								
2	7386.00	45.90	74.00	-28.10	57.95	35.69	11.51	59.25	--	--	Peak																																																																																																																																																								
3	7875.00	50.84	74.00	-23.16	62.49	35.90	11.83	59.38	100	80	Peak																																																																																																																																																								
4	7875.00	45.98	54.00	-8.02	57.63	35.90	11.83	59.38	100	80	Average																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	45.39	74.00	-28.61	58.02	34.03	9.87	56.53	--	--	Peak																																																																																																																																																								
2	7386.00	46.07	74.00	-27.93	58.12	35.69	11.51	59.25	--	--	Peak																																																																																																																																																								
3	7875.00	53.20	74.00	-20.80	64.85	35.90	11.83	59.38	256	335	Peak																																																																																																																																																								
4	7875.00	49.11	54.00	-4.89	60.76	35.90	11.83	59.38	256	335	Average																																																																																																																																																								





Mode	21																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	2400-2483.5_802.11ax HE40_LF_CH09_2452MHz																																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QP/ Peak																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>64.92</td><td>18.18</td><td>40.00</td><td>-21.82</td><td>34.36</td><td>17.95</td><td>0.82</td><td>34.95</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>99.84</td><td>20.58</td><td>43.50</td><td>-22.92</td><td>39.52</td><td>14.90</td><td>1.06</td><td>34.90</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>145.43</td><td>23.37</td><td>43.50</td><td>-20.13</td><td>38.42</td><td>18.59</td><td>1.26</td><td>34.90</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>300.63</td><td>31.49</td><td>46.00</td><td>-14.51</td><td>45.25</td><td>19.14</td><td>1.80</td><td>34.70</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>375.32</td><td>33.23</td><td>46.00</td><td>-12.77</td><td>45.07</td><td>20.83</td><td>2.03</td><td>34.70</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>499.48</td><td>35.66</td><td>46.00</td><td>-10.34</td><td>44.45</td><td>23.35</td><td>2.36</td><td>34.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	64.92	18.18	40.00	-21.82	34.36	17.95	0.82	34.95	--	--	--	Peak	2	99.84	20.58	43.50	-22.92	39.52	14.90	1.06	34.90	--	--	--	Peak	3	145.43	23.37	43.50	-20.13	38.42	18.59	1.26	34.90	--	--	--	Peak	4	300.63	31.49	46.00	-14.51	45.25	19.14	1.80	34.70	--	--	--	Peak	5	375.32	33.23	46.00	-12.77	45.07	20.83	2.03	34.70	--	--	--	Peak	6	499.48	35.66	46.00	-10.34	44.45	23.35	2.36	34.50	--	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>41.64</td><td>26.08</td><td>40.00</td><td>-13.92</td><td>40.75</td><td>19.41</td><td>0.65</td><td>34.73</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>67.83</td><td>22.01</td><td>40.00</td><td>-17.99</td><td>38.66</td><td>17.43</td><td>0.84</td><td>34.92</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>140.58</td><td>23.49</td><td>43.50</td><td>-20.01</td><td>38.95</td><td>18.20</td><td>1.24</td><td>34.90</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>264.74</td><td>24.11</td><td>46.00</td><td>-21.89</td><td>39.16</td><td>18.03</td><td>1.69</td><td>34.77</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>399.57</td><td>25.04</td><td>46.00</td><td>-20.96</td><td>36.22</td><td>21.41</td><td>2.11</td><td>34.70</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>499.48</td><td>30.54</td><td>46.00</td><td>-15.46</td><td>39.33</td><td>23.35</td><td>2.36</td><td>34.50</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	41.64	26.08	40.00	-13.92	40.75	19.41	0.65	34.73	--	--	--	Peak	2	67.83	22.01	40.00	-17.99	38.66	17.43	0.84	34.92	--	--	--	Peak	3	140.58	23.49	43.50	-20.01	38.95	18.20	1.24	34.90	--	--	--	Peak	4	264.74	24.11	46.00	-21.89	39.16	18.03	1.69	34.77	--	--	--	Peak	5	399.57	25.04	46.00	-20.96	36.22	21.41	2.11	34.70	--	--	--	Peak	6	499.48	30.54	46.00	-15.46	39.33	23.35	2.36	34.50	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	64.92	18.18	40.00	-21.82	34.36	17.95	0.82	34.95	--	--	--	Peak																																																																																																																																																																																																																
2	99.84	20.58	43.50	-22.92	39.52	14.90	1.06	34.90	--	--	--	Peak																																																																																																																																																																																																																
3	145.43	23.37	43.50	-20.13	38.42	18.59	1.26	34.90	--	--	--	Peak																																																																																																																																																																																																																
4	300.63	31.49	46.00	-14.51	45.25	19.14	1.80	34.70	--	--	--	Peak																																																																																																																																																																																																																
5	375.32	33.23	46.00	-12.77	45.07	20.83	2.03	34.70	--	--	--	Peak																																																																																																																																																																																																																
6	499.48	35.66	46.00	-10.34	44.45	23.35	2.36	34.50	--	--	--	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	41.64	26.08	40.00	-13.92	40.75	19.41	0.65	34.73	--	--	--	Peak																																																																																																																																																																																																																
2	67.83	22.01	40.00	-17.99	38.66	17.43	0.84	34.92	--	--	--	Peak																																																																																																																																																																																																																
3	140.58	23.49	43.50	-20.01	38.95	18.20	1.24	34.90	--	--	--	Peak																																																																																																																																																																																																																
4	264.74	24.11	46.00	-21.89	39.16	18.03	1.69	34.77	--	--	--	Peak																																																																																																																																																																																																																
5	399.57	25.04	46.00	-20.96	36.22	21.41	2.11	34.70	--	--	--	Peak																																																																																																																																																																																																																
6	499.48	30.54	46.00	-15.46	39.33	23.35	2.36	34.50	--	--	--	Peak																																																																																																																																																																																																																







Co-location

		22																																																																																															
Mode		Band Edge - L																																																																																															
		CO_TX																																																																																															
ANT		1																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>48.75</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>302 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.80	55.24	74.00	-18.76	48.75	31.69	8.31	33.51	100	302 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>106.37</td><td>-----</td><td>-----</td><td>99.59</td><td>31.89</td><td>8.38</td><td>33.49</td><td>100</td><td>302 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2440.00	106.37	-----	-----	99.59	31.89	8.38	33.49	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2389.80	55.24	74.00	-18.76	48.75	31.69	8.31	33.51	100	302 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2440.00	106.37	-----	-----	99.59	31.89	8.38	33.49	100	302 Peak																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.54</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>43.00</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>302 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.54	49.49	54.00	-4.51	43.00	31.69	8.31	33.51	100	302 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.45</td><td>-----</td><td>-----</td><td>92.68</td><td>31.88</td><td>8.38</td><td>33.49</td><td>100</td><td>302 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2440.00	99.45	-----	-----	92.68	31.88	8.38	33.49	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2388.54	49.49	54.00	-4.51	43.00	31.69	8.31	33.51	100	302 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2440.00	99.45	-----	-----	92.68	31.88	8.38	33.49	100	302 Average																																																																																							





Mode	22																																																
	Band Edge - R																																																
	CO_TX																																																
ANT	1																																																
Pol.	Horizontal										Fundamental																																						
Peak											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.11</td><td>63.66</td><td>74.00</td><td>-10.34</td><td>56.59</td><td>32.08</td><td>8.44</td><td>33.45</td><td>100</td><td>302</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2491.11	63.66	74.00	-10.34	56.59	32.08	8.44	33.45	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2491.11	63.66	74.00	-10.34	56.59	32.08	8.44	33.45	100	302	Peak																																						
Avg											Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>42.62</td><td>32.05</td><td>8.43</td><td>33.46</td><td>100</td><td>302</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	49.64	54.00	-4.36	42.62	32.05	8.43	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2484.04	49.64	54.00	-4.36	42.62	32.05	8.43	33.46	100	302	Average																																						







Mode	22																																																																																									
	Band Edge - L																																																																																									
	CO_TX																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.10</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>50.25</td><td>31.69</td><td>8.31</td><td>33.51</td><td>206</td><td>246</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.10	56.74	74.00	-17.26	50.25	31.69	8.31	33.51	206	246	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>106.74</td><td>-----</td><td>-----</td><td>99.97</td><td>31.88</td><td>8.38</td><td>33.49</td><td>206</td><td>246</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2440.00	106.74	-----	-----	99.97	31.88	8.38	33.49	206	246
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.10	56.74	74.00	-17.26	50.25	31.69	8.31	33.51	206	246	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2440.00	106.74	-----	-----	99.97	31.88	8.38	33.49	206	246	Peak																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.54</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>40.80</td><td>31.69</td><td>8.31</td><td>33.51</td><td>206</td><td>246</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.54	47.29	54.00	-6.71	40.80	31.69	8.31	33.51	206	246	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.04</td><td>-----</td><td>-----</td><td>94.27</td><td>31.88</td><td>8.38</td><td>33.49</td><td>206</td><td>246</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2440.00	101.04	-----	-----	94.27	31.88	8.38	33.49	206	246
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2388.54	47.29	54.00	-6.71	40.80	31.69	8.31	33.51	206	246	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2440.00	101.04	-----	-----	94.27	31.88	8.38	33.49	206	246	Average																																																																															





Mode	22																																																
	Band Edge - R																																																
	CO_TX																																																
ANT	1																																																
Pol.	Vertical					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.98</td><td>69.11</td><td>74.00</td><td>-4.89</td><td>62.07</td><td>32.06</td><td>8.44</td><td>33.46</td><td>206</td><td>246 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2486.98	69.11	74.00	-4.89	62.07	32.06	8.44	33.46	206	246 Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2486.98	69.11	74.00	-4.89	62.07	32.06	8.44	33.46	206	246 Peak																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.67</td><td>51.62</td><td>54.00</td><td>-2.38</td><td>44.58</td><td>32.06</td><td>8.44</td><td>33.46</td><td>206</td><td>246 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.67	51.62	54.00	-2.38	44.58	32.06	8.44	33.46	206	246 Average	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	2484.67	51.62	54.00	-2.38	44.58	32.06	8.44	33.46	206	246 Average																																							







Mode	22																																																																																						
	Band Edge - L																																																																																						
	CO_TX																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.30</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>51.57</td><td>31.68</td><td>8.30</td><td>33.51</td><td>100</td><td>302 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2386.30	58.04	74.00	-15.96	51.57	31.68	8.30	33.51	100	302 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>105.03</td><td>-----</td><td>-----</td><td>98.19</td><td>31.93</td><td>8.39</td><td>33.48</td><td>100</td><td>302 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	105.03	-----	-----	98.19	31.93	8.39	33.48	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2386.30	58.04	74.00	-15.96	51.57	31.68	8.30	33.51	100	302 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2452.00	105.03	-----	-----	98.19	31.93	8.39	33.48	100	302 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.40</td><td>46.49</td><td>54.00</td><td>-7.51</td><td>40.00</td><td>31.69</td><td>8.31</td><td>33.51</td><td>100</td><td>302 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.40	46.49	54.00	-7.51	40.00	31.69	8.31	33.51	100	302 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>97.23</td><td>-----</td><td>-----</td><td>90.39</td><td>31.93</td><td>8.39</td><td>33.48</td><td>100</td><td>302 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	97.23	-----	-----	90.39	31.93	8.39	33.48	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2388.40	46.49	54.00	-7.51	40.00	31.69	8.31	33.51	100	302 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2452.00	97.23	-----	-----	90.39	31.93	8.39	33.48	100	302 Average																																																																													





Mode	22																																																		
	Band Edge - R																																																		
	CO_TX																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.24</td><td>67.79</td><td>74.00</td><td>-6.21</td><td>60.74</td><td>32.07</td><td>8.44</td><td>33.46</td><td>100</td><td>302</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2488.24	67.79	74.00	-6.21	60.74	32.07	8.44	33.46	100	302	Peak	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2488.24	67.79	74.00	-6.21	60.74	32.07	8.44	33.46	100	302	Peak																																								
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.53</td><td>49.05</td><td>54.00</td><td>-4.95</td><td>42.01</td><td>32.06</td><td>8.44</td><td>33.46</td><td>100</td><td>302</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.53	49.05	54.00	-4.95	42.01	32.06	8.44	33.46	100	302	Average	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.53	49.05	54.00	-4.95	42.01	32.06	8.44	33.46	100	302	Average																																								





		22																																																																																															
Mode		Band Edge - L																																																																																															
		CO_TX																																																																																															
ANT		1																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.40</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>50.50</td><td>31.69</td><td>8.31</td><td>33.51</td><td>143</td><td>329 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.40	56.99	74.00	-17.01	50.50	31.69	8.31	33.51	143	329 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>105.16</td><td>-----</td><td>-----</td><td>98.42</td><td>31.86</td><td>8.37</td><td>33.49</td><td>143</td><td>329 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	105.16	-----	-----	98.42	31.86	8.37	33.49	143
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2388.40	56.99	74.00	-17.01	50.50	31.69	8.31	33.51	143	329 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2452.00	105.16	-----	-----	98.42	31.86	8.37	33.49	143	329 Peak																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.40</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>37.99</td><td>31.69</td><td>8.31</td><td>33.51</td><td>143</td><td>329 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.40	44.48	54.00	-9.52	37.99	31.69	8.31	33.51	143	329 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>99.18</td><td>-----</td><td>-----</td><td>92.41</td><td>31.88</td><td>8.38</td><td>33.49</td><td>143</td><td>329 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	99.18	-----	-----	92.41	31.88	8.38	33.49	143
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2388.40	44.48	54.00	-9.52	37.99	31.69	8.31	33.51	143	329 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	2452.00	99.18	-----	-----	92.41	31.88	8.38	33.49	143	329 Average																																																																																							



Mode	22																																												
	Band Edge - R																																												
	CO_TX																																												
ANT	1																																												
Pol.	Vertical						Fundamental																																						
Peak							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.65</td><td>65.60</td><td>74.00</td><td>-8.40</td><td>58.56</td><td>32.06</td><td>8.44</td><td>33.46</td><td>143</td><td>329</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.65	65.60	74.00	-8.40	58.56
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	2485.65	65.60	74.00	-8.40	58.56	32.06	8.44	33.46	143	329	Peak																																		
Avg							Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>41.03</td><td>32.05</td><td>8.43</td><td>33.46</td><td>143</td><td>329</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	48.05	54.00	-5.95	41.03
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	2484.04	48.05	54.00	-5.95	41.03	32.05	8.43	33.46	143	329	Average																																		




Mode	22																																																																																																																																									
	Harmonic																																																																																																																																									
	CO_TX																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal																																																																																																																																									
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Loss Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4880.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>57.23</td><td>33.72</td><td>9.87</td><td>56.55</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>57.84</td><td>33.82</td><td>9.87</td><td>56.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>65.85</td><td>35.62</td><td>11.45</td><td>59.23</td><td>180</td><td>145</td><td></td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>61.05</td><td>35.62</td><td>11.45</td><td>59.23</td><td>180</td><td>145</td><td></td><td>Average</td></tr><tr><td>5</td><td>7356.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>58.15</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>7845.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>59.56</td><td>35.90</td><td>11.83</td><td>59.37</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Loss Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4880.00	44.27	74.00	-29.73	57.23	33.72	9.87	56.55	--	--	--	Peak	2	4904.00	44.99	74.00	-29.01	57.84	33.82	9.87	56.54	--	--	--	Peak	3	7320.00	53.69	74.00	-20.31	65.85	35.62	11.45	59.23	180	145		Peak	4	7320.00	48.89	54.00	-5.11	61.05	35.62	11.45	59.23	180	145		Average	5	7356.00	46.05	74.00	-27.95	58.15	35.66	11.48	59.24	--	--	--	Peak	6	7845.00	47.92	74.00	-26.08	59.56	35.90	11.83	59.37	--	--	--	Peak												
Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Level	Loss Factor	Level	Factor	Level	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4880.00	44.27	74.00	-29.73	57.23	33.72	9.87	56.55	--	--	--	Peak																																																																																																																														
2	4904.00	44.99	74.00	-29.01	57.84	33.82	9.87	56.54	--	--	--	Peak																																																																																																																														
3	7320.00	53.69	74.00	-20.31	65.85	35.62	11.45	59.23	180	145		Peak																																																																																																																														
4	7320.00	48.89	54.00	-5.11	61.05	35.62	11.45	59.23	180	145		Average																																																																																																																														
5	7356.00	46.05	74.00	-27.95	58.15	35.66	11.48	59.24	--	--	--	Peak																																																																																																																														
6	7845.00	47.92	74.00	-26.08	59.56	35.90	11.83	59.37	--	--	--	Peak																																																																																																																														
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Loss Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4880.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>57.30</td><td>33.72</td><td>9.87</td><td>56.55</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4904.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>57.73</td><td>33.82</td><td>9.87</td><td>56.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>68.36</td><td>35.62</td><td>11.45</td><td>59.23</td><td>204</td><td>330</td><td></td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>51.00</td><td>54.00</td><td>-3.00</td><td>63.16</td><td>35.62</td><td>11.45</td><td>59.23</td><td>204</td><td>330</td><td></td><td>Average</td></tr><tr><td>5</td><td>7356.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>58.52</td><td>35.66</td><td>11.48</td><td>59.24</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>7845.00</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>64.56</td><td>35.90</td><td>11.83</td><td>59.37</td><td>163</td><td>188</td><td></td><td>Peak</td></tr><tr><td>7</td><td>7845.00</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>58.62</td><td>35.90</td><td>11.83</td><td>59.37</td><td>163</td><td>188</td><td></td><td>Average</td></tr></table>											Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Loss Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4880.00	44.34	74.00	-29.66	57.30	33.72	9.87	56.55	--	--	--	Peak	2	4904.00	44.88	74.00	-29.12	57.73	33.82	9.87	56.54	--	--	--	Peak	3	7320.00	56.20	74.00	-17.80	68.36	35.62	11.45	59.23	204	330		Peak	4	7320.00	51.00	54.00	-3.00	63.16	35.62	11.45	59.23	204	330		Average	5	7356.00	46.42	74.00	-27.58	58.52	35.66	11.48	59.24	--	--	--	Peak	6	7845.00	52.92	74.00	-21.08	64.56	35.90	11.83	59.37	163	188		Peak	7	7845.00	46.98	54.00	-7.02	58.62	35.90	11.83	59.37	163	188	
Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Level	Loss Factor	Level	Factor	Level	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4880.00	44.34	74.00	-29.66	57.30	33.72	9.87	56.55	--	--	--	Peak																																																																																																																														
2	4904.00	44.88	74.00	-29.12	57.73	33.82	9.87	56.54	--	--	--	Peak																																																																																																																														
3	7320.00	56.20	74.00	-17.80	68.36	35.62	11.45	59.23	204	330		Peak																																																																																																																														
4	7320.00	51.00	54.00	-3.00	63.16	35.62	11.45	59.23	204	330		Average																																																																																																																														
5	7356.00	46.42	74.00	-27.58	58.52	35.66	11.48	59.24	--	--	--	Peak																																																																																																																														
6	7845.00	52.92	74.00	-21.08	64.56	35.90	11.83	59.37	163	188		Peak																																																																																																																														
7	7845.00	46.98	54.00	-7.02	58.62	35.90	11.83	59.37	163	188		Average																																																																																																																														

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	51.15	12.46	0.080	100Hz
802.11g	58.89	5.5	0.182	300Hz
802.11n HT20	57.13	5.37	0.186	300Hz
802.11n HT40	56.58	3.03	0.330	1KHz
802.11ax HE20	44.84	4.65	0.215	300Hz
802.11ax HE40	44.59	4.62	0.216	300Hz
802.11ax HE20 RU26	57.87	1.36	0.735	1KHz
802.11ax HE20 RU52	57.87	1.36	0.735	1KHz
802.11ax HE20 RU106	57.87	1.36	0.735	1KHz


802.11b



Date: 19.MAR.2026 03:03:03




802.11g



Date: 19.MAR.2026 03:04:58


802.11n HT20



Date: 19.MAR.2026 03:08:00




802.11n HT40



Date: 19.MAR.2026 03:10:35


802.11ax HE20



Date: 19.MAR.2026 03:16:23




802.11ax HE40



Date: 19.MAR.2026 03:18:24


802.11ax HE20 RU26



Date: 22.MAR.2026 10:14:37




802.11ax HE20 RU52



Date: 22.MAR.2026 10:15:23

802.11ax HE20 RU106



Date: 22.MAR.2026 10:16:02