







Mode	24																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																																																		
ANT	1																																																																																																																																																																		
Pol.	Horizontal										Vertical																																																																																																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9076.00</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>65.15</td><td>36.31</td><td>12.57</td><td>58.73</td><td>100</td><td>79</td><td>Peak</td></tr><tr><td>2</td><td>9076.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>60.67</td><td>36.31</td><td>12.57</td><td>58.73</td><td>100</td><td>79</td><td>Average</td></tr><tr><td>3</td><td>11340.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>53.91</td><td>38.24</td><td>13.87</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17010.00</td><td>47.66</td><td>68.30</td><td>-20.64</td><td>46.20</td><td>42.59</td><td>16.68</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9076.00	55.30	74.00	-18.70	65.15	36.31	12.57	58.73	100	79	Peak	2	9076.00	50.82	54.00	-3.18	60.67	36.31	12.57	58.73	100	79	Average	3	11340.00	47.93	74.00	-26.07	53.91	38.24	13.87	58.09	--	--	Peak	4	17010.00	47.66	68.30	-20.64	46.20	42.59	16.68	57.81	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9076.00</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>64.27</td><td>36.31</td><td>12.57</td><td>58.73</td><td>126</td><td>325</td><td>Peak</td></tr><tr><td>2</td><td>9076.00</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>57.95</td><td>36.31</td><td>12.57</td><td>58.73</td><td>126</td><td>325</td><td>Average</td></tr><tr><td>3</td><td>11340.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>55.23</td><td>38.24</td><td>13.87</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17010.00</td><td>49.20</td><td>68.30</td><td>-19.10</td><td>47.74</td><td>42.59</td><td>16.68</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9076.00	54.42	74.00	-19.58	64.27	36.31	12.57	58.73	126	325	Peak	2	9076.00	48.10	54.00	-5.90	57.95	36.31	12.57	58.73	126	325	Average	3	11340.00	49.25	74.00	-24.75	55.23	38.24	13.87	58.09	--	--	Peak	4	17010.00	49.20	68.30	-19.10	47.74	42.59	16.68	57.81	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	9076.00	55.30	74.00	-18.70	65.15	36.31	12.57	58.73	100	79	Peak																																																																																																																																																								
2	9076.00	50.82	54.00	-3.18	60.67	36.31	12.57	58.73	100	79	Average																																																																																																																																																								
3	11340.00	47.93	74.00	-26.07	53.91	38.24	13.87	58.09	--	--	Peak																																																																																																																																																								
4	17010.00	47.66	68.30	-20.64	46.20	42.59	16.68	57.81	--	--	Peak																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	9076.00	54.42	74.00	-19.58	64.27	36.31	12.57	58.73	126	325	Peak																																																																																																																																																								
2	9076.00	48.10	54.00	-5.90	57.95	36.31	12.57	58.73	126	325	Average																																																																																																																																																								
3	11340.00	49.25	74.00	-24.75	55.23	38.24	13.87	58.09	--	--	Peak																																																																																																																																																								
4	17010.00	49.20	68.30	-19.10	47.74	42.59	16.68	57.81	--	--	Peak																																																																																																																																																								



Mode	25																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.73</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>48.81</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>2 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.73	61.47	74.00	-12.53	48.81	34.95	9.96	32.25	100	2 PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.84</td><td>-----</td><td>-----</td><td>84.88</td><td>35.10</td><td>10.06</td><td>32.20</td><td>100</td><td>2 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	97.84	-----	-----	84.88	35.10	10.06	32.20	100	2 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5149.73	61.47	74.00	-12.53	48.81	34.95	9.96	32.25	100	2 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5210.00	97.84	-----	-----	84.88	35.10	10.06	32.20	100	2 PEAK																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.55</td><td>50.98</td><td>54.00</td><td>-3.02</td><td>38.34</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>2 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5137.55	50.98	54.00	-3.02	38.34	34.94	9.95	32.25	100	2 AVERAGE	 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.42</td><td>-----</td><td>-----</td><td>78.46</td><td>35.10</td><td>10.06</td><td>32.20</td><td>100</td><td>2 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	91.42	-----	-----	78.46	35.10	10.06	32.20	100	2 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5137.55	50.98	54.00	-3.02	38.34	34.94	9.95	32.25	100	2 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5210.00	91.42	-----	-----	78.46	35.10	10.06	32.20	100	2 AVERAGE																																																																						





Mode	25																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.00</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>38.78</td><td>35.20</td><td>10.24</td><td>32.17</td><td>100</td><td>2 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5370.00	52.05	74.00	-21.95	38.78	35.20	10.24	32.17	100	2 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5370.00	52.05	74.00	-21.95	38.78	35.20	10.24	32.17	100	2 PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.75</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>28.10</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>2 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5442.75	41.35	54.00	-12.65	28.10	35.20	10.29	32.24	100	2 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5442.75	41.35	54.00	-12.65	28.10	35.20	10.29	32.24	100	2 AVERAGE																															





Mode	25																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.48</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>41.92</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>93</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.48	54.57	74.00	-19.43	41.92	34.95	9.95	32.25	100	93	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.68</td><td>-----</td><td>-----</td><td>75.75</td><td>35.08</td><td>10.05</td><td>32.20</td><td>100</td><td>93</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.68	-----	-----	75.75	35.08	10.05	32.20	100	93	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5144.48	54.57	74.00	-19.43	41.92	34.95	9.95	32.25	100	93	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5210.00	88.68	-----	-----	75.75	35.08	10.05	32.20	100	93	PEAK																																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.43</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>31.70</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>93</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.43	44.35	54.00	-9.65	31.70	34.95	9.95	32.25	100	93	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>81.72</td><td>-----</td><td>-----</td><td>68.76</td><td>35.10</td><td>10.06</td><td>32.20</td><td>100</td><td>93</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	81.72	-----	-----	68.76	35.10	10.06	32.20	100	93	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5143.43	44.35	54.00	-9.65	31.70	34.95	9.95	32.25	100	93	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5210.00	81.72	-----	-----	68.76	35.10	10.06	32.20	100	93	AVERAGE																																																																									







Mode	25																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>38.67</td><td>35.20</td><td>10.29</td><td>32.20</td><td>100</td><td>93</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5414.00	51.96	74.00	-22.04	38.67	35.20	10.29	32.20	100	93	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5414.00	51.96	74.00	-22.04	38.67	35.20	10.29	32.20	100	93	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.25</td><td>41.22</td><td>54.00</td><td>-12.78</td><td>27.99</td><td>35.20</td><td>10.29</td><td>32.26</td><td>100</td><td>93</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.25	41.22	54.00	-12.78	27.99	35.20	10.29	32.26	100	93	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5453.25	41.22	54.00	-12.78	27.99	35.20	10.29	32.26	100	93	AVERAGE																																								





		25																																																																																																							
Mode		Harmonic																																																																																																							
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																							
ANT		1																																																																																																							
Pol.		Horizontal																																																																																																							
		Vertical																																																																																																							
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8340.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>63.78</td><td>35.80</td><td>12.07</td><td>58.99</td><td>100</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>8340.00</td><td>49.86</td><td>54.00</td><td>-4.14</td><td>60.98</td><td>35.80</td><td>12.07</td><td>58.99</td><td>100</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>10420.00</td><td>56.30</td><td>68.30</td><td>-12.00</td><td>65.42</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15630.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>50.84</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16672.00</td><td>62.19</td><td>68.30</td><td>-6.11</td><td>61.97</td><td>41.74</td><td>16.54</td><td>58.06</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8340.00	52.66	74.00	-21.34	63.78	35.80	12.07	58.99	100	303	Peak	2	8340.00	49.86	54.00	-4.14	60.98	35.80	12.07	58.99	100	303	Average	3	10420.00	56.30	68.30	-12.00	65.42	37.25	13.28	59.65	--	--	Peak	4	15630.00	48.86	74.00	-25.14	50.84	40.28	15.83	58.09	--	--	Peak	5	16672.00	62.19	68.30	-6.11	61.97	41.74	16.54	58.06	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	8340.00	52.66	74.00	-21.34	63.78	35.80	12.07	58.99	100	303	Peak																																																																																														
2	8340.00	49.86	54.00	-4.14	60.98	35.80	12.07	58.99	100	303	Average																																																																																														
3	10420.00	56.30	68.30	-12.00	65.42	37.25	13.28	59.65	--	--	Peak																																																																																														
4	15630.00	48.86	74.00	-25.14	50.84	40.28	15.83	58.09	--	--	Peak																																																																																														
5	16672.00	62.19	68.30	-6.11	61.97	41.74	16.54	58.06	--	--	Peak																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8340.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>60.23</td><td>35.80</td><td>12.07</td><td>58.99</td><td>100</td><td>68</td><td>Peak</td></tr><tr><td>2</td><td>8340.00</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>57.65</td><td>35.80</td><td>12.07</td><td>58.99</td><td>100</td><td>68</td><td>Average</td></tr><tr><td>3</td><td>10420.00</td><td>52.73</td><td>68.30</td><td>-15.57</td><td>61.85</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15630.00</td><td>49.91</td><td>74.00</td><td>-24.09</td><td>51.89</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16672.00</td><td>60.29</td><td>68.30</td><td>-8.01</td><td>60.07</td><td>41.74</td><td>16.54</td><td>58.06</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8340.00	49.11	74.00	-24.89	60.23	35.80	12.07	58.99	100	68	Peak	2	8340.00	46.53	54.00	-7.47	57.65	35.80	12.07	58.99	100	68	Average	3	10420.00	52.73	68.30	-15.57	61.85	37.25	13.28	59.65	--	--	Peak	4	15630.00	49.91	74.00	-24.09	51.89	40.28	15.83	58.09	--	--	Peak	5	16672.00	60.29	68.30	-8.01	60.07	41.74	16.54	58.06	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	8340.00	49.11	74.00	-24.89	60.23	35.80	12.07	58.99	100	68	Peak																																																																																														
2	8340.00	46.53	54.00	-7.47	57.65	35.80	12.07	58.99	100	68	Average																																																																																														
3	10420.00	52.73	68.30	-15.57	61.85	37.25	13.28	59.65	--	--	Peak																																																																																														
4	15630.00	49.91	74.00	-24.09	51.89	40.28	15.83	58.09	--	--	Peak																																																																																														
5	16672.00	60.29	68.30	-8.01	60.07	41.74	16.54	58.06	--	--	Peak																																																																																														







		26																																																																											
Mode		Band Edge - L																																																																											
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																											
ANT		1																																																																											
Pol.	Horizontal										Fundamental																																																																		
Peak																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5073.95	53.09	74.00	-20.91	40.56	34.88	9.90	32.25	100	1 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	96.53	-----	-----	83.34	35.20	10.17	32.18	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5073.95	53.09	74.00	-20.91	40.56	34.88	9.90	32.25	100	1 PEAK																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	96.53	-----	-----	83.34	35.20	10.17	32.18	100	1 PEAK																																																																			
Avg																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5120.06	43.08	54.00	-10.92	30.47	34.92	9.94	32.25	100	1 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	89.92	-----	-----	76.72	35.20	10.18	32.18	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5120.06	43.08	54.00	-10.92	30.47	34.92	9.94	32.25	100	1 AVERAGE																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	89.92	-----	-----	76.72	35.20	10.18	32.18	100	1 AVERAGE																																																																			





Mode	26																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.22</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>45.13</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>1</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.22	58.38	74.00	-15.62	45.13	35.20	10.22	32.17	100	1	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5352.22	58.38	74.00	-15.62	45.13	35.20	10.22	32.17	100	1	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>34.92</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>1</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	48.16	54.00	-5.84	34.92	35.20	10.21	32.17	100	1	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.01	48.16	54.00	-5.84	34.92	35.20	10.21	32.17	100	1	AVERAGE																																								





Mode	26																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5007.54</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>39.91</td><td>34.81</td><td>9.86</td><td>32.26</td><td>100</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5007.54	52.32	74.00	-21.68	39.91	34.81	9.86	32.26	100	134	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.52</td><td>-----</td><td>-----</td><td>77.33</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	90.52	-----	-----	77.33	35.20	10.17	32.18	100	134
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5007.54	52.32	74.00	-21.68	39.91	34.81	9.86	32.26	100	134	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	90.52	-----	-----	77.33	35.20	10.17	32.18	100	134	PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5074.24</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>29.64</td><td>34.88</td><td>9.90</td><td>32.25</td><td>100</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5074.24	42.17	54.00	-11.83	29.64	34.88	9.90	32.25	100	134	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>83.35</td><td>-----</td><td>-----</td><td>70.16</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	83.35	-----	-----	70.16	35.20	10.17	32.18	100	134
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5074.24	42.17	54.00	-11.83	29.64	34.88	9.90	32.25	100	134	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	83.35	-----	-----	70.16	35.20	10.17	32.18	100	134	AVERAGE																																																																																



Mode	26																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																	
ANT	1																																																	
Pol.	Vertical					Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.78</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>43.59</td><td>35.20</td><td>10.23</td><td>32.17</td><td>100</td><td>134 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.78	56.85	74.00	-17.15	43.59	35.20	10.23	32.17	100	134 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5363.78	56.85	74.00	-17.15	43.59	35.20	10.23	32.17	100	134 PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.45</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>32.89</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>134 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.45	46.14	54.00	-7.86	32.89	35.20	10.22	32.17	100	134 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5355.45	46.14	54.00	-7.86	32.89	35.20	10.22	32.17	100	134 AVERAGE																																								




Mode	26																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8466.50</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>65.56</td><td>35.80</td><td>12.14</td><td>58.84</td><td>135</td><td>242</td><td>Peak</td></tr><tr><td>2</td><td>8466.50</td><td>49.99</td><td>54.00</td><td>-4.01</td><td>60.89</td><td>35.80</td><td>12.14</td><td>58.84</td><td>135</td><td>242</td><td>Average</td></tr><tr><td>3</td><td>10580.00</td><td>52.62</td><td>68.30</td><td>-15.68</td><td>61.27</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>51.81</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16930.50</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>51.10</td><td>42.42</td><td>16.65</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8466.50	54.66	74.00	-19.34	65.56	35.80	12.14	58.84	135	242	Peak	2	8466.50	49.99	54.00	-4.01	60.89	35.80	12.14	58.84	135	242	Average	3	10580.00	52.62	68.30	-15.68	61.27	37.39	13.50	59.54	--	--	Peak	4	15870.00	49.60	74.00	-24.40	51.81	40.42	15.98	58.61	--	--	Peak	5	16930.50	52.31	68.30	-15.99	51.10	42.42	16.65	57.86	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8466.50</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>63.99</td><td>35.80</td><td>12.14</td><td>58.84</td><td>100</td><td>148</td><td>Peak</td></tr><tr><td>2</td><td>8466.50</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>57.29</td><td>35.80</td><td>12.14</td><td>58.84</td><td>100</td><td>148</td><td>Average</td></tr><tr><td>3</td><td>10580.00</td><td>49.65</td><td>68.30</td><td>-18.65</td><td>58.30</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>50.88</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16930.50</td><td>54.13</td><td>68.30</td><td>-14.17</td><td>52.92</td><td>42.42</td><td>16.65</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8466.50	53.09	74.00	-20.91	63.99	35.80	12.14	58.84	100	148	Peak	2	8466.50	46.39	54.00	-7.61	57.29	35.80	12.14	58.84	100	148	Average	3	10580.00	49.65	68.30	-18.65	58.30	37.39	13.50	59.54	--	--	Peak	4	15870.00	48.67	74.00	-25.33	50.88	40.42	15.98	58.61	--	--	Peak	5	16930.50	54.13	68.30	-14.17	52.92	42.42	16.65	57.86	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1	8466.50	54.66	74.00	-19.34	65.56	35.80	12.14	58.84	135	242	Peak																																																																																																																																																																																														
2	8466.50	49.99	54.00	-4.01	60.89	35.80	12.14	58.84	135	242	Average																																																																																																																																																																																														
3	10580.00	52.62	68.30	-15.68	61.27	37.39	13.50	59.54	--	--	Peak																																																																																																																																																																																														
4	15870.00	49.60	74.00	-24.40	51.81	40.42	15.98	58.61	--	--	Peak																																																																																																																																																																																														
5	16930.50	52.31	68.30	-15.99	51.10	42.42	16.65	57.86	--	--	Peak																																																																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1	8466.50	53.09	74.00	-20.91	63.99	35.80	12.14	58.84	100	148	Peak																																																																																																																																																																																														
2	8466.50	46.39	54.00	-7.61	57.29	35.80	12.14	58.84	100	148	Average																																																																																																																																																																																														
3	10580.00	49.65	68.30	-18.65	58.30	37.39	13.50	59.54	--	--	Peak																																																																																																																																																																																														
4	15870.00	48.67	74.00	-25.33	50.88	40.42	15.98	58.61	--	--	Peak																																																																																																																																																																																														
5	16930.50	54.13	68.30	-14.17	52.92	42.42	16.65	57.86	--	--	Peak																																																																																																																																																																																														







		27									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz										
ANT	1										
Pol.	Horizontal										
Peak	Fundamental										
	PART 15.407										
Avg	PART 15.407 AVG										
	PART 15.407 AVG										




Mode	27																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																	
ANT	1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5733.28</td><td>51.92</td><td>68.30</td><td>-16.38</td><td>38.32</td><td>35.58</td><td>10.38</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td><td>122</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5733.28	51.92	68.30	-16.38	38.32	35.58	10.38							32.36	122								0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1	5733.28	51.92	68.30	-16.38	38.32	35.58	10.38																																											
						32.36	122																																											
							0 PEAK																																											



Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>41.53</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>5461.24</td><td>54.21</td><td>68.30</td><td>-14.09</td><td>40.97</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>140</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.44	54.77	74.00	-19.23	41.53	35.20	10.30	32.26	104	140	PEAK	2	5461.24	54.21	68.30	-14.09	40.97	35.20	10.30	32.26	104	140	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.25</td><td>-----</td><td>-----</td><td>76.02</td><td>35.20</td><td>10.30</td><td>32.27</td><td>104</td><td>140</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	89.25	-----	-----	76.02	35.20	10.30	32.27	104	140	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.44	54.77	74.00	-19.23	41.53	35.20	10.30	32.26	104	140	PEAK																																																																																												
2	5461.24	54.21	68.30	-14.09	40.97	35.20	10.30	32.26	104	140	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	89.25	-----	-----	76.02	35.20	10.30	32.27	104	140	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.18</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>31.87</td><td>35.20</td><td>10.29</td><td>32.25</td><td>104</td><td>140</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.18	45.11	54.00	-8.89	31.87	35.20	10.29	32.25	104	140	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.33</td><td>-----</td><td>-----</td><td>69.10</td><td>35.20</td><td>10.30</td><td>32.27</td><td>104</td><td>140</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	82.33	-----	-----	69.10	35.20	10.30	32.27	104	140	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5449.18	45.11	54.00	-8.89	31.87	35.20	10.29	32.25	104	140	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	82.33	-----	-----	69.10	35.20	10.30	32.27	104	140	AVERAGE																																																																																												







Mode	27																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.77</td><td>52.18</td><td>68.30</td><td>-16.12</td><td>38.51</td><td>35.63</td><td>10.39</td><td>32.35</td><td>104</td><td>140</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.77	52.18	68.30	-16.12	38.51	35.63	10.39	32.35	104	140	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5760.77	52.18	68.30	-16.12	38.51	35.63	10.39	32.35	104	140	PEAK																																									




Mode	27																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal																																																																																																									
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8846.00</td><td>56.13</td><td>68.30</td><td>-12.17</td><td>66.40</td><td>36.04</td><td>12.42</td><td>58.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>63.26</td><td>37.96</td><td>13.66</td><td>58.59</td><td>128</td><td>47</td><td>Peak</td></tr><tr><td>3</td><td>11060.00</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>56.60</td><td>37.96</td><td>13.66</td><td>58.59</td><td>128</td><td>47</td><td>Average</td></tr><tr><td>4</td><td>16590.00</td><td>47.67</td><td>68.30</td><td>-20.63</td><td>47.78</td><td>41.53</td><td>16.49</td><td>58.13</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17696.00</td><td>53.38</td><td>68.30</td><td>-14.92</td><td>52.28</td><td>41.88</td><td>17.05</td><td>57.83</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8846.00	56.13	68.30	-12.17	66.40	36.04	12.42	58.73	--	--	Peak	2	11060.00	56.29	74.00	-17.71	63.26	37.96	13.66	58.59	128	47	Peak	3	11060.00	49.63	54.00	-4.37	56.60	37.96	13.66	58.59	128	47	Average	4	16590.00	47.67	68.30	-20.63	47.78	41.53	16.49	58.13	--	--	Peak	5	17696.00	53.38	68.30	-14.92	52.28	41.88	17.05	57.83	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	8846.00	56.13	68.30	-12.17	66.40	36.04	12.42	58.73	--	--	Peak																																																																																															
2	11060.00	56.29	74.00	-17.71	63.26	37.96	13.66	58.59	128	47	Peak																																																																																															
3	11060.00	49.63	54.00	-4.37	56.60	37.96	13.66	58.59	128	47	Average																																																																																															
4	16590.00	47.67	68.30	-20.63	47.78	41.53	16.49	58.13	--	--	Peak																																																																																															
5	17696.00	53.38	68.30	-14.92	52.28	41.88	17.05	57.83	--	--	Peak																																																																																															
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8846.00</td><td>51.69</td><td>68.30</td><td>-16.61</td><td>61.96</td><td>36.04</td><td>12.42</td><td>58.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>55.89</td><td>37.96</td><td>13.66</td><td>58.59</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>16590.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>48.87</td><td>41.53</td><td>16.49</td><td>58.13</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17696.00</td><td>54.94</td><td>68.30</td><td>-13.36</td><td>53.84</td><td>41.88</td><td>17.05</td><td>57.83</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8846.00	51.69	68.30	-16.61	61.96	36.04	12.42	58.73	--	--	Peak	2	11060.00	48.92	74.00	-25.08	55.89	37.96	13.66	58.59	--	--	Peak	3	16590.00	48.76	68.30	-19.54	48.87	41.53	16.49	58.13	--	--	Peak	4	17696.00	54.94	68.30	-13.36	53.84	41.88	17.05	57.83	--	--	Peak												
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	8846.00	51.69	68.30	-16.61	61.96	36.04	12.42	58.73	--	--	Peak																																																																																															
2	11060.00	48.92	74.00	-25.08	55.89	37.96	13.66	58.59	--	--	Peak																																																																																															
3	16590.00	48.76	68.30	-19.54	48.87	41.53	16.49	58.13	--	--	Peak																																																																																															
4	17696.00	54.94	68.30	-13.36	53.84	41.88	17.05	57.83	--	--	Peak																																																																																															







		28																																																													
Mode	Band Edge - L																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																														
ANT	1																																																														
Pol.	Horizontal																																																														
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.40</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>37.69</td><td>35.20</td><td>10.29</td><td>32.26</td><td>156</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>5465.70</td><td>50.70</td><td>68.30</td><td>-17.60</td><td>37.46</td><td>35.20</td><td>10.30</td><td>32.26</td><td>156</td><td>353</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	50.92	74.00	-23.08	37.69	35.20	10.29	32.26	156	353	PEAK	2	5465.70	50.70	68.30	-17.60	37.46	35.20	10.30	32.26	156	353	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5451.40	50.92	74.00	-23.08	37.69	35.20	10.29	32.26	156	353	PEAK																																																				
2	5465.70	50.70	68.30	-17.60	37.46	35.20	10.30	32.26	156	353	PEAK																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.60</td><td>-----</td><td>-----</td><td>80.19</td><td>35.39</td><td>10.33</td><td>32.31</td><td>156</td><td>353</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.60	-----	-----	80.19	35.39	10.33	32.31	156	353	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5610.00	93.60	-----	-----	80.19	35.39	10.33	32.31	156	353	PEAK																																																				
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.96</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>29.00</td><td>35.20</td><td>10.29</td><td>32.24</td><td>156</td><td>353</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.96	42.25	54.00	-11.75	29.00	35.20	10.29	32.24	156	353	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5439.96	42.25	54.00	-11.75	29.00	35.20	10.29	32.24	156	353	AVERAGE																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>86.50</td><td>-----</td><td>-----</td><td>73.09</td><td>35.39</td><td>10.33</td><td>32.31</td><td>156</td><td>353</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	86.50	-----	-----	73.09	35.39	10.33	32.31	156	353	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5610.00	86.50	-----	-----	73.09	35.39	10.33	32.31	156	353	AVERAGE																																																				



Mode	28																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																														
ANT	1																																														
Pol.	Horizontal						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5762.37</td><td>51.51</td><td>68.30</td><td>-16.79</td><td>37.83</td><td>35.64</td><td>10.39</td><td>32.35</td><td>156</td><td>353</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5762.37	51.51	68.30	-16.79	37.83	35.64	10.39	32.35	156	353	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5762.37	51.51	68.30	-16.79	37.83	35.64	10.39	32.35	156	353	PEAK																																				





		28																																																																																																								
Mode	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical					Fundamental																																																																																																				
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5453.48</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>37.53</td><td>35.20</td><td>10.29</td><td>32.26</td><td>172</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5467.52</td><td>51.29</td><td>68.30</td><td>-17.01</td><td>38.05</td><td>35.20</td><td>10.30</td><td>32.26</td><td>172</td><td>182</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5453.48	50.76	74.00	-23.24	37.53	35.20	10.29	32.26	172	182	PEAK	2	5467.52	51.29	68.30	-17.01	38.05	35.20	10.30	32.26	172	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>88.98</td><td>-----</td><td>-----</td><td>75.57</td><td>35.39</td><td>10.33</td><td>32.31</td><td>172</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	88.98	-----	-----	75.57	35.39	10.33	32.31	172	182
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5453.48	50.76	74.00	-23.24	37.53	35.20	10.29	32.26	172	182	PEAK																																																																																															
2	5467.52	51.29	68.30	-17.01	38.05	35.20	10.30	32.26	172	182	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	88.98	-----	-----	75.57	35.39	10.33	32.31	172	182	PEAK																																																																																															
Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5448.02</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>28.06</td><td>35.20</td><td>10.29</td><td>32.25</td><td>172</td><td>182</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5448.02	41.30	54.00	-12.70	28.06	35.20	10.29	32.25	172	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>82.18</td><td>-----</td><td>-----</td><td>68.77</td><td>35.39</td><td>10.33</td><td>32.31</td><td>172</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	82.18	-----	-----	68.77	35.39	10.33	32.31	172	182	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5448.02	41.30	54.00	-12.70	28.06	35.20	10.29	32.25	172	182	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	82.18	-----	-----	68.77	35.39	10.33	32.31	172	182	AVERAGE																																																																																															





Mode	28																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5749.50</td><td>51.79</td><td>68.30</td><td>-16.51</td><td>38.15</td><td>35.61</td><td>10.39</td><td>32.36</td><td>172</td><td>182</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5749.50	51.79	68.30	-16.51	38.15	35.61	10.39	32.36	172	182	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5749.50	51.79	68.30	-16.51	38.15	35.61	10.39	32.36	172	182	PEAK																											

[illegible]





Mode	29																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal					Fundamental																																																																													
Peak	Blank																																																																																		
						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5393.45</td><td>50.82</td><td>74.00</td><td>-23.18</td><td></td><td>37.52</td><td>35.20</td><td>10.28</td><td>32.18</td><td>100</td><td>44</td><td>Peak</td></tr><tr><td>2</td><td>5467.15</td><td>49.41</td><td>68.30</td><td>-18.89</td><td></td><td>36.17</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>44</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>102.13</td><td>68.30</td><td>33.83</td><td></td><td>88.57</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>44</td><td>Peak</td></tr><tr><td>4</td><td>5870.30</td><td>51.71</td><td>68.30</td><td>-16.59</td><td></td><td>37.72</td><td>35.92</td><td>10.48</td><td>32.41</td><td>100</td><td>44</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5393.45	50.82	74.00	-23.18		37.52	35.20	10.28	32.18	100	44	Peak	2	5467.15	49.41	68.30	-18.89		36.17	35.20	10.30	32.26	100	44	Peak	3	5720.00	102.13	68.30	33.83		88.57	35.55	10.37	32.36	100	44	Peak	4	5870.30	51.71	68.30	-16.59		37.72
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5393.45	50.82	74.00	-23.18		37.52	35.20	10.28	32.18	100	44	Peak																																																																							
2	5467.15	49.41	68.30	-18.89		36.17	35.20	10.30	32.26	100	44	Peak																																																																							
3	5720.00	102.13	68.30	33.83		88.57	35.55	10.37	32.36	100	44	Peak																																																																							
4	5870.30	51.71	68.30	-16.59		37.72	35.92	10.48	32.41	100	44	Peak																																																																							
Avg	Blank																																																																																		
						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5440.20</td><td>41.57</td><td>54.00</td><td>-12.43</td><td></td><td>28.32</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>44</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>96.23</td><td>68.30</td><td>27.93</td><td></td><td>82.67</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>44</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5440.20	41.57	54.00	-12.43		28.32	35.20	10.29	32.24	100	44	Average	2	5720.00	96.23	68.30	27.93		82.67	35.55	10.37	32.36	100	44	Average																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5440.20	41.57	54.00	-12.43		28.32	35.20	10.29	32.24	100	44	Average																																																																							
2	5720.00	96.23	68.30	27.93		82.67	35.55	10.37	32.36	100	44	Average																																																																							





Mode	29																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5378.60</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>37.51</td><td>35.20</td><td>10.25</td><td>32.18</td><td>104</td><td>359</td><td>Peak</td><td></td></tr><tr><td>2</td><td>5464.40</td><td>52.10</td><td>68.30</td><td>-16.20</td><td>38.86</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>359</td><td>Peak</td><td></td></tr><tr><td>3</td><td>5720.00</td><td>99.21</td><td>-----</td><td>-----</td><td>85.65</td><td>35.55</td><td>10.37</td><td>32.36</td><td>104</td><td>359</td><td>Peak</td><td></td></tr><tr><td>4</td><td>5878.00</td><td>52.55</td><td>68.30</td><td>-15.75</td><td>38.53</td><td>35.95</td><td>10.48</td><td>32.41</td><td>104</td><td>359</td><td>Peak</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5378.60	50.78	74.00	-23.22	37.51	35.20	10.25	32.18	104	359	Peak		2	5464.40	52.10	68.30	-16.20	38.86	35.20	10.30	32.26	104	359	Peak		3	5720.00	99.21	-----	-----	85.65	35.55	10.37	32.36	104	359	Peak		4	5878.00	52.55	68.30	-15.75	38.53	35.95	10.48	32.41	104	359	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5378.60	50.78	74.00	-23.22	37.51	35.20	10.25	32.18	104	359	Peak																																																																															
2	5464.40	52.10	68.30	-16.20	38.86	35.20	10.30	32.26	104	359	Peak																																																																															
3	5720.00	99.21	-----	-----	85.65	35.55	10.37	32.36	104	359	Peak																																																																															
4	5878.00	52.55	68.30	-15.75	38.53	35.95	10.48	32.41	104	359	Peak																																																																															
Avg	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5446.80</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>28.04</td><td>35.20</td><td>10.29</td><td>32.25</td><td>104</td><td>359</td><td>Average</td><td></td></tr><tr><td>2</td><td>5720.00</td><td>93.51</td><td>-----</td><td>-----</td><td>79.95</td><td>35.55</td><td>10.37</td><td>32.36</td><td>104</td><td>359</td><td>Average</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5446.80	41.28	54.00	-12.72	28.04	35.20	10.29	32.25	104	359	Average		2	5720.00	93.51	-----	-----	79.95	35.55	10.37	32.36	104	359	Average																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5446.80	41.28	54.00	-12.72	28.04	35.20	10.29	32.25	104	359	Average																																																																															
2	5720.00	93.51	-----	-----	79.95	35.55	10.37	32.36	104	359	Average																																																																															





Mode	29																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal																																																																																																																	
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th></th></tr><tr><td>1</td><td>9156.50</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>66.11</td><td>36.44</td><td>12.56</td><td>58.76</td><td>100</td><td>72</td><td>Peak</td><td colspan="2"></td><td></td></tr><tr><td>2</td><td>9156.50</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>60.90</td><td>36.44</td><td>12.56</td><td>58.76</td><td>100</td><td>72</td><td>Average</td><td colspan="2"></td><td></td></tr><tr><td>3</td><td>11440.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>53.76</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td><td colspan="2"></td><td></td></tr><tr><td>4</td><td>17160.00</td><td>50.42</td><td>68.30</td><td>-17.88</td><td>49.01</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td><td colspan="2"></td><td></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg				1	9156.50	56.35	74.00	-17.65	66.11	36.44	12.56	58.76	100	72	Peak				2	9156.50	51.14	54.00	-2.86	60.90	36.44	12.56	58.76	100	72	Average				3	11440.00	48.12	74.00	-25.88	53.76	38.34	13.93	57.91	--	--	Peak				4	17160.00	50.42	68.30	-17.88	49.01	42.50	16.81	57.90	--	--	Peak		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	9156.50	56.35	74.00	-17.65	66.11	36.44	12.56	58.76	100	72	Peak																																																																																																							
2	9156.50	51.14	54.00	-2.86	60.90	36.44	12.56	58.76	100	72	Average																																																																																																							
3	11440.00	48.12	74.00	-25.88	53.76	38.34	13.93	57.91	--	--	Peak																																																																																																							
4	17160.00	50.42	68.30	-17.88	49.01	42.50	16.81	57.90	--	--	Peak																																																																																																							
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th></th></tr><tr><td>1</td><td>9156.50</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>64.24</td><td>36.44</td><td>12.56</td><td>58.76</td><td>135</td><td>142</td><td>Peak</td><td colspan="2"></td><td></td></tr><tr><td>2</td><td>9156.50</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>58.38</td><td>36.44</td><td>12.56</td><td>58.76</td><td>135</td><td>142</td><td>Average</td><td colspan="2"></td><td></td></tr><tr><td>3</td><td>11440.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>54.07</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td><td colspan="2"></td><td></td></tr><tr><td>4</td><td>17160.00</td><td>49.91</td><td>68.30</td><td>-18.39</td><td>48.50</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td><td colspan="2"></td><td></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg				1	9156.50	54.48	74.00	-19.52	64.24	36.44	12.56	58.76	135	142	Peak				2	9156.50	48.62	54.00	-5.38	58.38	36.44	12.56	58.76	135	142	Average				3	11440.00	48.43	74.00	-25.57	54.07	38.34	13.93	57.91	--	--	Peak				4	17160.00	49.91	68.30	-18.39	48.50	42.50	16.81	57.90	--	--	Peak		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																							
1	9156.50	54.48	74.00	-19.52	64.24	36.44	12.56	58.76	135	142	Peak																																																																																																							
2	9156.50	48.62	54.00	-5.38	58.38	36.44	12.56	58.76	135	142	Average																																																																																																							
3	11440.00	48.43	74.00	-25.57	54.07	38.34	13.93	57.91	--	--	Peak																																																																																																							
4	17160.00	49.91	68.30	-18.39	48.50	42.50	16.81	57.90	--	--	Peak																																																																																																							





Mode	30																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_Full RU_5720MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal						Fundamental																																																																																
Peak	Blank																																																																																						
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5446.25</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>37.93</td><td>35.20</td><td>10.29</td><td>32.25</td><td>103</td><td>50</td><td>Peak</td><td></td></tr><tr><td>2</td><td>5466.05</td><td>49.93</td><td>68.30</td><td>-18.37</td><td>36.69</td><td>35.20</td><td>10.30</td><td>32.26</td><td>103</td><td>50</td><td>Peak</td><td></td></tr><tr><td>3</td><td>5720.00</td><td>102.03</td><td>68.30</td><td>33.73</td><td>88.47</td><td>35.55</td><td>10.37</td><td>32.36</td><td>103</td><td>50</td><td>Peak</td><td></td></tr><tr><td>4</td><td>5887.90</td><td>52.46</td><td>68.30</td><td>-15.84</td><td>38.41</td><td>35.98</td><td>10.49</td><td>32.42</td><td>103</td><td>50</td><td>Peak</td><td></td></tr></table>											Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5446.25	51.17	74.00	-22.83	37.93	35.20	10.29	32.25	103	50	Peak		2	5466.05	49.93	68.30	-18.37	36.69	35.20	10.30	32.26	103	50	Peak		3	5720.00	102.03	68.30	33.73	88.47	35.55	10.37	32.36	103	50	Peak		4	5887.90	52.46	68.30	-15.84	38.41	35.98	10.49	32.42	103	50
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5446.25	51.17	74.00	-22.83	37.93	35.20	10.29	32.25	103	50	Peak																																																																												
2	5466.05	49.93	68.30	-18.37	36.69	35.20	10.30	32.26	103	50	Peak																																																																												
3	5720.00	102.03	68.30	33.73	88.47	35.55	10.37	32.36	103	50	Peak																																																																												
4	5887.90	52.46	68.30	-15.84	38.41	35.98	10.49	32.42	103	50	Peak																																																																												
Avg	Blank																																																																																						
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5440.20</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>28.52</td><td>35.20</td><td>10.29</td><td>32.24</td><td>103</td><td>50</td><td>Average</td><td></td></tr><tr><td>2</td><td>5720.00</td><td>96.15</td><td>68.30</td><td>27.85</td><td>82.59</td><td>35.55</td><td>10.37</td><td>32.36</td><td>103</td><td>50</td><td>Average</td><td></td></tr></table>											Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5440.20	41.77	54.00	-12.23	28.52	35.20	10.29	32.24	103	50	Average		2	5720.00	96.15	68.30	27.85	82.59	35.55	10.37	32.36	103	50	Average																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5440.20	41.77	54.00	-12.23	28.52	35.20	10.29	32.24	103	50	Average																																																																												
2	5720.00	96.15	68.30	27.85	82.59	35.55	10.37	32.36	103	50	Average																																																																												





Mode	30																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_Full RU_5720MHz																																																																												
ANT	1																																																																												
Pol.	Vertical					Fundamental																																																																							
Peak	Blank																																																																												
							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5396.75	50.33	74.00	-23.67		37.03	35.20	10.28	32.18	100	352	Peak	2	5464.40	50.19	68.30	-18.11		36.95	35.20	10.30	32.26	100	352	Peak	3	5720.00	100.04	-----	-----		86.48	35.55	10.37	32.36	100	352	Peak	4	5875.80	52.87	68.30	-15.43		38.86
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5396.75	50.33	74.00	-23.67		37.03	35.20	10.28	32.18	100	352	Peak																																																																	
2	5464.40	50.19	68.30	-18.11		36.95	35.20	10.30	32.26	100	352	Peak																																																																	
3	5720.00	100.04	-----	-----		86.48	35.55	10.37	32.36	100	352	Peak																																																																	
4	5875.80	52.87	68.30	-15.43		38.86	35.94	10.48	32.41	100	352	Peak																																																																	
Avg	Blank																																																																												
							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5457.25	41.21	54.00	-12.79		27.97	35.20	10.30	32.26	100	352	Average	2	5720.00	92.92	-----	-----		79.36	35.55	10.37	32.36	100	352	Average																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5457.25	41.21	54.00	-12.79		27.97	35.20	10.30	32.26	100	352	Average																																																																	
2	5720.00	92.92	-----	-----		79.36	35.55	10.37	32.36	100	352	Average																																																																	





Mode	30																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_Full RU_5720MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9156.50</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>65.77</td><td>36.44</td><td>12.56</td><td>58.76</td><td>102</td><td>83</td><td>Peak</td></tr><tr><td>2</td><td>9156.50</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>60.22</td><td>36.44</td><td>12.56</td><td>58.76</td><td>102</td><td>83</td><td>Average</td></tr><tr><td>3</td><td>11440.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>55.03</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17160.00</td><td>49.46</td><td>68.30</td><td>-18.84</td><td>48.05</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9156.50	56.01	74.00	-17.99	65.77	36.44	12.56	58.76	102	83	Peak	2	9156.50	50.46	54.00	-3.54	60.22	36.44	12.56	58.76	102	83	Average	3	11440.00	49.39	74.00	-24.61	55.03	38.34	13.93	57.91	--	--	Peak	4	17160.00	49.46	68.30	-18.84	48.05	42.50	16.81	57.90	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9156.50</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>62.41</td><td>36.44</td><td>12.56</td><td>58.76</td><td>102</td><td>145</td><td>Peak</td></tr><tr><td>2</td><td>9156.50</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>57.34</td><td>36.44</td><td>12.56</td><td>58.76</td><td>102</td><td>145</td><td>Average</td></tr><tr><td>3</td><td>11440.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>55.03</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17160.00</td><td>48.70</td><td>68.30</td><td>-19.60</td><td>47.29</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9156.50	52.65	74.00	-21.35	62.41	36.44	12.56	58.76	102	145	Peak	2	9156.50	47.58	54.00	-6.42	57.34	36.44	12.56	58.76	102	145	Average	3	11440.00	49.39	74.00	-24.61	55.03	38.34	13.93	57.91	--	--	Peak	4	17160.00	48.70	68.30	-19.60	47.29	42.50	16.81	57.90	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	9156.50	56.01	74.00	-17.99	65.77	36.44	12.56	58.76	102	83	Peak																																																																																																																																																							
2	9156.50	50.46	54.00	-3.54	60.22	36.44	12.56	58.76	102	83	Average																																																																																																																																																							
3	11440.00	49.39	74.00	-24.61	55.03	38.34	13.93	57.91	--	--	Peak																																																																																																																																																							
4	17160.00	49.46	68.30	-18.84	48.05	42.50	16.81	57.90	--	--	Peak																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	9156.50	52.65	74.00	-21.35	62.41	36.44	12.56	58.76	102	145	Peak																																																																																																																																																							
2	9156.50	47.58	54.00	-6.42	57.34	36.44	12.56	58.76	102	145	Average																																																																																																																																																							
3	11440.00	49.39	74.00	-24.61	55.03	38.34	13.93	57.91	--	--	Peak																																																																																																																																																							
4	17160.00	48.70	68.30	-19.60	47.29	42.50	16.81	57.90	--	--	Peak																																																																																																																																																							





Mode	31																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full RU_5710MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5354.40</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>38.48</td><td>35.20</td><td>10.22</td><td>32.17</td><td>102</td><td>45</td><td>Peak</td><td></td></tr><tr><td>2</td><td>5463.85</td><td>49.90</td><td>68.30</td><td>-18.40</td><td>36.66</td><td>35.20</td><td>10.30</td><td>32.26</td><td>102</td><td>45</td><td>Peak</td><td></td></tr><tr><td>3</td><td>5710.00</td><td>100.43</td><td>68.30</td><td>32.13</td><td>86.87</td><td>35.54</td><td>10.37</td><td>32.35</td><td>102</td><td>45</td><td>Peak</td><td></td></tr><tr><td>4</td><td>5865.35</td><td>52.54</td><td>68.30</td><td>-15.76</td><td>38.57</td><td>35.91</td><td>10.47</td><td>32.41</td><td>102</td><td>45</td><td>Peak</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5354.40	51.73	74.00	-22.27	38.48	35.20	10.22	32.17	102	45	Peak		2	5463.85	49.90	68.30	-18.40	36.66	35.20	10.30	32.26	102	45	Peak		3	5710.00	100.43	68.30	32.13	86.87	35.54	10.37	32.35	102	45	Peak		4	5865.35	52.54	68.30	-15.76	38.57	35.91	10.47	32.41	102	45	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5354.40	51.73	74.00	-22.27	38.48	35.20	10.22	32.17	102	45	Peak																																																																															
2	5463.85	49.90	68.30	-18.40	36.66	35.20	10.30	32.26	102	45	Peak																																																																															
3	5710.00	100.43	68.30	32.13	86.87	35.54	10.37	32.35	102	45	Peak																																																																															
4	5865.35	52.54	68.30	-15.76	38.57	35.91	10.47	32.41	102	45	Peak																																																																															
Avg	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5440.20</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>28.84</td><td>35.20</td><td>10.29</td><td>32.24</td><td>102</td><td>45</td><td>Average</td><td></td></tr><tr><td>2</td><td>5710.00</td><td>94.12</td><td>68.30</td><td>25.82</td><td>80.56</td><td>35.54</td><td>10.37</td><td>32.35</td><td>102</td><td>45</td><td>Average</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5440.20	42.09	54.00	-11.91	28.84	35.20	10.29	32.24	102	45	Average		2	5710.00	94.12	68.30	25.82	80.56	35.54	10.37	32.35	102	45	Average																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5440.20	42.09	54.00	-11.91	28.84	35.20	10.29	32.24	102	45	Average																																																																															
2	5710.00	94.12	68.30	25.82	80.56	35.54	10.37	32.35	102	45	Average																																																																															





Mode	31																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full RU_5710MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5438.00</td><td>50.54</td><td>74.00</td><td>-23.46</td><td></td><td>37.28</td><td>35.20</td><td>10.29</td><td>32.23</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5468.80</td><td>50.35</td><td>68.30</td><td>-17.95</td><td></td><td>37.11</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>96.85</td><td>-----</td><td>-----</td><td></td><td>83.29</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>5890.65</td><td>52.81</td><td>68.30</td><td>-15.49</td><td></td><td>38.75</td><td>35.98</td><td>10.50</td><td>32.42</td><td>100</td><td>360</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5438.00	50.54	74.00	-23.46		37.28	35.20	10.29	32.23	100	360	Peak	2	5468.80	50.35	68.30	-17.95		37.11	35.20	10.30	32.26	100	360	Peak	3	5710.00	96.85	-----	-----		83.29	35.54	10.37	32.35	100	360	Peak	4	5890.65	52.81	68.30	-15.49		38.75	35.98	10.50	32.42	100	360	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5438.00	50.54	74.00	-23.46		37.28	35.20	10.29	32.23	100	360	Peak																																																																														
2	5468.80	50.35	68.30	-17.95		37.11	35.20	10.30	32.26	100	360	Peak																																																																														
3	5710.00	96.85	-----	-----		83.29	35.54	10.37	32.35	100	360	Peak																																																																														
4	5890.65	52.81	68.30	-15.49		38.75	35.98	10.50	32.42	100	360	Peak																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5441.85</td><td>41.19</td><td>54.00</td><td>-12.81</td><td></td><td>27.94</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>90.12</td><td>-----</td><td>-----</td><td></td><td>76.56</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>360</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5441.85	41.19	54.00	-12.81		27.94	35.20	10.29	32.24	100	360	Average	2	5710.00	90.12	-----	-----		76.56	35.54	10.37	32.35	100	360	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5441.85	41.19	54.00	-12.81		27.94	35.20	10.29	32.24	100	360	Average																																																																														
2	5710.00	90.12	-----	-----		76.56	35.54	10.37	32.35	100	360	Average																																																																														





Mode	31																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full RU_5710MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal																																																																																																																	
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="7">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>9133.50</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>66.22</td><td>36.40</td><td>12.57</td><td>58.75</td><td>125</td><td>66</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>9133.50</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>59.41</td><td>36.40</td><td>12.57</td><td>58.75</td><td>125</td><td>66</td><td>Average</td><td colspan="3"></td></tr><tr><td>3</td><td>11420.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>54.26</td><td>38.32</td><td>13.92</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr><tr><td>4</td><td>17130.00</td><td>49.04</td><td>68.30</td><td>-19.26</td><td>47.62</td><td>42.52</td><td>16.78</td><td>57.88</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	9133.50	56.44	74.00	-17.56	66.22	36.40	12.57	58.75	125	66	Peak				2	9133.50	49.63	54.00	-4.37	59.41	36.40	12.57	58.75	125	66	Average				3	11420.00	48.56	74.00	-25.44	54.26	38.32	13.92	57.94	--	--	Peak				4	17130.00	49.04	68.30	-19.26	47.62	42.52	16.78	57.88	--	--	Peak		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	9133.50	56.44	74.00	-17.56	66.22	36.40	12.57	58.75	125	66	Peak																																																																																																							
2	9133.50	49.63	54.00	-4.37	59.41	36.40	12.57	58.75	125	66	Average																																																																																																							
3	11420.00	48.56	74.00	-25.44	54.26	38.32	13.92	57.94	--	--	Peak																																																																																																							
4	17130.00	49.04	68.30	-19.26	47.62	42.52	16.78	57.88	--	--	Peak																																																																																																							
Peak Avg																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="7">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>9133.50</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>62.47</td><td>36.40</td><td>12.57</td><td>58.75</td><td>128</td><td>254</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>9133.50</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>55.94</td><td>36.40</td><td>12.57</td><td>58.75</td><td>128</td><td>254</td><td>Average</td><td colspan="3"></td></tr><tr><td>3</td><td>11420.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>54.47</td><td>38.32</td><td>13.92</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr><tr><td>4</td><td>17130.00</td><td>49.40</td><td>68.30</td><td>-18.90</td><td>47.98</td><td>42.52</td><td>16.78</td><td>57.88</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	9133.50	52.69	74.00	-21.31	62.47	36.40	12.57	58.75	128	254	Peak				2	9133.50	46.16	54.00	-7.84	55.94	36.40	12.57	58.75	128	254	Average				3	11420.00	48.77	74.00	-25.23	54.47	38.32	13.92	57.94	--	--	Peak				4	17130.00	49.40	68.30	-18.90	47.98	42.52	16.78	57.88	--	--	Peak		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	9133.50	52.69	74.00	-21.31	62.47	36.40	12.57	58.75	128	254	Peak																																																																																																							
2	9133.50	46.16	54.00	-7.84	55.94	36.40	12.57	58.75	128	254	Average																																																																																																							
3	11420.00	48.77	74.00	-25.23	54.47	38.32	13.92	57.94	--	--	Peak																																																																																																							
4	17130.00	49.40	68.30	-18.90	47.98	42.52	16.78	57.88	--	--	Peak																																																																																																							





Mode	32																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_Full RU_5690MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal						Fundamental																																																																															
Peak	Blank						<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5451.75</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>37.25</td><td>35.20</td><td>10.29</td><td>32.26</td><td>107</td><td>41</td><td>Peak</td></tr><tr><td>2</td><td>5468.80</td><td>50.12</td><td>68.30</td><td>-18.18</td><td>36.88</td><td>35.20</td><td>10.30</td><td>32.26</td><td>107</td><td>41</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>99.50</td><td>68.30</td><td>31.20</td><td>86.00</td><td>35.50</td><td>10.35</td><td>32.35</td><td>107</td><td>41</td><td>Peak</td></tr><tr><td>4</td><td>5854.90</td><td>57.19</td><td>68.30</td><td>-11.11</td><td>43.25</td><td>35.88</td><td>10.46</td><td>32.40</td><td>107</td><td>41</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5451.75	50.48	74.00	-23.52	37.25	35.20	10.29	32.26	107	41	Peak	2	5468.80	50.12	68.30	-18.18	36.88	35.20	10.30	32.26	107	41	Peak	3	5690.00	99.50	68.30	31.20	86.00	35.50	10.35	32.35	107	41	Peak	4	5854.90	57.19	68.30	-11.11	43.25	35.88	10.46	32.40	107	41	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5451.75	50.48	74.00	-23.52	37.25	35.20	10.29	32.26	107	41	Peak																																																																											
2	5468.80	50.12	68.30	-18.18	36.88	35.20	10.30	32.26	107	41	Peak																																																																											
3	5690.00	99.50	68.30	31.20	86.00	35.50	10.35	32.35	107	41	Peak																																																																											
4	5854.90	57.19	68.30	-11.11	43.25	35.88	10.46	32.40	107	41	Peak																																																																											
Avg	Blank						<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5440.20</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>28.73</td><td>35.20</td><td>10.29</td><td>32.24</td><td>107</td><td>41</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>93.45</td><td>68.30</td><td>25.15</td><td>79.95</td><td>35.50</td><td>10.35</td><td>32.35</td><td>107</td><td>41</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5440.20	41.98	54.00	-12.02	28.73	35.20	10.29	32.24	107	41	Average	2	5690.00	93.45	68.30	25.15	79.95	35.50	10.35	32.35	107	41	Average																								
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5440.20	41.98	54.00	-12.02	28.73	35.20	10.29	32.24	107	41	Average																																																																											
2	5690.00	93.45	68.30	25.15	79.95	35.50	10.35	32.35	107	41	Average																																																																											



Mode	32																																																																																								
	Band Edge																																																																																								
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_Full RU_5690MHz																																																																																								
ANT	1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Blank					 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5431.95</td><td>50.61</td><td>74.00</td><td>-23.39</td><td></td><td>37.35</td><td>35.20</td><td>10.29</td><td>32.23</td><td>100</td><td>347</td><td>Peak</td></tr><tr><td>2</td><td>5468.25</td><td>49.36</td><td>68.30</td><td>-18.94</td><td></td><td>36.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>347</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>97.59</td><td>-----</td><td>84.09</td><td></td><td>35.50</td><td>10.35</td><td>32.35</td><td></td><td>100</td><td>347</td><td>Peak</td></tr><tr><td>4</td><td>5892.85</td><td>53.72</td><td>68.30</td><td>-14.58</td><td></td><td>39.65</td><td>35.99</td><td>10.50</td><td>32.42</td><td>100</td><td>347</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor				1	5431.95	50.61	74.00	-23.39		37.35	35.20	10.29	32.23	100	347	Peak	2	5468.25	49.36	68.30	-18.94		36.12	35.20	10.30	32.26	100	347	Peak	3	5690.00	97.59	-----	84.09		35.50	10.35	32.35		100	347	Peak	4	5892.85	53.72	68.30	-14.58		39.65	35.99	10.50	32.42	100	347	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor																																																																																
1	5431.95	50.61	74.00	-23.39		37.35	35.20	10.29	32.23	100	347	Peak																																																																													
2	5468.25	49.36	68.30	-18.94		36.12	35.20	10.30	32.26	100	347	Peak																																																																													
3	5690.00	97.59	-----	84.09		35.50	10.35	32.35		100	347	Peak																																																																													
4	5892.85	53.72	68.30	-14.58		39.65	35.99	10.50	32.42	100	347	Peak																																																																													
Avg	Blank					 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5451.75</td><td>41.22</td><td>54.00</td><td>-12.78</td><td></td><td>27.99</td><td>35.20</td><td>10.29</td><td>32.26</td><td>100</td><td>347</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>90.50</td><td>-----</td><td>77.00</td><td></td><td>35.50</td><td>10.35</td><td>32.35</td><td></td><td>100</td><td>347</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor				1	5451.75	41.22	54.00	-12.78		27.99	35.20	10.29	32.26	100	347	Average	2	5690.00	90.50	-----	77.00		35.50	10.35	32.35		100	347	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB		Level	Factor	Loss	Factor																																																																																
1	5451.75	41.22	54.00	-12.78		27.99	35.20	10.29	32.26	100	347	Average																																																																													
2	5690.00	90.50	-----	77.00		35.50	10.35	32.35		100	347	Average																																																																													



Mode	32																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_Full RU_5690MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak Avg																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="7">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>9099.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>64.52</td><td>36.35</td><td>12.57</td><td>58.74</td><td>100</td><td>85</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>9099.00</td><td>49.96</td><td>54.00</td><td>-4.04</td><td>59.78</td><td>36.35</td><td>12.57</td><td>58.74</td><td>100</td><td>85</td><td>Average</td><td colspan="3"></td></tr><tr><td>3</td><td>11380.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>53.74</td><td>38.28</td><td>13.90</td><td>58.02</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr><tr><td>4</td><td>17070.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>46.53</td><td>42.56</td><td>16.73</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	9099.00	54.70	74.00	-19.30	64.52	36.35	12.57	58.74	100	85	Peak				2	9099.00	49.96	54.00	-4.04	59.78	36.35	12.57	58.74	100	85	Average				3	11380.00	47.90	74.00	-26.10	53.74	38.28	13.90	58.02	--	--	Peak				4	17070.00	47.98	68.30	-20.32	46.53	42.56	16.73	57.84	--	--	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
	1	9099.00	54.70	74.00	-19.30	64.52	36.35	12.57	58.74	100	85	Peak																																																																																																							
2	9099.00	49.96	54.00	-4.04	59.78	36.35	12.57	58.74	100	85	Average																																																																																																								
3	11380.00	47.90	74.00	-26.10	53.74	38.28	13.90	58.02	--	--	Peak																																																																																																								
4	17070.00	47.98	68.30	-20.32	46.53	42.56	16.73	57.84	--	--	Peak																																																																																																								
Vertical																																																																																																																			
																																																																																																																			
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="7">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>9099.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>61.85</td><td>36.35</td><td>12.57</td><td>58.74</td><td>135</td><td>245</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>9099.00</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>55.85</td><td>36.35</td><td>12.57</td><td>58.74</td><td>135</td><td>245</td><td>Average</td><td colspan="3"></td></tr><tr><td>3</td><td>11380.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>53.53</td><td>38.28</td><td>13.90</td><td>58.02</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr><tr><td>4</td><td>17070.00</td><td>48.16</td><td>68.30</td><td>-20.14</td><td>46.71</td><td>42.56</td><td>16.73</td><td>57.84</td><td>--</td><td>--</td><td>Peak</td><td colspan="3"></td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	9099.00	52.03	74.00	-21.97	61.85	36.35	12.57	58.74	135	245	Peak				2	9099.00	46.03	54.00	-7.97	55.85	36.35	12.57	58.74	135	245	Average				3	11380.00	47.69	74.00	-26.31	53.53	38.28	13.90	58.02	--	--	Peak				4	17070.00	48.16	68.30	-20.14	46.71	42.56	16.73	57.84	--	--	Peak				
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	9099.00	52.03	74.00	-21.97	61.85	36.35	12.57	58.74	135	245	Peak																																																																																																								
2	9099.00	46.03	54.00	-7.97	55.85	36.35	12.57	58.74	135	245	Average																																																																																																								
3	11380.00	47.69	74.00	-26.31	53.53	38.28	13.90	58.02	--	--	Peak																																																																																																								
4	17070.00	48.16	68.30	-20.14	46.71	42.56	16.73	57.84	--	--	Peak																																																																																																								



		33									
Mode	Band Edge										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz										
ANT	1										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										





Horizontal											
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5149.40	60.47	74.00	-13.53	47.81	34.95	9.96	32.25	100	358	PEAK

Fundamental											
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	107.19	-----	-----	94.45	34.98	9.98	32.22	100	358	PEAK



Horizontal											
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5147.60	48.85	54.00	-5.15	36.20	34.95	9.95	32.25	100	358	AVERAGE

Fundamental											
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5180.00	99.35	-----	-----	86.64	34.97	9.97	32.23	100	358	AVERAGE





		33																																																																														
Mode		Band Edge																																																																														
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																														
ANT		1																																																																														
Pol.	Vertical										Fundamental																																																																					
Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.08	52.94	74.00	-21.06	40.29	34.95	9.95	32.25	102	196	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.60</td><td>-----</td><td>-----</td><td>85.84</td><td>34.99</td><td>9.98</td><td>32.21</td><td>102</td><td>196</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	98.60	-----	-----	85.84	34.99	9.98	32.21	102	196
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5145.08	52.94	74.00	-21.06	40.29	34.95	9.95	32.25	102	196	PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5180.00	98.60	-----	-----	85.84	34.99	9.98	32.21	102	196	PEAK																																																																					
Avg																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.22	42.71	54.00	-11.29	30.05	34.95	9.96	32.25	102	196	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>89.80</td><td>-----</td><td>-----</td><td>77.04</td><td>34.99</td><td>9.98</td><td>32.21</td><td>102</td><td>196</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	89.80	-----	-----	77.04	34.99	9.98	32.21	102	196
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5149.22	42.71	54.00	-11.29	30.05	34.95	9.96	32.25	102	196	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5180.00	89.80	-----	-----	77.04	34.99	9.98	32.21	102	196	AVERAGE																																																																					





Mode	33																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8288.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>64.65</td><td>35.80</td><td>12.05</td><td>59.05</td><td>100</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>8288.00</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>60.89</td><td>35.80</td><td>12.05</td><td>59.05</td><td>100</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>10360.00</td><td>57.84</td><td>68.30</td><td>-10.46</td><td>66.99</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15540.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>51.14</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16576.00</td><td>61.60</td><td>68.30</td><td>-6.70</td><td>61.77</td><td>41.49</td><td>16.48</td><td>58.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8288.00	53.45	74.00	-20.55	64.65	35.80	12.05	59.05	100	303	Peak	2	8288.00	49.69	54.00	-4.31	60.89	35.80	12.05	59.05	100	303	Average	3	10360.00	57.84	68.30	-10.46	66.99	37.22	13.25	59.62	--	--	Peak	4	15540.00	49.33	74.00	-24.67	51.14	40.22	15.86	57.89	--	--	Peak	5	16576.00	61.60	68.30	-6.70	61.77	41.49	16.48	58.14	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8282.50</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>61.63</td><td>35.80</td><td>12.05</td><td>59.06</td><td>100</td><td>76</td><td>Peak</td></tr><tr><td>2</td><td>8282.50</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>57.63</td><td>35.80</td><td>12.05</td><td>59.06</td><td>100</td><td>76</td><td>Average</td></tr><tr><td>3</td><td>10360.00</td><td>49.91</td><td>68.30</td><td>-18.39</td><td>59.06</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15540.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>49.67</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16576.00</td><td>57.60</td><td>68.30</td><td>-10.70</td><td>57.77</td><td>41.49</td><td>16.48</td><td>58.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8282.50	50.42	74.00	-23.58	61.63	35.80	12.05	59.06	100	76	Peak	2	8282.50	46.42	54.00	-7.58	57.63	35.80	12.05	59.06	100	76	Average	3	10360.00	49.91	68.30	-18.39	59.06	37.22	13.25	59.62	--	--	Peak	4	15540.00	47.86	74.00	-26.14	49.67	40.22	15.86	57.89	--	--	Peak	5	16576.00	57.60	68.30	-10.70	57.77	41.49	16.48	58.14	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	8288.00	53.45	74.00	-20.55	64.65	35.80	12.05	59.05	100	303	Peak																																																																																																																																																																							
2	8288.00	49.69	54.00	-4.31	60.89	35.80	12.05	59.05	100	303	Average																																																																																																																																																																							
3	10360.00	57.84	68.30	-10.46	66.99	37.22	13.25	59.62	--	--	Peak																																																																																																																																																																							
4	15540.00	49.33	74.00	-24.67	51.14	40.22	15.86	57.89	--	--	Peak																																																																																																																																																																							
5	16576.00	61.60	68.30	-6.70	61.77	41.49	16.48	58.14	--	--	Peak																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	8282.50	50.42	74.00	-23.58	61.63	35.80	12.05	59.06	100	76	Peak																																																																																																																																																																							
2	8282.50	46.42	54.00	-7.58	57.63	35.80	12.05	59.06	100	76	Average																																																																																																																																																																							
3	10360.00	49.91	68.30	-18.39	59.06	37.22	13.25	59.62	--	--	Peak																																																																																																																																																																							
4	15540.00	47.86	74.00	-26.14	49.67	40.22	15.86	57.89	--	--	Peak																																																																																																																																																																							
5	16576.00	57.60	68.30	-10.70	57.77	41.49	16.48	58.14	--	--	Peak																																																																																																																																																																							



		34																																																																																																																																																																																																																
Mode		Harmonic																																																																																																																																																																																																																
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																																																																																																																																																
ANT		1																																																																																																																																																																																																																
Pol.		Horizontal					Vertical																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th></th><th>deg</th><th></th></tr><tr><td>1</td><td>8351.50</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>64.67</td><td>35.80</td><td>12.07</td><td>58.98</td><td>100</td><td>299</td><td>Peak</td></tr><tr><td>2</td><td>8351.50</td><td>49.86</td><td>54.00</td><td>-4.14</td><td>60.97</td><td>35.80</td><td>12.07</td><td>58.98</td><td>100</td><td>299</td><td>Average</td></tr><tr><td>3</td><td>10440.00</td><td>57.02</td><td>68.30</td><td>-11.28</td><td>66.12</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15660.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>51.57</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16704.00</td><td>62.08</td><td>68.30</td><td>-6.22</td><td>61.73</td><td>41.83</td><td>16.56</td><td>58.04</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg		1	8351.50	53.56	74.00	-20.44	64.67	35.80	12.07	58.98	100	299	Peak	2	8351.50	49.86	54.00	-4.14	60.97	35.80	12.07	58.98	100	299	Average	3	10440.00	57.02	68.30	-11.28	66.12	37.26	13.30	59.66	--	--	Peak	4	15660.00	49.57	74.00	-24.43	51.57	40.30	15.85	58.15	--	--	Peak	5	16704.00	62.08	68.30	-6.22	61.73	41.83	16.56	58.04	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th></th><th>deg</th><th></th></tr><tr><td>1</td><td>8351.50</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>60.64</td><td>35.80</td><td>12.07</td><td>58.98</td><td>100</td><td>78</td><td>Peak</td></tr><tr><td>2</td><td>8351.50</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>57.67</td><td>35.80</td><td>12.07</td><td>58.98</td><td>100</td><td>78</td><td>Average</td></tr><tr><td>3</td><td>10440.00</td><td>47.19</td><td>68.30</td><td>-21.11</td><td>56.29</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15660.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>51.21</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16704.00</td><td>55.12</td><td>68.30</td><td>-13.18</td><td>54.77</td><td>41.83</td><td>16.56</td><td>58.04</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg		1	8351.50	49.53	74.00	-24.47	60.64	35.80	12.07	58.98	100	78	Peak	2	8351.50	46.56	54.00	-7.44	57.67	35.80	12.07	58.98	100	78	Average	3	10440.00	47.19	68.30	-21.11	56.29	37.26	13.30	59.66	--	--	Peak	4	15660.00	49.21	74.00	-24.79	51.21	40.30	15.85	58.15	--	--	Peak	5	16704.00	55.12	68.30	-13.18	54.77	41.83	16.56	58.04	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																																																																																																																																								
1	8351.50	53.56	74.00	-20.44	64.67	35.80	12.07	58.98	100	299	Peak																																																																																																																																																																																																							
2	8351.50	49.86	54.00	-4.14	60.97	35.80	12.07	58.98	100	299	Average																																																																																																																																																																																																							
3	10440.00	57.02	68.30	-11.28	66.12	37.26	13.30	59.66	--	--	Peak																																																																																																																																																																																																							
4	15660.00	49.57	74.00	-24.43	51.57	40.30	15.85	58.15	--	--	Peak																																																																																																																																																																																																							
5	16704.00	62.08	68.30	-6.22	61.73	41.83	16.56	58.04	--	--	Peak																																																																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																																																																																																																																								
1	8351.50	49.53	74.00	-24.47	60.64	35.80	12.07	58.98	100	78	Peak																																																																																																																																																																																																							
2	8351.50	46.56	54.00	-7.44	57.67	35.80	12.07	58.98	100	78	Average																																																																																																																																																																																																							
3	10440.00	47.19	68.30	-21.11	56.29	37.26	13.30	59.66	--	--	Peak																																																																																																																																																																																																							
4	15660.00	49.21	74.00	-24.79	51.21	40.30	15.85	58.15	--	--	Peak																																																																																																																																																																																																							
5	16704.00	55.12	68.30	-13.18	54.77	41.83	16.56	58.04	--	--	Peak																																																																																																																																																																																																							



Mode	35																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																																																																																																															
ANT	1																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																														
Peak																																																																																																																																																																																																
Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8386.00</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>65.33</td><td>35.80</td><td>12.09</td><td>58.94</td><td>100</td><td>305</td><td>Peak</td></tr><tr><td>2</td><td>8386.00</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>62.02</td><td>35.80</td><td>12.09</td><td>58.94</td><td>100</td><td>305</td><td>Average</td></tr><tr><td>3</td><td>10480.00</td><td>56.44</td><td>68.30</td><td>-11.86</td><td>65.48</td><td>37.29</td><td>13.36</td><td>59.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15720.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>50.52</td><td>40.33</td><td>15.87</td><td>58.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16768.00</td><td>62.35</td><td>68.30</td><td>-5.95</td><td>61.74</td><td>42.00</td><td>16.60</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8386.00	54.28	74.00	-19.72	65.33	35.80	12.09	58.94	100	305	Peak	2	8386.00	50.97	54.00	-3.03	62.02	35.80	12.09	58.94	100	305	Average	3	10480.00	56.44	68.30	-11.86	65.48	37.29	13.36	59.69	--	--	Peak	4	15720.00	48.44	74.00	-25.56	50.52	40.33	15.87	58.28	--	--	Peak	5	16768.00	62.35	68.30	-5.95	61.74	42.00	16.60	57.99	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8386.00</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>61.66</td><td>35.80</td><td>12.09</td><td>58.94</td><td>100</td><td>74</td><td>Peak</td></tr><tr><td>2</td><td>8386.00</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>58.63</td><td>35.80</td><td>12.09</td><td>58.94</td><td>100</td><td>74</td><td>Average</td></tr><tr><td>3</td><td>10480.00</td><td>52.68</td><td>68.30</td><td>-15.62</td><td>61.72</td><td>37.29</td><td>13.36</td><td>59.69</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15720.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>51.58</td><td>40.33</td><td>15.87</td><td>58.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16768.00</td><td>59.32</td><td>68.30</td><td>-8.98</td><td>58.71</td><td>42.00</td><td>16.60</td><td>57.99</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8386.00	50.61	74.00	-23.39	61.66	35.80	12.09	58.94	100	74	Peak	2	8386.00	47.58	54.00	-6.42	58.63	35.80	12.09	58.94	100	74	Average	3	10480.00	52.68	68.30	-15.62	61.72	37.29	13.36	59.69	--	--	Peak	4	15720.00	49.50	74.00	-24.50	51.58	40.33	15.87	58.28	--	--	Peak	5	16768.00	59.32	68.30	-8.98	58.71	42.00	16.60	57.99	--	--	Peak
				Limit		Read		Ant	Cable	Preamp	APos	TPos		Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	8386.00	54.28	74.00	-19.72	65.33	35.80	12.09	58.94	100	305	Peak																																																																																																																																																																																					
2	8386.00	50.97	54.00	-3.03	62.02	35.80	12.09	58.94	100	305	Average																																																																																																																																																																																					
3	10480.00	56.44	68.30	-11.86	65.48	37.29	13.36	59.69	--	--	Peak																																																																																																																																																																																					
4	15720.00	48.44	74.00	-25.56	50.52	40.33	15.87	58.28	--	--	Peak																																																																																																																																																																																					
5	16768.00	62.35	68.30	-5.95	61.74	42.00	16.60	57.99	--	--	Peak																																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	8386.00	50.61	74.00	-23.39	61.66	35.80	12.09	58.94	100	74	Peak																																																																																																																																																																																					
2	8386.00	47.58	54.00	-6.42	58.63	35.80	12.09	58.94	100	74	Average																																																																																																																																																																																					
3	10480.00	52.68	68.30	-15.62	61.72	37.29	13.36	59.69	--	--	Peak																																																																																																																																																																																					
4	15720.00	49.50	74.00	-24.50	51.58	40.33	15.87	58.28	--	--	Peak																																																																																																																																																																																					
5	16768.00	59.32	68.30	-8.98	58.71	42.00	16.60	57.99	--	--	Peak																																																																																																																																																																																					



		36																																																																																																									
Mode		Harmonic																																																																																																									
		U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5280MHz																																																																																																									
ANT		1																																																																																																									
Pol.		Horizontal																																																																																																									
Peak Avg																																																																																																											
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8416.00</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>64.64</td><td>35.80</td><td>12.10</td><td>58.90</td><td>100</td><td>305</td><td>Peak</td></tr><tr><td>2</td><td>8416.00</td><td>50.28</td><td>54.00</td><td>-3.72</td><td>61.28</td><td>35.80</td><td>12.10</td><td>58.90</td><td>100</td><td>305</td><td>Average</td></tr><tr><td>3</td><td>10520.00</td><td>62.41</td><td>68.30</td><td>-5.89</td><td>71.34</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15780.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>49.36</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16832.00</td><td>63.11</td><td>68.30</td><td>-5.19</td><td>62.26</td><td>42.16</td><td>16.62</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8416.00	53.64	74.00	-20.36	64.64	35.80	12.10	58.90	100	305	Peak	2	8416.00	50.28	54.00	-3.72	61.28	35.80	12.10	58.90	100	305	Average	3	10520.00	62.41	68.30	-5.89	71.34	37.32	13.41	59.66	--	--	Peak	4	15780.00	47.21	74.00	-26.79	49.36	40.37	15.90	58.42	--	--	Peak	5	16832.00	63.11	68.30	-5.19	62.26	42.16	16.62	57.93	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	8416.00	53.64	74.00	-20.36	64.64	35.80	12.10	58.90	100	305	Peak																																																																																																
2	8416.00	50.28	54.00	-3.72	61.28	35.80	12.10	58.90	100	305	Average																																																																																																
3	10520.00	62.41	68.30	-5.89	71.34	37.32	13.41	59.66	--	--	Peak																																																																																																
4	15780.00	47.21	74.00	-26.79	49.36	40.37	15.90	58.42	--	--	Peak																																																																																																
5	16832.00	63.11	68.30	-5.19	62.26	42.16	16.62	57.93	--	--	Peak																																																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8416.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>62.34</td><td>35.80</td><td>12.10</td><td>58.90</td><td>100</td><td>57</td><td>Peak</td></tr><tr><td>2</td><td>8416.00</td><td>46.25</td><td>54.00</td><td>-7.75</td><td>57.25</td><td>35.80</td><td>12.10</td><td>58.90</td><td>100</td><td>57</td><td>Average</td></tr><tr><td>3</td><td>10520.00</td><td>57.40</td><td>68.30</td><td>-10.90</td><td>66.33</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15780.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>50.32</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16832.00</td><td>60.11</td><td>68.30</td><td>-8.19</td><td>59.26</td><td>42.16</td><td>16.62</td><td>57.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8416.00	51.34	74.00	-22.66	62.34	35.80	12.10	58.90	100	57	Peak	2	8416.00	46.25	54.00	-7.75	57.25	35.80	12.10	58.90	100	57	Average	3	10520.00	57.40	68.30	-10.90	66.33	37.32	13.41	59.66	--	--	Peak	4	15780.00	48.17	74.00	-25.83	50.32	40.37	15.90	58.42	--	--	Peak	5	16832.00	60.11	68.30	-8.19	59.26	42.16	16.62	57.93	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	8416.00	51.34	74.00	-22.66	62.34	35.80	12.10	58.90	100	57	Peak																																																																																																
2	8416.00	46.25	54.00	-7.75	57.25	35.80	12.10	58.90	100	57	Average																																																																																																
3	10520.00	57.40	68.30	-10.90	66.33	37.32	13.41	59.66	--	--	Peak																																																																																																
4	15780.00	48.17	74.00	-25.83	50.32	40.37	15.90	58.42	--	--	Peak																																																																																																
5	16832.00	60.11	68.30	-8.19	59.26	42.16	16.62	57.93	--	--	Peak																																																																																																



Mode	37																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																																																																																																													
ANT	1																																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																														
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8480.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>64.63</td><td>35.80</td><td>12.15</td><td>58.82</td><td>100</td><td>305 Peak</td></tr><tr><td>2</td><td>8480.00</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>61.23</td><td>35.80</td><td>12.15</td><td>58.82</td><td>100</td><td>305 Average</td></tr><tr><td>3</td><td>10600.00</td><td>61.70</td><td>74.00</td><td>-12.30</td><td>70.26</td><td>37.42</td><td>13.52</td><td>59.50</td><td>100</td><td>73 Peak</td></tr><tr><td>4</td><td>10600.00</td><td>51.71</td><td>54.00</td><td>-2.29</td><td>60.27</td><td>37.42</td><td>13.52</td><td>59.50</td><td>100</td><td>73 Average</td></tr><tr><td>5</td><td>15900.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>49.04</td><td>40.44</td><td>16.01</td><td>58.68</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>16960.00</td><td>63.64</td><td>68.30</td><td>-4.66</td><td>62.31</td><td>42.50</td><td>16.66</td><td>57.83</td><td>--</td><td>-- Peak</td></tr></table>							Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8480.00	53.76	74.00	-20.24	64.63	35.80	12.15	58.82	100	305 Peak	2	8480.00	50.36	54.00	-3.64	61.23	35.80	12.15	58.82	100	305 Average	3	10600.00	61.70	74.00	-12.30	70.26	37.42	13.52	59.50	100	73 Peak	4	10600.00	51.71	54.00	-2.29	60.27	37.42	13.52	59.50	100	73 Average	5	15900.00	46.81	74.00	-27.19	49.04	40.44	16.01	58.68	--	-- Peak	6	16960.00	63.64	68.30	-4.66	62.31	42.50	16.66	57.83	--	-- Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8480.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>61.23</td><td>35.80</td><td>12.15</td><td>58.82</td><td>100</td><td>56 Peak</td></tr><tr><td>2</td><td>8480.00</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>58.62</td><td>35.80</td><td>12.15</td><td>58.82</td><td>100</td><td>56 Average</td></tr><tr><td>3</td><td>10600.00</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>64.62</td><td>37.42</td><td>13.52</td><td>59.50</td><td>100</td><td>164 Peak</td></tr><tr><td>4</td><td>10600.00</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>56.62</td><td>37.42</td><td>13.52</td><td>59.50</td><td>100</td><td>164 Average</td></tr><tr><td>5</td><td>15900.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>48.93</td><td>40.44</td><td>16.01</td><td>58.68</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>16960.00</td><td>60.39</td><td>68.30</td><td>-7.91</td><td>59.06</td><td>42.50</td><td>16.66</td><td>57.83</td><td>--</td><td>-- Peak</td></tr></table>							Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8480.00	50.36	74.00	-23.64	61.23	35.80	12.15	58.82	100	56 Peak	2	8480.00	47.75	54.00	-6.25	58.62	35.80	12.15	58.82	100	56 Average	3	10600.00	56.06	74.00	-17.94	64.62	37.42	13.52	59.50	100	164 Peak	4	10600.00	48.06	54.00	-5.94	56.62	37.42	13.52	59.50	100	164 Average	5	15900.00	46.70	74.00	-27.30	48.93	40.44	16.01	58.68	--	-- Peak	6	16960.00	60.39	68.30	-7.91	59.06	42.50	16.66	57.83	--	-- Peak
		Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																				
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																				
1	8480.00	53.76	74.00	-20.24	64.63	35.80	12.15	58.82	100	305 Peak																																																																																																																																																																																																				
2	8480.00	50.36	54.00	-3.64	61.23	35.80	12.15	58.82	100	305 Average																																																																																																																																																																																																				
3	10600.00	61.70	74.00	-12.30	70.26	37.42	13.52	59.50	100	73 Peak																																																																																																																																																																																																				
4	10600.00	51.71	54.00	-2.29	60.27	37.42	13.52	59.50	100	73 Average																																																																																																																																																																																																				
5	15900.00	46.81	74.00	-27.19	49.04	40.44	16.01	58.68	--	-- Peak																																																																																																																																																																																																				
6	16960.00	63.64	68.30	-4.66	62.31	42.50	16.66	57.83	--	-- Peak																																																																																																																																																																																																				
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																					
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																				
1	8480.00	50.36	74.00	-23.64	61.23	35.80	12.15	58.82	100	56 Peak																																																																																																																																																																																																				
2	8480.00	47.75	54.00	-6.25	58.62	35.80	12.15	58.82	100	56 Average																																																																																																																																																																																																				
3	10600.00	56.06	74.00	-17.94	64.62	37.42	13.52	59.50	100	164 Peak																																																																																																																																																																																																				
4	10600.00	48.06	54.00	-5.94	56.62	37.42	13.52	59.50	100	164 Average																																																																																																																																																																																																				
5	15900.00	46.70	74.00	-27.30	48.93	40.44	16.01	58.68	--	-- Peak																																																																																																																																																																																																				
6	16960.00	60.39	68.30	-7.91	59.06	42.50	16.66	57.83	--	-- Peak																																																																																																																																																																																																				





	38																																																																															
Mode	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.52</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>43.68</td><td>35.20</td><td>10.21</td><td>32.17</td><td>163</td><td>352 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.52	56.92	74.00	-17.08	43.68	35.20	10.21	32.17	163	352 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.28</td><td>-----</td><td>-----</td><td>93.08</td><td>35.20</td><td>10.18</td><td>32.18</td><td>163</td><td>352 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	106.28	-----	-----	93.08	35.20	10.18	32.18	163	352 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5350.52	56.92	74.00	-17.08	43.68	35.20	10.21	32.17	163	352 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5320.00	106.28	-----	-----	93.08	35.20	10.18	32.18	163	352 PEAK																																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.34</td><td>48.47</td><td>54.00</td><td>-5.53</td><td>35.22</td><td>35.20</td><td>10.22</td><td>32.17</td><td>163</td><td>352 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.34	48.47	54.00	-5.53	35.22	35.20	10.22	32.17	163	352 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.58</td><td>-----</td><td>-----</td><td>84.39</td><td>35.20</td><td>10.17</td><td>32.18</td><td>163</td><td>352 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	97.58	-----	-----	84.39	35.20	10.17	32.18	163	352 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5352.34	48.47	54.00	-5.53	35.22	35.20	10.22	32.17	163	352 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5320.00	97.58	-----	-----	84.39	35.20	10.17	32.18	163	352 AVERAGE																																																																						







Mode	38										
	Band Edge										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz										
ANT	1										
Pol.	Vertical										
Peak	Level (dBuV/m)										







Mode	38																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																				
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>8562.00</td><td>52.84</td><td>68.30</td><td>-15.46</td><td>63.63</td><td>35.80</td><td>12.20</td><td>58.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>62.12</td><td>74.00</td><td>-11.88</td><td>70.54</td><td>37.47</td><td>13.53</td><td>59.42</td><td>100</td><td>68 Peak</td></tr><tr><td>3</td><td>10640.00</td><td>51.32</td><td>54.00</td><td>-2.68</td><td>59.74</td><td>37.47</td><td>13.53</td><td>59.42</td><td>100</td><td>68 Average</td></tr><tr><td>4</td><td>15960.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>47.75</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17024.00</td><td>63.98</td><td>68.30</td><td>-4.32</td><td>62.52</td><td>42.58</td><td>16.69</td><td>57.81</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	8562.00	52.84	68.30	-15.46	63.63	35.80	12.20	58.79	--	Peak	2	10640.00	62.12	74.00	-11.88	70.54	37.47	13.53	59.42	100	68 Peak	3	10640.00	51.32	54.00	-2.68	59.74	37.47	13.53	59.42	100	68 Average	4	15960.00	45.49	74.00	-28.51	47.75	40.48	16.07	58.81	--	Peak	5	17024.00	63.98	68.30	-4.32	62.52	42.58	16.69	57.81	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>8562.00</td><td>49.48</td><td>68.30</td><td>-18.82</td><td>60.27</td><td>35.80</td><td>12.20</td><td>58.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>60.63</td><td>37.47</td><td>13.53</td><td>59.42</td><td>100</td><td>76 Peak</td></tr><tr><td>3</td><td>10640.00</td><td>44.19</td><td>54.00</td><td>-9.81</td><td>52.61</td><td>37.47</td><td>13.53</td><td>59.42</td><td>100</td><td>76 Average</td></tr><tr><td>4</td><td>15960.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>48.49</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17024.00</td><td>60.65</td><td>68.30</td><td>-7.65</td><td>59.19</td><td>42.58</td><td>16.69</td><td>57.81</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	8562.00	49.48	68.30	-18.82	60.27	35.80	12.20	58.79	--	Peak	2	10640.00	52.21	74.00	-21.79	60.63	37.47	13.53	59.42	100	76 Peak	3	10640.00	44.19	54.00	-9.81	52.61	37.47	13.53	59.42	100	76 Average	4	15960.00	46.23	74.00	-27.77	48.49	40.48	16.07	58.81	--	Peak	5	17024.00	60.65	68.30	-7.65	59.19	42.58	16.69	57.81	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																														
1	8562.00	52.84	68.30	-15.46	63.63	35.80	12.20	58.79	--	Peak																																																																																																																																																												
2	10640.00	62.12	74.00	-11.88	70.54	37.47	13.53	59.42	100	68 Peak																																																																																																																																																												
3	10640.00	51.32	54.00	-2.68	59.74	37.47	13.53	59.42	100	68 Average																																																																																																																																																												
4	15960.00	45.49	74.00	-28.51	47.75	40.48	16.07	58.81	--	Peak																																																																																																																																																												
5	17024.00	63.98	68.30	-4.32	62.52	42.58	16.69	57.81	--	Peak																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																														
1	8562.00	49.48	68.30	-18.82	60.27	35.80	12.20	58.79	--	Peak																																																																																																																																																												
2	10640.00	52.21	74.00	-21.79	60.63	37.47	13.53	59.42	100	76 Peak																																																																																																																																																												
3	10640.00	44.19	54.00	-9.81	52.61	37.47	13.53	59.42	100	76 Average																																																																																																																																																												
4	15960.00	46.23	74.00	-27.77	48.49	40.48	16.07	58.81	--	Peak																																																																																																																																																												
5	17024.00	60.65	68.30	-7.65	59.19	42.58	16.69	57.81	--	Peak																																																																																																																																																												





Mode	39																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>38.37</td><td>35.20</td><td>10.30</td><td>32.26</td><td>150</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>54.14</td><td>68.30</td><td>-14.16</td><td>40.90</td><td>35.20</td><td>10.30</td><td>32.26</td><td>150</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	51.61	74.00	-22.39	38.37	35.20	10.30	32.26	150	354	PEAK	2	5467.60	54.14	68.30	-14.16	40.90	35.20	10.30	32.26	150	354	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.36</td><td>-----</td><td>-----</td><td>91.13</td><td>35.20</td><td>10.30</td><td>32.27</td><td>150</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.36	-----	-----	91.13	35.20	10.30	32.27	150	354
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.00	51.61	74.00	-22.39	38.37	35.20	10.30	32.26	150	354	PEAK																																																																																												
2	5467.60	54.14	68.30	-14.16	40.90	35.20	10.30	32.26	150	354	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	104.36	-----	-----	91.13	35.20	10.30	32.27	150	354	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.95</td><td>35.20</td><td>10.30</td><td>32.26</td><td>150</td><td>354</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	43.19	54.00	-10.81	29.95	35.20	10.30	32.26	150	354	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.94</td><td>-----</td><td>-----</td><td>82.71</td><td>35.20</td><td>10.30</td><td>32.27</td><td>150</td><td>354</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.94	-----	-----	82.71	35.20	10.30	32.27	150	354	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.05	43.19	54.00	-10.81	29.95	35.20	10.30	32.26	150	354	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	95.94	-----	-----	82.71	35.20	10.30	32.27	150	354	AVERAGE																																																																																												





Mode	39																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.45	51.03	74.00	-22.97	37.79	35.20	10.29	32.25	104	199	PEAK	2	5464.90	52.32	68.30	-15.98	39.08	35.20	10.30	32.26	104	199	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.47</td><td>-----</td><td>-----</td><td>84.24</td><td>35.20</td><td>10.30</td><td>32.27</td><td>104</td><td>199</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	97.47	-----	-----	84.24	35.20	10.30	32.27	104	199
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5449.45	51.03	74.00	-22.97	37.79	35.20	10.29	32.25	104	199	PEAK																																																																																	
2	5464.90	52.32	68.30	-15.98	39.08	35.20	10.30	32.26	104	199	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5500.00	97.47	-----	-----	84.24	35.20	10.30	32.27	104	199	PEAK																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.35	41.78	54.00	-12.22	28.54	35.20	10.30	32.26	104	199	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>89.24</td><td>-----</td><td>-----</td><td>76.01</td><td>35.20</td><td>10.30</td><td>32.27</td><td>104</td><td>199</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	89.24	-----	-----	76.01	35.20	10.30	32.27	104	199	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5459.35	41.78	54.00	-12.22	28.54	35.20	10.30	32.26	104	199	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5500.00	89.24	-----	-----	76.01	35.20	10.30	32.27	104	199	AVERAGE																																																																																	



Mode	39																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal																																																																																																								
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 8800.00</td><td>54.26</td><td>68.30</td><td>-14.04</td><td>64.62</td><td>36.00</td><td>12.38</td><td>58.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>2 11000.00</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>64.59</td><td>37.90</td><td>13.61</td><td>58.70</td><td>182</td><td>142</td><td>Peak</td><td></td></tr><tr><td>3 11000.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>57.85</td><td>37.90</td><td>13.61</td><td>58.70</td><td>182</td><td>142</td><td>Average</td><td></td></tr><tr><td>4 16500.00</td><td>48.34</td><td>68.30</td><td>-19.96</td><td>48.82</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>5 17597.50</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>52.11</td><td>42.10</td><td>16.97</td><td>57.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 8800.00	54.26	68.30	-14.04	64.62	36.00	12.38	58.74	--	--	Peak		2 11000.00	57.40	74.00	-16.60	64.59	37.90	13.61	58.70	182	142	Peak		3 11000.00	50.66	54.00	-3.34	57.85	37.90	13.61	58.70	182	142	Average		4 16500.00	48.34	68.30	-19.96	48.82	41.29	16.43	58.20	--	--	Peak		5 17597.50	53.22	68.30	-15.08	52.11	42.10	16.97	57.96	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 8800.00	54.26	68.30	-14.04	64.62	36.00	12.38	58.74	--	--	Peak																																																																																															
2 11000.00	57.40	74.00	-16.60	64.59	37.90	13.61	58.70	182	142	Peak																																																																																															
3 11000.00	50.66	54.00	-3.34	57.85	37.90	13.61	58.70	182	142	Average																																																																																															
4 16500.00	48.34	68.30	-19.96	48.82	41.29	16.43	58.20	--	--	Peak																																																																																															
5 17597.50	53.22	68.30	-15.08	52.11	42.10	16.97	57.96	--	--	Peak																																																																																															
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 8800.00</td><td>51.65</td><td>68.30</td><td>-16.65</td><td>62.01</td><td>36.00</td><td>12.38</td><td>58.74</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>2 11000.00</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>62.43</td><td>37.90</td><td>13.61</td><td>58.70</td><td>126</td><td>325</td><td>Peak</td><td></td></tr><tr><td>3 11000.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>54.26</td><td>37.90</td><td>13.61</td><td>58.70</td><td>126</td><td>325</td><td>Average</td><td></td></tr><tr><td>4 16500.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>48.17</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>5 17597.50</td><td>52.75</td><td>68.30</td><td>-15.55</td><td>51.64</td><td>42.10</td><td>16.97</td><td>57.96</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 8800.00	51.65	68.30	-16.65	62.01	36.00	12.38	58.74	--	--	Peak		2 11000.00	55.24	74.00	-18.76	62.43	37.90	13.61	58.70	126	325	Peak		3 11000.00	47.07	54.00	-6.93	54.26	37.90	13.61	58.70	126	325	Average		4 16500.00	47.69	68.30	-20.61	48.17	41.29	16.43	58.20	--	--	Peak		5 17597.50	52.75	68.30	-15.55	51.64	42.10	16.97	57.96	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 8800.00	51.65	68.30	-16.65	62.01	36.00	12.38	58.74	--	--	Peak																																																																																															
2 11000.00	55.24	74.00	-18.76	62.43	37.90	13.61	58.70	126	325	Peak																																																																																															
3 11000.00	47.07	54.00	-6.93	54.26	37.90	13.61	58.70	126	325	Average																																																																																															
4 16500.00	47.69	68.30	-20.61	48.17	41.29	16.43	58.20	--	--	Peak																																																																																															
5 17597.50	52.75	68.30	-15.55	51.64	42.10	16.97	57.96	--	--	Peak																																																																																															






Mode	40																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																																																																																																										
ANT	1																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8926.50</td><td>53.46</td><td>68.30</td><td>-14.84</td><td>63.55</td><td>36.12</td><td>12.50</td><td>58.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>59.02</td><td>74.00</td><td>-14.98</td><td>65.64</td><td>38.06</td><td>13.73</td><td>58.41</td><td>136</td><td>293</td><td>Peak</td></tr><tr><td>3</td><td>11160.00</td><td>51.23</td><td>54.00</td><td>-2.77</td><td>57.85</td><td>38.06</td><td>13.73</td><td>58.41</td><td>136</td><td>293</td><td>Average</td></tr><tr><td>4</td><td>16740.00</td><td>48.34</td><td>68.30</td><td>-19.96</td><td>47.85</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17850.50</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>47.56</td><td>41.53</td><td>17.11</td><td>57.61</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8926.50	53.46	68.30	-14.84	63.55	36.12	12.50	58.71	--	--	Peak	2	11160.00	59.02	74.00	-14.98	65.64	38.06	13.73	58.41	136	293	Peak	3	11160.00	51.23	54.00	-2.77	57.85	38.06	13.73	58.41	136	293	Average	4	16740.00	48.34	68.30	-19.96	47.85	41.92	16.58	58.01	--	--	Peak	5	17850.50	48.59	74.00	-25.41	47.56	41.53	17.11	57.61	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8926.50</td><td>50.53</td><td>68.30</td><td>-17.77</td><td>60.62</td><td>36.12</td><td>12.50</td><td>58.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>55.70</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>16740.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>47.20</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17850.50</td><td>58.43</td><td>74.00</td><td>-15.57</td><td>57.40</td><td>41.53</td><td>17.11</td><td>57.61</td><td>100</td><td>322</td><td>Peak</td></tr><tr><td>5</td><td>17850.50</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>48.04</td><td>41.53</td><td>17.11</td><td>57.61</td><td>100</td><td>322</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8926.50	50.53	68.30	-17.77	60.62	36.12	12.50	58.71	--	--	Peak	2	11160.00	49.08	74.00	-24.92	55.70	38.06	13.73	58.41	--	--	Peak	3	16740.00	47.69	68.30	-20.61	47.20	41.92	16.58	58.01	--	--	Peak	4	17850.50	58.43	74.00	-15.57	57.40	41.53	17.11	57.61	100	322	Peak	5	17850.50	49.07	54.00	-4.93	48.04	41.53	17.11	57.61	100	322
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	8926.50	53.46	68.30	-14.84	63.55	36.12	12.50	58.71	--	--	Peak																																																																																																																																																																																
2	11160.00	59.02	74.00	-14.98	65.64	38.06	13.73	58.41	136	293	Peak																																																																																																																																																																																
3	11160.00	51.23	54.00	-2.77	57.85	38.06	13.73	58.41	136	293	Average																																																																																																																																																																																
4	16740.00	48.34	68.30	-19.96	47.85	41.92	16.58	58.01	--	--	Peak																																																																																																																																																																																
5	17850.50	48.59	74.00	-25.41	47.56	41.53	17.11	57.61	--	--	Peak																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	8926.50	50.53	68.30	-17.77	60.62	36.12	12.50	58.71	--	--	Peak																																																																																																																																																																																
2	11160.00	49.08	74.00	-24.92	55.70	38.06	13.73	58.41	--	--	Peak																																																																																																																																																																																
3	16740.00	47.69	68.30	-20.61	47.20	41.92	16.58	58.01	--	--	Peak																																																																																																																																																																																
4	17850.50	58.43	74.00	-15.57	57.40	41.53	17.11	57.61	100	322	Peak																																																																																																																																																																																
5	17850.50	49.07	54.00	-4.93	48.04	41.53	17.11	57.61	100	322	Average																																																																																																																																																																																





Mode	41																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5726 MHz. A red horizontal line indicates the limit at 70.0 dBuV/m. The text 'PART 15.407' is visible in the upper right corner of the plot area. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.09</td><td>57.82</td><td>68.30</td><td>-10.48</td><td>44.25</td><td>35.56</td><td>10.37</td><td>32.36</td><td>140</td><td>354</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.09	57.82	68.30	-10.48	44.25	35.56	10.37	32.36	140	354	PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5800 MHz. A red horizontal line indicates the limit at 70.0 dBuV/m. The text 'PART 15.407' is visible in the upper right corner of the plot area. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.70</td><td>-----</td><td>-----</td><td>91.19</td><td>35.50</td><td>10.36</td><td>32.35</td><td>140</td><td>354</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	104.70	-----	-----	91.19	35.50	10.36	32.35	140	354	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5725.09	57.82	68.30	-10.48	44.25	35.56	10.37	32.36	140	354	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5700.00	104.70	-----	-----	91.19	35.50	10.36	32.35	140	354	PEAK																																																																							
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5800 MHz. A red horizontal line indicates the limit at 52.5 dBuV/m. The text 'PART 15.407 AVG' is visible in the upper right corner of the plot area. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.38</td><td>-----</td><td>-----</td><td>81.87</td><td>35.50</td><td>10.36</td><td>32.35</td><td>140</td><td>354</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	95.38	-----	-----	81.87	35.50	10.36	32.35	140	354	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5700.00	95.38	-----	-----	81.87	35.50	10.36	32.35	140	354	AVERAGE																																																																							







Mode	41																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.04</td><td>55.64</td><td>68.30</td><td>-12.66</td><td>42.06</td><td>35.57</td><td>10.37</td><td>32.36</td><td>102</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.04	55.64	68.30	-12.66	42.06	35.57	10.37	32.36	102	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.04</td><td>-----</td><td>-----</td><td>88.52</td><td>35.51</td><td>10.36</td><td>32.35</td><td>102</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.04	-----	-----	88.52	35.51	10.36	32.35	102	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5727.04	55.64	68.30	-12.66	42.06	35.57	10.37	32.36	102	0	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	102.04	-----	-----	88.52	35.51	10.36	32.35	102	0	PEAK																																																																															
Avg	Blank																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>92.56</td><td>-----</td><td>-----</td><td>79.05</td><td>35.50</td><td>10.36</td><td>32.35</td><td>102</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	92.56	-----	-----	79.05	35.50	10.36	32.35	102	0	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	92.56	-----	-----	79.05	35.50	10.36	32.35	102	0	AVERAGE																																																																															





Mode	41																																																																																						
	Harmonic																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak Avg																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9122.00	57.09	74.00	-16.91	66.89	36.38	12.57	58.75	100	75	Peak	2	9122.00	50.37	54.00	-3.63	60.17	36.38	12.57	58.75	100	75	Average	3	11400.00	58.41	74.00	-15.59	64.17	38.30	13.92	57.98	130	214	Peak	4	11400.00	49.41	54.00	-4.59	55.17	38.30	13.92	57.98	130	214	Average	5	17100.00	49.06	68.30	-19.24	47.62	42.54	16.76	57.86	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9122.00	57.09	74.00	-16.91	66.89	36.38	12.57	58.75	100	75	Peak																																																																												
2	9122.00	50.37	54.00	-3.63	60.17	36.38	12.57	58.75	100	75	Average																																																																												
3	11400.00	58.41	74.00	-15.59	64.17	38.30	13.92	57.98	130	214	Peak																																																																												
4	11400.00	49.41	54.00	-4.59	55.17	38.30	13.92	57.98	130	214	Average																																																																												
5	17100.00	49.06	68.30	-19.24	47.62	42.54	16.76	57.86	--	--	Peak																																																																												
Vertical																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9122.00	53.78	74.00	-20.22	63.58	36.38	12.57	58.75	142	180	Peak	2	9122.00	48.05	54.00	-5.95	57.85	36.38	12.57	58.75	142	180	Average	3	11400.00	48.95	74.00	-25.05	54.71	38.30	13.92	57.98	--	--	Peak	4	17100.00	48.79	68.30	-19.51	47.35	42.54	16.76	57.86	--	--	Peak											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	9122.00	53.78	74.00	-20.22	63.58	36.38	12.57	58.75	142	180	Peak																																																																												
2	9122.00	48.05	54.00	-5.95	57.85	36.38	12.57	58.75	142	180	Average																																																																												
3	11400.00	48.95	74.00	-25.05	54.71	38.30	13.92	57.98	--	--	Peak																																																																												
4	17100.00	48.79	68.30	-19.51	47.35	42.54	16.76	57.86	--	--	Peak																																																																												







Mode	42																																																																																						
	Band Edge - L																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.97</td><td>64.89</td><td>74.00</td><td>-9.11</td><td>52.24</td><td>34.95</td><td>9.95</td><td>32.25</td><td>119</td><td>15 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.97	64.89	74.00	-9.11	52.24	34.95	9.95	32.25	119	15 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>105.85</td><td>-----</td><td>-----</td><td>93.11</td><td>34.98</td><td>9.98</td><td>32.22</td><td>119</td><td>15 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	105.85	-----	-----	93.11	34.98	9.98	32.22	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5144.97	64.89	74.00	-9.11	52.24	34.95	9.95	32.25	119	15 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5190.00	105.85	-----	-----	93.11	34.98	9.98	32.22	119	15 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.72</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>38.29</td><td>34.95</td><td>9.96</td><td>32.25</td><td>119</td><td>15 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.72	50.95	54.00	-3.05	38.29	34.95	9.96	32.25	119	15 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.17</td><td>-----</td><td>-----</td><td>83.38</td><td>35.00</td><td>9.99</td><td>32.20</td><td>119</td><td>15 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	96.17	-----	-----	83.38	35.00	9.99	32.20	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5149.72	50.95	54.00	-3.05	38.29	34.95	9.96	32.25	119	15 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5190.00	96.17	-----	-----	83.38	35.00	9.99	32.20	119	15 AVERAGE																																																																													





Mode	42																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.28</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>38.94</td><td>35.20</td><td>10.29</td><td>32.25</td><td>119</td><td>15 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5450.28	52.18	74.00	-21.82	38.94	35.20	10.29	32.25	119	15 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5450.28	52.18	74.00	-21.82	38.94	35.20	10.29	32.25	119	15 PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.29</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>27.80</td><td>35.20</td><td>10.29</td><td>32.24</td><td>119</td><td>15 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5440.29	41.05	54.00	-12.95	27.80	35.20	10.29	32.24	119	15 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5440.29	41.05	54.00	-12.95	27.80	35.20	10.29	32.24	119	15 AVERAGE																																							



		42																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5147.25</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>43.32</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>112</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5147.25	55.97	74.00	-18.03	43.32	34.95	9.95	32.25	100	112	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>97.23</td><td>-----</td><td>-----</td><td>84.42</td><td>35.01</td><td>10.00</td><td>32.20</td><td>100</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	97.23	-----	-----	84.42	35.01	10.00	32.20	100	112
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5147.25	55.97	74.00	-18.03	43.32	34.95	9.95	32.25	100	112	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5190.00	97.23	-----	-----	84.42	35.01	10.00	32.20	100	112	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.01</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>32.16</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>112</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.01	44.82	54.00	-9.18	32.16	34.95	9.96	32.25	100	112	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>87.69</td><td>-----</td><td>-----</td><td>74.88</td><td>35.01</td><td>10.00</td><td>32.20</td><td>100</td><td>112</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	87.69	-----	-----	74.88	35.01	10.00	32.20	100	112
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5148.01	44.82	54.00	-9.18	32.16	34.95	9.96	32.25	100	112	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5190.00	87.69	-----	-----	74.88	35.01	10.00	32.20	100	112	AVERAGE																																																																																			







Mode	42																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.05</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>38.04</td><td>35.20</td><td>10.29</td><td>32.19</td><td>100</td><td>112</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5410.05	51.34	74.00	-22.66	38.04	35.20	10.29	32.19	100	112	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5410.05	51.34	74.00	-22.66	38.04	35.20	10.29	32.19	100	112	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.30</td><td>41.27</td><td>54.00</td><td>-12.73</td><td>28.03</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>112</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.30	41.27	54.00	-12.73	28.03	35.20	10.30	32.26	100	112	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5457.30	41.27	54.00	-12.73	28.03	35.20	10.30	32.26	100	112	AVERAGE																																								





Mode	42																																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak Avg																																																																																																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Margin</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8304.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>63.66</td><td>35.80</td><td>12.06</td><td>59.04</td><td>100</td><td>300</td><td>Peak</td></tr><tr><td>2</td><td>8304.00</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>60.73</td><td>35.80</td><td>12.06</td><td>59.04</td><td>100</td><td>300</td><td>Average</td></tr><tr><td>3</td><td>10380.00</td><td>52.03</td><td>68.30</td><td>-16.27</td><td>61.18</td><td>37.23</td><td>13.25</td><td>59.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15570.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>51.08</td><td>40.24</td><td>15.84</td><td>57.95</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16608.00</td><td>62.42</td><td>68.30</td><td>-5.88</td><td>62.46</td><td>41.57</td><td>16.50</td><td>58.11</td><td>--</td><td>--</td><td>Peak</td></tr></table> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Margin</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8304.00</td><td>49.15</td><td>74.00</td><td>-24.85</td><td>60.33</td><td>35.80</td><td>12.06</td><td>59.04</td><td>100</td><td>72</td><td>Peak</td></tr><tr><td>2</td><td>8304.00</td><td>46.48</td><td>54.00</td><td>-7.52</td><td>57.66</td><td>35.80</td><td>12.06</td><td>59.04</td><td>100</td><td>72</td><td>Average</td></tr><tr><td>3</td><td>10380.00</td><td>55.26</td><td>68.30</td><td>-13.04</td><td>64.41</td><td>37.23</td><td>13.25</td><td>59.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15570.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>49.91</td><td>40.24</td><td>15.84</td><td>57.95</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16608.00</td><td>60.42</td><td>68.30</td><td>-7.88</td><td>60.46</td><td>41.57</td><td>16.50</td><td>58.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Level	Margin	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8304.00	52.48	74.00	-21.52	63.66	35.80	12.06	59.04	100	300	Peak	2	8304.00	49.55	54.00	-4.45	60.73	35.80	12.06	59.04	100	300	Average	3	10380.00	52.03	68.30	-16.27	61.18	37.23	13.25	59.63	--	--	Peak	4	15570.00	49.21	74.00	-24.79	51.08	40.24	15.84	57.95	--	--	Peak	5	16608.00	62.42	68.30	-5.88	62.46	41.57	16.50	58.11	--	--	Peak			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Level	Margin	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8304.00	49.15	74.00	-24.85	60.33	35.80	12.06	59.04	100	72	Peak	2	8304.00	46.48	54.00	-7.52	57.66	35.80	12.06	59.04	100	72	Average	3	10380.00	55.26	68.30	-13.04	64.41	37.23	13.25	59.63	--	--	Peak	4	15570.00	48.04	74.00	-25.96	49.91	40.24	15.84	57.95	--	--	Peak	5	16608.00	60.42	68.30	-7.88	60.46	41.57	16.50	58.11	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																												
Freq		Level	Line	Level	Margin	Factor	Loss	Factor																																																																																																																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	8304.00	52.48	74.00	-21.52	63.66	35.80	12.06	59.04	100	300	Peak																																																																																																																																																																																												
2	8304.00	49.55	54.00	-4.45	60.73	35.80	12.06	59.04	100	300	Average																																																																																																																																																																																												
3	10380.00	52.03	68.30	-16.27	61.18	37.23	13.25	59.63	--	--	Peak																																																																																																																																																																																												
4	15570.00	49.21	74.00	-24.79	51.08	40.24	15.84	57.95	--	--	Peak																																																																																																																																																																																												
5	16608.00	62.42	68.30	-5.88	62.46	41.57	16.50	58.11	--	--	Peak																																																																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																												
Freq		Level	Line	Level	Margin	Factor	Loss	Factor																																																																																																																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	8304.00	49.15	74.00	-24.85	60.33	35.80	12.06	59.04	100	72	Peak																																																																																																																																																																																												
2	8304.00	46.48	54.00	-7.52	57.66	35.80	12.06	59.04	100	72	Average																																																																																																																																																																																												
3	10380.00	55.26	68.30	-13.04	64.41	37.23	13.25	59.63	--	--	Peak																																																																																																																																																																																												
4	15570.00	48.04	74.00	-25.96	49.91	40.24	15.84	57.95	--	--	Peak																																																																																																																																																																																												
5	16608.00	60.42	68.30	-7.88	60.46	41.57	16.50	58.11	--	--	Peak																																																																																																																																																																																												







		43																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																	
ANT		1																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak		 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5082.80</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>41.28</td><td>34.89</td><td>9.91</td><td>32.25</td><td>140</td><td>3 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5082.80	53.83	74.00	-20.17	41.28	34.89	9.91	32.25	140	3 PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>105.18</td><td>-----</td><td>-----</td><td>92.25</td><td>35.08</td><td>10.05</td><td>32.20</td><td>140</td><td>3 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.18	-----	-----	92.25	35.08	10.05	32.20	140	3 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5082.80	53.83	74.00	-20.17	41.28	34.89	9.91	32.25	140	3 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5230.00	105.18	-----	-----	92.25	35.08	10.05	32.20	140	3 PEAK																																																																																									
Avg		 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.96</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>31.20</td><td>34.95</td><td>9.96</td><td>32.25</td><td>140</td><td>3 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.96	43.86	54.00	-10.14	31.20	34.95	9.96	32.25	140	3 AVERAGE	 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>95.56</td><td>-----</td><td>-----</td><td>82.60</td><td>35.10</td><td>10.06</td><td>32.20</td><td>140</td><td>3 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	95.56	-----	-----	82.60	35.10	10.06	32.20	140	3 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.96	43.86	54.00	-10.14	31.20	34.95	9.96	32.25	140	3 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5230.00	95.56	-----	-----	82.60	35.10	10.06	32.20	140	3 AVERAGE																																																																																									





Mode	43																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.29</td><td>51.51</td><td>74.00</td><td>-22.49</td><td>38.23</td><td>35.20</td><td>10.25</td><td>32.17</td><td>140</td><td>3</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5373.29	51.51	74.00	-22.49	38.23	35.20	10.25	32.17	140	3	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5373.29	51.51	74.00	-22.49	38.23	35.20	10.25	32.17	140	3	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.94</td><td>41.46</td><td>54.00</td><td>-12.54</td><td>28.22</td><td>35.20</td><td>10.30</td><td>32.26</td><td>140</td><td>3</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.94	41.46	54.00	-12.54	28.22	35.20	10.30	32.26	140	3	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5454.94	41.46	54.00	-12.54	28.22	35.20	10.30	32.26	140	3	AVERAGE																																								





Mode	43																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5071.07</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>40.94</td><td>34.87</td><td>9.90</td><td>32.26</td><td>156</td><td>192</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5071.07	53.45	74.00	-20.55	40.94	34.87	9.90	32.26	156	192	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>96.67</td><td>-----</td><td>-----</td><td>83.71</td><td>35.10</td><td>10.06</td><td>32.20</td><td>156</td><td>192</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	96.67	-----	-----	83.71	35.10	10.06	32.20	156	192
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5071.07	53.45	74.00	-20.55	40.94	34.87	9.90	32.26	156	192	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5230.00	96.67	-----	-----	83.71	35.10	10.06	32.20	156	192	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5063.71</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>29.57</td><td>34.87</td><td>9.90</td><td>32.26</td><td>156</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5063.71	42.08	54.00	-11.92	29.57	34.87	9.90	32.26	156	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>88.67</td><td>-----</td><td>-----</td><td>75.71</td><td>35.10</td><td>10.06</td><td>32.20</td><td>156</td><td>192</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	88.67	-----	-----	75.71	35.10	10.06	32.20	156	192
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5063.71	42.08	54.00	-11.92	29.57	34.87	9.90	32.26	156	192	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5230.00	88.67	-----	-----	75.71	35.10	10.06	32.20	156	192	AVERAGE																																																																															







Mode	43																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.95</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>38.24</td><td>35.20</td><td>10.29</td><td>32.26</td><td>156</td><td>192</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5451.95	51.47	74.00	-22.53	38.24	35.20	10.29	32.26	156	192	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5451.95	51.47	74.00	-22.53	38.24	35.20	10.29	32.26	156	192	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.08</td><td>41.32</td><td>54.00</td><td>-12.68</td><td>28.08</td><td>35.20</td><td>10.30</td><td>32.26</td><td>156</td><td>192</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.08	41.32	54.00	-12.68	28.08	35.20	10.30	32.26	156	192	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5459.08	41.32	54.00	-12.68	28.08	35.20	10.30	32.26	156	192	AVERAGE																																								





Mode	43																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																																																																																																																				
ANT	1																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8368.00</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>64.86</td><td>35.80</td><td>12.08</td><td>58.96</td><td>100</td><td>297</td><td>Peak</td></tr><tr><td>2</td><td>8368.00</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>61.66</td><td>35.80</td><td>12.08</td><td>58.96</td><td>100</td><td>297</td><td>Average</td></tr><tr><td>3</td><td>10460.00</td><td>57.82</td><td>68.30</td><td>-10.48</td><td>66.90</td><td>37.27</td><td>13.33</td><td>59.68</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15690.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>51.45</td><td>40.32</td><td>15.86</td><td>58.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16736.00</td><td>62.93</td><td>68.30</td><td>-5.37</td><td>62.45</td><td>41.91</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8368.00	53.78	74.00	-20.22	64.86	35.80	12.08	58.96	100	297	Peak	2	8368.00	50.58	54.00	-3.42	61.66	35.80	12.08	58.96	100	297	Average	3	10460.00	57.82	68.30	-10.48	66.90	37.27	13.33	59.68	--	--	Peak	4	15690.00	49.41	74.00	-24.59	51.45	40.32	15.86	58.22	--	--	Peak	5	16736.00	62.93	68.30	-5.37	62.45	41.91	16.58	58.01	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8368.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>60.31</td><td>35.80</td><td>12.08</td><td>58.96</td><td>100</td><td>71</td><td>Peak</td></tr><tr><td>2</td><td>8368.00</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>57.64</td><td>35.80</td><td>12.08</td><td>58.96</td><td>100</td><td>71</td><td>Average</td></tr><tr><td>3</td><td>10460.00</td><td>53.57</td><td>68.30</td><td>-14.73</td><td>62.65</td><td>37.27</td><td>13.33</td><td>59.68</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15690.00</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>52.26</td><td>40.32</td><td>15.86</td><td>58.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16736.00</td><td>60.23</td><td>68.30</td><td>-8.07</td><td>59.75</td><td>41.91</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8368.00	49.23	74.00	-24.77	60.31	35.80	12.08	58.96	100	71	Peak	2	8368.00	46.56	54.00	-7.44	57.64	35.80	12.08	58.96	100	71	Average	3	10460.00	53.57	68.30	-14.73	62.65	37.27	13.33	59.68	--	--	Peak	4	15690.00	50.22	74.00	-23.78	52.26	40.32	15.86	58.22	--	--	Peak	5	16736.00	60.23	68.30	-8.07	59.75	41.91	16.58	58.01	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	8368.00	53.78	74.00	-20.22	64.86	35.80	12.08	58.96	100	297	Peak																																																																																																																																																																																										
2	8368.00	50.58	54.00	-3.42	61.66	35.80	12.08	58.96	100	297	Average																																																																																																																																																																																										
3	10460.00	57.82	68.30	-10.48	66.90	37.27	13.33	59.68	--	--	Peak																																																																																																																																																																																										
4	15690.00	49.41	74.00	-24.59	51.45	40.32	15.86	58.22	--	--	Peak																																																																																																																																																																																										
5	16736.00	62.93	68.30	-5.37	62.45	41.91	16.58	58.01	--	--	Peak																																																																																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	8368.00	49.23	74.00	-24.77	60.31	35.80	12.08	58.96	100	71	Peak																																																																																																																																																																																										
2	8368.00	46.56	54.00	-7.44	57.64	35.80	12.08	58.96	100	71	Average																																																																																																																																																																																										
3	10460.00	53.57	68.30	-14.73	62.65	37.27	13.33	59.68	--	--	Peak																																																																																																																																																																																										
4	15690.00	50.22	74.00	-23.78	52.26	40.32	15.86	58.22	--	--	Peak																																																																																																																																																																																										
5	16736.00	60.23	68.30	-8.07	59.75	41.91	16.58	58.01	--	--	Peak																																																																																																																																																																																										







		44																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																		
ANT		1																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5061.83	52.92	74.00	-21.08	40.41	34.87	9.90	32.26	100	2	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	103.05	-----	-----	90.07	35.11	10.07	32.20	100	2	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5061.83	52.92	74.00	-21.08	40.41	34.87	9.90	32.26	100	2	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5270.00	103.05	-----	-----	90.07	35.11	10.07	32.20	100	2	PEAK																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.92	43.18	54.00	-10.82	30.54	34.94	9.95	32.25	100	2	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	95.09	-----	-----	82.00	35.17	10.11	32.19	100	2	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5133.92	43.18	54.00	-10.82	30.54	34.94	9.95	32.25	100	2	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5270.00	95.09	-----	-----	82.00	35.17	10.11	32.19	100	2	AVERAGE																																																																									





Mode	44																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																				
ANT	1																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5353.41</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>39.21</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>2</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5353.41	52.46	74.00	-21.54	39.21	35.20	10.22	32.17	100	2	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5353.41	52.46	74.00	-21.54	39.21	35.20	10.22	32.17	100	2	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.75</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>29.25</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>2</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.75	42.49	54.00	-11.51	29.25	35.20	10.21	32.17	100	2	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.75	42.49	54.00	-11.51	29.25	35.20	10.21	32.17	100	2	AVERAGE																																										



		44																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5067.77</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>39.82</td><td>34.87</td><td>9.90</td><td>32.26</td><td>157</td><td>194</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5067.77	52.33	74.00	-21.67	39.82	34.87	9.90	32.26	157	194	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>96.33</td><td>-----</td><td>-----</td><td>83.21</td><td>35.18</td><td>10.12</td><td>32.18</td><td>157</td><td>194</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	96.33	-----	-----	83.21	35.18	10.12	32.18	157	194
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5067.77	52.33	74.00	-21.67	39.82	34.87	9.90	32.26	157	194	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5270.00	96.33	-----	-----	83.21	35.18	10.12	32.18	157	194	PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.10</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>29.61</td><td>34.87</td><td>9.90</td><td>32.26</td><td>157</td><td>194</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5062.10	42.12	54.00	-11.88	29.61	34.87	9.90	32.26	157	194	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>88.04</td><td>-----</td><td>-----</td><td>74.95</td><td>35.17</td><td>10.11</td><td>32.19</td><td>157</td><td>194</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	88.04	-----	-----	74.95	35.17	10.11	32.19	157	194
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5062.10	42.12	54.00	-11.88	29.61	34.87	9.90	32.26	157	194	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5270.00	88.04	-----	-----	74.95	35.17	10.11	32.19	157	194	AVERAGE																																																																																										







Mode	44																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.29</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>37.58</td><td>35.20</td><td>10.26</td><td>32.18</td><td>157</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5382.29	50.86	74.00	-23.14	37.58	35.20	10.26	32.18	157	194	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5382.29	50.86	74.00	-23.14	37.58	35.20	10.26	32.18	157	194	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.01</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>27.97</td><td>35.20</td><td>10.29</td><td>32.23</td><td>157</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.01	41.23	54.00	-12.77	27.97	35.20	10.29	32.23	157	194	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5437.01	41.23	54.00	-12.77	27.97	35.20	10.29	32.23	157	194	AVERAGE																																								





		44																																																																																																		
Mode		Harmonic																																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																		
ANT		1																																																																																																		
Pol.		Horizontal																																																																																																		
Peak Avg																																																																																																				
			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8432.00	53.67	74.00	-20.33	64.63	35.80	12.12	58.88	100	302	Peak	2	8432.00	50.67	54.00	-3.33	61.63	35.80	12.12	58.88	100	302	Average	3	10540.00	61.17	68.30	-7.13	70.00	37.35	13.44	59.62	--	--	Peak	4	15810.00	45.95	74.00	-28.05	48.13	40.39	15.91	58.48	--	--	Peak	5	16864.00	63.65	68.30	-4.65	62.68	42.25	16.63	57.91	--	--	Peak											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	8432.00	53.67	74.00	-20.33	64.63	35.80	12.12	58.88	100	302	Peak																																																																																									
2	8432.00	50.67	54.00	-3.33	61.63	35.80	12.12	58.88	100	302	Average																																																																																									
3	10540.00	61.17	68.30	-7.13	70.00	37.35	13.44	59.62	--	--	Peak																																																																																									
4	15810.00	45.95	74.00	-28.05	48.13	40.39	15.91	58.48	--	--	Peak																																																																																									
5	16864.00	63.65	68.30	-4.65	62.68	42.25	16.63	57.91	--	--	Peak																																																																																									
		Vertical																																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8432.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>61.61</td><td>35.80</td><td>12.12</td><td>58.88</td><td>100</td><td>37</td><td>Peak</td></tr><tr><td>2</td><td>8432.00</td><td>43.67</td><td>54.00</td><td>-10.33</td><td>54.63</td><td>35.80</td><td>12.12</td><td>58.88</td><td>100</td><td>37</td><td>Average</td></tr><tr><td>3</td><td>10540.00</td><td>46.47</td><td>68.30</td><td>-21.83</td><td>55.30</td><td>37.35</td><td>13.44</td><td>59.62</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15810.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>50.06</td><td>40.39</td><td>15.91</td><td>58.48</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16864.00</td><td>59.61</td><td>68.30</td><td>-8.69</td><td>58.64</td><td>42.25</td><td>16.63</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8432.00	50.65	74.00	-23.35	61.61	35.80	12.12	58.88	100	37	Peak	2	8432.00	43.67	54.00	-10.33	54.63	35.80	12.12	58.88	100	37	Average	3	10540.00	46.47	68.30	-21.83	55.30	37.35	13.44	59.62	--	--	Peak	4	15810.00	47.88	74.00	-26.12	50.06	40.39	15.91	58.48	--	--	Peak	5	16864.00	59.61	68.30	-8.69	58.64	42.25	16.63	57.91	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	8432.00	50.65	74.00	-23.35	61.61	35.80	12.12	58.88	100	37	Peak																																																																																									
2	8432.00	43.67	54.00	-10.33	54.63	35.80	12.12	58.88	100	37	Average																																																																																									
3	10540.00	46.47	68.30	-21.83	55.30	37.35	13.44	59.62	--	--	Peak																																																																																									
4	15810.00	47.88	74.00	-26.12	50.06	40.39	15.91	58.48	--	--	Peak																																																																																									
5	16864.00	59.61	68.30	-8.69	58.64	42.25	16.63	57.91	--	--	Peak																																																																																									







Mode	45																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Fundamental																																																																											
Peak																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5076.88</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>40.15</td><td>34.88</td><td>9.91</td><td>32.25</td><td>100</td><td>4 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5076.88	52.69	74.00	-21.31	40.15	34.88	9.91	32.25	100	4 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.75</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>4 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5310.00	102.94	-----	-----	89.75	35.20	10.17	32.18	100
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5076.88	52.69	74.00	-21.31	40.15	34.88	9.91	32.25	100	4 PEAK																																																																								
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5310.00	102.94	-----	-----	89.75	35.20	10.17	32.18	100	4 PEAK																																																																								
Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5065.10</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>30.16</td><td>34.87</td><td>9.90</td><td>32.26</td><td>100</td><td>4 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5065.10	42.67	54.00	-11.33	30.16	34.87	9.90	32.26	100	4 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>93.99</td><td>-----</td><td>-----</td><td>80.79</td><td>35.20</td><td>10.18</td><td>32.18</td><td>100</td><td>4 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5310.00	93.99	-----	-----	80.79	35.20	10.18	32.18	100
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5065.10	42.67	54.00	-11.33	30.16	34.87	9.90	32.26	100	4 AVERAGE																																																																								
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5310.00	93.99	-----	-----	80.79	35.20	10.18	32.18	100	4 AVERAGE																																																																								





Mode	45																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>60.63</td><td>74.00</td><td>-13.37</td><td>47.39</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>4 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.40	60.63	74.00	-13.37	47.39	35.20	10.21	32.17	100	4 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5351.40	60.63	74.00	-13.37	47.39	35.20	10.21	32.17	100	4 PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>51.46</td><td>54.00</td><td>-2.54</td><td>38.22</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>4 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.05	51.46	54.00	-2.54	38.22	35.20	10.21	32.17	100	4 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5350.05	51.46	54.00	-2.54	38.22	35.20	10.21	32.17	100	4 AVERAGE																																							





		45																																																																														
Mode		Band Edge - L																																																																														
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																														
ANT		1																																																																														
Pol.	Vertical					Fundamental																																																																										
Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5060.14	52.99	74.00	-21.01	40.50	34.86	9.89	32.26	100	198	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.06</td><td>-----</td><td>-----</td><td>83.87</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>198</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	97.06	-----	-----	83.87	35.20	10.17	32.18	100	198
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5060.14	52.99	74.00	-21.01	40.50	34.86	9.89	32.26	100	198	PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5310.00	97.06	-----	-----	83.87	35.20	10.17	32.18	100	198	PEAK																																																																					
Avg																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5060.14	42.07	54.00	-11.93	29.58	34.86	9.89	32.26	100	198	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>87.59</td><td>-----</td><td>-----</td><td>74.39</td><td>35.20</td><td>10.18</td><td>32.18</td><td>100</td><td>198</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	87.59	-----	-----	74.39	35.20	10.18	32.18	100	198
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5060.14	42.07	54.00	-11.93	29.58	34.86	9.89	32.26	100	198	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5310.00	87.59	-----	-----	74.39	35.20	10.18	32.18	100	198	AVERAGE																																																																					







Mode	45																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.40</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>42.00</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>198</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5354.40	55.25	74.00	-18.75	42.00	35.20	10.22	32.17	100	198	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5354.40	55.25	74.00	-18.75	42.00	35.20	10.22	32.17	100	198	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>32.60</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>198</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.80	45.84	54.00	-8.16	32.60	35.20	10.21	32.17	100	198	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.80	45.84	54.00	-8.16	32.60	35.20	10.21	32.17	100	198	AVERAGE																																								




Mode	45																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal																																																																																																	
Peak Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	8496.00	55.91	74.00	-18.09	66.75	35.80	12.16	58.80	100	303	Peak	2	8496.00	51.39	54.00	-2.61	62.23	35.80	12.16	58.80	100	303	Average	3	10620.00	60.73	74.00	-13.27	69.22	37.44	13.53	59.46	100	67	Peak	4	10620.00	50.33	54.00	-3.67	58.82	37.44	13.53	59.46	100	67	Average	5	15930.00	48.77	74.00	-25.23	51.02	40.46	16.04	58.75	--	--	Peak	6	16988.00	54.42	68.30	-13.88	52.98	42.58	16.67	57.81	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	8496.00	55.91	74.00	-18.09	66.75	35.80	12.16	58.80	100	303	Peak																																																																																							
2	8496.00	51.39	54.00	-2.61	62.23	35.80	12.16	58.80	100	303	Average																																																																																							
3	10620.00	60.73	74.00	-13.27	69.22	37.44	13.53	59.46	100	67	Peak																																																																																							
4	10620.00	50.33	54.00	-3.67	58.82	37.44	13.53	59.46	100	67	Average																																																																																							
5	15930.00	48.77	74.00	-25.23	51.02	40.46	16.04	58.75	--	--	Peak																																																																																							
6	16988.00	54.42	68.30	-13.88	52.98	42.58	16.67	57.81	--	--	Peak																																																																																							
Peak Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	8496.00	53.47	74.00	-20.53	64.31	35.80	12.16	58.80	152	34	Peak	2	8496.00	48.24	54.00	-5.76	59.08	35.80	12.16	58.80	152	34	Average	3	10620.00	48.44	74.00	-25.56	56.93	37.44	13.53	59.46	--	--	Peak	4	15930.00	47.93	74.00	-26.07	50.18	40.46	16.04	58.75	--	--	Peak	5	16988.00	53.08	68.30	-15.22	51.64	42.58	16.67	57.81	--	--	Peak											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	8496.00	53.47	74.00	-20.53	64.31	35.80	12.16	58.80	152	34	Peak																																																																																							
2	8496.00	48.24	54.00	-5.76	59.08	35.80	12.16	58.80	152	34	Average																																																																																							
3	10620.00	48.44	74.00	-25.56	56.93	37.44	13.53	59.46	--	--	Peak																																																																																							
4	15930.00	47.93	74.00	-26.07	50.18	40.46	16.04	58.75	--	--	Peak																																																																																							
5	16988.00	53.08	68.30	-15.22	51.64	42.58	16.67	57.81	--	--	Peak																																																																																							







Mode	46																																																																																			
	Band Edge - L																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) Limit Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.28</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>41.20</td><td>35.20</td><td>10.30</td><td>32.26</td><td>138</td><td>6</td><td>PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>57.18</td><td>68.30</td><td>-11.12</td><td>43.94</td><td>35.20</td><td>10.30</td><td>32.26</td><td>138</td><td>6</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.28	54.44	74.00	-19.56	41.20	35.20	10.30	32.26	138	6	PEAK	2	5463.92	57.18	68.30	-11.12	43.94	35.20	10.30	32.26	138	6	PEAK	 Level (dBuV/m) Frequency (MHz) Limit Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.40</td><td>-----</td><td>-----</td><td>87.16</td><td>35.22</td><td>10.30</td><td>32.28</td><td>138</td><td>6</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	100.40	-----	-----	87.16	35.22	10.30	32.28	138	6	PEAK
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5455.28	54.44	74.00	-19.56	41.20	35.20	10.30	32.26	138	6	PEAK																																																																									
2	5463.92	57.18	68.30	-11.12	43.94	35.20	10.30	32.26	138	6	PEAK																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5510.00	100.40	-----	-----	87.16	35.22	10.30	32.28	138	6	PEAK																																																																									
Avg	 Level (dBuV/m) Frequency (MHz) Limit Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>31.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>138</td><td>6</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	44.36	54.00	-9.64	31.12	35.20	10.30	32.26	138	6	AVERAGE	 Level (dBuV/m) Frequency (MHz) Limit Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.59</td><td>-----</td><td>-----</td><td>78.36</td><td>35.20</td><td>10.30</td><td>32.27</td><td>138</td><td>6</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	91.59	-----	-----	78.36	35.20	10.30	32.27	138	6	AVERAGE												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5459.92	44.36	54.00	-9.64	31.12	35.20	10.30	32.26	138	6	AVERAGE																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	APos	TPos	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5510.00	91.59	-----	-----	78.36	35.20	10.30	32.27	138	6	AVERAGE																																																																									




Mode	46																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																	
ANT	1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5727.26</td><td>52.12</td><td>68.30</td><td>-16.18</td><td>38.54</td><td>35.57</td><td>10.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td><td>138</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.26	52.12	68.30	-16.18	38.54	35.57	10.37							32.36	138								6 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1	5727.26	52.12	68.30	-16.18	38.54	35.57	10.37																																											
						32.36	138																																											
							6 PEAK																																											





		46																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5353.20</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>38.19</td><td>35.20</td><td>10.22</td><td>32.17</td><td>170</td><td>191</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>52.02</td><td>68.30</td><td>-16.28</td><td>38.78</td><td>35.20</td><td>10.30</td><td>32.26</td><td>170</td><td>191</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5353.20	51.44	74.00	-22.56	38.19	35.20	10.22	32.17	170	191	PEAK	2	5469.84	52.02	68.30	-16.28	38.78	35.20	10.30	32.26	170	191	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5510.00</td><td>95.50</td><td>-----</td><td>82.26</td><td>35.22</td><td>10.30</td><td>32.28</td><td>170</td><td>191</td><td></td><td>PEAK</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	95.50	-----	82.26	35.22	10.30	32.28	170	191	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5353.20	51.44	74.00	-22.56	38.19	35.20	10.22	32.17	170	191	PEAK																																																																																																									
2	5469.84	52.02	68.30	-16.28	38.78	35.20	10.30	32.26	170	191	PEAK																																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5510.00	95.50	-----	82.26	35.22	10.30	32.28	170	191		PEAK																																																																																																									
Avg																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5459.60</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>29.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>170</td><td>191</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5459.60	42.36	54.00	-11.64	29.12	35.20	10.30	32.26	170	191	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5510.00</td><td>86.64</td><td>-----</td><td>73.40</td><td>35.22</td><td>10.30</td><td>32.28</td><td>170</td><td>191</td><td></td><td>AVERAGE</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	86.64	-----	73.40	35.22	10.30	32.28	170	191		AVERAGE											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5459.60	42.36	54.00	-11.64	29.12	35.20	10.30	32.26	170	191	AVERAGE																																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5510.00	86.64	-----	73.40	35.22	10.30	32.28	170	191		AVERAGE																																																																																																									







Mode	46																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.01</td><td>51.65</td><td>68.30</td><td>-16.65</td><td>38.07</td><td>35.57</td><td>10.37</td><td>32.36</td><td>170</td><td>191</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.01	51.65	68.30	-16.65	38.07	35.57	10.37	32.36	170	191	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.01	51.65	68.30	-16.65	38.07	35.57	10.37	32.36	170	191	PEAK																															




Mode	46																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal																																																																																																	
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8811.50</td><td>54.45</td><td>68.30</td><td>-13.85</td><td>64.79</td><td>36.01</td><td>12.39</td><td>58.74</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>67.61</td><td>37.92</td><td>13.63</td><td>58.66</td><td>134</td><td>300</td><td>Peak</td></tr><tr><td>3</td><td>11020.00</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>57.41</td><td>37.92</td><td>13.63</td><td>58.66</td><td>134</td><td>300</td><td>Average</td></tr><tr><td>4</td><td>16530.00</td><td>48.54</td><td>68.30</td><td>-19.76</td><td>48.90</td><td>41.37</td><td>16.45</td><td>58.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17632.00</td><td>52.47</td><td>68.30</td><td>-15.83</td><td>51.37</td><td>42.02</td><td>17.00</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8811.50	54.45	68.30	-13.85	64.79	36.01	12.39	58.74	--	--	Peak	2	11020.00	60.50	74.00	-13.50	67.61	37.92	13.63	58.66	134	300	Peak	3	11020.00	50.30	54.00	-3.70	57.41	37.92	13.63	58.66	134	300	Average	4	16530.00	48.54	68.30	-19.76	48.90	41.37	16.45	58.18	--	--	Peak	5	17632.00	52.47	68.30	-15.83	51.37	42.02	17.00	57.92	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	8811.50	54.45	68.30	-13.85	64.79	36.01	12.39	58.74	--	--	Peak																																																																																							
2	11020.00	60.50	74.00	-13.50	67.61	37.92	13.63	58.66	134	300	Peak																																																																																							
3	11020.00	50.30	54.00	-3.70	57.41	37.92	13.63	58.66	134	300	Average																																																																																							
4	16530.00	48.54	68.30	-19.76	48.90	41.37	16.45	58.18	--	--	Peak																																																																																							
5	17632.00	52.47	68.30	-15.83	51.37	42.02	17.00	57.92	--	--	Peak																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8811.50</td><td>52.76</td><td>68.30</td><td>-15.54</td><td>63.10</td><td>36.01</td><td>12.39</td><td>58.74</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>55.85</td><td>37.92</td><td>13.63</td><td>58.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>16530.00</td><td>48.98</td><td>68.30</td><td>-19.32</td><td>49.34</td><td>41.37</td><td>16.45</td><td>58.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17632.00</td><td>51.71</td><td>68.30</td><td>-16.59</td><td>50.61</td><td>42.02</td><td>17.00</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8811.50	52.76	68.30	-15.54	63.10	36.01	12.39	58.74	--	--	Peak	2	11020.00	48.74	74.00	-25.26	55.85	37.92	13.63	58.66	--	--	Peak	3	16530.00	48.98	68.30	-19.32	49.34	41.37	16.45	58.18	--	--	Peak	4	17632.00	51.71	68.30	-16.59	50.61	42.02	17.00	57.92	--	--	Peak											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	8811.50	52.76	68.30	-15.54	63.10	36.01	12.39	58.74	--	--	Peak																																																																																							
2	11020.00	48.74	74.00	-25.26	55.85	37.92	13.63	58.66	--	--	Peak																																																																																							
3	16530.00	48.98	68.30	-19.32	49.34	41.37	16.45	58.18	--	--	Peak																																																																																							
4	17632.00	51.71	68.30	-16.59	50.61	42.02	17.00	57.92	--	--	Peak																																																																																							







		47																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.76</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>38.34</td><td>35.20</td><td>10.28</td><td>32.18</td><td>100</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>51.08</td><td>68.30</td><td>-17.22</td><td>37.84</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>42</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5395.76	51.64	74.00	-22.36	38.34	35.20	10.28	32.18	100	42	PEAK	2	5468.08	51.08	68.30	-17.22	37.84	35.20	10.30	32.26	100	42	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.49</td><td>35.44</td><td>10.34</td><td>32.33</td><td>100</td><td>42</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	102.94	-----	-----	89.49	35.44	10.34	32.33	100	42
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5395.76	51.64	74.00	-22.36	38.34	35.20	10.28	32.18	100	42	PEAK																																																																																																				
2	5468.08	51.08	68.30	-17.22	37.84	35.20	10.30	32.26	100	42	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5670.00	102.94	-----	-----	89.49	35.44	10.34	32.33	100	42	PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.92</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>28.74</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>42</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.92	41.99	54.00	-12.01	28.74	35.20	10.29	32.24	100	42	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.24</td><td>-----</td><td>-----</td><td>79.74</td><td>35.49</td><td>10.35</td><td>32.34</td><td>100</td><td>42</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	93.24	-----	-----	79.74	35.49	10.35	32.34	100	42	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5439.92	41.99	54.00	-12.01	28.74	35.20	10.29	32.24	100	42	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	5670.00	93.24	-----	-----	79.74	35.49	10.35	32.34	100	42	AVERAGE																																																																																																				




Mode	47																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5727.48</td><td>58.45</td><td>68.30</td><td>-9.85</td><td>44.87</td><td>35.57</td><td>10.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.48	58.45	68.30	-9.85	44.87	35.57	10.37							32.36		Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1	5727.48	58.45	68.30	-9.85	44.87	35.57	10.37																																			
						32.36																																				





Mode	47																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.36</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>38.08</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>50.00</td><td>68.30</td><td>-18.30</td><td>36.76</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5357.36	51.33	74.00	-22.67	38.08	35.20	10.22	32.17	100	0	PEAK	2	5462.00	50.00	68.30	-18.30	36.76	35.20	10.30	32.26	100	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.93</td><td>-----</td><td>-----</td><td>85.45</td><td>35.47</td><td>10.35</td><td>32.34</td><td>100</td><td>0</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	98.93	-----	-----	85.45	35.47	10.35	32.34	100	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5357.36	51.33	74.00	-22.67	38.08	35.20	10.22	32.17	100	0	PEAK																																																																																											
2	5462.00	50.00	68.30	-18.30	36.76	35.20	10.30	32.26	100	0	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	98.93	-----	-----	85.45	35.47	10.35	32.34	100	0	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.92</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>27.96</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.92	41.21	54.00	-12.79	27.96	35.20	10.29	32.24	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>89.30</td><td>-----</td><td>-----</td><td>75.82</td><td>35.47</td><td>10.35</td><td>32.34</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	89.30	-----	-----	75.82	35.47	10.35	32.34	100	0	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5439.92	41.21	54.00	-12.79	27.96	35.20	10.29	32.24	100	0	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	89.30	-----	-----	75.82	35.47	10.35	32.34	100	0	AVERAGE																																																																																											







Mode	47																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5733.18</td><td>53.00</td><td>68.30</td><td>-15.30</td><td>39.40</td><td>35.58</td><td>10.38</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td><td></td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5733.18	53.00	68.30	-15.30	39.40	35.58	10.38							32.36		Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1	5733.18	53.00	68.30	-15.30	39.40	35.58	10.38																																			
						32.36																																				





Mode	47																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																																																																																														
ANT	1																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																								
Peak Avg																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9076.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>65.48</td><td>36.31</td><td>12.57</td><td>58.73</td><td>132</td><td>69</td><td>Peak</td></tr><tr><td>2</td><td>9076.00</td><td>51.40</td><td>54.00</td><td>-2.60</td><td>61.25</td><td>36.31</td><td>12.57</td><td>58.73</td><td>132</td><td>69</td><td>Average</td></tr><tr><td>3</td><td>11340.00</td><td>59.36</td><td>74.00</td><td>-14.64</td><td>65.34</td><td>38.24</td><td>13.87</td><td>58.09</td><td>100</td><td>316</td><td>Peak</td></tr><tr><td>4</td><td>11340.00</td><td>50.54</td><td>54.00</td><td>-3.46</td><td>56.52</td><td>38.24</td><td>13.87</td><td>58.09</td><td>100</td><td>316</td><td>Average</td></tr><tr><td>5</td><td>17010.00</td><td>48.41</td><td>68.30</td><td>-19.89</td><td>46.95</td><td>42.59</td><td>16.68</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9076.00	55.63	74.00	-18.37	65.48	36.31	12.57	58.73	132	69	Peak	2	9076.00	51.40	54.00	-2.60	61.25	36.31	12.57	58.73	132	69	Average	3	11340.00	59.36	74.00	-14.64	65.34	38.24	13.87	58.09	100	316	Peak	4	11340.00	50.54	54.00	-3.46	56.52	38.24	13.87	58.09	100	316	Average	5	17010.00	48.41	68.30	-19.89	46.95	42.59	16.68	57.81	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9076.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>64.12</td><td>36.31</td><td>12.57</td><td>58.73</td><td>105</td><td>241</td><td>Peak</td></tr><tr><td>2</td><td>9076.00</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>59.19</td><td>36.31</td><td>12.57</td><td>58.73</td><td>105</td><td>241</td><td>Average</td></tr><tr><td>3</td><td>11340.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>55.48</td><td>38.24</td><td>13.87</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17010.00</td><td>50.37</td><td>68.30</td><td>-17.93</td><td>48.91</td><td>42.59</td><td>16.68</td><td>57.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9076.00	54.27	74.00	-19.73	64.12	36.31	12.57	58.73	105	241	Peak	2	9076.00	49.34	54.00	-4.66	59.19	36.31	12.57	58.73	105	241	Average	3	11340.00	49.50	74.00	-24.50	55.48	38.24	13.87	58.09	--	--	Peak	4	17010.00	50.37	68.30	-17.93	48.91	42.59	16.68	57.81	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																						
1	9076.00	55.63	74.00	-18.37	65.48	36.31	12.57	58.73	132	69	Peak																																																																																																																																																																				
2	9076.00	51.40	54.00	-2.60	61.25	36.31	12.57	58.73	132	69	Average																																																																																																																																																																				
3	11340.00	59.36	74.00	-14.64	65.34	38.24	13.87	58.09	100	316	Peak																																																																																																																																																																				
4	11340.00	50.54	54.00	-3.46	56.52	38.24	13.87	58.09	100	316	Average																																																																																																																																																																				
5	17010.00	48.41	68.30	-19.89	46.95	42.59	16.68	57.81	--	--	Peak																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																						
1	9076.00	54.27	74.00	-19.73	64.12	36.31	12.57	58.73	105	241	Peak																																																																																																																																																																				
2	9076.00	49.34	54.00	-4.66	59.19	36.31	12.57	58.73	105	241	Average																																																																																																																																																																				
3	11340.00	49.50	74.00	-24.50	55.48	38.24	13.87	58.09	--	--	Peak																																																																																																																																																																				
4	17010.00	50.37	68.30	-17.93	48.91	42.59	16.68	57.81	--	--	Peak																																																																																																																																																																				







Mode	48																																																																																						
	Band Edge - L																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.24</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>47.96</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>354 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5135.24	60.60	74.00	-13.40	47.96	34.94	9.95	32.25	100	354 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>97.63</td><td>-----</td><td>-----</td><td>84.75</td><td>35.05</td><td>10.03</td><td>32.20</td><td>100</td><td>354 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	97.63	-----	-----	84.75	35.05	10.03	32.20	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5135.24	60.60	74.00	-13.40	47.96	34.94	9.95	32.25	100	354 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5210.00	97.63	-----	-----	84.75	35.05	10.03	32.20	100	354 PEAK																																																																													
Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.33</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>38.07</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>354 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5141.33	50.71	54.00	-3.29	38.07	34.94	9.95	32.25	100	354 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>89.15</td><td>-----</td><td>-----</td><td>76.19</td><td>35.10</td><td>10.06</td><td>32.20</td><td>100</td><td>354 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	89.15	-----	-----	76.19	35.10	10.06	32.20	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5141.33	50.71	54.00	-3.29	38.07	34.94	9.95	32.25	100	354 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5210.00	89.15	-----	-----	76.19	35.10	10.06	32.20	100	354 AVERAGE																																																																													



Mode	48																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.25</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>38.09</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.25	51.33	74.00	-22.67	38.09	35.20	10.29	32.25	100	354	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5448.25	51.33	74.00	-22.67	38.09	35.20	10.29	32.25	100	354	PEAK																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.25</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>27.87</td><td>35.20</td><td>10.28</td><td>32.18</td><td>100</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5393.25	41.17	54.00	-12.83	27.87	35.20	10.28	32.18	100	354	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5393.25	41.17	54.00	-12.83	27.87	35.20	10.28	32.18	100	354	AVERAGE																																									



Mode	48																																																																																								
	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																								
ANT	1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.70</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>41.49</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>192 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.70	54.13	74.00	-19.87	41.49	34.94	9.95	32.25	100	192 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>91.23</td><td>-----</td><td>-----</td><td>78.30</td><td>35.08</td><td>10.05</td><td>32.20</td><td>100</td><td>192 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.23	-----	-----	78.30	35.08	10.05	32.20	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5140.70	54.13	74.00	-19.87	41.49	34.94	9.95	32.25	100	192 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5210.00	91.23	-----	-----	78.30	35.08	10.05	32.20	100	192 PEAK																																																																															
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5127.05</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>31.82</td><td>34.93</td><td>9.94</td><td>32.25</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.05	44.44	54.00	-9.56	31.82	34.93	9.94	32.25	100	192 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>82.06</td><td>-----</td><td>-----</td><td>69.10</td><td>35.10</td><td>10.06</td><td>32.20</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	82.06	-----	-----	69.10	35.10	10.06	32.20	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5127.05	44.44	54.00	-9.56	31.82	34.93	9.94	32.25	100	192 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5210.00	82.06	-----	-----	69.10	35.10	10.06	32.20	100	192 AVERAGE																																																																															



Mode	48																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.50</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>37.72</td><td>35.20</td><td>10.29</td><td>32.21</td><td>100</td><td>192</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5420.50	51.00	74.00	-23.00	37.72	35.20	10.29	32.21	100	192	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5420.50	51.00	74.00	-23.00	37.72	35.20	10.29	32.21	100	192	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.50</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>28.01</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>192</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5447.50	41.25	54.00	-12.75	28.01	35.20	10.29	32.25	100	192	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5447.50	41.25	54.00	-12.75	28.01	35.20	10.29	32.25	100	192	AVERAGE																																								





Mode	48																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																											
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 8336.00</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>61.66</td><td>35.80</td><td>12.07</td><td>59.00</td><td>100</td><td>305 Peak</td></tr><tr><td>2 8336.00</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>60.36</td><td>35.80</td><td>12.07</td><td>59.00</td><td>100</td><td>305 Average</td></tr><tr><td>3 10420.00</td><td>55.18</td><td>68.30</td><td>-13.12</td><td>64.30</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>-- Peak</td></tr><tr><td>4 15630.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>50.99</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>-- Peak</td></tr><tr><td>5 16672.00</td><td>62.99</td><td>68.30</td><td>-5.31</td><td>62.77</td><td>41.74</td><td>16.54</td><td>58.06</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 8336.00	50.53	74.00	-23.47	61.66	35.80	12.07	59.00	100	305 Peak	2 8336.00	49.23	54.00	-4.77	60.36	35.80	12.07	59.00	100	305 Average	3 10420.00	55.18	68.30	-13.12	64.30	37.25	13.28	59.65	--	-- Peak	4 15630.00	49.01	74.00	-24.99	50.99	40.28	15.83	58.09	--	-- Peak	5 16672.00	62.99	68.30	-5.31	62.77	41.74	16.54	58.06	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 8336.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>60.33</td><td>35.80</td><td>12.07</td><td>59.00</td><td>100</td><td>72 Peak</td></tr><tr><td>2 8336.00</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>58.66</td><td>35.80</td><td>12.07</td><td>59.00</td><td>100</td><td>72 Average</td></tr><tr><td>3 10420.00</td><td>51.44</td><td>68.30</td><td>-16.86</td><td>60.56</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>-- Peak</td></tr><tr><td>4 15630.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>51.15</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>-- Peak</td></tr><tr><td>5 16672.00</td><td>60.66</td><td>68.30</td><td>-7.64</td><td>60.44</td><td>41.74</td><td>16.54</td><td>58.06</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 8336.00	49.20	74.00	-24.80	60.33	35.80	12.07	59.00	100	72 Peak	2 8336.00	47.53	54.00	-6.47	58.66	35.80	12.07	59.00	100	72 Average	3 10420.00	51.44	68.30	-16.86	60.56	37.25	13.28	59.65	--	-- Peak	4 15630.00	49.17	74.00	-24.83	51.15	40.28	15.83	58.09	--	-- Peak	5 16672.00	60.66	68.30	-7.64	60.44	41.74	16.54	58.06	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1 8336.00	50.53	74.00	-23.47	61.66	35.80	12.07	59.00	100	305 Peak																																																																																																																																																				
2 8336.00	49.23	54.00	-4.77	60.36	35.80	12.07	59.00	100	305 Average																																																																																																																																																				
3 10420.00	55.18	68.30	-13.12	64.30	37.25	13.28	59.65	--	-- Peak																																																																																																																																																				
4 15630.00	49.01	74.00	-24.99	50.99	40.28	15.83	58.09	--	-- Peak																																																																																																																																																				
5 16672.00	62.99	68.30	-5.31	62.77	41.74	16.54	58.06	--	-- Peak																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1 8336.00	49.20	74.00	-24.80	60.33	35.80	12.07	59.00	100	72 Peak																																																																																																																																																				
2 8336.00	47.53	54.00	-6.47	58.66	35.80	12.07	59.00	100	72 Average																																																																																																																																																				
3 10420.00	51.44	68.30	-16.86	60.56	37.25	13.28	59.65	--	-- Peak																																																																																																																																																				
4 15630.00	49.17	74.00	-24.83	51.15	40.28	15.83	58.09	--	-- Peak																																																																																																																																																				
5 16672.00	60.66	68.30	-7.64	60.44	41.74	16.54	58.06	--	-- Peak																																																																																																																																																				







		49																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																								
ANT		1																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5131.37</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>40.08</td><td>34.93</td><td>9.94</td><td>32.25</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5131.37	52.70	74.00	-21.30	40.08	34.93	9.94	32.25	100	358	PEAK	Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.75</td><td>-----</td><td>-----</td><td>84.57</td><td>35.20</td><td>10.16</td><td>32.18</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	97.75	-----	-----	84.57	35.20	10.16	32.18	100	358	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5131.37	52.70	74.00	-21.30	40.08	34.93	9.94	32.25	100	358	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	97.75	-----	-----	84.57	35.20	10.16	32.18	100	358	PEAK																																																																															
Avg	Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.42</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.26</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.42	42.91	54.00	-11.09	30.26	34.95	9.95	32.25	100	358	AVERAGE	Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.18</td><td>-----</td><td>-----</td><td>75.99</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	89.18	-----	-----	75.99	35.20	10.17	32.18	100	358	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5144.42	42.91	54.00	-11.09	30.26	34.95	9.95	32.25	100	358	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	89.18	-----	-----	75.99	35.20	10.17	32.18	100	358	AVERAGE																																																																															





Mode	49																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.59</td><td>62.20</td><td>74.00</td><td>-11.80</td><td>48.94</td><td>35.20</td><td>10.23</td><td>32.17</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5362.59	62.20	74.00	-11.80	48.94	35.20	10.23	32.17	100	358	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5362.59	62.20	74.00	-11.80	48.94	35.20	10.23	32.17	100	358	PEAK																																								
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.18</td><td>51.02</td><td>54.00</td><td>-2.98</td><td>37.78</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.18	51.02	54.00	-2.98	37.78	35.20	10.21	32.17	100	358	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.18	51.02	54.00	-2.98	37.78	35.20	10.21	32.17	100	358	AVERAGE																																								





		49																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.59</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>40.82</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>65</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5136.59	53.46	74.00	-20.54	40.82	34.94	9.95	32.25	100	65	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.65</td><td>-----</td><td>-----</td><td>78.51</td><td>35.19</td><td>10.13</td><td>32.18</td><td>100</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	91.65	-----	-----	78.51	35.19	10.13	32.18	100	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5136.59	53.46	74.00	-20.54	40.82	34.94	9.95	32.25	100	65	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	91.65	-----	-----	78.51	35.19	10.13	32.18	100	65	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5078.01</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>29.70</td><td>34.88</td><td>9.91</td><td>32.25</td><td>100</td><td>65</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5078.01	42.24	54.00	-11.76	29.70	34.88	9.91	32.25	100	65	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>82.73</td><td>-----</td><td>-----</td><td>69.55</td><td>35.20</td><td>10.16</td><td>32.18</td><td>100</td><td>65</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	82.73	-----	-----	69.55	35.20	10.16	32.18	100	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5078.01	42.24	54.00	-11.76	29.70	34.88	9.91	32.25	100	65	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	82.73	-----	-----	69.55	35.20	10.16	32.18	100	65	AVERAGE																																																																															







Mode	49																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>40.67</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>65</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.20	53.91	74.00	-20.09	40.67	35.20	10.21	32.17	100	65	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5351.20	53.91	74.00	-20.09	40.67	35.20	10.21	32.17	100	65	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>32.17</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>65</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	45.41	54.00	-8.59	32.17	35.20	10.21	32.17	100	65	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.01	45.41	54.00	-8.59	32.17	35.20	10.21	32.17	100	65	AVERAGE																																								




		49																																																																																																																																																																																																																
Mode		Harmonic																																																																																																																																																																																																																
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																																																																																																																																
ANT		1																																																																																																																																																																																																																
Pol.		Horizontal						Vertical																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8466.50</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>65.39</td><td>35.80</td><td>12.14</td><td>58.84</td><td>132</td><td>154</td><td>Peak</td></tr><tr><td>2</td><td>8466.50</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>60.66</td><td>35.80</td><td>12.14</td><td>58.84</td><td>132</td><td>154</td><td>Average</td></tr><tr><td>3</td><td>10580.00</td><td>49.52</td><td>68.30</td><td>-18.78</td><td>58.17</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>52.61</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16930.50</td><td>54.42</td><td>68.30</td><td>-13.88</td><td>53.21</td><td>42.42</td><td>16.65</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8466.50	54.49	74.00	-19.51	65.39	35.80	12.14	58.84	132	154	Peak	2	8466.50	49.76	54.00	-4.24	60.66	35.80	12.14	58.84	132	154	Average	3	10580.00	49.52	68.30	-18.78	58.17	37.39	13.50	59.54	--	--	Peak	4	15870.00	50.40	74.00	-23.60	52.61	40.42	15.98	58.61	--	--	Peak	5	16930.50	54.42	68.30	-13.88	53.21	42.42	16.65	57.86	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>8466.50</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>63.49</td><td>35.80</td><td>12.14</td><td>58.84</td><td>144</td><td>182</td><td>Peak</td></tr><tr><td>2</td><td>8466.50</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>58.99</td><td>35.80</td><td>12.14</td><td>58.84</td><td>144</td><td>182</td><td>Average</td></tr><tr><td>3</td><td>10580.00</td><td>47.67</td><td>68.30</td><td>-20.63</td><td>56.32</td><td>37.39</td><td>13.50</td><td>59.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>52.08</td><td>40.42</td><td>15.98</td><td>58.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>16930.50</td><td>52.35</td><td>68.30</td><td>-15.95</td><td>51.14</td><td>42.42</td><td>16.65</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	8466.50	52.59	74.00	-21.41	63.49	35.80	12.14	58.84	144	182	Peak	2	8466.50	48.09	54.00	-5.91	58.99	35.80	12.14	58.84	144	182	Average	3	10580.00	47.67	68.30	-20.63	56.32	37.39	13.50	59.54	--	--	Peak	4	15870.00	49.87	74.00	-24.13	52.08	40.42	15.98	58.61	--	--	Peak	5	16930.50	52.35	68.30	-15.95	51.14	42.42	16.65	57.86	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																									
1	8466.50	54.49	74.00	-19.51	65.39	35.80	12.14	58.84	132	154	Peak																																																																																																																																																																																																							
2	8466.50	49.76	54.00	-4.24	60.66	35.80	12.14	58.84	132	154	Average																																																																																																																																																																																																							
3	10580.00	49.52	68.30	-18.78	58.17	37.39	13.50	59.54	--	--	Peak																																																																																																																																																																																																							
4	15870.00	50.40	74.00	-23.60	52.61	40.42	15.98	58.61	--	--	Peak																																																																																																																																																																																																							
5	16930.50	54.42	68.30	-13.88	53.21	42.42	16.65	57.86	--	--	Peak																																																																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																									
1	8466.50	52.59	74.00	-21.41	63.49	35.80	12.14	58.84	144	182	Peak																																																																																																																																																																																																							
2	8466.50	48.09	54.00	-5.91	58.99	35.80	12.14	58.84	144	182	Average																																																																																																																																																																																																							
3	10580.00	47.67	68.30	-20.63	56.32	37.39	13.50	59.54	--	--	Peak																																																																																																																																																																																																							
4	15870.00	49.87	74.00	-24.13	52.08	40.42	15.98	58.61	--	--	Peak																																																																																																																																																																																																							
5	16930.50	52.35	68.30	-15.95	51.14	42.42	16.65	57.86	--	--	Peak																																																																																																																																																																																																							







Mode	50																																																														
	Band Edge - L																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																														
ANT	1																																																														
Pol.	Horizontal																																																														
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.90</td><td>64.00</td><td>74.00</td><td>-10.00</td><td>50.76</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5465.38</td><td>61.23</td><td>68.30</td><td>-7.07</td><td>47.99</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>356</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.90	64.00	74.00	-10.00	50.76	35.20	10.29	32.25	100	356	PEAK	2	5465.38	61.23	68.30	-7.07	47.99	35.20	10.30	32.26	100	356	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5449.90	64.00	74.00	-10.00	50.76	35.20	10.29	32.25	100	356	PEAK																																																				
2	5465.38	61.23	68.30	-7.07	47.99	35.20	10.30	32.26	100	356	PEAK																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.22</td><td>-----</td><td>-----</td><td>84.99</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>356</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.22	-----	-----	84.99	35.20	10.30	32.27	100	356	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5530.00	98.22	-----	-----	84.99	35.20	10.30	32.27	100	356	PEAK																																																				
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.90</td><td>51.09</td><td>54.00</td><td>-2.91</td><td>37.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>356</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	51.09	54.00	-2.91	37.85	35.20	10.30	32.26	100	356	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5458.90	51.09	54.00	-2.91	37.85	35.20	10.30	32.26	100	356	AVERAGE																																																				
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.11</td><td>-----</td><td>-----</td><td>75.88</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>356</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.11	-----	-----	75.88	35.20	10.30	32.27	100	356	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5530.00	89.11	-----	-----	75.88	35.20	10.30	32.27	100	356	AVERAGE																																																				



Mode	50																																																																										
	Band Edge - R																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																										
ANT	1																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5731.16</td><td>52.06</td><td>68.30</td><td>-16.24</td><td>38.46</td><td>35.58</td><td>10.38</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>356</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.16	52.06	68.30	-16.24	38.46	35.58	10.38								32.36								100								356								PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5731.16	52.06	68.30	-16.24	38.46	35.58	10.38																																																																				
							32.36																																																																				
							100																																																																				
							356																																																																				
							PEAK																																																																				





Mode	50																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.62</td><td>61.58</td><td>74.00</td><td>-12.42</td><td>48.34</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5469.88</td><td>59.06</td><td>68.30</td><td>-9.24</td><td>45.82</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>133</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.62	61.58	74.00	-12.42	48.34	35.20	10.30	32.26	100	133	PEAK	2	5469.88	59.06	68.30	-9.24	45.82	35.20	10.30	32.26	100	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.11</td><td>-----</td><td>-----</td><td>79.88</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>133</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	93.11	-----	-----	79.88	35.20	10.30	32.27	100	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5459.62	61.58	74.00	-12.42	48.34	35.20	10.30	32.26	100	133	PEAK																																																																																											
2	5469.88	59.06	68.30	-9.24	45.82	35.20	10.30	32.26	100	133	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5530.00	93.11	-----	-----	79.88	35.20	10.30	32.27	100	133	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.82</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>33.67</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.82	46.91	54.00	-7.09	33.67	35.20	10.30	32.26	100	133	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>84.09</td><td>-----</td><td>-----</td><td>70.86</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	84.09	-----	-----	70.86	35.20	10.30	32.27	100	133	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5457.82	46.91	54.00	-7.09	33.67	35.20	10.30	32.26	100	133	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5530.00	84.09	-----	-----	70.86	35.20	10.30	32.27	100	133	AVERAGE																																																																																											







Mode	50																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																									
ANT	1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5750.43</td><td>52.02</td><td>68.30</td><td>-16.28</td><td>38.38</td><td>35.61</td><td>10.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>133</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5750.43	52.02	68.30	-16.28	38.38	35.61	10.39							32.36	100								133								PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor		Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																			
1	5750.43	52.02	68.30	-16.28	38.38	35.61	10.39																																																			
						32.36	100																																																			
							133																																																			
							PEAK																																																			



		50																																																																																					
Mode		Harmonic																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																					
ANT		1																																																																																					
Pol.		Horizontal					Vertical																																																																																
Peak	Avg																																																																																						
			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8846.00	55.34	68.30	-12.96	65.61	36.04	12.42	58.73	151	360	Peak	2	11060.00	59.59	74.00	-14.41	66.56	37.96	13.66	58.59	180	241	Peak	3	11060.00	50.65	54.00	-3.35	57.62	37.96	13.66	58.59	180	241	Average	4	16590.00	47.38	68.30	-20.92	47.49	41.53	16.49	58.13	--	--	Peak	5	17696.00	52.51	68.30	-15.79	51.41	41.88	17.05	57.83	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	8846.00	55.34	68.30	-12.96	65.61	36.04	12.42	58.73	151	360	Peak																																																																												
2	11060.00	59.59	74.00	-14.41	66.56	37.96	13.66	58.59	180	241	Peak																																																																												
3	11060.00	50.65	54.00	-3.35	57.62	37.96	13.66	58.59	180	241	Average																																																																												
4	16590.00	47.38	68.30	-20.92	47.49	41.53	16.49	58.13	--	--	Peak																																																																												
5	17696.00	52.51	68.30	-15.79	51.41	41.88	17.05	57.83	--	--	Peak																																																																												
Peak	Avg																																																																																						
			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8846.00	52.25	68.30	-16.05	62.52	36.04	12.42	58.73	151	0	Peak	2	11060.00	49.02	74.00	-24.98	55.99	37.96	13.66	58.59	--	--	Peak	3	16590.00	50.64	68.30	-17.66	50.75	41.53	16.49	58.13	--	--	Peak	4	17696.00	52.03	68.30	-16.27	50.93	41.88	17.05	57.83	--	--	Peak										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	8846.00	52.25	68.30	-16.05	62.52	36.04	12.42	58.73	151	0	Peak																																																																												
2	11060.00	49.02	74.00	-24.98	55.99	37.96	13.66	58.59	--	--	Peak																																																																												
3	16590.00	50.64	68.30	-17.66	50.75	41.53	16.49	58.13	--	--	Peak																																																																												
4	17696.00	52.03	68.30	-16.27	50.93	41.88	17.05	57.83	--	--	Peak																																																																												



Mode	51																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5450.62</td><td>51.60</td><td>74.00</td><td>-22.40</td><td>38.36</td><td>35.20</td><td>10.29</td><td>32.25</td><td>112</td><td>52</td><td>PEAK</td></tr><tr><td>2</td><td>5464.92</td><td>51.33</td><td>68.30</td><td>-16.97</td><td>38.09</td><td>35.20</td><td>10.30</td><td>32.26</td><td>112</td><td>52</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5450.62	51.60	74.00	-22.40	38.36	35.20	10.29	32.25	112	52	PEAK	2	5464.92	51.33	68.30	-16.97	38.09	35.20	10.30	32.26	112	52	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.88</td><td>-----</td><td>-----</td><td>81.47</td><td>35.39</td><td>10.33</td><td>32.31</td><td>112</td><td>52</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	94.88	-----	-----	81.47	35.39	10.33	32.31	112	52	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5450.62	51.60	74.00	-22.40	38.36	35.20	10.29	32.25	112	52	PEAK																																																																																																
2	5464.92	51.33	68.30	-16.97	38.09	35.20	10.30	32.26	112	52	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	94.88	-----	-----	81.47	35.39	10.33	32.31	112	52	PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5439.70</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>28.58</td><td>35.20</td><td>10.29</td><td>32.24</td><td>112</td><td>52</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5439.70	41.83	54.00	-12.17	28.58	35.20	10.29	32.24	112	52	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>84.84</td><td>-----</td><td>-----</td><td>71.44</td><td>35.37</td><td>10.33</td><td>32.30</td><td>112</td><td>52</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	84.84	-----	-----	71.44	35.37	10.33	32.30	112	52	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5439.70	41.83	54.00	-12.17	28.58	35.20	10.29	32.24	112	52	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	84.84	-----	-----	71.44	35.37	10.33	32.30	112	52	AVERAGE																																																																																																




Mode	51																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5735.71</td><td>52.02</td><td>68.30</td><td>-16.28</td><td>38.41</td><td>35.59</td><td>10.38</td><td>32.36</td><td>112</td><td>52 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5735.71	52.02	68.30	-16.28	38.41	35.59	10.38	32.36	112	52 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5735.71	52.02	68.30	-16.28	38.41	35.59	10.38	32.36	112	52 PEAK																																							
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.70</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>28.58</td><td>35.20</td><td>10.29</td><td>32.24</td><td>112</td><td>52 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.70	41.83	54.00	-12.17	28.58	35.20	10.29	32.24	112	52 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5439.70	41.83	54.00	-12.17	28.58	35.20	10.29	32.24	112	52 AVERAGE																																							





Mode	51																																																															
	Band Edge - L																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																															
ANT	1																																																															
Pol.	Vertical																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.48</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>38.07</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5464.14</td><td>50.46</td><td>68.30</td><td>-17.84</td><td>37.22</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>343</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.48	51.32	74.00	-22.68	38.07	35.20	10.29	32.24	100	343	PEAK	2	5464.14	50.46	68.30	-17.84	37.22	35.20	10.30	32.26	100	343	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5440.48	51.32	74.00	-22.68	38.07	35.20	10.29	32.24	100	343	PEAK																																																					
2	5464.14	50.46	68.30	-17.84	37.22	35.20	10.30	32.26	100	343	PEAK																																																					
Fundamental																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>91.55</td><td>-----</td><td>-----</td><td>78.14</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>343</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.55	-----	-----	78.14	35.39	10.33	32.31	100	343	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5610.00	91.55	-----	-----	78.14	35.39	10.33	32.31	100	343	PEAK																																																					
Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.22</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>28.27</td><td>35.20</td><td>10.29</td><td>32.26</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.22	41.50	54.00	-12.50	28.27	35.20	10.29	32.26	100	343	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5453.22	41.50	54.00	-12.50	28.27	35.20	10.29	32.26	100	343	AVERAGE																																																					
AVERAGE																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>81.69</td><td>-----</td><td>-----</td><td>68.27</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	81.69	-----	-----	68.27	35.40	10.33	32.31	100	343	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5610.00	81.69	-----	-----	68.27	35.40	10.33	32.31	100	343	AVERAGE																																																					





Mode	51																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.46</td><td>51.45</td><td>68.30</td><td>-16.85</td><td>37.79</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.46	51.45	68.30	-16.85	37.79	35.62	10.39	32.35	100	343	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5754.46	51.45	68.30	-16.85	37.79	35.62	10.39	32.35	100	343	PEAK																																								





Mode	51																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																																																																																										
ANT	1																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8972.50</td><td>54.24</td><td>68.30</td><td>-14.06</td><td>64.23</td><td>36.17</td><td>12.55</td><td>58.71</td><td>152</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>64.47</td><td>38.12</td><td>13.78</td><td>58.30</td><td>100</td><td>305</td><td>Peak</td></tr><tr><td>3</td><td>11220.00</td><td>51.04</td><td>54.00</td><td>-2.96</td><td>57.44</td><td>38.12</td><td>13.78</td><td>58.30</td><td>100</td><td>305</td><td>Average</td></tr><tr><td>4</td><td>16830.00</td><td>48.36</td><td>68.30</td><td>-19.94</td><td>47.52</td><td>42.16</td><td>16.62</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17954.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>48.49</td><td>41.30</td><td>17.08</td><td>57.46</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8972.50	54.24	68.30	-14.06	64.23	36.17	12.55	58.71	152	360	Peak	2	11220.00	58.07	74.00	-15.93	64.47	38.12	13.78	58.30	100	305	Peak	3	11220.00	51.04	54.00	-2.96	57.44	38.12	13.78	58.30	100	305	Average	4	16830.00	48.36	68.30	-19.94	47.52	42.16	16.62	57.94	--	--	Peak	5	17954.00	49.41	74.00	-24.59	48.49	41.30	17.08	57.46	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8972.50</td><td>53.98</td><td>68.30</td><td>-14.32</td><td>63.97</td><td>36.17</td><td>12.55</td><td>58.71</td><td>152</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>55.30</td><td>38.12</td><td>13.78</td><td>58.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>16830.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>46.61</td><td>42.16</td><td>16.62</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17954.00</td><td>60.84</td><td>74.00</td><td>-13.16</td><td>59.92</td><td>41.30</td><td>17.08</td><td>57.46</td><td>100</td><td>251</td><td>Peak</td></tr><tr><td>5</td><td>17954.00</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>49.56</td><td>41.30</td><td>17.08</td><td>57.46</td><td>100</td><td>251</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8972.50	53.98	68.30	-14.32	63.97	36.17	12.55	58.71	152	0	Peak	2	11220.00	48.90	74.00	-25.10	55.30	38.12	13.78	58.30	--	--	Peak	3	16830.00	47.45	68.30	-20.85	46.61	42.16	16.62	57.94	--	--	Peak	4	17954.00	60.84	74.00	-13.16	59.92	41.30	17.08	57.46	100	251	Peak	5	17954.00	50.48	54.00	-3.52	49.56	41.30	17.08	57.46	100	251
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	8972.50	54.24	68.30	-14.06	64.23	36.17	12.55	58.71	152	360	Peak																																																																																																																																																																																
2	11220.00	58.07	74.00	-15.93	64.47	38.12	13.78	58.30	100	305	Peak																																																																																																																																																																																
3	11220.00	51.04	54.00	-2.96	57.44	38.12	13.78	58.30	100	305	Average																																																																																																																																																																																
4	16830.00	48.36	68.30	-19.94	47.52	42.16	16.62	57.94	--	--	Peak																																																																																																																																																																																
5	17954.00	49.41	74.00	-24.59	48.49	41.30	17.08	57.46	--	--	Peak																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	8972.50	53.98	68.30	-14.32	63.97	36.17	12.55	58.71	152	0	Peak																																																																																																																																																																																
2	11220.00	48.90	74.00	-25.10	55.30	38.12	13.78	58.30	--	--	Peak																																																																																																																																																																																
3	16830.00	47.45	68.30	-20.85	46.61	42.16	16.62	57.94	--	--	Peak																																																																																																																																																																																
4	17954.00	60.84	74.00	-13.16	59.92	41.30	17.08	57.46	100	251	Peak																																																																																																																																																																																
5	17954.00	50.48	54.00	-3.52	49.56	41.30	17.08	57.46	100	251	Average																																																																																																																																																																																





Mode	52																																																																																								
	Band Edge																																																																																								
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5372.00</td><td>51.03</td><td>74.00</td><td>-22.97</td><td></td><td>37.76</td><td>35.20</td><td>10.24</td><td>32.17</td><td>113</td><td>44</td><td>Peak</td></tr><tr><td>2</td><td>5463.30</td><td>50.07</td><td>68.30</td><td>-18.23</td><td></td><td>36.83</td><td>35.20</td><td>10.30</td><td>32.26</td><td>113</td><td>44</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>105.25</td><td>-----</td><td>-----</td><td></td><td>91.69</td><td>35.55</td><td>10.37</td><td>32.36</td><td>113</td><td>44</td><td>Peak</td></tr><tr><td>4</td><td>5862.60</td><td>52.17</td><td>68.30</td><td>-16.13</td><td></td><td>38.21</td><td>35.90</td><td>10.47</td><td>32.41</td><td>113</td><td>44</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5372.00	51.03	74.00	-22.97		37.76	35.20	10.24	32.17	113	44	Peak	2	5463.30	50.07	68.30	-18.23		36.83	35.20	10.30	32.26	113	44	Peak	3	5720.00	105.25	-----	-----		91.69	35.55	10.37	32.36	113	44	Peak	4	5862.60	52.17	68.30	-16.13		38.21	35.90	10.47	32.41	113	44	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5372.00	51.03	74.00	-22.97		37.76	35.20	10.24	32.17	113	44	Peak																																																																													
2	5463.30	50.07	68.30	-18.23		36.83	35.20	10.30	32.26	113	44	Peak																																																																													
3	5720.00	105.25	-----	-----		91.69	35.55	10.37	32.36	113	44	Peak																																																																													
4	5862.60	52.17	68.30	-16.13		38.21	35.90	10.47	32.41	113	44	Peak																																																																													
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5439.65</td><td>41.56</td><td>54.00</td><td>-12.44</td><td></td><td>28.31</td><td>35.20</td><td>10.29</td><td>32.24</td><td>113</td><td>44</td><td>Peak</td></tr><tr><td>2</td><td>5720.00</td><td>96.06</td><td>-----</td><td>-----</td><td></td><td>82.50</td><td>35.55</td><td>10.37</td><td>32.36</td><td>113</td><td>44</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5439.65	41.56	54.00	-12.44		28.31	35.20	10.29	32.24	113	44	Peak	2	5720.00	96.06	-----	-----		82.50	35.55	10.37	32.36	113	44	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5439.65	41.56	54.00	-12.44		28.31	35.20	10.29	32.24	113	44	Peak																																																																													
2	5720.00	96.06	-----	-----		82.50	35.55	10.37	32.36	113	44	Average																																																																													



Mode	52																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Blank					<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5357.15</td><td>50.95</td><td>74.00</td><td>-23.05</td><td></td><td>37.70</td><td>35.20</td><td>10.22</td><td>32.17</td><td>104</td><td>344</td><td>Peak</td></tr><tr><td>2</td><td>5463.30</td><td>49.64</td><td>68.30</td><td>-18.66</td><td></td><td>36.40</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>344</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>100.40</td><td>-----</td><td>-----</td><td></td><td>86.84</td><td>35.55</td><td>10.37</td><td>32.36</td><td>104</td><td>344</td><td>Peak</td></tr><tr><td>4</td><td>5851.05</td><td>53.81</td><td>68.30</td><td>-14.49</td><td></td><td>39.88</td><td>35.87</td><td>10.46</td><td>32.40</td><td>104</td><td>344</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5357.15	50.95	74.00	-23.05		37.70	35.20	10.22	32.17	104	344	Peak	2	5463.30	49.64	68.30	-18.66		36.40	35.20	10.30	32.26	104	344	Peak	3	5720.00	100.40	-----	-----		86.84	35.55	10.37	32.36	104	344	Peak	4	5851.05	53.81	68.30	-14.49		39.88	35.87	10.46	32.40	104	344	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5357.15	50.95	74.00	-23.05		37.70	35.20	10.22	32.17	104	344	Peak																																																																												
2	5463.30	49.64	68.30	-18.66		36.40	35.20	10.30	32.26	104	344	Peak																																																																												
3	5720.00	100.40	-----	-----		86.84	35.55	10.37	32.36	104	344	Peak																																																																												
4	5851.05	53.81	68.30	-14.49		39.88	35.87	10.46	32.40	104	344	Peak																																																																												
Avg	Blank					<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.25</td><td>41.14</td><td>54.00</td><td>-12.86</td><td></td><td>27.90</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>344</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>93.11</td><td>-----</td><td>-----</td><td></td><td>79.55</td><td>35.55</td><td>10.37</td><td>32.36</td><td>104</td><td>344</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5457.25	41.14	54.00	-12.86		27.90	35.20	10.30	32.26	104	344	Average	2	5720.00	93.11	-----	-----		79.55	35.55	10.37	32.36	104	344	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5457.25	41.14	54.00	-12.86		27.90	35.20	10.30	32.26	104	344	Average																																																																												
2	5720.00	93.11	-----	-----		79.55	35.55	10.37	32.36	104	344	Average																																																																												





Mode	52																																																																																																																																																																													
	Harmonic																																																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																																																																																													
ANT	1																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																							
Peak Avg																																																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9156.50</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>66.32</td><td>36.44</td><td>12.56</td><td>58.76</td><td>100</td><td>78</td><td>Peak</td></tr><tr><td>2</td><td>9156.50</td><td>51.12</td><td>54.00</td><td>-2.88</td><td>60.88</td><td>36.44</td><td>12.56</td><td>58.76</td><td>100</td><td>78</td><td>Average</td></tr><tr><td>3</td><td>11440.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>54.15</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17160.00</td><td>49.35</td><td>68.30</td><td>-18.95</td><td>47.94</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9156.50	56.56	74.00	-17.44	66.32	36.44	12.56	58.76	100	78	Peak	2	9156.50	51.12	54.00	-2.88	60.88	36.44	12.56	58.76	100	78	Average	3	11440.00	48.51	74.00	-25.49	54.15	38.34	13.93	57.91	--	--	Peak	4	17160.00	49.35	68.30	-18.95	47.94	42.50	16.81	57.90	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9156.50</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>63.87</td><td>36.44</td><td>12.56</td><td>58.76</td><td>125</td><td>190</td><td>Peak</td></tr><tr><td>2</td><td>9156.50</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>58.41</td><td>36.44</td><td>12.56</td><td>58.76</td><td>125</td><td>190</td><td>Average</td></tr><tr><td>3</td><td>11440.00</td><td>60.69</td><td>74.00</td><td>-13.31</td><td>66.33</td><td>38.34</td><td>13.93</td><td>57.91</td><td>145</td><td>280</td><td>Peak</td></tr><tr><td>4</td><td>11440.00</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>56.06</td><td>38.34</td><td>13.93</td><td>57.91</td><td>145</td><td>280</td><td>Average</td></tr><tr><td>5</td><td>17160.00</td><td>49.72</td><td>68.30</td><td>-18.58</td><td>48.31</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9156.50	54.11	74.00	-19.89	63.87	36.44	12.56	58.76	125	190	Peak	2	9156.50	48.65	54.00	-5.35	58.41	36.44	12.56	58.76	125	190	Average	3	11440.00	60.69	74.00	-13.31	66.33	38.34	13.93	57.91	145	280	Peak	4	11440.00	50.42	54.00	-3.58	56.06	38.34	13.93	57.91	145	280	Average	5	17160.00	49.72	68.30	-18.58	48.31	42.50	16.81	57.90	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	9156.50	56.56	74.00	-17.44	66.32	36.44	12.56	58.76	100	78	Peak																																																																																																																																																																			
2	9156.50	51.12	54.00	-2.88	60.88	36.44	12.56	58.76	100	78	Average																																																																																																																																																																			
3	11440.00	48.51	74.00	-25.49	54.15	38.34	13.93	57.91	--	--	Peak																																																																																																																																																																			
4	17160.00	49.35	68.30	-18.95	47.94	42.50	16.81	57.90	--	--	Peak																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	9156.50	54.11	74.00	-19.89	63.87	36.44	12.56	58.76	125	190	Peak																																																																																																																																																																			
2	9156.50	48.65	54.00	-5.35	58.41	36.44	12.56	58.76	125	190	Average																																																																																																																																																																			
3	11440.00	60.69	74.00	-13.31	66.33	38.34	13.93	57.91	145	280	Peak																																																																																																																																																																			
4	11440.00	50.42	54.00	-3.58	56.06	38.34	13.93	57.91	145	280	Average																																																																																																																																																																			
5	17160.00	49.72	68.30	-18.58	48.31	42.50	16.81	57.90	--	--	Peak																																																																																																																																																																			





Mode	53																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.75</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>36.97</td><td>35.20</td><td>10.29</td><td>32.24</td><td>116</td><td>46 Peak</td></tr><tr><td>2</td><td>5466.60</td><td>49.89</td><td>68.30</td><td>-18.41</td><td>36.65</td><td>35.20</td><td>10.30</td><td>32.26</td><td>116</td><td>46 Peak</td></tr><tr><td>3</td><td>5710.00</td><td>102.20</td><td>-----</td><td>-----</td><td>88.64</td><td>35.54</td><td>10.37</td><td>32.35</td><td>116</td><td>46 Peak</td></tr><tr><td>4</td><td>5870.30</td><td>51.64</td><td>68.30</td><td>-16.66</td><td>37.65</td><td>35.92</td><td>10.48</td><td>32.41</td><td>116</td><td>46 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.75	50.22	74.00	-23.78	36.97	35.20	10.29	32.24	116	46 Peak	2	5466.60	49.89	68.30	-18.41	36.65	35.20	10.30	32.26	116	46 Peak	3	5710.00	102.20	-----	-----	88.64	35.54	10.37	32.35	116	46 Peak	4	5870.30	51.64	68.30	-16.66	37.65	35.92	10.48	32.41	116	46 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5440.75	50.22	74.00	-23.78	36.97	35.20	10.29	32.24	116	46 Peak																																																																								
2	5466.60	49.89	68.30	-18.41	36.65	35.20	10.30	32.26	116	46 Peak																																																																								
3	5710.00	102.20	-----	-----	88.64	35.54	10.37	32.35	116	46 Peak																																																																								
4	5870.30	51.64	68.30	-16.66	37.65	35.92	10.48	32.41	116	46 Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.65</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>28.87</td><td>35.20</td><td>10.29</td><td>32.24</td><td>116</td><td>46 Average</td></tr><tr><td>2</td><td>5710.00</td><td>93.78</td><td>-----</td><td>-----</td><td>80.22</td><td>35.54</td><td>10.37</td><td>32.35</td><td>116</td><td>46 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.65	42.12	54.00	-11.88	28.87	35.20	10.29	32.24	116	46 Average	2	5710.00	93.78	-----	-----	80.22	35.54	10.37	32.35	116	46 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5439.65	42.12	54.00	-11.88	28.87	35.20	10.29	32.24	116	46 Average																																																																								
2	5710.00	93.78	-----	-----	80.22	35.54	10.37	32.35	116	46 Average																																																																								





Mode	53																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Blank																																																																																		
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5379.15</td><td>50.67</td><td>74.00</td><td>-23.33</td><td></td><td>37.40</td><td>35.20</td><td>10.25</td><td>32.18</td><td>100</td><td>342</td><td>Peak</td></tr><tr><td>2</td><td>5461.65</td><td>50.76</td><td>68.30</td><td>-17.54</td><td></td><td>37.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>342</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>99.70</td><td>-----</td><td>-----</td><td></td><td>86.14</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>342</td><td>Peak</td></tr><tr><td>4</td><td>5886.80</td><td>52.01</td><td>68.30</td><td>-16.29</td><td></td><td>37.97</td><td>35.97</td><td>10.49</td><td>32.42</td><td>100</td><td>342</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5379.15	50.67	74.00	-23.33		37.40	35.20	10.25	32.18	100	342	Peak	2	5461.65	50.76	68.30	-17.54		37.52	35.20	10.30	32.26	100	342	Peak	3	5710.00	99.70	-----	-----		86.14	35.54	10.37	32.35	100	342	Peak	4	5886.80	52.01	68.30	-16.29	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5379.15	50.67	74.00	-23.33		37.40	35.20	10.25	32.18	100	342	Peak																																																																							
2	5461.65	50.76	68.30	-17.54		37.52	35.20	10.30	32.26	100	342	Peak																																																																							
3	5710.00	99.70	-----	-----		86.14	35.54	10.37	32.35	100	342	Peak																																																																							
4	5886.80	52.01	68.30	-16.29		37.97	35.97	10.49	32.42	100	342	Peak																																																																							
Avg	Blank																																																																																		
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.80</td><td>41.24</td><td>54.00</td><td>-12.76</td><td></td><td>28.00</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>342</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>90.38</td><td>-----</td><td>-----</td><td></td><td>76.82</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>342</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5457.80	41.24	54.00	-12.76		28.00	35.20	10.30	32.26	100	342	Average	2	5710.00	90.38	-----	-----		76.82	35.54	10.37	32.35	100	342	Average																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5457.80	41.24	54.00	-12.76		28.00	35.20	10.30	32.26	100	342	Average																																																																							
2	5710.00	90.38	-----	-----		76.82	35.54	10.37	32.35	100	342	Average																																																																							





Mode	53																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																																																																																																								
ANT	1																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9133.50</td><td>55.45</td><td>74.00</td><td>-18.55</td><td>65.23</td><td>36.40</td><td>12.57</td><td>58.75</td><td>100</td><td>66 Peak</td></tr><tr><td>2</td><td>9133.50</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>60.43</td><td>36.40</td><td>12.57</td><td>58.75</td><td>100</td><td>66 Average</td></tr><tr><td>3</td><td>11420.00</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>65.71</td><td>38.32</td><td>13.92</td><td>57.94</td><td>172</td><td>326 Peak</td></tr><tr><td>4</td><td>11420.00</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>55.54</td><td>38.32</td><td>13.92</td><td>57.94</td><td>172</td><td>326 Average</td></tr><tr><td>5</td><td>17130.00</td><td>49.91</td><td>68.30</td><td>-18.39</td><td>48.49</td><td>42.52</td><td>16.78</td><td>57.88</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	9133.50	55.45	74.00	-18.55	65.23	36.40	12.57	58.75	100	66 Peak	2	9133.50	50.65	54.00	-3.35	60.43	36.40	12.57	58.75	100	66 Average	3	11420.00	60.01	74.00	-13.99	65.71	38.32	13.92	57.94	172	326 Peak	4	11420.00	49.84	54.00	-4.16	55.54	38.32	13.92	57.94	172	326 Average	5	17130.00	49.91	68.30	-18.39	48.49	42.52	16.78	57.88	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9133.50</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>64.22</td><td>36.40</td><td>12.57</td><td>58.75</td><td>135</td><td>270 Peak</td></tr><tr><td>2</td><td>9133.50</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>56.80</td><td>36.40</td><td>12.57</td><td>58.75</td><td>135</td><td>270 Average</td></tr><tr><td>3</td><td>11420.00</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>64.74</td><td>38.32</td><td>13.92</td><td>57.94</td><td>136</td><td>280 Peak</td></tr><tr><td>4</td><td>11420.00</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>54.71</td><td>38.32</td><td>13.92</td><td>57.94</td><td>136</td><td>280 Average</td></tr><tr><td>5</td><td>17130.00</td><td>49.03</td><td>68.30</td><td>-19.27</td><td>47.61</td><td>42.52</td><td>16.78</td><td>57.88</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	9133.50	54.44	74.00	-19.56	64.22	36.40	12.57	58.75	135	270 Peak	2	9133.50	47.02	54.00	-6.98	56.80	36.40	12.57	58.75	135	270 Average	3	11420.00	59.04	74.00	-14.96	64.74	38.32	13.92	57.94	136	280 Peak	4	11420.00	49.01	54.00	-4.99	54.71	38.32	13.92	57.94	136	280 Average	5	17130.00	49.03	68.30	-19.27	47.61	42.52	16.78	57.88	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	9133.50	55.45	74.00	-18.55	65.23	36.40	12.57	58.75	100	66 Peak																																																																																																																																																																															
2	9133.50	50.65	54.00	-3.35	60.43	36.40	12.57	58.75	100	66 Average																																																																																																																																																																															
3	11420.00	60.01	74.00	-13.99	65.71	38.32	13.92	57.94	172	326 Peak																																																																																																																																																																															
4	11420.00	49.84	54.00	-4.16	55.54	38.32	13.92	57.94	172	326 Average																																																																																																																																																																															
5	17130.00	49.91	68.30	-18.39	48.49	42.52	16.78	57.88	--	-- Peak																																																																																																																																																																															
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	9133.50	54.44	74.00	-19.56	64.22	36.40	12.57	58.75	135	270 Peak																																																																																																																																																																															
2	9133.50	47.02	54.00	-6.98	56.80	36.40	12.57	58.75	135	270 Average																																																																																																																																																																															
3	11420.00	59.04	74.00	-14.96	64.74	38.32	13.92	57.94	136	280 Peak																																																																																																																																																																															
4	11420.00	49.01	54.00	-4.99	54.71	38.32	13.92	57.94	136	280 Average																																																																																																																																																																															
5	17130.00	49.03	68.30	-19.27	47.61	42.52	16.78	57.88	--	-- Peak																																																																																																																																																																															





Mode	54																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak	Blank																																																																																
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5420.40</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>37.29</td><td>35.20</td><td>10.29</td><td>32.21</td><td>131</td><td>38</td><td>Peak</td></tr><tr><td>2</td><td>5461.65</td><td>50.64</td><td>68.30</td><td>-17.66</td><td>37.40</td><td>35.20</td><td>10.30</td><td>32.26</td><td>131</td><td>38</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>100.64</td><td>-----</td><td>-----</td><td>87.14</td><td>35.50</td><td>10.35</td><td>32.35</td><td>131</td><td>38</td><td>Peak</td></tr><tr><td>4</td><td>5879.10</td><td>52.77</td><td>68.30</td><td>-15.53</td><td>38.74</td><td>35.95</td><td>10.49</td><td>32.41</td><td>131</td><td>38</td><td>Peak</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5420.40	50.57	74.00	-23.43	37.29	35.20	10.29	32.21	131	38	Peak	2	5461.65	50.64	68.30	-17.66	37.40	35.20	10.30	32.26	131	38	Peak	3	5690.00	100.64	-----	-----	87.14	35.50	10.35	32.35	131	38	Peak	4	5879.10	52.77	68.30	-15.53	38.74	35.95	10.49	32.41	131
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5420.40	50.57	74.00	-23.43	37.29	35.20	10.29	32.21	131	38	Peak																																																																						
2	5461.65	50.64	68.30	-17.66	37.40	35.20	10.30	32.26	131	38	Peak																																																																						
3	5690.00	100.64	-----	-----	87.14	35.50	10.35	32.35	131	38	Peak																																																																						
4	5879.10	52.77	68.30	-15.53	38.74	35.95	10.49	32.41	131	38	Peak																																																																						
Avg	Blank																																																																																
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5440.20</td><td>41.86</td><td>54.00</td><td>-12.14</td><td>28.61</td><td>35.20</td><td>10.29</td><td>32.24</td><td>131</td><td>38</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>92.43</td><td>-----</td><td>-----</td><td>78.93</td><td>35.50</td><td>10.35</td><td>32.35</td><td>131</td><td>38</td><td>Average</td></tr></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5440.20	41.86	54.00	-12.14	28.61	35.20	10.29	32.24	131	38	Average	2	5690.00	92.43	-----	-----	78.93	35.50	10.35	32.35	131	38	Average																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5440.20	41.86	54.00	-12.14	28.61	35.20	10.29	32.24	131	38	Average																																																																						
2	5690.00	92.43	-----	-----	78.93	35.50	10.35	32.35	131	38	Average																																																																						







Mode	54																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Blank						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5418.75</td><td>50.21</td><td>74.00</td><td>-23.79</td><td></td><td>36.92</td><td>35.20</td><td>10.29</td><td>32.20</td><td>101</td><td>352</td><td>Peak</td></tr><tr><td>2</td><td>5464.95</td><td>50.91</td><td>68.30</td><td>-17.39</td><td></td><td>37.67</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>352</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>96.65</td><td>-----</td><td>-----</td><td></td><td>83.15</td><td>35.50</td><td>10.35</td><td>32.35</td><td>101</td><td>352</td><td>Peak</td></tr><tr><td>4</td><td>5876.35</td><td>54.10</td><td>68.30</td><td>-14.20</td><td></td><td>40.09</td><td>35.94</td><td>10.48</td><td>32.41</td><td>101</td><td>352</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5418.75	50.21	74.00	-23.79		36.92	35.20	10.29	32.20	101	352	Peak	2	5464.95	50.91	68.30	-17.39		37.67	35.20	10.30	32.26	101	352	Peak	3	5690.00	96.65	-----	-----		83.15	35.50	10.35	32.35	101	352	Peak	4	5876.35	54.10	68.30	-14.20		40.09	35.94	10.48	32.41	101	352	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5418.75	50.21	74.00	-23.79		36.92	35.20	10.29	32.20	101	352	Peak																																																																														
2	5464.95	50.91	68.30	-17.39		37.67	35.20	10.30	32.26	101	352	Peak																																																																														
3	5690.00	96.65	-----	-----		83.15	35.50	10.35	32.35	101	352	Peak																																																																														
4	5876.35	54.10	68.30	-14.20		40.09	35.94	10.48	32.41	101	352	Peak																																																																														
Avg	Blank						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>41.25</td><td>54.00</td><td>-12.75</td><td></td><td>28.01</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>352</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>89.12</td><td>-----</td><td>-----</td><td></td><td>75.62</td><td>35.50</td><td>10.35</td><td>32.35</td><td>101</td><td>352</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5455.60	41.25	54.00	-12.75		28.01	35.20	10.30	32.26	101	352	Average	2	5690.00	89.12	-----	-----		75.62	35.50	10.35	32.35	101	352	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5455.60	41.25	54.00	-12.75		28.01	35.20	10.30	32.26	101	352	Average																																																																														
2	5690.00	89.12	-----	-----		75.62	35.50	10.35	32.35	101	352	Average																																																																														







Mode	54																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>9099.00</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>66.27</td><td>36.35</td><td>12.57</td></tr><tr><td>2</td><td>9099.00</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>60.11</td><td>36.35</td><td>12.57</td></tr><tr><td>3</td><td>11380.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>53.42</td><td>38.28</td><td>13.90</td></tr><tr><td>4</td><td>17070.00</td><td>49.40</td><td>68.30</td><td>-18.90</td><td>47.95</td><td>42.56</td><td>16.73</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	9099.00	56.45	74.00	-17.55	66.27	36.35	12.57	2	9099.00	50.29	54.00	-3.71	60.11	36.35	12.57	3	11380.00	47.58	74.00	-26.42	53.42	38.28	13.90	4	17070.00	49.40	68.30	-18.90	47.95	42.56	16.73	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>9099.00</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>63.95</td><td>36.35</td><td>12.57</td></tr><tr><td>2</td><td>9099.00</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>58.28</td><td>36.35</td><td>12.57</td></tr><tr><td>3</td><td>11380.00</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>66.19</td><td>38.28</td><td>13.90</td></tr><tr><td>4</td><td>11380.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>55.56</td><td>38.28</td><td>13.90</td></tr><tr><td>5</td><td>17070.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>47.72</td><td>42.56</td><td>16.73</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	9099.00	54.13	74.00	-19.87	63.95	36.35	12.57	2	9099.00	48.46	54.00	-5.54	58.28	36.35	12.57	3	11380.00	60.35	74.00	-13.65	66.19	38.28	13.90	4	11380.00	49.72	54.00	-4.28	55.56	38.28	13.90	5	17070.00	49.17	68.30	-19.13	47.72	42.56	16.73
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	9099.00	56.45	74.00	-17.55	66.27	36.35	12.57																																																																																																																			
2	9099.00	50.29	54.00	-3.71	60.11	36.35	12.57																																																																																																																			
3	11380.00	47.58	74.00	-26.42	53.42	38.28	13.90																																																																																																																			
4	17070.00	49.40	68.30	-18.90	47.95	42.56	16.73																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	9099.00	54.13	74.00	-19.87	63.95	36.35	12.57																																																																																																																			
2	9099.00	48.46	54.00	-5.54	58.28	36.35	12.57																																																																																																																			
3	11380.00	60.35	74.00	-13.65	66.19	38.28	13.90																																																																																																																			
4	11380.00	49.72	54.00	-4.28	55.56	38.28	13.90																																																																																																																			
5	17070.00	49.17	68.30	-19.13	47.72	42.56	16.73																																																																																																																			







Mode	55																																																																																										
	Band Edge																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU_26/0_5180MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5112.86</td><td>52.08</td><td>74.00</td><td>-21.92</td><td>39.48</td><td>34.92</td><td>9.93</td><td>32.25</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5112.86	52.08	74.00	-21.92	39.48	34.92	9.93	32.25	100	358	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>105.46</td><td>-----</td><td>-----</td><td>92.75</td><td>34.97</td><td>9.97</td><td>32.23</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	105.46	-----	-----	92.75	34.97	9.97	32.23	100	358
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5112.86	52.08	74.00	-21.92	39.48	34.92	9.93	32.25	100	358	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	105.46	-----	-----	92.75	34.97	9.97	32.23	100	358	PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5131.94</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>29.90</td><td>34.93</td><td>9.94</td><td>32.25</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5131.94	42.52	54.00	-11.48	29.90	34.93	9.94	32.25	100	358	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.50</td><td>-----</td><td>-----</td><td>85.79</td><td>34.97</td><td>9.97</td><td>32.23</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	98.50	-----	-----	85.79	34.97	9.97	32.23	100	358
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5131.94	42.52	54.00	-11.48	29.90	34.93	9.94	32.25	100	358	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5180.00	98.50	-----	-----	85.79	34.97	9.97	32.23	100	358	AVERAGE																																																																																



Mode	55																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU_26/0_5180MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.24</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>39.18</td><td>34.88</td><td>9.91</td><td>32.25</td><td>100</td><td>103</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5075.24	51.72	74.00	-22.28	39.18	34.88	9.91	32.25	100	103	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.62</td><td>-----</td><td>-----</td><td>84.91</td><td>34.97</td><td>9.97</td><td>32.23</td><td>100</td><td>103</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	97.62	-----	-----	84.91	34.97	9.97	32.23	100	103
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5075.24	51.72	74.00	-22.28	39.18	34.88	9.91	32.25	100	103	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	97.62	-----	-----	84.91	34.97	9.97	32.23	100	103	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.42</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>29.45</td><td>34.86</td><td>9.89</td><td>32.26</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5075.42	41.94	54.00	-12.06	29.45	34.86	9.89	32.26	100	103	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>89.81</td><td>-----</td><td>-----</td><td>77.10</td><td>34.97</td><td>9.97</td><td>32.23</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	89.81	-----	-----	77.10	34.97	9.97	32.23	100	103
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5075.42	41.94	54.00	-12.06	29.45	34.86	9.89	32.26	100	103	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	89.81	-----	-----	77.10	34.97	9.97	32.23	100	103	AVERAGE																																																																															



		56																																																		
Mode		Band Edge																																																		
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU_26/8_5320MHz																																																		
ANT		1																																																		
Pol.		Horizontal																																																		
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.84</td><td>50.64</td><td>74.00</td><td>-23.36</td><td>37.36</td><td>35.20</td><td>10.26</td><td>32.18</td><td>101</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.84	50.64	74.00	-23.36	37.36	35.20	10.26	32.18	101	33	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5383.84	50.64	74.00	-23.36	37.36	35.20	10.26	32.18	101	33	PEAK																																									
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.30</td><td>-----</td><td>-----</td><td>86.10</td><td>35.20</td><td>10.18</td><td>32.18</td><td>101</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.30	-----	-----	86.10	35.20	10.18	32.18	101	33	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	99.30	-----	-----	86.10	35.20	10.18	32.18	101	33	PEAK																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.04</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>27.92</td><td>35.20</td><td>10.29</td><td>32.24</td><td>101</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.04	41.17	54.00	-12.83	27.92	35.20	10.29	32.24	101	33	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5444.04	41.17	54.00	-12.83	27.92	35.20	10.29	32.24	101	33	AVERAGE																																									
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>92.64</td><td>-----</td><td>-----</td><td>79.44</td><td>35.20</td><td>10.18</td><td>32.18</td><td>101</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	92.64	-----	-----	79.44	35.20	10.18	32.18	101	33	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	92.64	-----	-----	79.44	35.20	10.18	32.18	101	33	AVERAGE																																									