






GFSK HOPPING, CARRIER LEVEL



GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz


8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)




8DPSK Hopping BAND EDGE (HIGH)




8DPSK Hopping Mode, SPURIOUS

30 MHz ~ 3 GHz



8DPSK Hopping Mode, SPURIOUS

3GHz ~ 25 GHz



A.7 Conducted Emissions


Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	48.24	10.23	65.89	17.65	Peak	L	Pass
1**	0.152	31.92	10.23	55.89	23.97	AV	L	Pass
2	0.872	40.48	10.30	56.00	15.52	Peak	L	Pass
2**	0.872	23.27	10.30	46.00	22.73	AV	L	Pass
3	1.840	35.98	10.43	56.00	20.02	Peak	L	Pass
3**	1.840	31.22	10.43	46.00	14.78	AV	L	Pass
4	6.670	41.38	12.00	60.00	18.62	Peak	L	Pass
4**	6.670	24.85	12.00	50.00	25.15	AV	L	Pass
5	18.756	43.34	14.77	60.00	16.66	Peak	L	Pass
5**	18.756	21.36	14.77	50.00	28.64	AV	L	Pass
6	27.380	43.51	16.23	60.00	16.49	Peak	L	Pass
6**	27.380	29.94	16.23	50.00	20.06	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.150	49.47	10.23	66.00	16.53	Peak	N	Pass
1**	0.150	31.64	10.23	56.00	24.36	AV	N	Pass
2	1.842	36.19	10.40	56.00	19.81	Peak	N	Pass
2**	1.842	30.94	10.40	46.00	15.06	AV	N	Pass
3	4.984	39.35	11.11	56.00	16.65	Peak	N	Pass
3**	4.984	21.47	11.11	46.00	24.53	AV	N	Pass
4	6.540	40.85	11.92	60.00	19.15	Peak	N	Pass
4**	6.540	22.18	11.92	50.00	27.82	AV	N	Pass
5	18.636	42.34	14.81	60.00	17.66	Peak	N	Pass
5**	18.636	26.60	14.81	50.00	23.40	AV	N	Pass
6	27.412	43.31	16.32	60.00	16.69	Peak	N	Pass
6**	27.412	23.89	16.32	50.00	26.11	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	115.360	18.39	-27.35	43.5	25.11	Peak	120.00	200	Horizontal	Pass
2	175.645	19.30	-28.24	43.5	24.20	Peak	255.00	200	Horizontal	Pass
3	322.698	27.90	-22.88	46.0	18.10	Peak	241.00	100	Horizontal	Pass
4	433.326	28.56	-19.74	46.0	17.44	Peak	230.00	100	Horizontal	Pass
5	599.875	26.33	-15.18	46.0	19.67	Peak	20.00	200	Horizontal	Pass
6	922.594	31.99	-8.60	46.0	14.01	Peak	360.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	46.102	23.82	-25.44	40.0	16.18	Peak	162.00	100	Vertical	Pass
2	92.323	23.87	-27.43	43.5	19.63	Peak	360.00	200	Vertical	Pass
3	168.225	25.54	-28.46	43.5	17.96	Peak	278.00	100	Vertical	Pass
4	290.930	22.39	-23.28	46.0	23.61	Peak	360.00	100	Vertical	Pass
5	526.203	26.60	-17.82	46.0	19.40	Peak	102.00	100	Vertical	Pass
6	910.275	31.63	-8.64	46.0	14.37	Peak	0.00	200	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.


Note³: The RSE Plot only shows the worst-case scenario, while all other data are presented in tabular form.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1229.220	42.89	74.0	31.11	Peak	254.00	300	Horizontal	Pass
1**	1229.220	34.00	54.0	20.00	AV	254.00	300	Horizontal	Pass
2	2920.278	49.15	74.0	24.85	Peak	151.00	200	Horizontal	Pass
2**	2920.278	40.33	54.0	13.67	AV	151.00	200	Horizontal	Pass
3	4844.772	47.21	74.0	26.79	Peak	341.00	200	Horizontal	Pass
3**	4844.772	37.54	54.0	16.46	AV	341.00	200	Horizontal	Pass
4	6858.038	51.93	74.0	22.07	Peak	291.00	100	Horizontal	Pass
4**	6858.038	42.82	54.0	11.18	AV	291.00	100	Horizontal	Pass
5	11006.779	50.76	74.0	23.24	Peak	102.00	200	Horizontal	Pass
5**	11006.779	41.75	54.0	12.25	AV	102.00	200	Horizontal	Pass
6	14108.199	51.35	74.0	22.65	Peak	250.00	300	Horizontal	Pass
6**	14108.199	42.30	54.0	11.70	AV	250.00	300	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.508	42.50	74.0	31.51	Peak	129.00	300	Vertical	Pass
1**	1387.508	29.78	54.0	24.22	AV	129.00	300	Vertical	Pass
2	2750.064	51.89	74.0	22.11	Peak	348.00	100	Vertical	Pass
2**	2750.064	38.10	54.0	15.90	AV	348.00	100	Vertical	Pass
3	4853.049	46.26	74.0	27.74	Peak	163.00	200	Vertical	Pass
3**	4853.049	36.78	54.0	17.22	AV	163.00	200	Vertical	Pass
4	6971.477	52.35	74.0	21.65	Peak	311.00	100	Vertical	Pass
4**	6971.477	43.02	54.0	10.98	AV	311.00	100	Vertical	Pass
5	11615.277	47.82	74.0	26.18	Peak	197.00	300	Vertical	Pass
5**	11615.277	44.23	54.0	9.77	AV	197.00	300	Vertical	Pass
6	16745.633	52.95	74.0	21.05	Peak	251.00	200	Vertical	Pass
6**	16745.633	43.27	54.0	10.73	AV	251.00	200	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.208	42.25	74.0	31.75	Peak	163.00	200	Horizontal	Pass
1**	1223.208	33.11	54.0	20.89	AV	163.00	200	Horizontal	Pass
2	2919.863	49.05	74.0	24.95	Peak	163.00	100	Horizontal	Pass
2**	2919.863	39.89	54.0	14.11	AV	163.00	100	Horizontal	Pass
3	4843.810	46.71	74.0	27.29	Peak	26.00	200	Horizontal	Pass
3**	4843.810	36.96	54.0	17.04	AV	26.00	200	Horizontal	Pass
4	6856.757	51.91	74.0	22.09	Peak	140.00	400	Horizontal	Pass
4**	6856.757	41.99	54.0	12.01	AV	140.00	400	Horizontal	Pass
5	11010.228	49.92	74.0	24.08	Peak	256.00	400	Horizontal	Pass
5**	11010.228	41.11	54.0	12.89	AV	256.00	400	Horizontal	Pass
6	14106.837	50.83	74.0	23.17	Peak	107.00	200	Horizontal	Pass
6**	14106.837	42.21	54.0	11.79	AV	107.00	200	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.633	42.28	74.0	31.73	Peak	205.00	100	Vertical	Pass
1**	1387.633	28.90	54.0	25.10	AV	205.00	100	Vertical	Pass
2	2749.012	51.57	74.0	22.43	Peak	296.00	300	Vertical	Pass
2**	2749.012	37.74	54.0	16.26	AV	296.00	300	Vertical	Pass
3	4856.129	46.19	74.0	27.81	Peak	205.00	200	Vertical	Pass
3**	4856.129	36.47	54.0	17.53	AV	205.00	200	Vertical	Pass
4	6973.742	51.67	74.0	22.33	Peak	310.00	300	Vertical	Pass
4**	6973.742	42.57	54.0	11.43	AV	310.00	300	Vertical	Pass
5	11610.006	47.50	74.0	26.50	Peak	215.00	100	Vertical	Pass
5**	11610.006	43.90	54.0	10.10	AV	215.00	100	Vertical	Pass
6	16746.989	52.64	74.0	21.36	Peak	354.00	100	Vertical	Pass
6**	16746.989	42.94	54.0	11.06	AV	354.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.352	42.63	74.0	31.37	Peak	135.00	100	Horizontal	Pass
1**	1227.352	33.38	54.0	20.62	AV	135.00	100	Horizontal	Pass
2	2914.439	48.66	74.0	25.34	Peak	323.00	300	Horizontal	Pass
2**	2914.439	39.54	54.0	14.46	AV	323.00	300	Horizontal	Pass
3	4843.604	46.92	74.0	27.08	Peak	107.00	200	Horizontal	Pass
3**	4843.604	36.69	54.0	17.31	AV	107.00	200	Horizontal	Pass
4	6853.508	51.12	74.0	22.88	Peak	130.00	400	Horizontal	Pass
4**	6853.508	42.66	54.0	11.34	AV	130.00	400	Horizontal	Pass
5	11010.021	50.19	74.0	23.81	Peak	213.00	300	Horizontal	Pass
5**	11010.021	41.45	54.0	12.55	AV	213.00	300	Horizontal	Pass
6	14104.956	50.88	74.0	23.12	Peak	330.00	300	Horizontal	Pass
6**	14104.956	41.62	54.0	12.38	AV	330.00	300	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.798	41.78	74.0	32.23	Peak	214.00	300	Vertical	Pass
1**	1387.798	29.73	54.0	24.27	AV	214.00	300	Vertical	Pass
2	2753.978	51.80	74.0	22.20	Peak	226.00	300	Vertical	Pass
2**	2753.978	37.61	54.0	16.39	AV	226.00	300	Vertical	Pass
3	4849.452	45.92	74.0	28.08	Peak	155.00	200	Vertical	Pass
3**	4849.452	36.58	54.0	17.42	AV	155.00	200	Vertical	Pass
4	6969.696	52.00	74.0	22.00	Peak	226.00	400	Vertical	Pass
4**	6969.696	42.68	54.0	11.32	AV	226.00	400	Vertical	Pass
5	11616.131	46.92	74.0	27.08	Peak	145.00	400	Vertical	Pass
5**	11616.131	43.51	54.0	10.49	AV	145.00	400	Vertical	Pass
6	16745.468	52.05	74.0	21.95	Peak	161.00	200	Vertical	Pass
6**	16745.468	43.09	54.0	10.91	AV	161.00	200	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.841	42.48	74.0	31.52	Peak	119.00	200	Horizontal	Pass
1**	1282.841	33.70	54.0	20.30	AV	119.00	200	Horizontal	Pass
2	2768.111	48.52	74.0	25.48	Peak	87.00	100	Horizontal	Pass
2**	2768.111	39.51	54.0	14.49	AV	87.00	100	Horizontal	Pass
3	5168.058	46.73	74.0	27.27	Peak	269.00	200	Horizontal	Pass
3**	5168.058	37.19	54.0	16.81	AV	269.00	200	Horizontal	Pass
4	6810.257	51.49	74.0	22.51	Peak	58.00	400	Horizontal	Pass
4**	6810.257	42.23	54.0	11.77	AV	58.00	400	Horizontal	Pass
5	13465.155	49.88	74.0	24.12	Peak	57.00	300	Horizontal	Pass
5**	13465.155	41.70	54.0	12.30	AV	57.00	300	Horizontal	Pass
6	17465.704	51.19	74.0	22.81	Peak	114.00	400	Horizontal	Pass
6**	17465.704	42.24	54.0	11.76	AV	114.00	400	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.202	41.51	74.0	32.50	Peak	141.00	400	Vertical	Pass
1**	1285.202	29.45	54.0	24.55	AV	141.00	400	Vertical	Pass
2	2773.248	51.80	74.0	22.20	Peak	90.00	100	Vertical	Pass
2**	2773.248	37.42	54.0	16.58	AV	90.00	100	Vertical	Pass
3	5165.820	45.75	74.0	28.25	Peak	285.00	200	Vertical	Pass
3**	5165.820	35.99	54.0	18.01	AV	285.00	200	Vertical	Pass
4	6804.757	51.56	74.0	22.44	Peak	58.00	400	Vertical	Pass
4**	6804.757	42.13	54.0	11.87	AV	58.00	400	Vertical	Pass
5	13470.735	46.98	74.0	27.02	Peak	268.00	400	Vertical	Pass
5**	13470.735	44.07	54.0	9.93	AV	268.00	400	Vertical	Pass
6	17460.756	52.59	74.0	21.41	Peak	8.00	200	Vertical	Pass
6**	17460.756	42.82	54.0	11.18	AV	8.00	200	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.828	41.29	74.0	32.71	Peak	162.00	300	Horizontal	Pass
1**	1287.828	32.17	54.0	21.83	AV	162.00	300	Horizontal	Pass
2	2772.313	48.99	74.0	25.01	Peak	241.00	100	Horizontal	Pass
2**	2772.313	39.08	54.0	14.92	AV	241.00	100	Horizontal	Pass
3	5168.334	46.52	74.0	27.48	Peak	278.00	200	Horizontal	Pass
3**	5168.334	36.37	54.0	17.63	AV	278.00	200	Horizontal	Pass
4	6802.931	51.20	74.0	22.80	Peak	218.00	200	Horizontal	Pass
4**	6802.931	41.63	54.0	12.37	AV	218.00	200	Horizontal	Pass
5	13465.834	49.46	74.0	24.54	Peak	135.00	400	Horizontal	Pass
5**	13465.834	40.22	54.0	13.78	AV	135.00	400	Horizontal	Pass
6	17465.158	50.67	74.0	23.33	Peak	157.00	100	Horizontal	Pass
6**	17465.158	41.25	54.0	12.75	AV	157.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1281.665	41.55	74.0	32.46	Peak	272.00	200	Vertical	Pass
1**	1281.665	27.97	54.0	26.03	AV	272.00	200	Vertical	Pass
2	2772.093	51.27	74.0	22.73	Peak	301.00	200	Vertical	Pass
2**	2772.093	37.01	54.0	16.99	AV	301.00	200	Vertical	Pass
3	5164.608	45.46	74.0	28.54	Peak	299.00	200	Vertical	Pass
3**	5164.608	35.69	54.0	18.31	AV	299.00	200	Vertical	Pass
4	6807.831	51.02	74.0	22.98	Peak	233.00	300	Vertical	Pass
4**	6807.831	42.45	54.0	11.55	AV	233.00	300	Vertical	Pass
5	13464.365	46.51	74.0	27.49	Peak	177.00	200	Vertical	Pass
5**	13464.365	42.97	54.0	11.03	AV	177.00	200	Vertical	Pass
6	17466.445	52.36	74.0	21.64	Peak	341.00	100	Vertical	Pass
6**	17466.445	42.81	54.0	11.19	AV	341.00	100	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.951	41.75	74.0	32.25	Peak	42.00	200	Horizontal	Pass
1**	1284.951	32.65	54.0	21.35	AV	42.00	200	Horizontal	Pass
2	2767.156	48.27	74.0	25.73	Peak	257.00	300	Horizontal	Pass
2**	2767.156	38.55	54.0	15.45	AV	257.00	300	Horizontal	Pass
3	5167.283	46.90	74.0	27.10	Peak	289.00	200	Horizontal	Pass
3**	5167.283	36.68	54.0	17.32	AV	289.00	200	Horizontal	Pass
4	6804.124	50.48	74.0	23.52	Peak	360.00	400	Horizontal	Pass
4**	6804.124	42.47	54.0	11.53	AV	360.00	400	Horizontal	Pass
5	13466.899	49.95	74.0	24.05	Peak	341.00	100	Horizontal	Pass
5**	13466.899	41.26	54.0	12.74	AV	341.00	100	Horizontal	Pass
6	17464.382	50.22	74.0	23.78	Peak	176.00	100	Horizontal	Pass
6**	17464.382	40.72	54.0	13.28	AV	176.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1281.843	41.72	74.0	32.29	Peak	220.00	100	Vertical	Pass
1**	1281.843	29.70	54.0	24.30	AV	220.00	100	Vertical	Pass
2	2774.320	51.77	74.0	22.23	Peak	230.00	200	Vertical	Pass
2**	2774.320	37.38	54.0	16.62	AV	230.00	200	Vertical	Pass
3	5168.122	45.45	74.0	28.55	Peak	33.00	200	Vertical	Pass
3**	5168.122	36.39	54.0	17.61	AV	33.00	200	Vertical	Pass
4	6808.160	51.50	74.0	22.50	Peak	356.00	100	Vertical	Pass
4**	6808.160	42.63	54.0	11.37	AV	356.00	100	Vertical	Pass
5	13471.552	46.78	74.0	27.22	Peak	235.00	300	Vertical	Pass
5**	13471.552	42.92	54.0	11.08	AV	235.00	300	Vertical	Pass
6	17467.087	51.98	74.0	22.02	Peak	63.00	100	Vertical	Pass
6**	17467.087	42.31	54.0	11.69	AV	63.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2346.667	41.83	-13.69	74.0	32.17	Peak	10.00	300	Horizontal	Pass
1**	2346.667	29.94	-13.69	54.0	24.06	AV	10.00	300	Horizontal	Pass
2	2390.000	40.21	-14.16	74.0	33.79	Peak	344.00	200	Horizontal	Pass
2**	2390.000	29.60	-14.16	54.0	24.40	AV	344.00	200	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	41.41	-13.04	74.0	32.59	Peak	349.00	300	Horizontal	Pass
1**	2483.500	30.22	-13.04	54.0	23.78	AV	349.00	300	Horizontal	Pass
2	2497.550	42.30	-13.43	74.0	31.70	Peak	298.00	300	Horizontal	Pass
2**	2497.550	30.21	-13.43	54.0	23.79	AV	298.00	300	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2316.500	41.77	-13.51	74.0	32.23	Peak	360.00	200	Horizontal	Pass
1**	2316.500	30.00	-13.51	54.0	24.00	AV	360.00	200	Horizontal	Pass
2	2390.000	39.71	-14.16	74.0	34.29	Peak	287.00	300	Horizontal	Pass
2**	2390.000	29.36	-14.16	54.0	24.64	AV	287.00	300	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	40.54	-13.04	74.0	33.46	Peak	188.00	100	Horizontal	Pass
1**	2483.500	30.17	-13.04	54.0	23.83	AV	188.00	100	Horizontal	Pass
2	2486.850	43.12	-13.27	74.0	30.88	Peak	20.00	300	Horizontal	Pass
2**	2486.850	30.07	-13.27	54.0	23.93	AV	20.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26080106-AR-2.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26080106-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26080106-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--