



3.41. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.2	13	Pass




3.42. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	5.63	13	Pass




3.43. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	6.09	13	Pass




3.44. LTE Peak to Average Ratio_Part22-24-27(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	10	6.33	13	Pass




3.45. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	5.53	13	Pass




3.46. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	5.67	13	Pass




3.47. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	6.14	13	Pass



3.48. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	10	6.38	13	Pass



4. LTE_Band7


4.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	5.67	13	Pass




4.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	5.63	13	Pass




4.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	6.84	13	Pass




4.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	20	6.56	13	Pass




4.5. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.53	13	Pass




4.6. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.77	13	Pass




4.7. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.33	13	Pass




4.8. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.47	13	Pass




4.9. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	5.58	13	Pass




4.10. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	5.72	13	Pass




4.11. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	6.05	13	Pass




4.12. LTE Peak to Average Ratio_Part22-24-27(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	20	6.61	13	Pass




4.13. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	5.39	13	Pass




4.14. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	5.67	13	Pass




4.15. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	6.52	13	Pass




4.16. LTE Peak to Average Ratio_Part22-24-27(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	20	6.52	13	Pass




4.17. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.25	13	Pass




4.18. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.72	13	Pass




4.19. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.05	13	Pass




4.20. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.61	13	Pass




4.21. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	20	5.67	13	Pass




4.22. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	20	5.72	13	Pass




4.23. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	20	6.28	13	Pass




4.24. LTE Peak to Average Ratio_Part22-24-27(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	20	6.52	13	Pass




4.25. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	20	5.63	13	Pass




4.26. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	20	6.05	13	Pass




4.27. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	20	6.42	13	Pass




4.28. LTE Peak to Average Ratio_Part22-24-27(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	20	6.56	13	Pass




4.29. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.39	13	Pass




4.30. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6	13	Pass




4.31. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.33	13	Pass




4.32. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.56	13	Pass




4.33. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	20	5.48	13	Pass




4.34. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	20	6.05	13	Pass




4.35. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	20	6.38	13	Pass




4.36. LTE Peak to Average Ratio_Part22-24-27(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	20	6.52	13	Pass




4.37. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.48	13	Pass




4.38. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.77	13	Pass




4.39. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.28	13	Pass




4.40. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.47	13	Pass




4.41. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.39	13	Pass




4.42. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.77	13	Pass




4.43. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.66	13	Pass




4.44. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.52	13	Pass




4.45. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.77	13	Pass




4.46. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.77	13	Pass




4.47. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.42	13	Pass



4.48. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.52	13	Pass



5. LTE_Band13


5.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	10	4.73	13	Pass




5.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	10	5.39	13	Pass




5.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	10	5.34	13	Pass




5.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	10	6.14	13	Pass




5.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	4.97	13	Pass




5.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.44	13	Pass




5.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.67	13	Pass




5.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	6.23	13	Pass




5.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	10	5.44	13	Pass




5.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	10	5.53	13	Pass




5.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	10	6	13	Pass




5.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	10	6.23	13	Pass




5.13. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	4.78	13	Pass




5.14. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.44	13	Pass




5.15. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	5.53	13	Pass



5.16. LTE Peak to Average Ratio_Part22-24-27(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	10	6.23	13	Pass



7. LTE_Band17


7.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	10	5.81	13	Pass




7.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	10	5.86	13	Pass




7.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	10	6.89	13	Pass




7.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	10	6.66	13	Pass




7.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.86	13	Pass




7.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.81	13	Pass




7.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.38	13	Pass




7.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.52	13	Pass




7.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	5.63	13	Pass




7.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	5.67	13	Pass




7.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	6.28	13	Pass




7.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	6.42	13	Pass




7.13. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	5.72	13	Pass




7.14. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	5.81	13	Pass




7.15. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	6.7	13	Pass




7.16. LTE Peak to Average Ratio_Part22-24-27(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	10	6.52	13	Pass




7.17. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.67	13	Pass




7.18. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	5.81	13	Pass




7.19. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.42	13	Pass




7.20. LTE Peak to Average Ratio_Part22-24-27(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	10	6.47	13	Pass




7.21. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.81	13	Pass




7.22. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.72	13	Pass




7.23. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.56	13	Pass



7.24. LTE Peak to Average Ratio_Part22-24-27(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.47	13	Pass



8. LTE_Band25


8.1. LTE Peak to Average Ratio_Part22-24-27(Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	20	5.34	13	Pass




8.2. LTE Peak to Average Ratio_Part22-24-27(Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	20	5.77	13	Pass




8.3. LTE Peak to Average Ratio_Part22-24-27(Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	20	6.23	13	Pass




8.4. LTE Peak to Average Ratio_Part22-24-27(Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	20	6.52	13	Pass




8.5. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.58	13	Pass




8.6. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.58	13	Pass




8.7. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.95	13	Pass




8.8. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.38	13	Pass




8.9. LTE Peak to Average Ratio_Part22-24-27(Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1914.3	0.1	20	5.39	13	Pass




8.10. LTE Peak to Average Ratio_Part22-24-27(Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1914.3	0.1	20	5.58	13	Pass




8.11. LTE Peak to Average Ratio_Part22-24-27(Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1914.3	0.1	20	6.28	13	Pass




8.12. LTE Peak to Average Ratio_Part22-24-27(Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1914.3	0.1	20	6.42	13	Pass




8.13. LTE Peak to Average Ratio_Part22-24-27(Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	20	5.53	13	Pass




8.14. LTE Peak to Average Ratio_Part22-24-27(Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	20	5.72	13	Pass




8.15. LTE Peak to Average Ratio_Part22-24-27(Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	20	6.56	13	Pass




8.16. LTE Peak to Average Ratio_Part22-24-27(Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	20	6.47	13	Pass




8.17. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.25	13	Pass




8.18. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.63	13	Pass




8.19. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.05	13	Pass




8.20. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.28	13	Pass




8.21. LTE Peak to Average Ratio_Part22-24-27(Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1913.5	0.1	20	5.39	13	Pass




8.22. LTE Peak to Average Ratio_Part22-24-27(Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1913.5	0.1	20	5.58	13	Pass




8.23. LTE Peak to Average Ratio_Part22-24-27(Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1913.5	0.1	20	6.09	13	Pass




8.24. LTE Peak to Average Ratio_Part22-24-27(Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1913.5	0.1	20	6.38	13	Pass




8.25. LTE Peak to Average Ratio_Part22-24-27(Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	20	5.58	13	Pass




8.26. LTE Peak to Average Ratio_Part22-24-27(Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	20	5.67	13	Pass




8.27. LTE Peak to Average Ratio_Part22-24-27(Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	20	6.05	13	Pass




8.28. LTE Peak to Average Ratio_Part22-24-27(Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	20	6.56	13	Pass




8.29. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.3	13	Pass




8.30. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.53	13	Pass




8.31. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.19	13	Pass




8.32. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.33	13	Pass




8.33. LTE Peak to Average Ratio_Part22-24-27(Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	20	5.44	13	Pass




8.34. LTE Peak to Average Ratio_Part22-24-27(Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	20	5.63	13	Pass




8.35. LTE Peak to Average Ratio_Part22-24-27(Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	20	6.09	13	Pass




8.36. LTE Peak to Average Ratio_Part22-24-27(Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	20	6.33	13	Pass




8.37. LTE Peak to Average Ratio_Part22-24-27(Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	20	5.44	13	Pass




8.38. LTE Peak to Average Ratio_Part22-24-27(Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	20	5.77	13	Pass




8.39. LTE Peak to Average Ratio_Part22-24-27(Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	20	5.95	13	Pass




8.40. LTE Peak to Average Ratio_Part22-24-27(Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	20	6.47	13	Pass




8.41. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.3	13	Pass




8.42. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.67	13	Pass




8.43. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.67	13	Pass




8.44. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.33	13	Pass




8.45. LTE Peak to Average Ratio_Part22-24-27(Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	20	5.16	13	Pass




8.46. LTE Peak to Average Ratio_Part22-24-27(Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	20	5.72	13	Pass




8.47. LTE Peak to Average Ratio_Part22-24-27(Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	20	6	13	Pass




8.48. LTE Peak to Average Ratio_Part22-24-27(Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	20	6.42	13	Pass




8.49. LTE Peak to Average Ratio_Part22-24-27(Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	20	5.72	13	Pass




8.50. LTE Peak to Average Ratio_Part22-24-27(Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	20	6.05	13	Pass




8.51. LTE Peak to Average Ratio_Part22-24-27(Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	20	6.23	13	Pass




8.52. LTE Peak to Average Ratio_Part22-24-27(Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	20	6.52	13	Pass




8.53. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.06	13	Pass




8.54. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.95	13	Pass




8.55. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6	13	Pass




8.56. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.52	13	Pass




8.57. LTE Peak to Average Ratio_Part22-24-27(Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	20	5.39	13	Pass




8.58. LTE Peak to Average Ratio_Part22-24-27(Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	20	6.09	13	Pass




8.59. LTE Peak to Average Ratio_Part22-24-27(Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	20	6.05	13	Pass




8.60. LTE Peak to Average Ratio_Part22-24-27(Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	20	6.56	13	Pass




8.61. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.53	13	Pass




8.62. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.72	13	Pass




8.63. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.05	13	Pass




8.64. LTE Peak to Average Ratio_Part22-24-27(Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.42	13	Pass




8.65. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.02	13	Pass




8.66. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.72	13	Pass




8.67. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	5.95	13	Pass




8.68. LTE Peak to Average Ratio_Part22-24-27(Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.42	13	Pass




8.69. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.63	13	Pass




8.70. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.72	13	Pass




8.71. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.33	13	Pass



8.72. LTE Peak to Average Ratio_Part22-24-27(Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.47	13	Pass



9. LTE_Band26(part22)


9.1. LTE Peak to Average Ratio_Part22-24-27(Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	15	5.72	13	Pass




9.2. LTE Peak to Average Ratio_Part22-24-27(Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	15	5.86	13	Pass




9.3. LTE Peak to Average Ratio_Part22-24-27(Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	15	6.42	13	Pass




9.4. LTE Peak to Average Ratio_Part22-24-27(Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	15	6.61	13	Pass




9.5. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.3	13	Pass




9.6. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.39	13	Pass




9.7. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.91	13	Pass




9.8. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6.28	13	Pass




9.9. LTE Peak to Average Ratio_Part22-24-27(Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	15	5.77	13	Pass




9.10. LTE Peak to Average Ratio_Part22-24-27(Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	15	5.63	13	Pass




9.11. LTE Peak to Average Ratio_Part22-24-27(Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	15	6.33	13	Pass




9.12. LTE Peak to Average Ratio_Part22-24-27(Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	15	6.56	13	Pass




9.13. LTE Peak to Average Ratio_Part22-24-27(Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	15	5.48	13	Pass




9.14. LTE Peak to Average Ratio_Part22-24-27(Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	15	5.67	13	Pass




9.15. LTE Peak to Average Ratio_Part22-24-27(Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	15	6.38	13	Pass




9.16. LTE Peak to Average Ratio_Part22-24-27(Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	15	6.42	13	Pass




9.17. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.06	13	Pass




9.18. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	5.53	13	Pass




9.19. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6.05	13	Pass




9.20. LTE Peak to Average Ratio_Part22-24-27(Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	15	6.14	13	Pass




9.21. LTE Peak to Average Ratio_Part22-24-27(Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	15	5.67	13	Pass




9.22. LTE Peak to Average Ratio_Part22-24-27(Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	15	5.77	13	Pass




9.23. LTE Peak to Average Ratio_Part22-24-27(Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	15	6.19	13	Pass



9.24. LTE Peak to Average Ratio_Part22-24-27(Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	15	6.47	13	Pass



9.25. LTE Peak to Average Ratio_Part22-24-27(Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	15	5.48	13	Pass

