



3.40. LTE Peak to Average Ratio_Part22-24-27(Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	20	9.89	13	Pass




3.41. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	8.95	13	Pass




3.42. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.19	13	Pass




3.43. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	10.03	13	Pass




3.44. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.94	13	Pass




3.45. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	8.63	13	Pass




3.46. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.14	13	Pass




3.47. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.47	13	Pass




3.48. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.84	13	Pass




3.49. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	8.44	13	Pass




3.50. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.09	13	Pass




3.51. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.33	13	Pass



3.52. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.8	13	Pass



1. LTE_Band41 full


1.1. LTE Peak to Average Ratio_Part22-24-27(Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	20	9.05	13	Pass




1.2. LTE Peak to Average Ratio_Part22-24-27(Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	20	9.33	13	Pass




1.3. LTE Peak to Average Ratio_Part22-24-27(Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	20	9.7	13	Pass




1.4. LTE Peak to Average Ratio_Part22-24-27(Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2498.5	0.1	20	10.08	13	Pass




1.5. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.05	13	Pass




1.6. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.33	13	Pass




1.7. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.94	13	Pass




1.8. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.98	13	Pass




1.9. LTE Peak to Average Ratio_Part22-24-27(Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	20	8.86	13	Pass




1.10. LTE Peak to Average Ratio_Part22-24-27(Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	20	9.19	13	Pass




1.11. LTE Peak to Average Ratio_Part22-24-27(Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	20	9.75	13	Pass




1.12. LTE Peak to Average Ratio_Part22-24-27(Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2687.5	0.1	20	9.94	13	Pass




1.13. LTE Peak to Average Ratio_Part22-24-27(Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	20	9	13	Pass




1.14. LTE Peak to Average Ratio_Part22-24-27(Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	20	9.42	13	Pass




1.15. LTE Peak to Average Ratio_Part22-24-27(Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	20	10.36	13	Pass




1.16. LTE Peak to Average Ratio_Part22-24-27(Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501	0.1	20	10.08	13	Pass




1.17. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.52	13	Pass




1.18. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.33	13	Pass




1.19. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.75	13	Pass




1.20. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.98	13	Pass




1.21. LTE Peak to Average Ratio_Part22-24-27(Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	20	8.67	13	Pass




1.22. LTE Peak to Average Ratio_Part22-24-27(Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	20	9.19	13	Pass




1.23. LTE Peak to Average Ratio_Part22-24-27(Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	20	9.47	13	Pass




1.24. LTE Peak to Average Ratio_Part22-24-27(Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	20	9.98	13	Pass




1.25. LTE Peak to Average Ratio_Part22-24-27(Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	20	8.91	13	Pass




1.26. LTE Peak to Average Ratio_Part22-24-27(Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	20	9.7	13	Pass




1.27. LTE Peak to Average Ratio_Part22-24-27(Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	20	9.89	13	Pass




1.28. LTE Peak to Average Ratio_Part22-24-27(Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2503.5	0.1	20	10.27	13	Pass




1.29. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	8.91	13	Pass




1.30. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.66	13	Pass




1.31. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	10.03	13	Pass




1.32. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	10.17	13	Pass




1.33. LTE Peak to Average Ratio_Part22-24-27(Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2682.5	0.1	20	8.95	13	Pass




1.34. LTE Peak to Average Ratio_Part22-24-27(Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2682.5	0.1	20	9.56	13	Pass




1.35. LTE Peak to Average Ratio_Part22-24-27(Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2682.5	0.1	20	9.75	13	Pass




1.36. LTE Peak to Average Ratio_Part22-24-27(Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2682.5	0.1	20	10.03	13	Pass




1.37. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.38	13	Pass




1.38. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.38	13	Pass




1.39. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	9.94	13	Pass




1.40. LTE Peak to Average Ratio_Part22-24-27(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	20	10.08	13	Pass




1.41. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.42	13	Pass




1.42. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.38	13	Pass




1.43. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	10.22	13	Pass




1.44. LTE Peak to Average Ratio_Part22-24-27(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.94	13	Pass




1.45. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.05	13	Pass




1.46. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.28	13	Pass




1.47. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.47	13	Pass



1.48. LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.94	13	Pass



2. LTE_Band12


2.1. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	10	5.72	13	Pass




2.2. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	10	5.91	13	Pass




2.3. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	10	6.56	13	Pass




2.4. LTE Peak to Average Ratio_Part22-24-27(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	10	6.52	13	Pass




2.5. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.95	13	Pass




2.6. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.05	13	Pass




2.7. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.47	13	Pass




2.8. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.66	13	Pass




2.9. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	5.44	13	Pass




2.10. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	5.67	13	Pass




2.11. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	6.28	13	Pass




2.12. LTE Peak to Average Ratio_Part22-24-27(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	10	6.42	13	Pass




2.13. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	10	5.72	13	Pass




2.14. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	10	5.86	13	Pass




2.15. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	10	6.56	13	Pass




2.16. LTE Peak to Average Ratio_Part22-24-27(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	10	6.61	13	Pass




2.17. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.77	13	Pass




2.18. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.95	13	Pass




2.19. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.33	13	Pass




2.20. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.61	13	Pass




2.21. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	5.72	13	Pass




2.22. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	5.67	13	Pass




2.23. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	6.52	13	Pass




2.24. LTE Peak to Average Ratio_Part22-24-27(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	10	6.47	13	Pass




2.25. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	10	5.67	13	Pass




2.26. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	10	5.81	13	Pass




2.27. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	10	6.38	13	Pass




2.28. LTE Peak to Average Ratio_Part22-24-27(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	10	6.61	13	Pass




2.29. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.77	13	Pass




2.30. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.95	13	Pass




2.31. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.52	13	Pass




2.32. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.7	13	Pass




2.33. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	5.86	13	Pass




2.34. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	5.77	13	Pass




2.35. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	6.8	13	Pass




2.36. LTE Peak to Average Ratio_Part22-24-27(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	10	6.47	13	Pass




2.37. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	5.81	13	Pass




2.38. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	5.81	13	Pass




2.39. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	6.8	13	Pass




2.40. LTE Peak to Average Ratio_Part22-24-27(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	10	6.56	13	Pass




2.41. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.81	13	Pass




2.42. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	5.91	13	Pass




2.43. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.47	13	Pass




2.44. LTE Peak to Average Ratio_Part22-24-27(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	10	6.61	13	Pass




2.45. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.72	13	Pass




2.46. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	5.81	13	Pass




2.47. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.75	13	Pass



2.48. LTE Peak to Average Ratio_Part22-24-27(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	10	6.52	13	Pass



1. LTE_Band26(part90)


1.1. LTE Peak to Average Ratio_Part90(Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	10	5.11	13	Pass




1.2. LTE Peak to Average Ratio_Part90(Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	10	5.39	13	Pass




1.3. LTE Peak to Average Ratio_Part90(Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	10	6	13	Pass




1.4. LTE Peak to Average Ratio_Part90(Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
814.7	0.1	10	6.19	13	Pass




1.5. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.06	13	Pass




1.6. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.48	13	Pass




1.7. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.05	13	Pass




1.8. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.28	13	Pass




1.9. LTE Peak to Average Ratio_Part90(Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	10	5.67	13	Pass




1.10. LTE Peak to Average Ratio_Part90(Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	10	5.81	13	Pass




1.11. LTE Peak to Average Ratio_Part90(Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	10	6.38	13	Pass




1.12. LTE Peak to Average Ratio_Part90(Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
823.3	0.1	10	6.61	13	Pass




1.13. LTE Peak to Average Ratio_Part90(Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	10	5.11	13	Pass




1.14. LTE Peak to Average Ratio_Part90(Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	10	5.34	13	Pass




1.15. LTE Peak to Average Ratio_Part90(Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	10	6	13	Pass




1.16. LTE Peak to Average Ratio_Part90(Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
815.5	0.1	10	6.09	13	Pass




1.17. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.06	13	Pass




1.18. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.48	13	Pass




1.19. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.77	13	Pass




1.20. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.23	13	Pass




1.21. LTE Peak to Average Ratio_Part90(Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	10	5.48	13	Pass




1.22. LTE Peak to Average Ratio_Part90(Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	10	5.81	13	Pass




1.23. LTE Peak to Average Ratio_Part90(Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	10	6.19	13	Pass




1.24. LTE Peak to Average Ratio_Part90(Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
822.5	0.1	10	6.52	13	Pass




1.25. LTE Peak to Average Ratio_Part90(Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
816.5	0.1	10	5.16	13	Pass




1.26. LTE Peak to Average Ratio_Part90(Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
816.5	0.1	10	5.39	13	Pass




1.27. LTE Peak to Average Ratio_Part90(Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
816.5	0.1	10	6.05	13	Pass




1.28. LTE Peak to Average Ratio_Part90(Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
816.5	0.1	10	6.19	13	Pass




1.29. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	4.88	13	Pass




1.30. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.48	13	Pass




1.31. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.81	13	Pass




1.32. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.28	13	Pass




1.33. LTE Peak to Average Ratio_Part90(Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	5.25	13	Pass




1.34. LTE Peak to Average Ratio_Part90(Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	5.67	13	Pass




1.35. LTE Peak to Average Ratio_Part90(Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	5.95	13	Pass




1.36. LTE Peak to Average Ratio_Part90(Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	6.47	13	Pass




1.37. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.02	13	Pass




1.38. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.58	13	Pass




1.39. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.86	13	Pass



1.40. LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.33	13	Pass



6. LTE_Band14


6.1. LTE Peak to Average Ratio_Part90(Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
790.5	0.1	10	4.92	13	Pass




6.2. LTE Peak to Average Ratio_Part90(Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
790.5	0.1	10	5.3	13	Pass




6.3. LTE Peak to Average Ratio_Part90(Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
790.5	0.1	10	5.63	13	Pass




6.4. LTE Peak to Average Ratio_Part90(Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
790.5	0.1	10	6.05	13	Pass




6.5. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.02	13	Pass




6.6. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.58	13	Pass




6.7. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.48	13	Pass




6.8. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	6.23	13	Pass




6.9. LTE Peak to Average Ratio_Part90(Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
795.5	0.1	10	5.58	13	Pass




6.10. LTE Peak to Average Ratio_Part90(Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
795.5	0.1	10	5.67	13	Pass




6.11. LTE Peak to Average Ratio_Part90(Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
795.5	0.1	10	6.23	13	Pass




6.12. LTE Peak to Average Ratio_Part90(Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
795.5	0.1	10	6.47	13	Pass




6.13. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	4.78	13	Pass




6.14. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.48	13	Pass




6.15. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	5.53	13	Pass



6.16. LTE Peak to Average Ratio_Part90(Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Center Frequency (MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
793	0.1	10	6.23	13	Pass



1. n2


1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	3.7	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	4.31	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.72	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.58	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.8	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.47	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.23	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.61	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.94	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.47	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	3.66	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	4.08	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	5.53	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	5.3	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.52	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.28	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.14	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.56	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.84	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	6.42	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5	3.66	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5	3.84	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5	5.44	13	Pass



1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5	5.25	13	Pass



1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5	6.47	13	Pass

