



4.32. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	4.22	13	Pass




4.33. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	5.48	13	Pass




4.34. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	5.48	13	Pass




4.35. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.56	13	Pass




4.36. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.33	13	Pass




4.37. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.23	13	Pass




4.38. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.52	13	Pass




4.39. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.98	13	Pass




4.40. Peak to Average Ratio for SA_Part22-24-27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	10	6.61	13	Pass




4.41. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	3.66	13	Pass




4.42. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	4.55	13	Pass




4.43. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	5.86	13	Pass




4.44. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	5.58	13	Pass




4.45. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	7.03	13	Pass




4.46. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	6.52	13	Pass




4.47. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	6.28	13	Pass




4.48. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	6.52	13	Pass




4.49. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	6.98	13	Pass




4.50. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	10	6.61	13	Pass




4.51. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	3.66	13	Pass




4.52. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	4.5	13	Pass




4.53. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	5.81	13	Pass




4.54. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	5.62	13	Pass




4.55. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	7.12	13	Pass




4.56. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	6.52	13	Pass




4.57. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	6.28	13	Pass




4.58. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	6.52	13	Pass




4.59. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	6.94	13	Pass




4.60. Peak to Average Ratio for SA_Part22-24-27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1775	0.1	10	6.61	13	Pass




4.61. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	3.7	13	Pass




4.62. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	4.08	13	Pass




4.63. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	5.48	13	Pass




4.64. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	5.62	13	Pass




4.65. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.89	13	Pass




4.66. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.23	13	Pass




4.67. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.33	13	Pass




4.68. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.61	13	Pass




4.69. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.98	13	Pass




4.70. Peak to Average Ratio for SA_Part22-24-27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	18	6.7	13	Pass




4.71. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	3.7	13	Pass




4.72. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	4.5	13	Pass




4.73. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	5.77	13	Pass




4.74. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	5.62	13	Pass




4.75. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	7.08	13	Pass




4.76. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	6.52	13	Pass




4.77. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	6.37	13	Pass




4.78. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	6.66	13	Pass




4.79. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	6.98	13	Pass




4.80. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	18	6.66	13	Pass




4.81. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	3.7	13	Pass




4.82. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	4.36	13	Pass




4.83. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	5.72	13	Pass




4.84. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	5.58	13	Pass




4.85. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.94	13	Pass




4.86. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.42	13	Pass




4.87. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.23	13	Pass




4.88. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.56	13	Pass




4.89. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.94	13	Pass




4.90. Peak to Average Ratio for SA_Part22-24-27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1772.5	0.1	18	6.66	13	Pass




4.91. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	3.66	13	Pass




4.92. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	4.27	13	Pass




4.93. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.53	13	Pass




4.94. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.53	13	Pass




4.95. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.61	13	Pass




4.96. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.37	13	Pass




4.97. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.23	13	Pass




4.98. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.47	13	Pass




4.99. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.98	13	Pass




4.100. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.75	13	Pass




4.101. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	3.66	13	Pass




4.102. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	4.45	13	Pass




4.103. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.86	13	Pass




4.104. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.72	13	Pass




4.105. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	7.08	13	Pass




4.106. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.42	13	Pass




4.107. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.33	13	Pass




4.108. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.56	13	Pass




4.109. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.98	13	Pass




4.110. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.75	13	Pass




4.111. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	3.61	13	Pass




4.112. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	4.45	13	Pass




4.113. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.72	13	Pass




4.114. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.67	13	Pass




4.115. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.94	13	Pass




4.116. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.37	13	Pass




4.117. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.28	13	Pass




4.118. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.52	13	Pass




4.119. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.94	13	Pass



4.120. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.7	13	Pass



5. n38_PC3


5.1. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.12	13	Pass




5.2. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.08	13	Pass




5.3. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.2	13	Pass




5.4. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.53	13	Pass




5.5. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.89	13	Pass




5.6. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.23	13	Pass




5.7. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.42	13	Pass




5.8. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.52	13	Pass




5.9. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.47	13	Pass




5.10. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.42	13	Pass




5.11. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.22	13	Pass




5.12. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.36	13	Pass




5.13. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.16	13	Pass




5.14. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.53	13	Pass




5.15. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.37	13	Pass




5.16. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.19	13	Pass




5.17. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.66	13	Pass




5.18. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.52	13	Pass




5.19. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.14	13	Pass




5.20. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.37	13	Pass




5.21. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.5	13	Pass




5.22. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.41	13	Pass




5.23. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.34	13	Pass




5.24. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.67	13	Pass




5.25. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.75	13	Pass




5.26. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.28	13	Pass




5.27. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.37	13	Pass




5.28. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.47	13	Pass




5.29. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.33	13	Pass




5.30. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.37	13	Pass




5.31. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	4.45	13	Pass




5.32. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	4.12	13	Pass




5.33. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	5.16	13	Pass




5.34. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	5.67	13	Pass




5.35. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.8	13	Pass




5.36. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.37	13	Pass




5.37. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.37	13	Pass




5.38. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.52	13	Pass




5.39. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.47	13	Pass




5.40. Peak to Average Ratio for SA_Part22-24-27(Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2585	0.1	30	6.52	13	Pass




5.41. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	4.36	13	Pass




5.42. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	4.31	13	Pass




5.43. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	5.16	13	Pass




5.44. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	5.48	13	Pass




5.45. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.05	13	Pass




5.46. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.33	13	Pass




5.47. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.37	13	Pass




5.48. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.47	13	Pass




5.49. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.42	13	Pass




5.50. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	30	6.47	13	Pass




5.51. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	3.84	13	Pass




5.52. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	4.41	13	Pass




5.53. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	5.53	13	Pass




5.54. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	5.53	13	Pass




5.55. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.37	13	Pass




5.56. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.33	13	Pass




5.57. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.75	13	Pass




5.58. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.33	13	Pass




5.59. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.37	13	Pass




5.60. Peak to Average Ratio for SA_Part22-24-27(Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2605	0.1	30	6.47	13	Pass




5.61. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	3.84	13	Pass




5.62. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	4.36	13	Pass




5.63. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	5.48	13	Pass




5.64. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	5.48	13	Pass




5.65. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.14	13	Pass




5.66. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.23	13	Pass




5.67. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.14	13	Pass




5.68. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.47	13	Pass




5.69. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.14	13	Pass




5.70. Peak to Average Ratio for SA_Part22-24-27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2590	0.1	40	6.47	13	Pass




5.71. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	3.84	13	Pass




5.72. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	4.41	13	Pass




5.73. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	5.48	13	Pass




5.74. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	5.53	13	Pass




5.75. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.66	13	Pass




5.76. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.23	13	Pass




5.77. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.14	13	Pass




5.78. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.47	13	Pass




5.79. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.47	13	Pass




5.80. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	40	6.47	13	Pass




5.81. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	3.84	13	Pass




5.82. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	4.41	13	Pass




5.83. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	5.53	13	Pass




5.84. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	5.53	13	Pass




5.85. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.05	13	Pass




5.86. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.33	13	Pass




5.87. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.42	13	Pass




5.88. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.52	13	Pass




5.89. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.42	13	Pass



5.90. Peak to Average Ratio for SA_Part22-24-27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2600	0.1	40	6.42	13	Pass



1. n5


1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5	3.61	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5	4.22	13	Pass



1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5	5.62	13	Pass



1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5	5.53	13	Pass

