



1.98. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.07	13	Pass




1.99. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.7	13	Pass




1.100. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.2	13	Pass




1.101. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.13	13	Pass




1.102. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.12	13	Pass




1.103. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.17	13	Pass




1.104. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.92	13	Pass




1.105. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.77	13	Pass




1.106. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.53	13	Pass




1.107. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.05	13	Pass




1.108. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.78	13	Pass




1.109. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.67	13	Pass




1.110. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.2	13	Pass




1.111. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.26	13	Pass




1.112. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.41	13	Pass




1.113. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.3	13	Pass




1.114. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.17	13	Pass




1.115. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.84	13	Pass




1.116. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.75	13	Pass




1.117. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.12	13	Pass




1.118. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.99	13	Pass




1.119. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.78	13	Pass




1.120. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.35	13	Pass




1.121. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	4.17	13	Pass




1.122. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	3.98	13	Pass




1.123. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	5.15	13	Pass




1.124. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	5.15	13	Pass




1.125. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	7.02	13	Pass




1.126. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	5.9	13	Pass




1.127. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.11	13	Pass




1.128. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.14	13	Pass




1.129. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.75	13	Pass




1.130. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.29	13	Pass




1.131. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	4.08	13	Pass




1.132. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	3.87	13	Pass




1.133. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	5.17	13	Pass




1.134. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	4.95	13	Pass




1.135. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.85	13	Pass




1.136. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	5.6	13	Pass




1.137. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.1	13	Pass




1.138. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	5.94	13	Pass




1.139. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.69	13	Pass




1.140. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.19	13	Pass




1.141. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	4.17	13	Pass




1.142. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	4.23	13	Pass




1.143. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	5.22	13	Pass




1.144. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	5.21	13	Pass




1.145. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.6	13	Pass




1.146. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	5.82	13	Pass




1.147. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.07	13	Pass




1.148. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.04	13	Pass




1.149. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.72	13	Pass




1.150. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.41	13	Pass




1.151. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	4.17	13	Pass




1.152. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	4.29	13	Pass




1.153. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	5.14	13	Pass




1.154. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	5.13	13	Pass




1.155. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.97	13	Pass




1.156. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	5.82	13	Pass




1.157. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.08	13	Pass




1.158. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.06	13	Pass




1.159. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.69	13	Pass




1.160. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.27	13	Pass




1.161. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	4.18	13	Pass




1.162. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	3.97	13	Pass




1.163. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	5.14	13	Pass




1.164. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	4.89	13	Pass




1.165. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.9	13	Pass




1.166. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	5.57	13	Pass




1.167. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.07	13	Pass




1.168. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	5.86	13	Pass




1.169. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.72	13	Pass




1.170. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.21	13	Pass




1.171. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	4.17	13	Pass




1.172. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	4.22	13	Pass




1.173. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.06	13	Pass




1.174. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.04	13	Pass




1.175. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.27	13	Pass




1.176. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.69	13	Pass




1.177. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.77	13	Pass




1.178. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.95	13	Pass




1.179. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.52	13	Pass




1.180. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.36	13	Pass




1.181. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	4.16	13	Pass




1.182. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	4.47	13	Pass




1.183. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	5.16	13	Pass




1.184. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	5.23	13	Pass




1.185. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.98	13	Pass




1.186. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	5.86	13	Pass




1.187. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.09	13	Pass




1.188. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.09	13	Pass




1.189. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.71	13	Pass




1.190. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.29	13	Pass




1.191. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	4.16	13	Pass




1.192. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	4.35	13	Pass




1.193. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	5.18	13	Pass




1.194. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	4.96	13	Pass




1.195. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.93	13	Pass




1.196. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	5.61	13	Pass




1.197. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.1	13	Pass




1.198. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	5.89	13	Pass




1.199. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.75	13	Pass




1.200. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.21	13	Pass




1.201. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	4.17	13	Pass




1.202. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	4.63	13	Pass




1.203. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	5.06	13	Pass




1.204. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	5.16	13	Pass




1.205. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.37	13	Pass




1.206. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	5.75	13	Pass




1.207. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	5.84	13	Pass




1.208. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.01	13	Pass




1.209. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.53	13	Pass




1.210. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.41	13	Pass




1.211. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	4.13	13	Pass




1.212. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	4.36	13	Pass




1.213. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	5.13	13	Pass




1.214. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	5.23	13	Pass




1.215. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.99	13	Pass




1.216. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	5.83	13	Pass




1.217. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.11	13	Pass




1.218. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.08	13	Pass




1.219. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.73	13	Pass




1.220. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.33	13	Pass




1.221. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	4.17	13	Pass




1.222. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	3.86	13	Pass




1.223. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	5.18	13	Pass




1.224. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	4.99	13	Pass




1.225. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	7.01	13	Pass




1.226. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	5.6	13	Pass




1.227. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.15	13	Pass




1.228. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	5.89	13	Pass




1.229. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.78	13	Pass




1.230. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.21	13	Pass




1.231. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	4.15	13	Pass




1.232. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	4.25	13	Pass




1.233. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.03	13	Pass




1.234. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.15	13	Pass




1.235. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.41	13	Pass




1.236. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.72	13	Pass




1.237. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.8	13	Pass




1.238. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.99	13	Pass




1.239. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.54	13	Pass




1.240. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.38	13	Pass




1.241. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.12	13	Pass




1.242. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.3	13	Pass




1.243. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.15	13	Pass




1.244. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.2	13	Pass




1.245. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.97	13	Pass




1.246. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.84	13	Pass




1.247. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.14	13	Pass




1.248. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.1	13	Pass




1.249. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.69	13	Pass




1.250. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.35	13	Pass




1.251. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.16	13	Pass




1.252. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.42	13	Pass




1.253. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.2	13	Pass




1.254. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.97	13	Pass




1.255. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	7.05	13	Pass




1.256. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.67	13	Pass




1.257. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.16	13	Pass




1.258. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.92	13	Pass




1.259. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.78	13	Pass




1.260. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.21	13	Pass




1.261. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	4.13	13	Pass




1.262. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	4.59	13	Pass




1.263. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.03	13	Pass




1.264. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.08	13	Pass




1.265. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.51	13	Pass




1.266. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.7	13	Pass




1.267. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.88	13	Pass




1.268. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.02	13	Pass




1.269. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.57	13	Pass



1.270. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.35	13	Pass



1. n77(3450-3550)


1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.31	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.31	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.25	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.48	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.14	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.23	13	Pass



1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.37	13	Pass



1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.56	13	Pass

