



1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.09	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.17	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.31	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.87	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.48	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.8	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.28	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.91	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.52	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.33	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.47	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.08	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.27	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.62	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.48	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.61	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.33	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.09	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.52	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.56	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.47	13	Pass




1.32. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	3.94	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	4.36	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.48	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.58	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.28	13	Pass




1.38. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.14	13	Pass




1.39. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.42	13	Pass




1.40. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.47	13	Pass




1.41. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.52	13	Pass




1.42. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.17	13	Pass




1.43. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.31	13	Pass




1.44. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.97	13	Pass




1.45. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	5.44	13	Pass




1.46. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.28	13	Pass




1.47. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.28	13	Pass




1.48. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.09	13	Pass




1.49. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.47	13	Pass




1.50. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.28	13	Pass




1.51. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.52	13	Pass




1.52. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	4.12	13	Pass




1.53. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	4.27	13	Pass




1.54. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	4.97	13	Pass




1.55. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	5.44	13	Pass




1.56. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6	13	Pass




1.57. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.19	13	Pass




1.58. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.09	13	Pass




1.59. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.37	13	Pass




1.60. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.05	13	Pass




1.61. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.47	13	Pass




1.62. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	4.12	13	Pass




1.63. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	4.36	13	Pass




1.64. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	5.48	13	Pass




1.65. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	5.44	13	Pass




1.66. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6	13	Pass




1.67. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6.19	13	Pass




1.68. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6.37	13	Pass




1.69. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6.42	13	Pass




1.70. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6.09	13	Pass




1.71. Peak to Average Ratio for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3470.01	0.1	40	6.61	13	Pass




1.72. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	4.08	13	Pass




1.73. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	4.27	13	Pass




1.74. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	5.44	13	Pass




1.75. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	5.39	13	Pass




1.76. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6	13	Pass




1.77. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6.23	13	Pass




1.78. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6.37	13	Pass




1.79. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6.47	13	Pass




1.80. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6.33	13	Pass




1.81. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	40	6.56	13	Pass




1.82. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	4.03	13	Pass




1.83. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	4.27	13	Pass




1.84. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	5.44	13	Pass




1.85. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	5.39	13	Pass




1.86. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.42	13	Pass




1.87. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.19	13	Pass




1.88. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.05	13	Pass




1.89. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.42	13	Pass




1.90. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.33	13	Pass




1.91. Peak to Average Ratio for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3529.98	0.1	40	6.56	13	Pass




1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	4.05	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	4.09	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	5.15	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	5.72	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.27	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.31	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.2	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.57	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.19	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3480	0.1	60	6.58	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	4.03	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	4.09	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	5.43	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	5.3	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.29	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.15	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.12	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.57	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.13	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	60	6.55	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	4.09	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	4.15	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	5.59	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	5.32	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.12	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.18	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.32	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.52	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.27	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3519.99	0.1	60	6.55	13	Pass




1.31. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	4.01	13	Pass




1.32. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	4.16	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	5.42	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	5.59	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.28	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.4	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.06	13	Pass




1.38. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.52	13	Pass




1.39. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.13	13	Pass




1.40. Peak to Average Ratio for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3490.02	0.1	80	6.56	13	Pass




1.41. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	3.96	13	Pass




1.42. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	4.15	13	Pass




1.43. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	5.46	13	Pass




1.44. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	5.59	13	Pass




1.45. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.22	13	Pass




1.46. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.36	13	Pass




1.47. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.31	13	Pass




1.48. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.53	13	Pass




1.49. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.37	13	Pass




1.50. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	80	6.51	13	Pass




1.51. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	4.04	13	Pass




1.52. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	4.22	13	Pass




1.53. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	5.52	13	Pass




1.54. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	5.34	13	Pass




1.55. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.08	13	Pass




1.56. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.12	13	Pass




1.57. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.34	13	Pass




1.58. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.45	13	Pass




1.59. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.37	13	Pass




1.60. Peak to Average Ratio for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3510	0.1	80	6.56	13	Pass




1.61. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	3.84	13	Pass




1.62. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	4.13	13	Pass




1.63. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	5.45	13	Pass




1.64. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	5.64	13	Pass




1.65. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.15	13	Pass




1.66. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.26	13	Pass




1.67. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.36	13	Pass




1.68. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.51	13	Pass




1.69. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.31	13	Pass




1.70. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	100	6.63	13	Pass




2. n78(3450-3550)

2.1. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




2.2. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.31	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.48	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.44	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.05	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.28	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.44	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.52	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.19	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.31	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.31	13	Pass




2.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.62	13	Pass




2.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.53	13	Pass




2.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.05	13	Pass




2.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.33	13	Pass




2.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.42	13	Pass




2.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.52	13	Pass




2.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.61	13	Pass




2.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.42	13	Pass




2.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.36	13	Pass




2.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.36	13	Pass




2.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.39	13	Pass




2.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.53	13	Pass




2.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6	13	Pass




2.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.28	13	Pass




2.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




2.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.52	13	Pass




2.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.05	13	Pass




2.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




2.35. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	4.41	13	Pass



2.36. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	4.17	13	Pass



2.37. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.44	13	Pass

