



7.64. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	5.38	13	Pass




7.65. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	5.81	13	Pass




7.66. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	6.02	13	Pass




7.67. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	6.06	13	Pass




7.68. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	6.37	13	Pass




7.69. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	6.09	13	Pass




7.70. Peak to Average Ratio for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3735	0.1	78	6.39	13	Pass




7.71. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	3.71	13	Pass




7.72. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	4.23	13	Pass




7.73. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	5.25	13	Pass




7.74. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	5.42	13	Pass




7.75. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	5.95	13	Pass




7.76. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	6.09	13	Pass




7.77. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	6.11	13	Pass




7.78. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	6.37	13	Pass




7.79. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	6.11	13	Pass




7.80. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	78	6.43	13	Pass




7.81. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	3.76	13	Pass




7.82. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	4.14	13	Pass




7.83. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	5.14	13	Pass




7.84. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	5.43	13	Pass




7.85. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	6.14	13	Pass




7.86. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	6.1	13	Pass




7.87. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	5.96	13	Pass




7.88. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	6.42	13	Pass




7.89. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	6	13	Pass




7.90. Peak to Average Ratio for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3765	0.1	78	6.43	13	Pass




7.91. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	3.73	13	Pass




7.92. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	3.97	13	Pass




7.93. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	5.17	13	Pass




7.94. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	5.31	13	Pass




7.95. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	5.82	13	Pass




7.96. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	6.08	13	Pass




7.97. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	6.06	13	Pass




7.98. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	6.34	13	Pass




7.99. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	6.11	13	Pass




7.100. Peak to Average Ratio for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3740.01	0.1	80	6.41	13	Pass




7.101. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	3.69	13	Pass




7.102. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	3.94	13	Pass




7.103. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	5.16	13	Pass




7.104. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	5.33	13	Pass




7.105. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	5.86	13	Pass




7.106. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	6.09	13	Pass




7.107. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	6.07	13	Pass




7.108. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	6.37	13	Pass




7.109. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	6.07	13	Pass




7.110. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	80	6.45	13	Pass




7.111. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	3.63	13	Pass




7.112. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	4.81	13	Pass




7.113. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	5.13	13	Pass




7.114. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	5.32	13	Pass




7.115. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.03	13	Pass




7.116. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.1	13	Pass




7.117. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.11	13	Pass




7.118. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.37	13	Pass




7.119. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.11	13	Pass




7.120. Peak to Average Ratio for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3759.99	0.1	80	6.39	13	Pass




7.121. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	3.68	13	Pass




7.122. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	3.88	13	Pass




7.123. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	5.12	13	Pass




7.124. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	5.25	13	Pass




7.125. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	5.81	13	Pass




7.126. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	6.03	13	Pass




7.127. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	6.11	13	Pass




7.128. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	6.36	13	Pass




7.129. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	6.12	13	Pass




7.130. Peak to Average Ratio for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3745.02	0.1	90	6.51	13	Pass




7.131. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	3.71	13	Pass




7.132. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	3.83	13	Pass




7.133. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	5.21	13	Pass




7.134. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	5.35	13	Pass




7.135. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	5.92	13	Pass




7.136. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	6.09	13	Pass




7.137. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	6.13	13	Pass




7.138. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	6.37	13	Pass




7.139. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	6.06	13	Pass




7.140. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	90	6.5	13	Pass




7.141. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	3.65	13	Pass




7.142. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	4.35	13	Pass




7.143. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	5.19	13	Pass




7.144. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	5.29	13	Pass




7.145. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	5.83	13	Pass




7.146. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	6.08	13	Pass




7.147. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	6.12	13	Pass




7.148. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	6.36	13	Pass




7.149. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	6.09	13	Pass




7.150. Peak to Average Ratio for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3754.98	0.1	90	6.46	13	Pass




7.151. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	3.66	13	Pass




7.152. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	4.08	13	Pass




7.153. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	5.15	13	Pass




7.154. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	5.37	13	Pass




7.155. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	5.84	13	Pass




7.156. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	6.11	13	Pass




7.157. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	6.07	13	Pass




7.158. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	6.33	13	Pass




7.159. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	6.12	13	Pass




7.160. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	100	6.55	13	Pass




4. n77(3700-3980)

4.1. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




4.2. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.27	13	Pass



4.3. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.53	13	Pass




4.4. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.2	13	Pass




4.5. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.14	13	Pass




4.6. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.95	13	Pass




4.7. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.66	13	Pass




4.8. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.23	13	Pass




4.9. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.37	13	Pass




4.10. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.28	13	Pass




4.11. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	3.94	13	Pass




4.12. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	4.41	13	Pass




4.13. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.44	13	Pass




4.14. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.58	13	Pass




4.15. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6	13	Pass




4.16. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.33	13	Pass




4.17. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.28	13	Pass




4.18. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.47	13	Pass




4.19. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	5.95	13	Pass




4.20. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.33	13	Pass




4.21. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.75	13	Pass




4.22. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.36	13	Pass




4.23. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.11	13	Pass




4.24. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.48	13	Pass




4.25. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.28	13	Pass




4.26. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.19	13	Pass




4.27. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.25	13	Pass




4.28. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.42	13	Pass




4.29. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.19	13	Pass




4.30. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.33	13	Pass




4.31. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	4.12	13	Pass




4.32. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	4.22	13	Pass




4.33. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.39	13	Pass




4.34. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.16	13	Pass




4.35. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.09	13	Pass




4.36. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.05	13	Pass




4.37. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	5.91	13	Pass




4.38. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.23	13	Pass




4.39. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.23	13	Pass




4.40. Peak to Average Ratio for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3715.02	0.1	30	6.42	13	Pass




4.41. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	3.8	13	Pass




4.42. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	4.36	13	Pass




4.43. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.62	13	Pass




4.44. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	5.53	13	Pass




4.45. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.23	13	Pass




4.46. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.33	13	Pass




4.47. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.84	13	Pass




4.48. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.33	13	Pass




4.49. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.33	13	Pass




4.50. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.47	13	Pass




4.51. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	4.22	13	Pass




4.52. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	4.31	13	Pass




4.53. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.34	13	Pass




4.54. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.48	13	Pass




4.55. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.95	13	Pass




4.56. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.28	13	Pass




4.57. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.75	13	Pass




4.58. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.42	13	Pass




4.59. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.47	13	Pass




4.60. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.37	13	Pass




4.61. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	3.98	13	Pass




4.62. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	4.22	13	Pass




4.63. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	5.34	13	Pass




4.64. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	5.11	13	Pass




4.65. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.14	13	Pass




4.66. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	5.95	13	Pass




4.67. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.14	13	Pass




4.68. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.19	13	Pass




4.69. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.14	13	Pass




4.70. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.37	13	Pass




4.71. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	3.8	13	Pass




4.72. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	4.41	13	Pass




4.73. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.62	13	Pass




4.74. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.62	13	Pass




4.75. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6	13	Pass




4.76. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.33	13	Pass




4.77. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.09	13	Pass




4.78. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.52	13	Pass




4.79. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.95	13	Pass




4.80. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.52	13	Pass




4.81. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	3.66	13	Pass




4.82. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	4.36	13	Pass




4.83. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.16	13	Pass




4.84. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.62	13	Pass




4.85. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.91	13	Pass




4.86. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.28	13	Pass




4.87. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6	13	Pass



4.88. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.42	13	Pass



4.89. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.14	13	Pass

