


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.61	-13	53.61	Pass	401
0.15	30	0.01	Peak	0.315	-63.82	-13	50.82	Pass	5971
30	1000	0.1	Peak	850.45	-51.74	-13	38.74	Pass	19402
1000	3000	1	Peak	1853.5	22.72	-13	-35.72	N/A	4001
3000	20000	1	Peak	19740	-25.4	-13	12.4	Pass	34005




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9400)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.24	-13	53.24	Pass	401
0.15	30	0.01	Peak	0.21	-63.64	-13	50.64	Pass	5971
30	1000	0.1	Peak	573	-52.38	-13	39.38	Pass	19402
1000	3000	1	Peak	1878.5	22.5	-13	-35.5	N/A	4001
3000	20000	1	Peak	19966	-25.13	-13	12.13	Pass	34005



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.15	-13	52.15	Pass	401
0.15	30	0.01	Peak	0.185	-63.61	-13	50.61	Pass	5971
30	1000	0.1	Peak	832.5	-52.01	-13	39.01	Pass	19402
1000	3000	1	Peak	1906.5	22.86	-13	-35.86	N/A	4001
3000	20000	1	Peak	19794.5	-25.56	-13	12.56	Pass	34005



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1312)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.86	-13	52.86	Pass	401
0.15	30	0.01	Peak	0.185	-63.35	-13	50.35	Pass	5971
30	1000	0.1	Peak	847.8	-52.61	-13	39.61	Pass	19402
1000	3000	1	Peak	1713.5	22.88	-13	-35.88	N/A	4001
3000	20000	1	Peak	19819.5	-25.35	-13	12.35	Pass	34005




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1412)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.85	-13	52.85	Pass	401
0.15	30	0.01	Peak	0.15	-64.24	-13	51.24	Pass	5971
30	1000	0.1	Peak	886.913	-51.87	-13	38.87	Pass	19402
1000	3000	1	Peak	1733.5	22.85	-13	-35.85	N/A	4001
3000	20000	1	Peak	19925	-25.59	-13	12.59	Pass	34005



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:1513)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.9	-13	53.9	Pass	401
0.15	30	0.01	Peak	0.16	-63.63	-13	50.63	Pass	5971
30	1000	0.1	Peak	862.705	-52.59	-13	39.59	Pass	19402
1000	3000	1	Peak	1751.5	22.55	-13	-35.55	N/A	4001
3000	20000	1	Peak	19827.5	-24.83	-13	11.83	Pass	34005



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.54	-13	53.54	Pass	401
0.15	30	0.01	Peak	0.38	-62.96	-13	49.96	Pass	5971
30	500	0.1	Peak	386.7	-52.83	-13	39.83	Pass	9401
500	1000	0.1	Peak	827.1	17.54	-13	-30.54	N/A	10002
1000	10000	1	Peak	7012	-32.32	-13	19.32	Pass	18003




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4182)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.65	-13	53.65	Pass	401
0.15	30	0.01	Peak	0.425	-63.94	-13	50.94	Pass	5971
30	500	0.1	Peak	436.95	-53.27	-13	40.27	Pass	9401
500	1000	0.1	Peak	837	18.79	-13	-31.79	N/A	10002
1000	10000	1	Peak	9322.5	-31.5	-13	18.5	Pass	18003



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(Channel:4233)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.12	-13	52.12	Pass	401
0.15	30	0.01	Peak	0.195	-64.2	-13	51.2	Pass	5971
30	500	0.1	Peak	490.392	-52.83	-13	39.83	Pass	9401
500	1000	0.1	Peak	846.85	17.64	-13	-30.64	N/A	10002
1000	10000	1	Peak	7997.5	-32.1	-13	19.1	Pass	18003



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	57.7	Pass	5971
30	1000	0.1	RMS	855.002	-62.98	-13	49.98	Pass	19402
1000	1847.2	1	RMS	1847.2	-48.65	-13	35.65	Pass	1695
1847.2	1854.2	1	RMS	1850.245	22.05	60	37.95	Pass	401
1854.2	3000	1	RMS	2944.986	-48.9	-13	35.9	Pass	2292
3000	12000	1	RMS	11940	-42.08	-13	29.08	Pass	18003
12000	20000	1	RMS	19773.5	-33.24	-13	20.24	Pass	16002




1.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.175	-70.78	-13	57.78	Pass	5971
30	1000	0.1	RMS	822.45	-63.16	-13	50.16	Pass	19402
1000	1847.2	1	RMS	1847.2	-49.31	-13	36.31	Pass	1695
1847.2	1854.2	1	RMS	1850.245	21.19	60	38.81	Pass	401
1854.2	3000	1	RMS	2953.988	-48.93	-13	35.93	Pass	2292
3000	12000	1	RMS	11941.5	-42.04	-13	29.04	Pass	18003
12000	20000	1	RMS	19806	-33.22	-13	20.22	Pass	16002




1.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.165	-71.85	-13	58.85	Pass	5971
30	1000	0.1	RMS	837.75	-63.21	-13	50.21	Pass	19402
1000	1876.5	1	RMS	1876.5	-48.23	-13	35.23	Pass	1754
1876.5	1883.5	1	RMS	1879.458	22.02	60	37.98	Pass	401
1883.5	3000	1	RMS	2939	-48.89	-13	35.89	Pass	2234
3000	12000	1	RMS	11950	-41.86	-13	28.86	Pass	18003
12000	20000	1	RMS	19797.5	-33.17	-13	20.17	Pass	16002




1.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.245	-70.72	-13	57.72	Pass	5971
30	1000	0.1	RMS	839.9	-63.04	-13	50.04	Pass	19402
1000	1876.5	1	RMS	1876.5	-49.21	-13	36.21	Pass	1754
1876.5	1883.5	1	RMS	1879.598	21.22	60	38.78	Pass	401
1883.5	3000	1	RMS	2945.5	-48.94	-13	35.94	Pass	2234
3000	12000	1	RMS	11947.5	-42.05	-13	29.05	Pass	18003
12000	20000	1	RMS	19799	-33.15	-13	20.15	Pass	16002




1.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.21	-71.4	-13	58.4	Pass	5971
30	1000	0.1	RMS	860.554	-63.11	-13	50.11	Pass	19402
1000	1905.8	1	RMS	1905.8	-47.44	-13	34.44	Pass	1812
1905.8	1912.8	1	RMS	1908.828	22.3	60	37.7	Pass	401
1912.8	3000	1	RMS	2940.489	-48.98	-13	35.98	Pass	2175
3000	12000	1	RMS	11953	-42.01	-13	29.01	Pass	18003
12000	20000	1	RMS	19816.5	-33.22	-13	20.22	Pass	16002




1.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	57.68	Pass	5971
30	1000	0.1	RMS	857.403	-63.2	-13	50.2	Pass	19402
1000	1905.8	1	RMS	1905.8	-48.83	-13	35.83	Pass	1812
1905.8	1912.8	1	RMS	1908.81	21.54	60	38.46	Pass	401
1912.8	3000	1	RMS	2939.989	-48.88	-13	35.88	Pass	2175
3000	12000	1	RMS	11944.5	-41.89	-13	28.89	Pass	18003
12000	20000	1	RMS	19828.5	-33.13	-13	20.13	Pass	16002




1.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.175	-71.14	-13	58.14	Pass	5971
30	1000	0.1	RMS	849.25	-63.03	-13	50.03	Pass	19402
1000	1844	1	RMS	1844	-51.3	-13	38.3	Pass	1689
1844	1859	1	RMS	1850.263	21.98	60	38.02	Pass	401
1859	3000	1	RMS	2943.5	-48.84	-13	35.84	Pass	2283
3000	12000	1	RMS	11956	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19796.5	-33.15	-13	20.15	Pass	16002




1.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	5971
30	1000	0.1	RMS	855.952	-63.05	-13	50.05	Pass	19402
1000	1844	1	RMS	1844	-51.35	-13	38.35	Pass	1689
1844	1859	1	RMS	1850.263	21.12	60	38.88	Pass	401
1859	3000	1	RMS	2933.5	-48.85	-13	35.85	Pass	2283
3000	12000	1	RMS	11948.5	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19794	-33.19	-13	20.19	Pass	16002




1.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.155	-71.02	-13	58.02	Pass	5971
30	1000	0.1	RMS	835.85	-63.06	-13	50.06	Pass	19402
1000	1872.5	1	RMS	1872.5	-51.09	-13	38.09	Pass	1746
1872.5	1887.5	1	RMS	1878.725	21.93	60	38.07	Pass	401
1887.5	3000	1	RMS	2953	-48.84	-13	35.84	Pass	2226
3000	12000	1	RMS	11952	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19807	-33.19	-13	20.19	Pass	16002




1.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.165	-71.44	-13	58.44	Pass	5971
30	1000	0.1	RMS	826.3	-63	-13	50	Pass	19402
1000	1872.5	1	RMS	1871	-51.35	-13	38.35	Pass	1746
1872.5	1887.5	1	RMS	1878.763	21.13	60	38.87	Pass	401
1887.5	3000	1	RMS	2938	-48.81	-13	35.81	Pass	2226
3000	12000	1	RMS	11959.5	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19797.5	-33.12	-13	20.12	Pass	16002




1.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	57.28	Pass	5971
30	1000	0.1	RMS	845.7	-62.97	-13	49.97	Pass	19402
1000	1901	1	RMS	1901	-51.01	-13	38.01	Pass	1803
1901	1916	1	RMS	1907.225	22.22	60	37.78	Pass	401
1916	3000	1	RMS	2947.5	-48.87	-13	35.87	Pass	2169
3000	12000	1	RMS	11959	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19801.5	-33.19	-13	20.19	Pass	16002




1.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	57.85	Pass	5971
30	1000	0.1	RMS	840.6	-62.95	-13	49.95	Pass	19402
1000	1901	1	RMS	1901	-51.08	-13	38.08	Pass	1803
1901	1916	1	RMS	1907.225	21.27	60	38.73	Pass	401
1916	3000	1	RMS	2948	-48.83	-13	35.83	Pass	2169
3000	12000	1	RMS	11941	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19800	-33.07	-13	20.07	Pass	16002




1.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.2	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	845.7	-62.98	-13	49.98	Pass	19402
1000	1840	1	RMS	1839.5	-51.53	-13	38.53	Pass	1681
1840	1865	1	RMS	1850.375	22.01	60	37.99	Pass	401
1865	3000	1	RMS	2958.5	-48.86	-13	35.86	Pass	2271
3000	12000	1	RMS	11931.5	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19789	-33.15	-13	20.15	Pass	16002




1.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.155	-70.83	-13	57.83	Pass	5971
30	1000	0.1	RMS	832.1	-62.98	-13	49.98	Pass	19402
1000	1840	1	RMS	1840	-51.8	-13	38.8	Pass	1681
1840	1865	1	RMS	1850.313	21.14	60	38.86	Pass	401
1865	3000	1	RMS	2955.5	-48.87	-13	35.87	Pass	2271
3000	12000	1	RMS	11944	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19794	-33.03	-13	20.03	Pass	16002




1.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-13	58.14	Pass	5971
30	1000	0.1	RMS	829.75	-62.78	-13	49.78	Pass	19402
1000	1867.5	1	RMS	1867	-51.43	-13	38.43	Pass	1736
1867.5	1892.5	1	RMS	1877.813	21.93	60	38.07	Pass	401
1892.5	3000	1	RMS	2940.5	-48.86	-13	35.86	Pass	2216
3000	12000	1	RMS	11965	-41.89	-13	28.89	Pass	18003
12000	20000	1	RMS	19792	-33.21	-13	20.21	Pass	16002




1.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.155	-70.75	-13	57.75	Pass	5971
30	1000	0.1	RMS	840.8	-63.03	-13	50.03	Pass	19402
1000	1867.5	1	RMS	1867	-51.56	-13	38.56	Pass	1736
1867.5	1892.5	1	RMS	1877.75	21.08	60	38.92	Pass	401
1892.5	3000	1	RMS	2943	-48.86	-13	35.86	Pass	2216
3000	12000	1	RMS	11951	-41.99	-13	28.99	Pass	18003
12000	20000	1	RMS	19800	-33.17	-13	20.17	Pass	16002




1.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.17	-69.99	-13	56.99	Pass	5971
30	1000	0.1	RMS	847.95	-63.12	-13	50.12	Pass	19402
1000	1895	1	RMS	1894.5	-51.21	-13	38.21	Pass	1791
1895	1920	1	RMS	1905.313	22.22	60	37.78	Pass	401
1920	3000	1	RMS	2945.5	-48.87	-13	35.87	Pass	2161
3000	12000	1	RMS	11952.5	-41.83	-13	28.83	Pass	18003
12000	20000	1	RMS	19800.5	-33.17	-13	20.17	Pass	16002




1.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.185	-70.87	-13	57.87	Pass	5971
30	1000	0.1	RMS	840.8	-63.11	-13	50.11	Pass	19402
1000	1895	1	RMS	1894.5	-51.38	-13	38.38	Pass	1791
1895	1920	1	RMS	1905.313	21.34	60	38.66	Pass	401
1920	3000	1	RMS	2940	-48.87	-13	35.87	Pass	2161
3000	12000	1	RMS	11951	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19800	-33.18	-13	20.18	Pass	16002




1.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.155	-70.22	-13	57.22	Pass	5971
30	1000	0.1	RMS	861.104	-62.99	-13	49.99	Pass	19402
1000	1830	1	RMS	1757	-52.11	-13	39.11	Pass	1661
1830	1880	1	RMS	1850.5	21.96	60	38.04	Pass	401
1880	3000	1	RMS	2954	-48.83	-13	35.83	Pass	2241
3000	12000	1	RMS	11947	-41.84	-13	28.84	Pass	18003
12000	20000	1	RMS	19798	-33.17	-13	20.17	Pass	16002




1.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-13	58.32	Pass	5971
30	1000	0.1	RMS	840.2	-63.06	-13	50.06	Pass	19402
1000	1830	1	RMS	1756.5	-52.16	-13	39.16	Pass	1661
1830	1880	1	RMS	1850.5	21.19	60	38.81	Pass	401
1880	3000	1	RMS	2955.5	-48.86	-13	35.86	Pass	2241
3000	12000	1	RMS	11950	-41.87	-13	28.87	Pass	18003
12000	20000	1	RMS	19782	-33.2	-13	20.2	Pass	16002




1.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.165	-70.54	-13	57.54	Pass	5971
30	1000	0.1	RMS	837.35	-63.02	-13	50.02	Pass	19402
1000	1855	1	RMS	1852.5	-52.1	-13	39.1	Pass	1711
1855	1905	1	RMS	1875.5	21.96	60	38.04	Pass	401
1905	3000	1	RMS	2935	-48.89	-13	35.89	Pass	2191
3000	12000	1	RMS	11945.5	-41.94	-13	28.94	Pass	18003
12000	20000	1	RMS	19791.5	-33.15	-13	20.15	Pass	16002




1.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	60.48	Pass	401
0.15	30	0.01	RMS	0.405	-71.56	-13	58.56	Pass	5971
30	1000	0.1	RMS	818.25	-62.87	-13	49.87	Pass	19402
1000	1855	1	RMS	1783	-52.12	-13	39.12	Pass	1711
1855	1905	1	RMS	1875.5	21.12	60	38.88	Pass	401
1905	3000	1	RMS	2943.5	-48.84	-13	35.84	Pass	2191
3000	12000	1	RMS	11938.5	-42.03	-13	29.03	Pass	18003
12000	20000	1	RMS	19824	-33.21	-13	20.21	Pass	16002




1.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	58.11	Pass	5971
30	1000	0.1	RMS	863.855	-63.09	-13	50.09	Pass	19402
1000	1880	1	RMS	1878.5	-51.94	-13	38.94	Pass	1761
1880	1930	1	RMS	1900.5	22.24	60	37.76	Pass	401
1930	3000	1	RMS	2954.5	-48.86	-13	35.86	Pass	2141
3000	12000	1	RMS	11955	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19809.5	-33.16	-13	20.16	Pass	16002




1.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.155	-71.17	-13	58.17	Pass	5971
30	1000	0.1	RMS	842.55	-62.99	-13	49.99	Pass	19402
1000	1880	1	RMS	1866	-51.98	-13	38.98	Pass	1761
1880	1930	1	RMS	1900.5	21.36	60	38.64	Pass	401
1930	3000	1	RMS	2950.5	-48.86	-13	35.86	Pass	2141
3000	12000	1	RMS	11939	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19790	-33.17	-13	20.17	Pass	16002




1.25. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.41	-13	57.41	Pass	5971
30	1000	0.1	RMS	822.85	-62.99	-13	49.99	Pass	19402
1000	1820	1	RMS	1775	-52.05	-13	39.05	Pass	1641
1820	1895	1	RMS	1850.75	21.76	60	38.24	Pass	401
1895	3000	1	RMS	2946	-48.86	-13	35.86	Pass	2211
3000	12000	1	RMS	11953.5	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19810	-33.08	-13	20.08	Pass	16002




1.26. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.175	-71.05	-13	58.05	Pass	5971
30	1000	0.1	RMS	835.65	-63.03	-13	50.03	Pass	19402
1000	1820	1	RMS	1795	-52.12	-13	39.12	Pass	1641
1820	1895	1	RMS	1850.75	20.87	60	39.13	Pass	401
1895	3000	1	RMS	2957	-48.8	-13	35.8	Pass	2211
3000	12000	1	RMS	11970.5	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19803	-33.18	-13	20.18	Pass	16002




1.27. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.165	-70.53	-13	57.53	Pass	5971
30	1000	0.1	RMS	837.6	-63.19	-13	50.19	Pass	19402
1000	1842.5	1	RMS	1756.5	-52.12	-13	39.12	Pass	1686
1842.5	1917.5	1	RMS	1873.25	21.73	60	38.27	Pass	401
1917.5	3000	1	RMS	2938.5	-48.88	-13	35.88	Pass	2166
3000	12000	1	RMS	11942.5	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19788	-33.19	-13	20.19	Pass	16002




1.28. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.175	-70.87	-13	57.87	Pass	5971
30	1000	0.1	RMS	867.806	-63.07	-13	50.07	Pass	19402
1000	1842.5	1	RMS	1842	-52.1	-13	39.1	Pass	1686
1842.5	1917.5	1	RMS	1873.25	20.96	60	39.04	Pass	401
1917.5	3000	1	RMS	2943.5	-48.83	-13	35.83	Pass	2166
3000	12000	1	RMS	11958.5	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19791	-33.16	-13	20.16	Pass	16002




1.29. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.175	-70.99	-13	57.99	Pass	5971
30	1000	0.1	RMS	853.902	-62.96	-13	49.96	Pass	19402
1000	1865	1	RMS	1843.5	-52.06	-13	39.06	Pass	1731
1865	1940	1	RMS	1895.75	22.06	60	37.94	Pass	401
1940	3000	1	RMS	2956.5	-48.82	-13	35.82	Pass	2121
3000	12000	1	RMS	11948	-41.86	-13	28.86	Pass	18003
12000	20000	1	RMS	19801.5	-33.12	-13	20.12	Pass	16002




1.30. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.185	-71.23	-13	58.23	Pass	5971
30	1000	0.1	RMS	828.6	-63.05	-13	50.05	Pass	19402
1000	1865	1	RMS	1864.5	-52.08	-13	39.08	Pass	1731
1865	1940	1	RMS	1895.75	20.98	60	39.02	Pass	401
1940	3000	1	RMS	2939	-48.77	-13	35.77	Pass	2121
3000	12000	1	RMS	11947	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19794	-33.12	-13	20.12	Pass	16002




1.31. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.225	-71.42	-13	58.42	Pass	5971
30	1000	0.1	RMS	838.05	-63.15	-13	50.15	Pass	19402
1000	1810	1	RMS	1751.5	-52.09	-13	39.09	Pass	1621
1810	1910	1	RMS	1851	21.68	60	38.32	Pass	401
1910	3000	1	RMS	2946.5	-48.83	-13	35.83	Pass	2181
3000	12000	1	RMS	11977	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19779.5	-33.22	-13	20.22	Pass	16002




1.32. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.18	-70.99	-13	57.99	Pass	5971
30	1000	0.1	RMS	843.4	-63.11	-13	50.11	Pass	19402
1000	1810	1	RMS	1761	-52.13	-13	39.13	Pass	1621
1810	1910	1	RMS	1851	20.68	60	39.32	Pass	401
1910	3000	1	RMS	2950.5	-48.88	-13	35.88	Pass	2181
3000	12000	1	RMS	11956.5	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19800	-33.1	-13	20.1	Pass	16002




1.33. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.205	-70.65	-13	57.65	Pass	5971
30	1000	0.1	RMS	842.25	-63.07	-13	50.07	Pass	19402
1000	1830	1	RMS	1756	-52.1	-13	39.1	Pass	1661
1830	1930	1	RMS	1871	21.66	60	38.34	Pass	401
1930	3000	1	RMS	2956	-48.81	-13	35.81	Pass	2141
3000	12000	1	RMS	11945	-41.82	-13	28.82	Pass	18003
12000	20000	1	RMS	19792	-33.26	-13	20.26	Pass	16002




1.34. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-70.02	-13	57.02	Pass	5971
30	1000	0.1	RMS	827.45	-63.06	-13	50.06	Pass	19402
1000	1830	1	RMS	1760.5	-52.04	-13	39.04	Pass	1661
1830	1930	1	RMS	1871	20.77	60	39.24	Pass	401
1930	3000	1	RMS	2939	-48.81	-13	35.81	Pass	2141
3000	12000	1	RMS	11950	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19789	-33.12	-13	20.12	Pass	16002




1.35. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-13	57.71	Pass	5971
30	1000	0.1	RMS	835.35	-62.8	-13	49.8	Pass	19402
1000	1850	1	RMS	1847	-52.11	-13	39.11	Pass	1701
1850	1950	1	RMS	1891	21.95	60	38.05	Pass	401
1950	3000	1	RMS	2937	-48.83	-13	35.83	Pass	2101
3000	12000	1	RMS	11945	-41.88	-13	28.88	Pass	18003
12000	20000	1	RMS	19794	-33.18	-13	20.18	Pass	16002



1.36. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.155	-70.85	-13	57.85	Pass	5971
30	1000	0.1	RMS	848.1	-63.07	-13	50.07	Pass	19402
1000	1850	1	RMS	1745	-52.09	-13	39.09	Pass	1701
1850	1950	1	RMS	1891	21.16	60	38.84	Pass	401
1950	3000	1	RMS	2956.5	-48.84	-13	35.84	Pass	2101
3000	12000	1	RMS	11938.5	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19801.5	-33.23	-13	20.23	Pass	16002



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.155	-71.69	-13	58.69	Pass	5971
30	1000	0.1	RMS	852.801	-62.98	-13	49.98	Pass	19402
1000	1707.2	1	RMS	1707.2	-48.5	-13	35.5	Pass	1415
1707.2	1714.2	1	RMS	1710.228	22.37	60	37.63	Pass	401
1714.2	3000	1	RMS	2943.487	-48.8	-13	35.8	Pass	2572
3000	12000	1	RMS	11945.5	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19800	-33.22	-13	20.22	Pass	16002




2.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.175	-71.15	-13	58.15	Pass	5971
30	1000	0.1	RMS	840.6	-62.79	-13	49.79	Pass	19402
1000	1707.2	1	RMS	1707.2	-49.54	-13	36.54	Pass	1415
1707.2	1714.2	1	RMS	1710.245	21.54	60	38.46	Pass	401
1714.2	3000	1	RMS	2953.989	-48.88	-13	35.88	Pass	2572
3000	12000	1	RMS	11925	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19808	-33.18	-13	20.18	Pass	16002




2.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	5971
30	1000	0.1	RMS	836.05	-62.94	-13	49.94	Pass	19402
1000	1729	1	RMS	1729	-48.42	-13	35.42	Pass	1459
1729	1736	1	RMS	1732.028	22.38	60	37.62	Pass	401
1736	3000	1	RMS	2945.5	-48.82	-13	35.82	Pass	2529
3000	12000	1	RMS	11943	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19774	-33.12	-13	20.12	Pass	16002




2.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.155	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	840.25	-63.14	-13	50.14	Pass	19402
1000	1729	1	RMS	1729	-49.05	-13	36.05	Pass	1459
1729	1736	1	RMS	1732.045	21.45	60	38.55	Pass	401
1736	3000	1	RMS	2943	-48.77	-13	35.77	Pass	2529
3000	12000	1	RMS	11952.5	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19787	-33.1	-13	20.1	Pass	16002




2.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.165	-71.16	-13	58.16	Pass	5971
30	1000	0.1	RMS	835.05	-63.17	-13	50.17	Pass	19402
1000	1750.8	1	RMS	1750.8	-48.36	-13	35.36	Pass	1502
1750.8	1757.8	1	RMS	1753.793	22.29	60	37.71	Pass	401
1757.8	3000	1	RMS	2944.991	-48.87	-13	35.87	Pass	2485
3000	12000	1	RMS	11948.5	-41.91	-13	28.91	Pass	18003
12000	20000	1	RMS	19799	-33.19	-13	20.19	Pass	16002




2.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-71.29	-13	58.29	Pass	5971
30	1000	0.1	RMS	855.252	-63.04	-13	50.04	Pass	19402
1000	1750.8	1	RMS	1750.8	-48.62	-13	35.62	Pass	1502
1750.8	1757.8	1	RMS	1753.775	21.42	60	38.58	Pass	401
1757.8	3000	1	RMS	2947.992	-48.83	-13	35.83	Pass	2485
3000	12000	1	RMS	11931	-41.99	-13	28.99	Pass	18003
12000	20000	1	RMS	19812	-33.15	-13	20.15	Pass	16002




2.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	57.34	Pass	5971
30	1000	0.1	RMS	839.75	-63.01	-13	50.01	Pass	19402
1000	1704	1	RMS	1704	-51.54	-13	38.54	Pass	1409
1704	1719	1	RMS	1710.263	22.34	60	37.66	Pass	401
1719	3000	1	RMS	2950	-48.82	-13	35.82	Pass	2563
3000	12000	1	RMS	11941	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19778	-33.19	-13	20.19	Pass	16002




2.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.44	-71.51	-13	58.51	Pass	5971
30	1000	0.1	RMS	837.65	-62.98	-13	49.98	Pass	19402
1000	1704	1	RMS	1703.5	-51.71	-13	38.71	Pass	1409
1704	1719	1	RMS	1710.15	21.53	60	38.47	Pass	401
1719	3000	1	RMS	2955.5	-48.88	-13	35.88	Pass	2563
3000	12000	1	RMS	11936.5	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19800.5	-33.23	-13	20.23	Pass	16002




2.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.2	-71.32	-13	58.32	Pass	5971
30	1000	0.1	RMS	864.505	-63.04	-13	50.04	Pass	19402
1000	1725	1	RMS	1720.5	-51.42	-13	38.42	Pass	1451
1725	1740	1	RMS	1731.225	22.35	60	37.65	Pass	401
1740	3000	1	RMS	2940	-48.88	-13	35.88	Pass	2521
3000	12000	1	RMS	11966	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19803	-33.1	-13	20.1	Pass	16002




2.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.155	-70.44	-13	57.44	Pass	5971
30	1000	0.1	RMS	945.632	-62.95	-13	49.95	Pass	19402
1000	1725	1	RMS	1725	-51.48	-13	38.48	Pass	1451
1725	1740	1	RMS	1731.263	21.54	60	38.46	Pass	401
1740	3000	1	RMS	2928.5	-48.88	-13	35.88	Pass	2521
3000	12000	1	RMS	11937	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19799.5	-33.08	-13	20.08	Pass	16002




2.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.155	-71.05	-13	58.05	Pass	5971
30	1000	0.1	RMS	878.66	-63.1	-13	50.1	Pass	19402
1000	1746	1	RMS	1746	-51.33	-13	38.33	Pass	1493
1746	1761	1	RMS	1752.225	22.18	60	37.82	Pass	401
1761	3000	1	RMS	2969.5	-48.88	-13	35.88	Pass	2479
3000	12000	1	RMS	11949.5	-41.91	-13	28.91	Pass	18003
12000	20000	1	RMS	19775	-33.17	-13	20.17	Pass	16002




2.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-13	61.3	Pass	401
0.15	30	0.01	RMS	0.175	-70.59	-13	57.59	Pass	5971
30	1000	0.1	RMS	842.05	-63.07	-13	50.07	Pass	19402
1000	1746	1	RMS	1746	-51.48	-13	38.48	Pass	1493
1746	1761	1	RMS	1752.15	21.41	60	38.59	Pass	401
1761	3000	1	RMS	2939.5	-48.79	-13	35.79	Pass	2479
3000	12000	1	RMS	11935	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19787	-33.16	-13	20.16	Pass	16002




2.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.155	-70.59	-13	57.59	Pass	5971
30	1000	0.1	RMS	833.7	-62.91	-13	49.91	Pass	19402
1000	1700	1	RMS	1699.5	-51.66	-13	38.66	Pass	1401
1700	1725	1	RMS	1710.313	22.35	60	37.65	Pass	401
1725	3000	1	RMS	2943.5	-48.88	-13	35.88	Pass	2551
3000	12000	1	RMS	11955	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19774	-33.14	-13	20.14	Pass	16002




2.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	5971
30	1000	0.1	RMS	846.7	-63.05	-13	50.05	Pass	19402
1000	1700	1	RMS	1699.5	-51.87	-13	38.87	Pass	1401
1700	1725	1	RMS	1710.313	21.46	60	38.54	Pass	401
1725	3000	1	RMS	2967	-48.86	-13	35.86	Pass	2551
3000	12000	1	RMS	11955	-41.91	-13	28.91	Pass	18003
12000	20000	1	RMS	19795.5	-33.2	-13	20.2	Pass	16002



2.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	57.85	Pass	5971
30	1000	0.1	RMS	832.7	-63.12	-13	50.12	Pass	19402
1000	1720	1	RMS	1719.5	-51.5	-13	38.5	Pass	1441
1720	1745	1	RMS	1730.313	22.32	60	37.68	Pass	401
1745	3000	1	RMS	2943.5	-48.84	-13	35.84	Pass	2511
3000	12000	1	RMS	11951	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19792	-33.18	-13	20.18	Pass	16002



2.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.365	-71.28	-13	58.28	Pass	5971
30	1000	0.1	RMS	843	-63.06	-13	50.06	Pass	19402
1000	1720	1	RMS	1719.5	-51.67	-13	38.67	Pass	1441
1720	1745	1	RMS	1730.313	21.38	60	38.62	Pass	401
1745	3000	1	RMS	2937.5	-48.9	-13	35.9	Pass	2511
3000	12000	1	RMS	11950	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19791.5	-33.18	-13	20.18	Pass	16002

