



2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.56	-67.77	-13	54.77	Pass	5971
30	1000	0.1	RMS	972.582	-59.27	-13	46.27	Pass	19401
1000	3000	1	RMS	2975	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3000	-45.43	-13	32.43	Pass	881
3440	3560	1	RMS	3451.4	20.1	60	39.9	Pass	401
3560	7000	1	RMS	4220	-51.36	-13	38.36	Pass	6881
7000	26500	1	RMS	25908	-47.5	-13	34.5	Pass	39001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.59	-68.34	-13	55.34	Pass	5971
30	1000	0.1	RMS	875.217	-58.5	-13	45.5	Pass	19401
1000	3000	1	RMS	2975	-47.87	-13	34.87	Pass	4001
3000	3440	1	RMS	3001	-45.46	-13	32.46	Pass	881
3440	3560	1	RMS	3498.8	20.38	60	39.62	Pass	401
3560	7000	1	RMS	4225	-51.14	-13	38.14	Pass	6881
7000	26500	1	RMS	25927	-47.65	-13	34.65	Pass	39001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	1.44	-68.25	-13	55.25	Pass	5971
30	1000	0.1	RMS	896.631	-59.5	-13	46.5	Pass	19401
1000	3000	1	RMS	2981	-47.7	-13	34.7	Pass	4001
3000	3440	1	RMS	3440	-43.47	-13	30.47	Pass	881
3440	3560	1	RMS	3479	5.02	60	54.98	Pass	401
3560	7000	1	RMS	3560	-45.84	-13	32.84	Pass	6881
7000	26500	1	RMS	25898	-47.74	-13	34.74	Pass	39001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.89	-68.3	-13	55.3	Pass	5971
30	1000	0.1	RMS	873.516	-59.13	-13	46.13	Pass	19401
1000	3000	1	RMS	2979	-47.68	-13	34.68	Pass	4001
3000	3440	1	RMS	3000	-45.49	-13	32.49	Pass	881
3440	3560	1	RMS	3476.3	20.26	60	39.74	Pass	401
3560	7000	1	RMS	4225	-51.21	-13	38.21	Pass	6881
7000	26500	1	RMS	25896	-47.75	-13	34.75	Pass	39001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	1.53	-68.95	-13	55.95	Pass	5971
30	1000	0.1	RMS	873.616	-59.44	-13	46.44	Pass	19401
1000	3000	1	RMS	2984	-47.86	-13	34.86	Pass	4001
3000	3440	1	RMS	3004	-45.45	-13	32.45	Pass	881
3440	3560	1	RMS	3523.7	20.43	60	39.57	Pass	401
3560	7000	1	RMS	4226	-50.99	-13	37.99	Pass	6881
7000	26500	1	RMS	25869	-47.66	-13	34.66	Pass	39001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.19	-67.67	-13	54.67	Pass	5971
30	1000	0.1	RMS	595.1	-59.24	-13	46.24	Pass	19401
1000	3000	1	RMS	2964	-47.77	-13	34.77	Pass	4001
3000	3440	1	RMS	3002	-45.46	-13	32.46	Pass	881
3440	3560	1	RMS	3504.2	5.21	60	54.79	Pass	401
3560	7000	1	RMS	3560	-40.4	-13	27.4	Pass	6881
7000	26500	1	RMS	25889	-47.84	-13	34.84	Pass	39001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.22	-68.5	-13	55.5	Pass	5971
30	1000	0.1	RMS	632	-59.2	-13	46.2	Pass	19401
1000	3000	1	RMS	2978	-47.71	-13	34.71	Pass	4001
3000	3440	1	RMS	3003	-45.51	-13	32.51	Pass	881
3440	3560	1	RMS	3501.2	20.56	60	39.44	Pass	401
3560	7000	1	RMS	4226	-51.33	-13	38.33	Pass	6881
7000	26500	1	RMS	25877	-47.84	-13	34.84	Pass	39001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	1.49	-68.81	-13	55.81	Pass	5971
30	1000	0.1	RMS	720.4	-59.22	-13	46.22	Pass	19401
1000	3000	1	RMS	2988	-47.66	-13	34.66	Pass	4001
3000	3440	1	RMS	3004	-45.53	-13	32.53	Pass	881
3440	3560	1	RMS	3548.6	19.97	60	40.03	Pass	401
3560	7000	1	RMS	4220	-51.24	-13	38.24	Pass	6881
7000	26500	1	RMS	25536	-47.74	-13	34.74	Pass	39001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.73	-68.4	-13	55.4	Pass	5971
30	1000	0.1	RMS	893.83	-58.66	-13	45.66	Pass	19401
1000	3000	1	RMS	2988	-47.89	-13	34.89	Pass	4001
3000	3440	1	RMS	3440	-40.39	-13	27.39	Pass	881
3440	3560	1	RMS	3464.9	1.82	60	58.18	Pass	401
3560	7000	1	RMS	3560	-41.56	-13	28.56	Pass	6881
7000	26500	1	RMS	25900	-47.57	-13	34.57	Pass	39001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	1.01	-68.21	-13	55.21	Pass	5971
30	1000	0.1	RMS	897.932	-59.13	-13	46.13	Pass	19401
1000	3000	1	RMS	2984	-47.67	-13	34.67	Pass	4001
3000	3440	1	RMS	3402	-44.92	-13	31.92	Pass	881
3440	3560	1	RMS	3451.1	20.15	60	39.85	Pass	401
3560	7000	1	RMS	4224	-48.42	-13	35.42	Pass	6881
7000	26500	1	RMS	25513	-47.7	-13	34.7	Pass	39001



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	1.29	-69.24	-13	56.24	Pass	5971
30	1000	0.1	RMS	976.184	-59.05	-13	46.05	Pass	19401
1000	3000	1	RMS	2977	-47.74	-13	34.74	Pass	4001
3000	3440	1	RMS	3402	-45.42	-13	32.42	Pass	881
3440	3560	1	RMS	3548.9	20.17	60	39.83	Pass	401
3560	7000	1	RMS	4224	-48.73	-13	35.73	Pass	6881
7000	26500	1	RMS	25500	-47.87	-13	34.87	Pass	39001



3. n77(3700-3980)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.97	-68.38	-13	55.38	Pass	5971
30	1000	0.1	RMS	638.4	-58.79	-13	45.79	Pass	19401
1000	3000	1	RMS	2979	-47.79	-13	34.79	Pass	4001
3000	3690	1	RMS	3690	-35	-13	22	Pass	1381
3690	3990	1	RMS	3717.75	7.9	60	52.1	Pass	601
3990	7000	1	RMS	7000	-62.76	-13	49.76	Pass	6021
7000	26500	1	RMS	25875	-47.94	-13	34.94	Pass	39001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.55	-69.15	-13	56.15	Pass	5971
30	1000	0.1	RMS	614.4	-59.07	-13	46.07	Pass	19401
1000	3000	1	RMS	2976	-47.87	-13	34.87	Pass	4001
3000	3690	1	RMS	3001	-45.48	-13	32.48	Pass	1381
3690	3990	1	RMS	3701.25	17.98	60	42.02	Pass	601
3990	7000	1	RMS	6687	-62.75	-13	49.75	Pass	6021
7000	26500	1	RMS	25481	-47.54	-13	34.54	Pass	39001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.85	-68.94	-13	55.94	Pass	5971
30	1000	0.1	RMS	896.431	-59.36	-13	46.36	Pass	19401
1000	3000	1	RMS	2972	-47.83	-13	34.83	Pass	4001
3000	3690	1	RMS	3002	-45.38	-13	32.38	Pass	1381
3690	3990	1	RMS	3719.25	18.06	60	41.94	Pass	601
3990	7000	1	RMS	6995	-62.69	-13	49.69	Pass	6021
7000	26500	1	RMS	25493	-47.77	-13	34.77	Pass	39001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.94	-69.01	-13	56.01	Pass	5971
30	1000	0.1	RMS	802.5	-59.27	-13	46.27	Pass	19401
1000	3000	1	RMS	2999	-47.7	-13	34.7	Pass	4001
3000	3690	1	RMS	3002	-45.39	-13	32.39	Pass	1381
3690	3990	1	RMS	3847.5	9.58	60	50.42	Pass	601
3990	7000	1	RMS	6683	-62.76	-13	49.76	Pass	6021
7000	26500	1	RMS	25501	-47.7	-13	34.7	Pass	39001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	1.43	-69.44	-13	56.44	Pass	5971
30	1000	0.1	RMS	958.873	-59.09	-13	46.09	Pass	19401
1000	3000	1	RMS	2978	-47.61	-13	34.61	Pass	4001
3000	3690	1	RMS	3002	-45.47	-13	32.47	Pass	1381
3690	3990	1	RMS	3831	20.59	60	39.41	Pass	601
3990	7000	1	RMS	6998	-62.65	-13	49.65	Pass	6021
7000	26500	1	RMS	26271	-47.97	-13	34.97	Pass	39001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.56	-67.42	-13	54.42	Pass	5971
30	1000	0.1	RMS	854.704	-59.52	-13	46.52	Pass	19401
1000	3000	1	RMS	2980	-47.8	-13	34.8	Pass	4001
3000	3690	1	RMS	3000	-45.46	-13	32.46	Pass	1381
3690	3990	1	RMS	3849	20.53	60	39.47	Pass	601
3990	7000	1	RMS	6683	-62.73	-13	49.73	Pass	6021
7000	26500	1	RMS	25536	-47.62	-13	34.62	Pass	39001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.86	-69.18	-13	56.18	Pass	5971
30	1000	0.1	RMS	389.8	-59.41	-13	46.41	Pass	19401
1000	3000	1	RMS	2993	-47.9	-13	34.9	Pass	4001
3000	3690	1	RMS	3016	-45.41	-13	32.41	Pass	1381
3690	3990	1	RMS	3963	9.93	60	50.07	Pass	601
3990	7000	1	RMS	3990	-35.43	-13	22.43	Pass	6021
7000	26500	1	RMS	25477	-47.86	-13	34.86	Pass	39001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.39	-68.28	-13	55.28	Pass	5971
30	1000	0.1	RMS	898.733	-58.74	-13	45.74	Pass	19401
1000	3000	1	RMS	2977	-47.78	-13	34.78	Pass	4001
3000	3690	1	RMS	3007	-45.51	-13	32.51	Pass	1381
3690	3990	1	RMS	3960.75	20.54	60	39.46	Pass	601
3990	7000	1	RMS	3997	-49.52	-13	36.52	Pass	6021
7000	26500	1	RMS	25857	-47.84	-13	34.84	Pass	39001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.17	-68.81	-13	55.81	Pass	5971
30	1000	0.1	RMS	793.5	-59.6	-13	46.6	Pass	19401
1000	3000	1	RMS	2980	-47.81	-13	34.81	Pass	4001
3000	3690	1	RMS	3001	-45.51	-13	32.51	Pass	1381
3690	3990	1	RMS	3978.75	20.49	60	39.51	Pass	601
3990	7000	1	RMS	3990	-51.06	-13	38.06	Pass	6021
7000	26500	1	RMS	25894	-47.77	-13	34.77	Pass	39001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.95	-68.79	-13	55.79	Pass	5971
30	1000	0.1	RMS	899.333	-59.13	-13	46.13	Pass	19401
1000	3000	1	RMS	2978	-47.87	-13	34.87	Pass	4001
3000	3690	1	RMS	3690	-37.63	-13	24.63	Pass	1381
3690	3990	1	RMS	3703.5	3.26	60	56.74	Pass	601
3990	7000	1	RMS	4224	-48.43	-13	35.43	Pass	6021
7000	26500	1	RMS	25884	-47.62	-13	34.62	Pass	39001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.94	-69.45	-13	56.45	Pass	5971
30	1000	0.1	RMS	999.099	-59.04	-13	46.04	Pass	19401
1000	3000	1	RMS	2980	-47.75	-13	34.75	Pass	4001
3000	3690	1	RMS	3072	-45.46	-13	32.46	Pass	1381
3690	3990	1	RMS	3701.25	18.86	60	41.14	Pass	601
3990	7000	1	RMS	4224	-48.75	-13	35.75	Pass	6021
7000	26500	1	RMS	25903	-47.46	-13	34.46	Pass	39001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.2	-69.32	-13	56.32	Pass	5971
30	1000	0.1	RMS	772.8	-59.41	-13	46.41	Pass	19401
1000	3000	1	RMS	2976	-47.83	-13	34.83	Pass	4001
3000	3690	1	RMS	3643	-45.17	-13	32.17	Pass	1381
3690	3990	1	RMS	3759	19.3	60	40.7	Pass	601
3990	7000	1	RMS	4224	-48.75	-13	35.75	Pass	6021
7000	26500	1	RMS	25907	-47.77	-13	34.77	Pass	39001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	1.18	-68.74	-13	55.74	Pass	5971
30	1000	0.1	RMS	956.671	-58.37	-13	45.37	Pass	19401
1000	3000	1	RMS	2979	-47.72	-13	34.72	Pass	4001
3000	3690	1	RMS	3002	-45.45	-13	32.45	Pass	1381
3690	3990	1	RMS	3863.25	4.13	60	55.87	Pass	601
3990	7000	1	RMS	4224	-49.55	-13	36.55	Pass	6021
7000	26500	1	RMS	25854	-47.76	-13	34.76	Pass	39001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.52	-69.65	-13	56.65	Pass	5971
30	1000	0.1	RMS	998.599	-59.41	-13	46.41	Pass	19401
1000	3000	1	RMS	2978	-47.73	-13	34.73	Pass	4001
3000	3690	1	RMS	3072	-45.35	-13	32.35	Pass	1381
3690	3990	1	RMS	3810.75	18.81	60	41.19	Pass	601
3990	7000	1	RMS	4224	-49.05	-13	36.05	Pass	6021
7000	26500	1	RMS	25547	-47.34	-13	34.34	Pass	39001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.19	-68.03	-13	55.03	Pass	5971
30	1000	0.1	RMS	991.795	-59.38	-13	46.38	Pass	19401
1000	3000	1	RMS	2981	-47.78	-13	34.78	Pass	4001
3000	3690	1	RMS	3002	-45.44	-13	32.44	Pass	1381
3690	3990	1	RMS	3869.25	19.54	60	40.46	Pass	601
3990	7000	1	RMS	4224	-49.71	-13	36.71	Pass	6021
7000	26500	1	RMS	25452	-47.73	-13	34.73	Pass	39001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.23	-68.07	-13	55.07	Pass	5971
30	1000	0.1	RMS	897.932	-59.27	-13	46.27	Pass	19401
1000	3000	1	RMS	2976	-47.92	-13	34.92	Pass	4001
3000	3690	1	RMS	3001	-45.44	-13	32.44	Pass	1381
3690	3990	1	RMS	3922.5	4.9	60	55.1	Pass	601
3990	7000	1	RMS	3990	-35.66	-13	22.66	Pass	6021
7000	26500	1	RMS	25538	-47.76	-13	34.76	Pass	39001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.94	-68.33	-13	55.33	Pass	5971
30	1000	0.1	RMS	843.9	-59.32	-13	46.32	Pass	19401
1000	3000	1	RMS	2969	-47.89	-13	34.89	Pass	4001
3000	3690	1	RMS	3003	-45.5	-13	32.5	Pass	1381
3690	3990	1	RMS	3921	20.7	60	39.3	Pass	601
3990	7000	1	RMS	4037	-49.12	-13	36.12	Pass	6021
7000	26500	1	RMS	25499	-47.82	-13	34.82	Pass	39001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	1.49	-69.5	-13	56.5	Pass	5971
30	1000	0.1	RMS	844.6	-59.26	-13	46.26	Pass	19401
1000	3000	1	RMS	2990	-47.88	-13	34.88	Pass	4001
3000	3690	1	RMS	3006	-45.47	-13	32.47	Pass	1381
3690	3990	1	RMS	3978.75	20.18	60	39.82	Pass	601
3990	7000	1	RMS	4224	-50.16	-13	37.16	Pass	6021
7000	26500	1	RMS	25902	-47.45	-13	34.45	Pass	39001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	1.08	-68.6	-13	55.6	Pass	5971
30	1000	0.1	RMS	864.21	-59.3	-13	46.3	Pass	19401
1000	3000	1	RMS	2994	-47.75	-13	34.75	Pass	4001
3000	3690	1	RMS	3690	-39.35	-13	26.35	Pass	1381
3690	3990	1	RMS	3765	1.08	60	58.92	Pass	601
3990	7000	1	RMS	4224	-49.06	-13	36.06	Pass	6021
7000	26500	1	RMS	26232	-47.78	-13	34.78	Pass	39001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.18	-69.02	-13	56.02	Pass	5971
30	1000	0.1	RMS	915.844	-59.45	-13	46.45	Pass	19401
1000	3000	1	RMS	2967	-47.84	-13	34.84	Pass	4001
3000	3690	1	RMS	3652	-45.25	-13	32.25	Pass	1381
3690	3990	1	RMS	3701.25	18.72	60	41.28	Pass	601
3990	7000	1	RMS	4224	-48.43	-13	35.43	Pass	6021
7000	26500	1	RMS	25901	-47.61	-13	34.61	Pass	39001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-69	-13	56	Pass	5971
30	1000	0.1	RMS	876.718	-59.53	-13	46.53	Pass	19401
1000	3000	1	RMS	2980	-47.77	-13	34.77	Pass	4001
3000	3690	1	RMS	3652	-45.31	-13	32.31	Pass	1381
3690	3990	1	RMS	3798.75	18.87	60	41.13	Pass	601
3990	7000	1	RMS	4224	-49.09	-13	36.09	Pass	6021
7000	26500	1	RMS	25895	-47.72	-13	34.72	Pass	39001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.86	-69.39	-13	56.39	Pass	5971
30	1000	0.1	RMS	936.258	-59.22	-13	46.22	Pass	19401
1000	3000	1	RMS	2993	-47.78	-13	34.78	Pass	4001
3000	3690	1	RMS	3005	-45.42	-13	32.42	Pass	1381
3690	3990	1	RMS	3865.5	1.45	60	58.55	Pass	601
3990	7000	1	RMS	4224	-49.21	-13	36.21	Pass	6021
7000	26500	1	RMS	25895	-47.82	-13	34.82	Pass	39001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.96	-68.68	-13	55.68	Pass	5971
30	1000	0.1	RMS	981.087	-59.62	-13	46.62	Pass	19401
1000	3000	1	RMS	2990	-47.91	-13	34.91	Pass	4001
3000	3690	1	RMS	3114	-45.58	-13	32.58	Pass	1381
3690	3990	1	RMS	3791.25	18.91	60	41.09	Pass	601
3990	7000	1	RMS	4224	-49.09	-13	36.09	Pass	6021
7000	26500	1	RMS	25957	-47.81	-13	34.81	Pass	39001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	1.55	-69.12	-13	56.12	Pass	5971
30	1000	0.1	RMS	991.694	-59.14	-13	46.14	Pass	19401
1000	3000	1	RMS	2977	-47.93	-13	34.93	Pass	4001
3000	3690	1	RMS	3070	-45.2	-13	32.2	Pass	1381
3690	3990	1	RMS	3888.75	19.97	60	40.03	Pass	601
3990	7000	1	RMS	4224	-50.25	-13	37.25	Pass	6021
7000	26500	1	RMS	25897	-47.65	-13	34.65	Pass	39001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.17	-68.63	-13	55.63	Pass	5971
30	1000	0.1	RMS	875.518	-59.28	-13	46.28	Pass	19401
1000	3000	1	RMS	2974	-47.84	-13	34.84	Pass	4001
3000	3690	1	RMS	3001	-45.39	-13	32.39	Pass	1381
3690	3990	1	RMS	3893.25	2.4	60	57.6	Pass	601
3990	7000	1	RMS	3990	-37.14	-13	24.14	Pass	6021
7000	26500	1	RMS	25911	-47.67	-13	34.67	Pass	39001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	1.4	-68.37	-13	55.37	Pass	5971
30	1000	0.1	RMS	646.7	-58.9	-13	45.9	Pass	19401
1000	3000	1	RMS	2989	-47.53	-13	34.53	Pass	4001
3000	3690	1	RMS	3004	-45.46	-13	32.46	Pass	1381
3690	3990	1	RMS	3881.25	19.56	60	40.44	Pass	601
3990	7000	1	RMS	4224	-49.56	-13	36.56	Pass	6021
7000	26500	1	RMS	25512	-47.83	-13	34.83	Pass	39001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.2	-68.13	-13	55.13	Pass	5971
30	1000	0.1	RMS	927.752	-59.4	-13	46.4	Pass	19401
1000	3000	1	RMS	2974	-47.72	-13	34.72	Pass	4001
3000	3690	1	RMS	3007	-45.53	-13	32.53	Pass	1381
3690	3990	1	RMS	3978.75	20.28	60	39.72	Pass	601
3990	7000	1	RMS	4224	-50.16	-13	37.16	Pass	6021
7000	26500	1	RMS	25470	-47.95	-13	34.95	Pass	39001



4. n78(3700-3800)


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-90.65	-13	77.65	Pass	401
0.15	30	0.01	RMS	0.55	-88.78	-13	75.78	Pass	5971
30	1000	0.1	RMS	901.835	-79.64	-13	66.64	Pass	19401
1000	3000	1	RMS	2996	-66.98	-13	53.98	Pass	4001
3000	3690	1	RMS	3690	-33.77	-13	20.77	Pass	1381
3690	3810	1	RMS	3718.2	8.49	60	51.51	Pass	401
3810	7000	1	RMS	6677	-62.6	-13	49.6	Pass	6381
7000	26500	1	RMS	25484	-47.73	-13	34.73	Pass	39001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-88.23	-13	75.23	Pass	401
0.15	30	0.01	RMS	6	-88.69	-13	75.69	Pass	5971
30	1000	0.1	RMS	834.4	-79.3	-13	66.3	Pass	19401
1000	3000	1	RMS	2989	-67.38	-13	54.38	Pass	4001
3000	3690	1	RMS	3690	-48.65	-13	35.65	Pass	1381
3690	3810	1	RMS	3701.1	19.78	60	40.22	Pass	401
3810	7000	1	RMS	6998	-62.59	-13	49.59	Pass	6381
7000	26500	1	RMS	25901	-47.65	-13	34.65	Pass	39001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-93.47	-13	80.47	Pass	401
0.15	30	0.01	RMS	1.07	-88.14	-13	75.14	Pass	5971
30	1000	0.1	RMS	875.017	-79.29	-13	66.29	Pass	19401
1000	3000	1	RMS	2993	-67.32	-13	54.32	Pass	4001
3000	3690	1	RMS	3683	-53.23	-13	40.23	Pass	1381
3690	3810	1	RMS	3719.1	20.05	60	39.95	Pass	401
3810	7000	1	RMS	6672	-62.78	-13	49.78	Pass	6381
7000	26500	1	RMS	25897	-47.73	-13	34.73	Pass	39001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-89.72	-13	76.72	Pass	401
0.15	30	0.01	RMS	6.01	-87.55	-13	74.55	Pass	5971
30	1000	0.1	RMS	896.932	-79.63	-13	66.63	Pass	19401
1000	3000	1	RMS	2986	-67.39	-13	54.39	Pass	4001
3000	3690	1	RMS	3686	-62.3	-13	49.3	Pass	1381
3690	3810	1	RMS	3758.1	9.04	60	50.96	Pass	401
3810	7000	1	RMS	3810	-62.01	-13	49.01	Pass	6381
7000	26500	1	RMS	25893	-47.45	-13	34.45	Pass	39001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-84.94	-13	71.94	Pass	401
0.15	30	0.01	RMS	6	-86.86	-13	73.86	Pass	5971
30	1000	0.1	RMS	920.547	-78.86	-13	65.86	Pass	19401
1000	3000	1	RMS	2996	-67.2	-13	54.2	Pass	4001
3000	3690	1	RMS	3434	-61.94	-13	48.94	Pass	1381
3690	3810	1	RMS	3741	20.41	60	39.59	Pass	401
3810	7000	1	RMS	3814	-62.02	-13	49.02	Pass	6381
7000	26500	1	RMS	25549	-47.31	-13	34.31	Pass	39001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-89.1	-13	76.1	Pass	401
0.15	30	0.01	RMS	6	-87.51	-13	74.51	Pass	5971
30	1000	0.1	RMS	685.4	-79.05	-13	66.05	Pass	19401
1000	3000	1	RMS	3000	-67.2	-13	54.2	Pass	4001
3000	3690	1	RMS	3687	-61.6	-13	48.6	Pass	1381
3690	3810	1	RMS	3759	20.62	60	39.38	Pass	401
3810	7000	1	RMS	3833	-62.1	-13	49.1	Pass	6381
7000	26500	1	RMS	25895	-47.86	-13	34.86	Pass	39001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-82.65	-13	69.65	Pass	401
0.15	30	0.01	RMS	6.02	-87.53	-13	74.53	Pass	5971
30	1000	0.1	RMS	788.1	-78.63	-13	65.63	Pass	19401
1000	3000	1	RMS	2996	-67.39	-13	54.39	Pass	4001
3000	3690	1	RMS	3686	-62.85	-13	49.85	Pass	1381
3690	3810	1	RMS	3782.4	9.15	60	50.85	Pass	401
3810	7000	1	RMS	3810	-37.96	-13	24.96	Pass	6381
7000	26500	1	RMS	25630	-47.75	-13	34.75	Pass	39001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-83.07	-13	70.07	Pass	401
0.15	30	0.01	RMS	6	-87.05	-13	74.05	Pass	5971
30	1000	0.1	RMS	888.726	-79.22	-13	66.22	Pass	19401
1000	3000	1	RMS	2980	-67.35	-13	54.35	Pass	4001
3000	3690	1	RMS	3474	-61.96	-13	48.96	Pass	1381
3690	3810	1	RMS	3780.9	20.72	60	39.28	Pass	401
3810	7000	1	RMS	3817	-53.04	-13	40.04	Pass	6381
7000	26500	1	RMS	25495	-47.63	-13	34.63	Pass	39001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-90.22	-13	77.22	Pass	401
0.15	30	0.01	RMS	6	-86.75	-13	73.75	Pass	5971
30	1000	0.1	RMS	902.635	-79.28	-13	66.28	Pass	19401
1000	3000	1	RMS	2981	-67.39	-13	54.39	Pass	4001
3000	3690	1	RMS	3492	-61.73	-13	48.73	Pass	1381
3690	3810	1	RMS	3798.9	20.36	60	39.64	Pass	401
3810	7000	1	RMS	3811	-52.22	-13	39.22	Pass	6381
7000	26500	1	RMS	25854	-47.98	-13	34.98	Pass	39001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-89.86	-13	76.86	Pass	401
0.15	30	0.01	RMS	6.01	-88.49	-13	75.49	Pass	5971
30	1000	0.1	RMS	996.097	-79.37	-13	66.37	Pass	19401
1000	3000	1	RMS	2998	-67.36	-13	54.36	Pass	4001
3000	3690	1	RMS	3690	-35.95	-13	22.95	Pass	1381
3690	3810	1	RMS	3746.7	4.51	60	55.49	Pass	401
3810	7000	1	RMS	4221	-51.47	-13	38.47	Pass	6381
7000	26500	1	RMS	25928	-47.67	-13	34.67	Pass	39001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-88.14	-13	75.14	Pass	401
0.15	30	0.01	RMS	6	-86.98	-13	73.98	Pass	5971
30	1000	0.1	RMS	711.3	-79.3	-13	66.3	Pass	19401
1000	3000	1	RMS	2988	-67.39	-13	54.39	Pass	4001
3000	3690	1	RMS	3690	-50.63	-13	37.63	Pass	1381
3690	3810	1	RMS	3701.4	19.44	60	40.56	Pass	401
3810	7000	1	RMS	4225	-51.54	-13	38.54	Pass	6381
7000	26500	1	RMS	25500	-47.85	-13	34.85	Pass	39001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-87.17	-13	74.17	Pass	401
0.15	30	0.01	RMS	0.36	-88.26	-13	75.26	Pass	5971
30	1000	0.1	RMS	461.9	-79.36	-13	66.36	Pass	19401
1000	3000	1	RMS	2992	-67.29	-13	54.29	Pass	4001
3000	3690	1	RMS	3654	-52.76	-13	39.76	Pass	1381
3690	3810	1	RMS	3748.8	20.2	60	39.8	Pass	401
3810	7000	1	RMS	4221	-50.69	-13	37.69	Pass	6381
7000	26500	1	RMS	25562	-47.97	-13	34.97	Pass	39001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-85.91	-13	72.91	Pass	401
0.15	30	0.01	RMS	6.02	-88.96	-13	75.96	Pass	5971
30	1000	0.1	RMS	969.58	-79.18	-13	66.18	Pass	19401
1000	3000	1	RMS	2988	-67.36	-13	54.36	Pass	4001
3000	3690	1	RMS	3690	-46.03	-13	33.03	Pass	1381
3690	3810	1	RMS	3771.6	4.77	60	55.23	Pass	401
3810	7000	1	RMS	3810	-44.45	-13	31.45	Pass	6381
7000	26500	1	RMS	25884	-47.92	-13	34.92	Pass	39001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-92.1	-13	79.1	Pass	401
0.15	30	0.01	RMS	6.03	-87.73	-13	74.73	Pass	5971
30	1000	0.1	RMS	874.817	-79.91	-13	66.91	Pass	19401
1000	3000	1	RMS	2984	-67.35	-13	54.35	Pass	4001
3000	3690	1	RMS	3679	-57.15	-13	44.15	Pass	1381
3690	3810	1	RMS	3726.3	19.33	60	40.67	Pass	401
3810	7000	1	RMS	4225	-51.57	-13	38.57	Pass	6381
7000	26500	1	RMS	25924	-47.72	-13	34.72	Pass	39001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-89.16	-13	76.16	Pass	401
0.15	30	0.01	RMS	6	-87.31	-13	74.31	Pass	5971
30	1000	0.1	RMS	952.469	-79.58	-13	66.58	Pass	19401
1000	3000	1	RMS	2955	-66.29	-13	53.29	Pass	4001
3000	3690	1	RMS	3679	-53.99	-13	40.99	Pass	1381
3690	3810	1	RMS	3773.7	20.46	60	39.54	Pass	401
3810	7000	1	RMS	4226	-51.34	-13	38.34	Pass	6381
7000	26500	1	RMS	25916	-47.94	-13	34.94	Pass	39001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-91.11	-13	78.11	Pass	401
0.15	30	0.01	RMS	6.01	-86.15	-13	73.15	Pass	5971
30	1000	0.1	RMS	888.926	-79.36	-13	66.36	Pass	19401
1000	3000	1	RMS	2970	-67.3	-13	54.3	Pass	4001
3000	3690	1	RMS	3686	-56.4	-13	43.4	Pass	1381
3690	3810	1	RMS	3754.2	4.85	60	55.15	Pass	401
3810	7000	1	RMS	3810	-37.06	-13	24.06	Pass	6381
7000	26500	1	RMS	25528	-47.9	-13	34.9	Pass	39001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-88.18	-13	75.18	Pass	401
0.15	30	0.01	RMS	6	-88.25	-13	75.25	Pass	5971
30	1000	0.1	RMS	864.81	-78.5	-13	65.5	Pass	19401
1000	3000	1	RMS	2978	-67.47	-13	54.47	Pass	4001
3000	3690	1	RMS	3686	-57.23	-13	44.23	Pass	1381
3690	3810	1	RMS	3751.2	20.21	60	39.79	Pass	401
3810	7000	1	RMS	4226	-51.04	-13	38.04	Pass	6381
7000	26500	1	RMS	25873	-47.84	-13	34.84	Pass	39001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-83.28	-13	70.28	Pass	401
0.15	30	0.01	RMS	6	-87.18	-13	74.18	Pass	5971
30	1000	0.1	RMS	798.8	-79.28	-13	66.28	Pass	19401
1000	3000	1	RMS	2980	-65.28	-13	52.28	Pass	4001
3000	3690	1	RMS	3686	-57.52	-13	44.52	Pass	1381
3690	3810	1	RMS	3798.6	19.81	60	40.19	Pass	401
3810	7000	1	RMS	4220	-51.33	-13	38.33	Pass	6381
7000	26500	1	RMS	25872	-47.76	-13	34.76	Pass	39001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-82.1	-13	69.1	Pass	401
0.15	30	0.01	RMS	6.01	-87.55	-13	74.55	Pass	5971
30	1000	0.1	RMS	919.347	-79.58	-13	66.58	Pass	19401
1000	3000	1	RMS	2982	-67.28	-13	54.28	Pass	4001
3000	3690	1	RMS	3690	-38.72	-13	25.72	Pass	1381
3690	3810	1	RMS	3776.7	1.36	60	58.64	Pass	401
3810	7000	1	RMS	3810	-38.17	-13	25.17	Pass	6381
7000	26500	1	RMS	25869	-47.84	-13	34.84	Pass	39001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-87.21	-13	74.21	Pass	401
0.15	30	0.01	RMS	5.99	-87.38	-13	74.38	Pass	5971
30	1000	0.1	RMS	860.608	-79.62	-13	66.62	Pass	19401
1000	3000	1	RMS	2987	-67.35	-13	54.35	Pass	4001
3000	3690	1	RMS	3690	-49.22	-13	36.22	Pass	1381
3690	3810	1	RMS	3701.1	19.51	60	40.49	Pass	401
3810	7000	1	RMS	4224	-48.69	-13	35.69	Pass	6381
7000	26500	1	RMS	25901	-47.5	-13	34.5	Pass	39001



4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-82.77	-13	69.77	Pass	401
0.15	30	0.01	RMS	5.99	-86.55	-13	73.55	Pass	5971
30	1000	0.1	RMS	865.311	-79.51	-13	66.51	Pass	19401
1000	3000	1	RMS	2980	-67.42	-13	54.42	Pass	4001
3000	3690	1	RMS	3652	-50.93	-13	37.93	Pass	1381
3690	3810	1	RMS	3798.9	19.97	60	40.03	Pass	401
3810	7000	1	RMS	4224	-48.59	-13	35.59	Pass	6381
7000	26500	1	RMS	25897	-47.59	-13	34.59	Pass	39001



5. n41

5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-25	48.55	Pass	401
0.15	30	0.01	RMS	0.38	-68.5	-25	43.5	Pass	5971
30	1000	0.1	RMS	867.912	-59.08	-25	34.08	Pass	19401
1000	2476	1	RMS	2476	-45.15	-25	20.15	Pass	2953
2476	2710	1	RMS	2513.44	9.69	60	50.31	Pass	469
2710	3000	1	RMS	2984.775	-47.98	-25	22.98	Pass	581
3000	7000	1	RMS	6686	-62.79	-25	37.79	Pass	8001
7000	26500	1	RMS	25868	-47.94	-25	22.94	Pass	39001



5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-25	47.68	Pass	401
0.15	30	0.01	RMS	0.58	-68.89	-25	43.89	Pass	5971
30	1000	0.1	RMS	756.6	-59.34	-25	34.34	Pass	19401
1000	2476	1	RMS	2467	-49.54	-25	24.54	Pass	2953
2476	2710	1	RMS	2497.06	20.49	60	39.51	Pass	469
2710	3000	1	RMS	2981.875	-47.95	-25	22.95	Pass	581
3000	7000	1	RMS	6677	-62.69	-25	37.69	Pass	8001
7000	26500	1	RMS	25904	-47.94	-25	22.94	Pass	39001

