



8.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-70.28	-13	57.28	Pass	5971
30	765	0.1	RMS	509.361	-63.59	-13	50.59	Pass	14701
765	810	0.1	RMS	790.85	20.89	60	39.11	Pass	901
810	1000	0.1	RMS	828.1	-62.87	-13	49.87	Pass	3801
1000	3000	1	RMS	1581.5	-48.59	-13	35.59	Pass	4001
3000	10000	1	RMS	6997	-43.73	-13	30.73	Pass	14002




8.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	57.98	Pass	5971
30	765	0.1	RMS	503.21	-63.55	-13	50.55	Pass	14701
765	810	0.1	RMS	790.85	19.77	60	40.23	Pass	901
810	1000	0.1	RMS	836.75	-62.94	-13	49.94	Pass	3801
1000	3000	1	RMS	2939	-48.83	-13	35.83	Pass	4001
3000	10000	1	RMS	7004	-43.75	-13	30.75	Pass	14002




8.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.21	-70.76	-13	57.76	Pass	5971
30	765	0.1	RMS	735.946	-63.44	-13	50.44	Pass	14701
765	810	0.1	RMS	793.35	20.73	60	39.27	Pass	901
810	1000	0.1	RMS	845.7	-62.91	-13	49.91	Pass	3801
1000	3000	1	RMS	2942.5	-48.8	-13	35.8	Pass	4001
3000	10000	1	RMS	7901	-43.81	-13	30.81	Pass	14002




8.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	5971
30	765	0.1	RMS	758.299	-63.51	-13	50.51	Pass	14701
765	810	0.1	RMS	793.35	20.04	60	39.96	Pass	901
810	1000	0.1	RMS	854.8	-62.7	-13	49.7	Pass	3801
1000	3000	1	RMS	2955.5	-48.82	-13	35.82	Pass	4001
3000	10000	1	RMS	7004	-43.82	-13	30.82	Pass	14002




8.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.225	-70.96	-13	57.96	Pass	5971
30	765	0.1	RMS	500.909	-63.53	-13	50.53	Pass	14701
765	810	0.1	RMS	788.6	20.73	60	39.27	Pass	901
810	1000	0.1	RMS	847.3	-62.75	-13	49.75	Pass	3801
1000	3000	1	RMS	1577	-47.87	-13	34.87	Pass	4001
3000	10000	1	RMS	7010	-43.82	-13	30.82	Pass	14002



8.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.165	-71.72	-13	58.72	Pass	5971
30	765	0.1	RMS	728.144	-63.49	-13	50.49	Pass	14701
765	810	0.1	RMS	788.6	19.74	60	40.26	Pass	901
810	1000	0.1	RMS	839.8	-62.91	-13	49.91	Pass	3801
1000	3000	1	RMS	1577	-48.73	-13	35.73	Pass	4001
3000	10000	1	RMS	6998.5	-43.78	-13	30.78	Pass	14002



9. LTE_Band17


9.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	5971
30	694	0.1	RMS	693.65	-62.37	-13	49.37	Pass	13281
694	719	0.1	RMS	704.35	20.71	60	39.29	Pass	501
719	1000	0.1	RMS	721.65	-62.25	-13	49.25	Pass	5621
1000	3000	1	RMS	1408.5	-48.17	-13	35.17	Pass	4001
3000	10000	1	RMS	8743	-43.76	-13	30.76	Pass	14002




9.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.19	-71.32	-13	58.32	Pass	5971
30	694	0.1	RMS	693.65	-62.35	-13	49.35	Pass	13281
694	719	0.1	RMS	704.35	19.6	60	40.4	Pass	501
719	1000	0.1	RMS	827.85	-62.71	-13	49.71	Pass	5621
1000	3000	1	RMS	2941	-48.74	-13	35.74	Pass	4001
3000	10000	1	RMS	7899	-43.74	-13	30.74	Pass	14002




9.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.17	-70.2	-13	57.2	Pass	5971
30	697.5	0.1	RMS	697.15	-62.29	-13	49.29	Pass	13351
697.5	722.5	0.1	RMS	707.85	20.75	60	39.25	Pass	501
722.5	1000	0.1	RMS	854.05	-62.62	-13	49.62	Pass	5551
1000	3000	1	RMS	1415.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	7007	-43.82	-13	30.82	Pass	14002




9.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.535	-70.79	-13	57.79	Pass	5971
30	697.5	0.1	RMS	697.15	-62.51	-13	49.51	Pass	13351
697.5	722.5	0.1	RMS	707.85	19.94	60	40.06	Pass	501
722.5	1000	0.1	RMS	841.4	-62.62	-13	49.62	Pass	5551
1000	3000	1	RMS	2962	-48.79	-13	35.79	Pass	4001
3000	10000	1	RMS	7890.5	-43.75	-13	30.75	Pass	14002




9.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-13	58.03	Pass	5971
30	701	0.1	RMS	700.65	-61.83	-13	48.83	Pass	13421
701	726	0.1	RMS	711.35	20.67	60	39.33	Pass	501
726	1000	0.1	RMS	865.4	-62.73	-13	49.73	Pass	5481
1000	3000	1	RMS	1422.5	-48.71	-13	35.71	Pass	4001
3000	10000	1	RMS	7904.5	-43.8	-13	30.8	Pass	14002




9.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.25	-71.35	-13	58.35	Pass	5971
30	701	0.1	RMS	700.65	-62.5	-13	49.5	Pass	13421
701	726	0.1	RMS	711.35	19.75	60	40.25	Pass	501
726	1000	0.1	RMS	837.05	-62.77	-13	49.77	Pass	5481
1000	3000	1	RMS	2941.5	-48.77	-13	35.77	Pass	4001
3000	10000	1	RMS	7902	-43.67	-13	30.67	Pass	14002




9.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.195	-71.08	-13	58.08	Pass	5971
30	684	0.1	RMS	500.312	-63.77	-13	50.77	Pass	13081
684	734	0.1	RMS	704.6	20.82	60	39.18	Pass	1001
734	1000	0.1	RMS	856.5	-62.68	-13	49.68	Pass	5321
1000	3000	1	RMS	1409	-48.24	-13	35.24	Pass	4001
3000	10000	1	RMS	7896.5	-43.74	-13	30.74	Pass	14002




9.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.265	-71.42	-13	58.42	Pass	5971
30	684	0.1	RMS	481.459	-63.62	-13	50.62	Pass	13081
684	734	0.1	RMS	704.6	19.62	60	40.38	Pass	1001
734	1000	0.1	RMS	852	-62.49	-13	49.49	Pass	5321
1000	3000	1	RMS	2941.5	-48.78	-13	35.78	Pass	4001
3000	10000	1	RMS	7007	-43.68	-13	30.68	Pass	14002




9.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	57.81	Pass	5971
30	685	0.1	RMS	492.961	-63.59	-13	50.59	Pass	13101
685	735	0.1	RMS	705.6	20.72	60	39.28	Pass	1001
735	1000	0.1	RMS	850.9	-62.77	-13	49.77	Pass	5301
1000	3000	1	RMS	1411	-48.3	-13	35.3	Pass	4001
3000	10000	1	RMS	6998	-43.78	-13	30.78	Pass	14002




9.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.94	-13	60.94	Pass	401
0.15	30	0.01	RMS	0.155	-71.03	-13	58.03	Pass	5971
30	685	0.1	RMS	377.35	-63.69	-13	50.69	Pass	13101
685	735	0.1	RMS	705.6	19.89	60	40.11	Pass	1001
735	1000	0.1	RMS	858.55	-62.62	-13	49.62	Pass	5301
1000	3000	1	RMS	2942.5	-48.78	-13	35.78	Pass	4001
3000	10000	1	RMS	7899	-43.74	-13	30.74	Pass	14002




9.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.185	-70.84	-13	57.84	Pass	5971
30	686	0.1	RMS	589.13	-63.7	-13	50.7	Pass	13121
686	736	0.1	RMS	706.6	20.83	60	39.17	Pass	1001
736	1000	0.1	RMS	848.35	-62.61	-13	49.61	Pass	5281
1000	3000	1	RMS	1413	-48.47	-13	35.47	Pass	4001
3000	10000	1	RMS	7002	-43.79	-13	30.79	Pass	14002



9.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.24	-70.97	-13	57.97	Pass	5971
30	686	0.1	RMS	506.964	-63.64	-13	50.64	Pass	13121
686	736	0.1	RMS	706.6	19.72	60	40.28	Pass	1001
736	1000	0.1	RMS	859.1	-62.76	-13	49.76	Pass	5281
1000	3000	1	RMS	2931	-48.81	-13	35.81	Pass	4001
3000	10000	1	RMS	7902	-43.75	-13	30.75	Pass	14002



10. LTE_Band25


10.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.165	-71.43	-13	58.43	Pass	5971
30	1000	0.1	RMS	857.003	-62.89	-13	49.89	Pass	19402
1000	1847.2	1	RMS	1847.2	-48.55	-13	35.55	Pass	1695
1847.2	1854.2	1	RMS	1850.193	22.12	60	37.88	Pass	401
1854.2	3000	1	RMS	2946.986	-48.71	-13	35.71	Pass	2292
3000	12000	1	RMS	11951	-41.86	-13	28.86	Pass	18003
12000	20000	1	RMS	19789.5	-33.05	-13	20.05	Pass	16002




10.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-70.41	-13	57.41	Pass	5971
30	1000	0.1	RMS	851.551	-62.95	-13	49.95	Pass	19402
1000	1847.2	1	RMS	1847.2	-48.69	-13	35.69	Pass	1695
1847.2	1854.2	1	RMS	1850.28	21.21	60	38.79	Pass	401
1854.2	3000	1	RMS	2940.985	-48.72	-13	35.72	Pass	2292
3000	12000	1	RMS	11951	-41.86	-13	28.86	Pass	18003
12000	20000	1	RMS	19791	-32.97	-13	19.97	Pass	16002




10.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.185	-70.88	-13	57.88	Pass	5971
30	1000	0.1	RMS	836.4	-63.02	-13	50.02	Pass	19402
1000	1879	1	RMS	1879	-48.39	-13	35.39	Pass	1759
1879	1886	1	RMS	1882.045	22.05	60	37.95	Pass	401
1886	3000	1	RMS	2959.5	-48.73	-13	35.73	Pass	2229
3000	12000	1	RMS	11947	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19789.5	-33.08	-13	20.08	Pass	16002




10.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	57.98	Pass	5971
30	1000	0.1	RMS	843.05	-62.99	-13	49.99	Pass	19402
1000	1879	1	RMS	1879	-48.99	-13	35.99	Pass	1759
1879	1886	1	RMS	1882.063	21.17	60	38.83	Pass	401
1886	3000	1	RMS	2938	-48.73	-13	35.73	Pass	2229
3000	12000	1	RMS	11950.5	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19806	-32.95	-13	19.95	Pass	16002




10.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.285	-71.27	-13	58.27	Pass	5971
30	1000	0.1	RMS	867.306	-63.03	-13	50.03	Pass	19402
1000	1910.8	1	RMS	1910.8	-48.26	-13	35.26	Pass	1822
1910.8	1917.8	1	RMS	1913.845	22.33	60	37.67	Pass	401
1917.8	3000	1	RMS	2956.492	-48.75	-13	35.75	Pass	2165
3000	12000	1	RMS	3827.5	-40.73	-13	27.73	Pass	18003
12000	20000	1	RMS	19796.5	-32.99	-13	19.99	Pass	16002




10.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	5971
30	1000	0.1	RMS	858.903	-62.91	-13	49.91	Pass	19402
1000	1910.8	1	RMS	1910.8	-48.89	-13	35.89	Pass	1822
1910.8	1917.8	1	RMS	1913.828	21.52	60	38.48	Pass	401
1917.8	3000	1	RMS	2945.49	-48.69	-13	35.69	Pass	2165
3000	12000	1	RMS	11942	-41.89	-13	28.89	Pass	18003
12000	20000	1	RMS	19791.5	-33.01	-13	20.01	Pass	16002




10.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.34	-71.41	-13	58.41	Pass	5971
30	1000	0.1	RMS	862.855	-62.77	-13	49.77	Pass	19402
1000	1844	1	RMS	1844	-51.17	-13	38.17	Pass	1689
1844	1859	1	RMS	1850.225	22.07	60	37.93	Pass	401
1859	3000	1	RMS	2943	-48.66	-13	35.66	Pass	2283
3000	12000	1	RMS	11945	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19802.5	-33.01	-13	20.01	Pass	16002




10.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.155	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	851.351	-62.95	-13	49.95	Pass	19402
1000	1844	1	RMS	1844	-51.42	-13	38.42	Pass	1689
1844	1859	1	RMS	1850.263	21.3	60	38.7	Pass	401
1859	3000	1	RMS	2951.5	-48.73	-13	35.73	Pass	2283
3000	12000	1	RMS	11951.5	-41.82	-13	28.82	Pass	18003
12000	20000	1	RMS	19784	-33.02	-13	20.02	Pass	16002




10.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	57.9	Pass	5971
30	1000	0.1	RMS	853.652	-63.11	-13	50.11	Pass	19402
1000	1875	1	RMS	1875	-51.1	-13	38.1	Pass	1751
1875	1890	1	RMS	1881.225	22.08	60	37.92	Pass	401
1890	3000	1	RMS	2957	-48.71	-13	35.71	Pass	2221
3000	12000	1	RMS	11949	-41.83	-13	28.83	Pass	18003
12000	20000	1	RMS	19790.5	-32.99	-13	19.99	Pass	16002




10.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.155	-71.1	-13	58.1	Pass	5971
30	1000	0.1	RMS	840.1	-62.67	-13	49.67	Pass	19402
1000	1875	1	RMS	1875	-51.2	-13	38.2	Pass	1751
1875	1890	1	RMS	1881.225	21.16	60	38.84	Pass	401
1890	3000	1	RMS	2952.5	-48.74	-13	35.74	Pass	2221
3000	12000	1	RMS	11949	-41.82	-13	28.82	Pass	18003
12000	20000	1	RMS	19804.5	-33.03	-13	20.03	Pass	16002




10.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	58.39	Pass	5971
30	1000	0.1	RMS	832.3	-62.93	-13	49.93	Pass	19402
1000	1906	1	RMS	1901.5	-51.02	-13	38.02	Pass	1813
1906	1921	1	RMS	1912.15	22.29	60	37.71	Pass	401
1921	3000	1	RMS	2941.5	-48.68	-13	35.68	Pass	2159
3000	12000	1	RMS	11953.5	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19799	-33.04	-13	20.04	Pass	16002




10.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.17	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	856.753	-62.91	-13	49.91	Pass	19402
1000	1906	1	RMS	1905.5	-51.24	-13	38.24	Pass	1813
1906	1921	1	RMS	1912.3	21.46	60	38.54	Pass	401
1921	3000	1	RMS	2945	-48.73	-13	35.73	Pass	2159
3000	12000	1	RMS	11952	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19792	-33.08	-13	20.08	Pass	16002




10.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.38	-71.23	-13	58.23	Pass	5971
30	1000	0.1	RMS	844.8	-62.84	-13	49.84	Pass	19402
1000	1840	1	RMS	1839.5	-51.33	-13	38.33	Pass	1681
1840	1865	1	RMS	1850.313	22.17	60	37.83	Pass	401
1865	3000	1	RMS	2940	-48.73	-13	35.73	Pass	2271
3000	12000	1	RMS	11962	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19810.5	-33.05	-13	20.05	Pass	16002




10.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.155	-70.81	-13	57.81	Pass	5971
30	1000	0.1	RMS	849.8	-63.01	-13	50.01	Pass	19402
1000	1840	1	RMS	1839.5	-51.53	-13	38.53	Pass	1681
1840	1865	1	RMS	1850.313	21.23	60	38.77	Pass	401
1865	3000	1	RMS	2952	-48.72	-13	35.72	Pass	2271
3000	12000	1	RMS	11947	-41.81	-13	28.81	Pass	18003
12000	20000	1	RMS	19799	-33.01	-13	20.01	Pass	16002




10.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.18	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	841.65	-62.88	-13	49.88	Pass	19402
1000	1870	1	RMS	1869.5	-51.14	-13	38.14	Pass	1741
1870	1895	1	RMS	1880.375	22.07	60	37.93	Pass	401
1895	3000	1	RMS	2939	-48.74	-13	35.74	Pass	2211
3000	12000	1	RMS	11955.5	-41.77	-13	28.77	Pass	18003
12000	20000	1	RMS	19767.5	-33.08	-13	20.08	Pass	16002




10.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.435	-71.15	-13	58.15	Pass	5971
30	1000	0.1	RMS	845.6	-62.89	-13	49.89	Pass	19402
1000	1870	1	RMS	1869.5	-51.52	-13	38.52	Pass	1741
1870	1895	1	RMS	1880.25	21.19	60	38.81	Pass	401
1895	3000	1	RMS	2954.5	-48.73	-13	35.73	Pass	2211
3000	12000	1	RMS	11940.5	-41.87	-13	28.87	Pass	18003
12000	20000	1	RMS	19806.5	-32.98	-13	19.98	Pass	16002




10.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.18	-70.62	-13	57.62	Pass	5971
30	1000	0.1	RMS	871.007	-62.96	-13	49.96	Pass	19402
1000	1900	1	RMS	1899.5	-51.05	-13	38.05	Pass	1801
1900	1925	1	RMS	1910.313	22.34	60	37.66	Pass	401
1925	3000	1	RMS	2957.5	-48.74	-13	35.74	Pass	2151
3000	12000	1	RMS	11941	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19799	-33.05	-13	20.05	Pass	16002




10.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.225	-71.1	-13	58.1	Pass	5971
30	1000	0.1	RMS	833.9	-63.03	-13	50.03	Pass	19402
1000	1900	1	RMS	1899.5	-51.23	-13	38.23	Pass	1801
1900	1925	1	RMS	1910.375	21.49	60	38.51	Pass	401
1925	3000	1	RMS	2963	-48.76	-13	35.76	Pass	2151
3000	12000	1	RMS	11952.5	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19797.5	-33.08	-13	20.08	Pass	16002




10.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.27	-70.85	-13	57.85	Pass	5971
30	1000	0.1	RMS	841.85	-62.93	-13	49.93	Pass	19402
1000	1830	1	RMS	1781.5	-52.02	-13	39.02	Pass	1661
1830	1880	1	RMS	1850.5	22.13	60	37.87	Pass	401
1880	3000	1	RMS	2944.5	-48.73	-13	35.73	Pass	2241
3000	12000	1	RMS	11937	-41.8	-13	28.8	Pass	18003
12000	20000	1	RMS	19806	-33.02	-13	20.02	Pass	16002




10.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.185	-70.7	-13	57.7	Pass	5971
30	1000	0.1	RMS	879.91	-63.04	-13	50.04	Pass	19402
1000	1830	1	RMS	1774	-51.99	-13	38.99	Pass	1661
1830	1880	1	RMS	1850.5	21.3	60	38.7	Pass	401
1880	3000	1	RMS	2965	-48.73	-13	35.73	Pass	2241
3000	12000	1	RMS	11946	-41.84	-13	28.84	Pass	18003
12000	20000	1	RMS	19791	-33	-13	20	Pass	16002




10.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.175	-71.43	-13	58.43	Pass	5971
30	1000	0.1	RMS	827.35	-62.88	-13	49.88	Pass	19402
1000	1857.5	1	RMS	1759	-51.98	-13	38.98	Pass	1716
1857.5	1907.5	1	RMS	1878	21.98	60	38.02	Pass	401
1907.5	3000	1	RMS	2936	-48.71	-13	35.71	Pass	2186
3000	12000	1	RMS	11949	-41.87	-13	28.87	Pass	18003
12000	20000	1	RMS	19807.5	-32.99	-13	19.99	Pass	16002




10.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.165	-71.37	-13	58.37	Pass	5971
30	1000	0.1	RMS	835.65	-62.97	-13	49.97	Pass	19402
1000	1857.5	1	RMS	1857	-51.97	-13	38.97	Pass	1716
1857.5	1907.5	1	RMS	1878.125	21.1	60	38.9	Pass	401
1907.5	3000	1	RMS	2961.5	-48.74	-13	35.74	Pass	2186
3000	12000	1	RMS	11946	-41.82	-13	28.82	Pass	18003
12000	20000	1	RMS	19804	-33.02	-13	20.02	Pass	16002




10.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.155	-71.29	-13	58.29	Pass	5971
30	1000	0.1	RMS	885.662	-63	-13	50	Pass	19402
1000	1885	1	RMS	1884	-51.79	-13	38.79	Pass	1771
1885	1935	1	RMS	1905.5	22.35	60	37.65	Pass	401
1935	3000	1	RMS	2958.5	-48.69	-13	35.69	Pass	2131
3000	12000	1	RMS	11953	-41.8	-13	28.8	Pass	18003
12000	20000	1	RMS	19809.5	-33.04	-13	20.04	Pass	16002




10.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	57.16	Pass	5971
30	1000	0.1	RMS	838.75	-62.87	-13	49.87	Pass	19402
1000	1885	1	RMS	1882	-51.84	-13	38.84	Pass	1771
1885	1935	1	RMS	1905.5	21.44	60	38.56	Pass	401
1935	3000	1	RMS	2941	-48.75	-13	35.75	Pass	2131
3000	12000	1	RMS	11949	-41.82	-13	28.82	Pass	18003
12000	20000	1	RMS	19803.5	-33.1	-13	20.1	Pass	16002




10.25. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.28	-70.84	-13	57.84	Pass	5971
30	1000	0.1	RMS	820.95	-62.95	-13	49.95	Pass	19402
1000	1820	1	RMS	1766.5	-52.02	-13	39.02	Pass	1641
1820	1895	1	RMS	1850.75	21.99	60	38.01	Pass	401
1895	3000	1	RMS	2950.5	-48.71	-13	35.71	Pass	2211
3000	12000	1	RMS	11948	-41.78	-13	28.78	Pass	18003
12000	20000	1	RMS	19793	-33.04	-13	20.04	Pass	16002




10.26. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	5971
30	1000	0.1	RMS	832.55	-63.01	-13	50.01	Pass	19402
1000	1820	1	RMS	1807.5	-52.02	-13	39.02	Pass	1641
1820	1895	1	RMS	1850.75	21.13	60	38.87	Pass	401
1895	3000	1	RMS	2950.5	-48.75	-13	35.75	Pass	2211
3000	12000	1	RMS	11941.5	-41.8	-13	28.8	Pass	18003
12000	20000	1	RMS	19795.5	-33.03	-13	20.03	Pass	16002




10.27. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.195	-70.74	-13	57.74	Pass	5971
30	1000	0.1	RMS	839.65	-63.06	-13	50.06	Pass	19402
1000	1845	1	RMS	1843	-51.93	-13	38.93	Pass	1691
1845	1920	1	RMS	1875.75	21.89	60	38.11	Pass	401
1920	3000	1	RMS	2938.5	-48.7	-13	35.7	Pass	2161
3000	12000	1	RMS	11954	-41.84	-13	28.84	Pass	18003
12000	20000	1	RMS	19791	-33	-13	20	Pass	16002




10.28. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.155	-70.71	-13	57.71	Pass	5971
30	1000	0.1	RMS	841.25	-62.75	-13	49.75	Pass	19402
1000	1845	1	RMS	1843.5	-51.93	-13	38.93	Pass	1691
1845	1920	1	RMS	1875.75	20.82	60	39.18	Pass	401
1920	3000	1	RMS	2944.5	-48.72	-13	35.72	Pass	2161
3000	12000	1	RMS	11947.5	-41.8	-13	28.8	Pass	18003
12000	20000	1	RMS	19798	-33.02	-13	20.02	Pass	16002




10.29. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	57.76	Pass	5971
30	1000	0.1	RMS	847	-62.84	-13	49.84	Pass	19402
1000	1870	1	RMS	1862	-51.94	-13	38.94	Pass	1741
1870	1945	1	RMS	1900.75	22.12	60	37.88	Pass	401
1945	3000	1	RMS	2957	-48.77	-13	35.77	Pass	2111
3000	12000	1	RMS	11953.5	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19768	-33.01	-13	20.01	Pass	16002




10.30. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.165	-70.59	-13	57.59	Pass	5971
30	1000	0.1	RMS	836.65	-62.92	-13	49.92	Pass	19402
1000	1870	1	RMS	1857	-51.9	-13	38.9	Pass	1741
1870	1945	1	RMS	1900.75	21.26	60	38.74	Pass	401
1945	3000	1	RMS	2963.5	-48.73	-13	35.73	Pass	2111
3000	12000	1	RMS	11966.5	-41.86	-13	28.86	Pass	18003
12000	20000	1	RMS	19804	-32.96	-13	19.96	Pass	16002




10.31. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-13	58.43	Pass	5971
30	1000	0.1	RMS	833.8	-62.84	-13	49.84	Pass	19402
1000	1810	1	RMS	1792	-51.99	-13	38.99	Pass	1621
1810	1910	1	RMS	1851	21.87	60	38.13	Pass	401
1910	3000	1	RMS	2944	-48.71	-13	35.71	Pass	2181
3000	12000	1	RMS	11964.5	-41.87	-13	28.87	Pass	18003
12000	20000	1	RMS	19813	-33.05	-13	20.05	Pass	16002




10.32. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.165	-70.69	-13	57.69	Pass	5971
30	1000	0.1	RMS	852.651	-62.86	-13	49.86	Pass	19402
1000	1810	1	RMS	1735	-52.05	-13	39.05	Pass	1621
1810	1910	1	RMS	1851	21.08	60	38.92	Pass	401
1910	3000	1	RMS	2936.5	-48.71	-13	35.71	Pass	2181
3000	12000	1	RMS	11951	-41.77	-13	28.77	Pass	18003
12000	20000	1	RMS	19819	-32.94	-13	19.94	Pass	16002




10.33. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-70.12	-13	57.12	Pass	5971
30	1000	0.1	RMS	862.654	-62.9	-13	49.9	Pass	19402
1000	1832.5	1	RMS	1752.5	-51.97	-13	38.97	Pass	1666
1832.5	1932.5	1	RMS	1873.5	21.83	60	38.17	Pass	401
1932.5	3000	1	RMS	2941	-48.73	-13	35.73	Pass	2136
3000	12000	1	RMS	11944	-41.88	-13	28.88	Pass	18003
12000	20000	1	RMS	19801	-33.01	-13	20.01	Pass	16002




10.34. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	5971
30	1000	0.1	RMS	834.1	-62.78	-13	49.78	Pass	19402
1000	1832.5	1	RMS	1749	-52.01	-13	39.01	Pass	1666
1832.5	1932.5	1	RMS	1873.5	21.05	60	38.95	Pass	401
1932.5	3000	1	RMS	2937.5	-48.73	-13	35.73	Pass	2136
3000	12000	1	RMS	11948	-41.83	-13	28.83	Pass	18003
12000	20000	1	RMS	19791	-33	-13	20	Pass	16002




10.35. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.2	-71.7	-13	58.7	Pass	5971
30	1000	0.1	RMS	847.7	-62.9	-13	49.9	Pass	19402
1000	1855	1	RMS	1854.5	-51.99	-13	38.99	Pass	1711
1855	1955	1	RMS	1896	22.17	60	37.83	Pass	401
1955	3000	1	RMS	2940	-48.72	-13	35.72	Pass	2091
3000	12000	1	RMS	11943.5	-41.79	-13	28.79	Pass	18003
12000	20000	1	RMS	19780.5	-33.05	-13	20.05	Pass	16002



10.36. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	58.52	Pass	5971
30	1000	0.1	RMS	841.8	-63	-13	50	Pass	19402
1000	1855	1	RMS	1846.5	-51.98	-13	38.98	Pass	1711
1855	1955	1	RMS	1896	21.14	60	38.86	Pass	401
1955	3000	1	RMS	2949	-48.73	-13	35.73	Pass	2091
3000	12000	1	RMS	11942.5	-41.85	-13	28.85	Pass	18003
12000	20000	1	RMS	19797	-32.95	-13	19.95	Pass	16002



11. LTE_Band26(part90)


11.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.19	-70.51	-13	57.51	Pass	5971
30	811.2	0.1	RMS	811.2	-59.3	-13	46.3	Pass	15626
811.2	818.2	0.1	RMS	814.245	21.09	60	38.91	Pass	401
818.2	1000	0.1	RMS	818.25	-59.73	-13	46.73	Pass	3636
1000	3000	1	RMS	1628.5	-47	-13	34	Pass	4001
3000	10000	1	RMS	6995	-43.71	-13	30.71	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.21	-70.95	-13	57.95	Pass	5971
30	811.2	0.1	RMS	811.1	-59.63	-13	46.63	Pass	15626
811.2	818.2	0.1	RMS	814.245	20.09	60	39.91	Pass	401
818.2	1000	0.1	RMS	818.25	-60.17	-13	47.17	Pass	3636
1000	3000	1	RMS	1628.5	-47.99	-13	34.99	Pass	4001
3000	10000	1	RMS	7000	-43.72	-13	30.72	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.2	-70.75	-13	57.75	Pass	5971
30	815.5	0.1	RMS	815.4	-58.52	-13	45.52	Pass	15711
815.5	822.5	0.1	RMS	818.545	20.92	60	39.08	Pass	401
822.5	1000	0.1	RMS	822.55	-60.09	-13	47.09	Pass	3551
1000	3000	1	RMS	1637	-47.68	-13	34.68	Pass	4001
3000	10000	1	RMS	7007.5	-43.71	-13	30.71	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-70.43	-13	57.43	Pass	5971
30	815.5	0.1	RMS	815.35	-59.36	-13	46.36	Pass	15711
815.5	822.5	0.1	RMS	818.545	20.01	60	39.99	Pass	401
822.5	1000	0.1	RMS	822.5	-60.59	-13	47.59	Pass	3551
1000	3000	1	RMS	1637	-48.3	-13	35.3	Pass	4001
3000	10000	1	RMS	7000.5	-43.69	-13	30.69	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-70.28	-13	57.28	Pass	5971
30	819.8	0.1	RMS	819.7	-58.46	-13	45.46	Pass	15797
819.8	826.8	0.1	RMS	822.845	20.9	60	39.1	Pass	401
826.8	1000	0.1	RMS	827.05	-60.19	-13	47.19	Pass	3465
1000	3000	1	RMS	2942.5	-48.76	-13	35.76	Pass	4001
3000	10000	1	RMS	7903	-43.76	-13	30.76	Pass	14002



11.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.245	-70.64	-13	57.64	Pass	5971
30	819.8	0.1	RMS	819.75	-58.61	-13	45.61	Pass	15797
819.8	826.8	0.1	RMS	822.863	20.01	60	39.99	Pass	401
826.8	1000	0.1	RMS	826.8	-60.05	-13	47.05	Pass	3465
1000	3000	1	RMS	2943	-48.73	-13	35.73	Pass	4001
3000	10000	1	RMS	7890	-43.74	-13	30.74	Pass	14002



11.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	57.13	Pass	5971
30	808	0.1	RMS	803.549	-62.76	-13	49.76	Pass	15561
808	823	0.1	RMS	814.225	20.95	60	39.05	Pass	401
823	1000	0.1	RMS	824.3	-61.25	-13	48.25	Pass	3541
1000	3000	1	RMS	1628.5	-47.14	-13	34.14	Pass	4001
3000	10000	1	RMS	7894	-43.75	-13	30.75	Pass	14002

