



11.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	5971
30	808	0.1	RMS	803.549	-62.51	-13	49.51	Pass	15561
808	823	0.1	RMS	814.225	20.13	60	39.87	Pass	401
823	1000	0.1	RMS	824.35	-62.05	-13	49.05	Pass	3541
1000	3000	1	RMS	1628.5	-47.8	-13	34.8	Pass	4001
3000	10000	1	RMS	6998	-43.73	-13	30.73	Pass	14002




11.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.185	-70.81	-13	57.81	Pass	5971
30	811.5	0.1	RMS	811.35	-62.11	-13	49.11	Pass	15631
811.5	826.5	0.1	RMS	817.725	20.88	60	39.12	Pass	401
826.5	1000	0.1	RMS	827.3	-62.52	-13	49.52	Pass	3471
1000	3000	1	RMS	1635.5	-47.3	-13	34.3	Pass	4001
3000	10000	1	RMS	7894	-43.75	-13	30.75	Pass	14002




11.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.19	-71.15	-13	58.15	Pass	5971
30	811.5	0.1	RMS	810.75	-62.15	-13	49.15	Pass	15631
811.5	826.5	0.1	RMS	817.725	20.03	60	39.97	Pass	401
826.5	1000	0.1	RMS	827.7	-62.52	-13	49.52	Pass	3471
1000	3000	1	RMS	1635.5	-48.03	-13	35.03	Pass	4001
3000	10000	1	RMS	8752	-43.79	-13	30.79	Pass	14002




11.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-13	57.37	Pass	5971
30	815	0.1	RMS	814.65	-61.97	-13	48.97	Pass	15701
815	830	0.1	RMS	821.225	20.86	60	39.14	Pass	401
830	1000	0.1	RMS	830.35	-62.11	-13	49.11	Pass	3401
1000	3000	1	RMS	2958	-48.74	-13	35.74	Pass	4001
3000	10000	1	RMS	7003.5	-43.72	-13	30.72	Pass	14002




11.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	57.53	Pass	5971
30	815	0.1	RMS	814.35	-62.1	-13	49.1	Pass	15701
815	830	0.1	RMS	821.225	19.91	60	40.09	Pass	401
830	1000	0.1	RMS	844.4	-62.57	-13	49.57	Pass	3401
1000	3000	1	RMS	2957	-48.73	-13	35.73	Pass	4001
3000	10000	1	RMS	6999.5	-43.73	-13	30.73	Pass	14002




11.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.165	-70.73	-13	57.73	Pass	5971
30	804	0.1	RMS	803.65	-62.81	-13	49.81	Pass	15481
804	829	0.1	RMS	814.35	20.94	60	39.06	Pass	501
829	1000	0.1	RMS	831.65	-62.12	-13	49.12	Pass	3421
1000	3000	1	RMS	1628.5	-47.34	-13	34.34	Pass	4001
3000	10000	1	RMS	7901	-43.75	-13	30.75	Pass	14002




11.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.175	-70.65	-13	57.65	Pass	5971
30	804	0.1	RMS	803.6	-62.52	-13	49.52	Pass	15481
804	829	0.1	RMS	814.35	20.11	60	39.89	Pass	501
829	1000	0.1	RMS	839.7	-62.53	-13	49.53	Pass	3421
1000	3000	1	RMS	1628.5	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	7910	-43.65	-13	30.65	Pass	14002




11.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-70.79	-13	57.79	Pass	5971
30	806.5	0.1	RMS	806.15	-62.25	-13	49.25	Pass	15531
806.5	831.5	0.1	RMS	816.85	20.92	60	39.08	Pass	501
831.5	1000	0.1	RMS	831.9	-62.59	-13	49.59	Pass	3371
1000	3000	1	RMS	1633.5	-47.27	-13	34.27	Pass	4001
3000	10000	1	RMS	7891	-43.79	-13	30.79	Pass	14002




11.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	58.35	Pass	5971
30	806.5	0.1	RMS	806.1	-62.69	-13	49.69	Pass	15531
806.5	831.5	0.1	RMS	816.85	19.89	60	40.11	Pass	501
831.5	1000	0.1	RMS	847.85	-62.66	-13	49.66	Pass	3371
1000	3000	1	RMS	1633.5	-48.05	-13	35.05	Pass	4001
3000	10000	1	RMS	7007	-43.75	-13	30.75	Pass	14002




11.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.155	-70.88	-13	57.88	Pass	5971
30	809	0.1	RMS	808.65	-62.58	-13	49.58	Pass	15581
809	834	0.1	RMS	819.35	20.68	60	39.32	Pass	501
834	1000	0.1	RMS	837.2	-62.65	-13	49.65	Pass	3321
1000	3000	1	RMS	1638.5	-48.21	-13	35.21	Pass	4001
3000	10000	1	RMS	6991.5	-43.73	-13	30.73	Pass	14002




11.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	5971
30	809	0.1	RMS	808.65	-62.82	-13	49.82	Pass	15581
809	834	0.1	RMS	819.35	20	60	40	Pass	501
834	1000	0.1	RMS	838.5	-62.71	-13	49.71	Pass	3321
1000	3000	1	RMS	2941	-48.67	-13	35.67	Pass	4001
3000	10000	1	RMS	7905	-43.76	-13	30.76	Pass	14002




11.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	57.4	Pass	5971
30	794	0.1	RMS	732.591	-63.45	-13	50.45	Pass	15281
794	844	0.1	RMS	814.6	21	60	39	Pass	1001
844	1000	0.1	RMS	858.05	-63	-13	50	Pass	3121
1000	3000	1	RMS	1629	-47.17	-13	34.17	Pass	4001
3000	10000	1	RMS	7008	-43.68	-13	30.68	Pass	14002



11.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.16	-70.77	-13	57.77	Pass	5971
30	794	0.1	RMS	587.271	-63.5	-13	50.5	Pass	15281
794	844	0.1	RMS	814.6	20.13	60	39.87	Pass	1001
844	1000	0.1	RMS	845.9	-62.68	-13	49.68	Pass	3121
1000	3000	1	RMS	1629	-47.87	-13	34.87	Pass	4001
3000	10000	1	RMS	7003	-43.69	-13	30.69	Pass	14002



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-70.94	-13	57.94	Pass	5971
30	1000	0.1	RMS	850.651	-63.01	-13	50.01	Pass	19402
1000	1707.2	1	RMS	1707.2	-48.65	-13	35.65	Pass	1415
1707.2	1714.2	1	RMS	1710.245	22.29	60	37.71	Pass	401
1714.2	3000	1	RMS	2944.987	-48.73	-13	35.73	Pass	2572
3000	12000	1	RMS	11953	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19788	-33.05	-13	20.05	Pass	16002




12.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	837.4	-63.13	-13	50.13	Pass	19402
1000	1707.2	1	RMS	1707.2	-49.3	-13	36.3	Pass	1415
1707.2	1714.2	1	RMS	1710.263	21.5	60	38.5	Pass	401
1714.2	3000	1	RMS	2940.486	-48.8	-13	35.8	Pass	2572
3000	12000	1	RMS	11947.5	-41.94	-13	28.94	Pass	18003
12000	20000	1	RMS	19798	-33.21	-13	20.21	Pass	16002




12.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-13	58.34	Pass	5971
30	1000	0.1	RMS	857.953	-63.19	-13	50.19	Pass	19402
1000	1741.5	1	RMS	1741.5	-48.43	-13	35.43	Pass	1484
1741.5	1748.5	1	RMS	1744.545	22.2	60	37.8	Pass	401
1748.5	3000	1	RMS	2944	-48.73	-13	35.73	Pass	2504
3000	12000	1	RMS	11951.5	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19817	-33.1	-13	20.1	Pass	16002




12.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	57.88	Pass	5971
30	1000	0.1	RMS	856.552	-63.23	-13	50.23	Pass	19402
1000	1741.5	1	RMS	1741.5	-48.94	-13	35.94	Pass	1484
1741.5	1748.5	1	RMS	1744.475	21.39	60	38.61	Pass	401
1748.5	3000	1	RMS	2943	-48.84	-13	35.84	Pass	2504
3000	12000	1	RMS	11956	-41.94	-13	28.94	Pass	18003
12000	20000	1	RMS	19793	-33.08	-13	20.08	Pass	16002




12.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.185	-71.69	-13	58.69	Pass	5971
30	1000	0.1	RMS	855.302	-63.1	-13	50.1	Pass	19402
1000	1775.8	1	RMS	1775.8	-48.58	-13	35.58	Pass	1552
1775.8	1782.8	1	RMS	1778.845	21.81	60	38.19	Pass	401
1782.8	3000	1	RMS	2956.993	-48.75	-13	35.75	Pass	2435
3000	12000	1	RMS	11948	-41.91	-13	28.91	Pass	18003
12000	20000	1	RMS	19812.5	-33.22	-13	20.22	Pass	16002




12.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	61.09	Pass	401
0.15	30	0.01	RMS	0.155	-71.55	-13	58.55	Pass	5971
30	1000	0.1	RMS	831.75	-63.02	-13	50.02	Pass	19402
1000	1775.8	1	RMS	1775.8	-49.29	-13	36.29	Pass	1552
1775.8	1782.8	1	RMS	1778.898	21.02	60	38.98	Pass	401
1782.8	3000	1	RMS	2956.993	-48.78	-13	35.78	Pass	2435
3000	12000	1	RMS	11951	-41.94	-13	28.94	Pass	18003
12000	20000	1	RMS	19786.5	-33.14	-13	20.14	Pass	16002




12.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	5971
30	1000	0.1	RMS	843.75	-63.11	-13	50.11	Pass	19402
1000	1704	1	RMS	1699.5	-51.4	-13	38.4	Pass	1409
1704	1719	1	RMS	1710.188	22.27	60	37.73	Pass	401
1719	3000	1	RMS	2942.5	-48.71	-13	35.71	Pass	2563
3000	12000	1	RMS	11942	-42	-13	29	Pass	18003
12000	20000	1	RMS	19797	-33.17	-13	20.17	Pass	16002




12.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.165	-71.5	-13	58.5	Pass	5971
30	1000	0.1	RMS	855.452	-62.89	-13	49.89	Pass	19402
1000	1704	1	RMS	1703.5	-51.65	-13	38.65	Pass	1409
1704	1719	1	RMS	1710.225	21.58	60	38.42	Pass	401
1719	3000	1	RMS	2939	-48.79	-13	35.79	Pass	2563
3000	12000	1	RMS	11946.5	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19798	-33.07	-13	20.07	Pass	16002




12.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	57.49	Pass	5971
30	1000	0.1	RMS	843.8	-62.91	-13	49.91	Pass	19402
1000	1737.5	1	RMS	1733	-51.19	-13	38.19	Pass	1476
1737.5	1752.5	1	RMS	1743.65	22.26	60	37.74	Pass	401
1752.5	3000	1	RMS	2947.5	-48.82	-13	35.82	Pass	2496
3000	12000	1	RMS	11943	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19790.5	-33.16	-13	20.16	Pass	16002




12.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.19	-71.24	-13	58.24	Pass	5971
30	1000	0.1	RMS	811.15	-63.15	-13	50.15	Pass	19402
1000	1737.5	1	RMS	1733	-51.48	-13	38.48	Pass	1476
1737.5	1752.5	1	RMS	1743.763	21.36	60	38.64	Pass	401
1752.5	3000	1	RMS	2952.5	-48.81	-13	35.81	Pass	2496
3000	12000	1	RMS	11951	-41.98	-13	28.98	Pass	18003
12000	20000	1	RMS	19797	-33.17	-13	20.17	Pass	16002




12.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	5971
30	1000	0.1	RMS	842.55	-63.11	-13	50.11	Pass	19402
1000	1771	1	RMS	1771	-51.15	-13	38.15	Pass	1543
1771	1786	1	RMS	1777.225	21.93	60	38.07	Pass	401
1786	3000	1	RMS	2948	-48.8	-13	35.8	Pass	2429
3000	12000	1	RMS	11950	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19783.5	-33.1	-13	20.1	Pass	16002




12.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.21	-71.28	-13	58.28	Pass	5971
30	1000	0.1	RMS	863.905	-63.08	-13	50.08	Pass	19402
1000	1771	1	RMS	1766.5	-51.36	-13	38.36	Pass	1543
1771	1786	1	RMS	1777.225	21.08	60	38.92	Pass	401
1786	3000	1	RMS	2950.5	-48.83	-13	35.83	Pass	2429
3000	12000	1	RMS	11961	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19799	-33.18	-13	20.18	Pass	16002




12.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.17	-71.39	-13	58.39	Pass	5971
30	1000	0.1	RMS	840.5	-62.91	-13	49.91	Pass	19402
1000	1700	1	RMS	1699.5	-51.55	-13	38.55	Pass	1401
1700	1725	1	RMS	1710.313	22.34	60	37.66	Pass	401
1725	3000	1	RMS	2942.5	-48.82	-13	35.82	Pass	2551
3000	12000	1	RMS	11962.5	-41.98	-13	28.98	Pass	18003
12000	20000	1	RMS	19791.5	-33.13	-13	20.13	Pass	16002




12.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.215	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	843.85	-63.16	-13	50.16	Pass	19402
1000	1700	1	RMS	1699.5	-51.66	-13	38.66	Pass	1401
1700	1725	1	RMS	1710.25	21.43	60	38.57	Pass	401
1725	3000	1	RMS	2945.5	-48.84	-13	35.84	Pass	2551
3000	12000	1	RMS	11952.5	-41.94	-13	28.94	Pass	18003
12000	20000	1	RMS	19789	-33.18	-13	20.18	Pass	16002




12.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.165	-70.82	-13	57.82	Pass	5971
30	1000	0.1	RMS	842.3	-62.84	-13	49.84	Pass	19402
1000	1732.5	1	RMS	1732	-51.4	-13	38.4	Pass	1466
1732.5	1757.5	1	RMS	1742.813	22.31	60	37.69	Pass	401
1757.5	3000	1	RMS	2953.5	-48.84	-13	35.84	Pass	2486
3000	12000	1	RMS	11956	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19787	-33.08	-13	20.08	Pass	16002




12.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.215	-70.74	-13	57.74	Pass	5971
30	1000	0.1	RMS	846.7	-62.98	-13	49.98	Pass	19402
1000	1732.5	1	RMS	1732	-51.48	-13	38.48	Pass	1466
1732.5	1757.5	1	RMS	1742.813	21.42	60	38.58	Pass	401
1757.5	3000	1	RMS	2943.5	-48.73	-13	35.73	Pass	2486
3000	12000	1	RMS	11943.5	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19796.5	-33.18	-13	20.18	Pass	16002




12.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	58.49	Pass	5971
30	1000	0.1	RMS	866.856	-63.06	-13	50.06	Pass	19402
1000	1765	1	RMS	1764.5	-51.22	-13	38.22	Pass	1531
1765	1790	1	RMS	1775.313	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2952.5	-48.75	-13	35.75	Pass	2421
3000	12000	1	RMS	11952.5	-41.87	-13	28.87	Pass	18003
12000	20000	1	RMS	19797	-33.13	-13	20.13	Pass	16002




12.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	57.99	Pass	5971
30	1000	0.1	RMS	846.15	-63.02	-13	50.02	Pass	19402
1000	1765	1	RMS	1764.5	-51.31	-13	38.31	Pass	1531
1765	1790	1	RMS	1775.25	21.22	60	38.78	Pass	401
1790	3000	1	RMS	2941	-48.85	-13	35.85	Pass	2421
3000	12000	1	RMS	11949	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19775.5	-33.12	-13	20.12	Pass	16002




12.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.36	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	853.351	-63.01	-13	50.01	Pass	19402
1000	1690	1	RMS	1686.5	-52.37	-13	39.37	Pass	1381
1690	1740	1	RMS	1710.5	22.32	60	37.68	Pass	401
1740	3000	1	RMS	2949	-48.73	-13	35.73	Pass	2521
3000	12000	1	RMS	11956	-41.98	-13	28.98	Pass	18003
12000	20000	1	RMS	19800	-33.09	-13	20.09	Pass	16002




12.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.155	-71.59	-13	58.59	Pass	5971
30	1000	0.1	RMS	857.053	-63.14	-13	50.14	Pass	19402
1000	1690	1	RMS	1681.5	-52.34	-13	39.34	Pass	1381
1690	1740	1	RMS	1710.5	21.36	60	38.64	Pass	401
1740	3000	1	RMS	2951.5	-48.8	-13	35.8	Pass	2521
3000	12000	1	RMS	11941	-41.88	-13	28.88	Pass	18003
12000	20000	1	RMS	19794	-33.17	-13	20.17	Pass	16002




12.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	5971
30	1000	0.1	RMS	856.753	-62.94	-13	49.94	Pass	19402
1000	1720	1	RMS	1717.5	-52.1	-13	39.1	Pass	1441
1720	1770	1	RMS	1740.5	22.25	60	37.75	Pass	401
1770	3000	1	RMS	2947	-48.86	-13	35.86	Pass	2461
3000	12000	1	RMS	11957.5	-41.88	-13	28.88	Pass	18003
12000	20000	1	RMS	19797	-33.12	-13	20.12	Pass	16002




12.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.165	-71.21	-13	58.21	Pass	5971
30	1000	0.1	RMS	841.75	-62.95	-13	49.95	Pass	19402
1000	1720	1	RMS	1718.5	-52.12	-13	39.12	Pass	1441
1720	1770	1	RMS	1740.5	21.38	60	38.62	Pass	401
1770	3000	1	RMS	2959.5	-48.76	-13	35.76	Pass	2461
3000	12000	1	RMS	11959	-41.98	-13	28.98	Pass	18003
12000	20000	1	RMS	19793.5	-33.2	-13	20.2	Pass	16002




12.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	5971
30	1000	0.1	RMS	823.55	-63.07	-13	50.07	Pass	19402
1000	1750	1	RMS	1749	-51.95	-13	38.95	Pass	1501
1750	1800	1	RMS	1770.5	22.17	60	37.83	Pass	401
1800	3000	1	RMS	2944	-48.75	-13	35.75	Pass	2401
3000	12000	1	RMS	11948	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19801.5	-33.19	-13	20.19	Pass	16002




12.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.155	-71.17	-13	58.17	Pass	5971
30	1000	0.1	RMS	845.4	-63.17	-13	50.17	Pass	19402
1000	1750	1	RMS	1746	-52.02	-13	39.02	Pass	1501
1750	1800	1	RMS	1770.5	21.38	60	38.62	Pass	401
1800	3000	1	RMS	2937	-48.88	-13	35.88	Pass	2401
3000	12000	1	RMS	11951	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19789.5	-33.1	-13	20.1	Pass	16002




12.25. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	5971
30	1000	0.1	RMS	866.406	-63.01	-13	50.01	Pass	19402
1000	1680	1	RMS	1678.5	-52.41	-13	39.41	Pass	1361
1680	1755	1	RMS	1710.75	21.98	60	38.02	Pass	401
1755	3000	1	RMS	2968	-48.82	-13	35.82	Pass	2491
3000	12000	1	RMS	11952	-41.93	-13	28.93	Pass	18003
12000	20000	1	RMS	19788.5	-33.14	-13	20.14	Pass	16002




12.26. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.175	-71.21	-13	58.21	Pass	5971
30	1000	0.1	RMS	845.1	-63.02	-13	50.02	Pass	19402
1000	1680	1	RMS	1679	-52.44	-13	39.44	Pass	1361
1680	1755	1	RMS	1710.75	21.12	60	38.88	Pass	401
1755	3000	1	RMS	2940.5	-48.82	-13	35.82	Pass	2491
3000	12000	1	RMS	11941.5	-41.91	-13	28.91	Pass	18003
12000	20000	1	RMS	19784	-33.15	-13	20.15	Pass	16002




12.27. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	5971
30	1000	0.1	RMS	854.402	-63.05	-13	50.05	Pass	19402
1000	1707.5	1	RMS	1704.5	-52.23	-13	39.23	Pass	1416
1707.5	1782.5	1	RMS	1738.25	22.09	60	37.91	Pass	401
1782.5	3000	1	RMS	2947.5	-48.82	-13	35.82	Pass	2436
3000	12000	1	RMS	11956	-41.99	-13	28.99	Pass	18003
12000	20000	1	RMS	19813.5	-33.13	-13	20.13	Pass	16002




12.28. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-13	58.7	Pass	5971
30	1000	0.1	RMS	845.4	-63.01	-13	50.01	Pass	19402
1000	1707.5	1	RMS	1707	-52.25	-13	39.25	Pass	1416
1707.5	1782.5	1	RMS	1738.25	21.25	60	38.75	Pass	401
1782.5	3000	1	RMS	2950.5	-48.84	-13	35.84	Pass	2436
3000	12000	1	RMS	11953	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19806	-33.22	-13	20.22	Pass	16002




12.29. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.17	-70.87	-13	57.87	Pass	5971
30	1000	0.1	RMS	854.552	-63.19	-13	50.19	Pass	19402
1000	1735	1	RMS	1731	-52.08	-13	39.08	Pass	1471
1735	1810	1	RMS	1765.75	22.21	60	37.79	Pass	401
1810	3000	1	RMS	2952.5	-48.78	-13	35.78	Pass	2381
3000	12000	1	RMS	11952.5	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19816	-33.22	-13	20.22	Pass	16002




12.30. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	57.34	Pass	5971
30	1000	0.1	RMS	839.3	-63.02	-13	50.02	Pass	19402
1000	1735	1	RMS	1732	-52.11	-13	39.11	Pass	1471
1735	1810	1	RMS	1765.75	21.17	60	38.83	Pass	401
1810	3000	1	RMS	2940	-48.82	-13	35.82	Pass	2381
3000	12000	1	RMS	11947.5	-41.98	-13	28.98	Pass	18003
12000	20000	1	RMS	19794.5	-33.17	-13	20.17	Pass	16002




12.31. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.77	-13	60.77	Pass	401
0.15	30	0.01	RMS	0.155	-71.52	-13	58.52	Pass	5971
30	1000	0.1	RMS	855.652	-63.11	-13	50.11	Pass	19402
1000	1670	1	RMS	1668	-52.47	-13	39.47	Pass	1341
1670	1770	1	RMS	1711	22.04	60	37.96	Pass	401
1770	3000	1	RMS	2941	-48.75	-13	35.75	Pass	2461
3000	12000	1	RMS	11951.5	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19792	-33.11	-13	20.11	Pass	16002




12.32. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.165	-71.15	-13	58.15	Pass	5971
30	1000	0.1	RMS	847.25	-63.1	-13	50.1	Pass	19402
1000	1670	1	RMS	1661	-52.47	-13	39.47	Pass	1341
1670	1770	1	RMS	1711	21.2	60	38.8	Pass	401
1770	3000	1	RMS	2955	-48.85	-13	35.85	Pass	2461
3000	12000	1	RMS	11954.5	-41.95	-13	28.95	Pass	18003
12000	20000	1	RMS	19796.5	-33.17	-13	20.17	Pass	16002




12.33. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	5971
30	1000	0.1	RMS	865.205	-63.03	-13	50.03	Pass	19402
1000	1695	1	RMS	1693	-52.33	-13	39.33	Pass	1391
1695	1795	1	RMS	1736	22.04	60	37.96	Pass	401
1795	3000	1	RMS	2947	-48.83	-13	35.83	Pass	2411
3000	12000	1	RMS	11958	-41.9	-13	28.9	Pass	18003
12000	20000	1	RMS	19771.5	-33.17	-13	20.17	Pass	16002




12.34. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.165	-71.29	-13	58.29	Pass	5971
30	1000	0.1	RMS	853.101	-63.08	-13	50.08	Pass	19402
1000	1695	1	RMS	1692	-52.31	-13	39.31	Pass	1391
1695	1795	1	RMS	1736	21.02	60	38.98	Pass	401
1795	3000	1	RMS	2949.5	-48.8	-13	35.8	Pass	2411
3000	12000	1	RMS	11952	-41.96	-13	28.96	Pass	18003
12000	20000	1	RMS	19800.5	-33.19	-13	20.19	Pass	16002




12.35. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.165	-70.67	-13	57.67	Pass	5971
30	1000	0.1	RMS	837.95	-63.2	-13	50.2	Pass	19402
1000	1720	1	RMS	1720	-52.19	-13	39.19	Pass	1441
1720	1820	1	RMS	1761	22.23	60	37.77	Pass	401
1820	3000	1	RMS	2954.5	-48.79	-13	35.79	Pass	2361
3000	12000	1	RMS	11941.5	-41.92	-13	28.92	Pass	18003
12000	20000	1	RMS	19815.5	-33.07	-13	20.07	Pass	16002



12.36. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.155	-71.26	-13	58.26	Pass	5971
30	1000	0.1	RMS	855.302	-63.15	-13	50.15	Pass	19402
1000	1720	1	RMS	1718.5	-52.23	-13	39.23	Pass	1441
1720	1820	1	RMS	1761	21.35	60	38.65	Pass	401
1820	3000	1	RMS	2942.5	-48.81	-13	35.81	Pass	2361
3000	12000	1	RMS	11959	-41.97	-13	28.97	Pass	18003
12000	20000	1	RMS	19799	-33.13	-13	20.13	Pass	16002



1. LTE_Band41 full


1.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.315	-67.76	-25	42.76	Pass	5971
30	1000	0.1	RMS	856.903	-59.17	-25	34.17	Pass	19402
1000	2486	1	RMS	2486	-43.35	-25	18.35	Pass	2973
2486	2511	1	RMS	2496.313	22	60	38	Pass	401
2511	3000	1	RMS	2957	-44.94	-25	19.94	Pass	979
3000	12000	1	RMS	11951.5	-57.52	-25	32.52	Pass	18003
12000	27000	1	RMS	26985.5	-41.9	-25	16.9	Pass	30004




1.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.89	-25	44.89	Pass	401
0.15	30	0.01	RMS	0.16	-67.24	-25	42.24	Pass	5971
30	1000	0.1	RMS	821.25	-59.2	-25	34.2	Pass	19402
1000	2486	1	RMS	2485.5	-43.76	-25	18.76	Pass	2973
2486	2511	1	RMS	2496.313	21.11	60	38.89	Pass	401
2511	3000	1	RMS	2946	-44.89	-25	19.89	Pass	979
3000	12000	1	RMS	11957.5	-57.51	-25	32.51	Pass	18003
12000	27000	1	RMS	26963.5	-41.89	-25	16.89	Pass	30004




1.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.18	-67.33	-25	42.33	Pass	5971
30	1000	0.1	RMS	827.4	-59.02	-25	34.02	Pass	19402
1000	2580.5	1	RMS	2579.5	-43.58	-25	18.58	Pass	3162
2580.5	2605.5	1	RMS	2590.75	21.86	60	38.14	Pass	401
2605.5	3000	1	RMS	2941	-44.94	-25	19.94	Pass	790
3000	12000	1	RMS	11951.5	-57.49	-25	32.49	Pass	18003
12000	27000	1	RMS	26981.5	-41.94	-25	16.94	Pass	30004




1.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.89	-25	44.89	Pass	401
0.15	30	0.01	RMS	0.22	-66.59	-25	41.59	Pass	5971
30	1000	0.1	RMS	849.95	-59.22	-25	34.22	Pass	19402
1000	2580.5	1	RMS	2579	-44.23	-25	19.23	Pass	3162
2580.5	2605.5	1	RMS	2590.813	20.81	60	39.19	Pass	401
2605.5	3000	1	RMS	2941.5	-44.95	-25	19.95	Pass	790
3000	12000	1	RMS	11951	-57.46	-25	32.46	Pass	18003
12000	27000	1	RMS	26985.5	-41.88	-25	16.88	Pass	30004




1.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.25	-66.91	-25	41.91	Pass	5971
30	1000	0.1	RMS	856.703	-59.22	-25	34.22	Pass	19402
1000	2675	1	RMS	2674	-44.22	-25	19.22	Pass	3351
2675	2700	1	RMS	2685.313	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2964.5	-45	-25	20	Pass	601
3000	12000	1	RMS	5370.5	-57.15	-25	32.15	Pass	18003
12000	27000	1	RMS	26908	-41.9	-25	16.9	Pass	30004




1.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-25	44.17	Pass	401
0.15	30	0.01	RMS	0.18	-67.02	-25	42.02	Pass	5971
30	1000	0.1	RMS	851.651	-59.08	-25	34.08	Pass	19402
1000	2675	1	RMS	2675	-44.19	-25	19.19	Pass	3351
2675	2700	1	RMS	2685.313	19.86	60	40.14	Pass	401
2700	3000	1	RMS	2944.5	-44.98	-25	19.98	Pass	601
3000	12000	1	RMS	11949	-57.51	-25	32.51	Pass	18003
12000	27000	1	RMS	26985.5	-41.91	-25	16.91	Pass	30004




1.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.5	-25	44.5	Pass	401
0.15	30	0.01	RMS	0.23	-67.55	-25	42.55	Pass	5971
30	1000	0.1	RMS	848.3	-59.08	-25	34.08	Pass	19402
1000	2476	1	RMS	2475.5	-45.67	-25	20.67	Pass	2953
2476	2526	1	RMS	2496.625	21.95	60	38.05	Pass	401
2526	3000	1	RMS	2949.5	-44.96	-25	19.96	Pass	949
3000	12000	1	RMS	11943.5	-57.56	-25	32.56	Pass	18003
12000	27000	1	RMS	26999	-41.74	-25	16.74	Pass	30004




1.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.245	-66.64	-25	41.64	Pass	5971
30	1000	0.1	RMS	845.6	-59.17	-25	34.17	Pass	19402
1000	2476	1	RMS	2475	-45.98	-25	20.98	Pass	2953
2476	2526	1	RMS	2496.625	20.75	60	39.25	Pass	401
2526	3000	1	RMS	2963.5	-44.97	-25	19.97	Pass	949
3000	12000	1	RMS	11963	-57.53	-25	32.53	Pass	18003
12000	27000	1	RMS	26983	-41.88	-25	16.88	Pass	30004




1.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.17	-25	43.17	Pass	401
0.15	30	0.01	RMS	0.21	-66.94	-25	41.94	Pass	5971
30	1000	0.1	RMS	843.05	-59.16	-25	34.16	Pass	19402
1000	2568	1	RMS	2567.5	-44.06	-25	19.06	Pass	3137
2568	2618	1	RMS	2588.625	21.52	60	38.48	Pass	401
2618	3000	1	RMS	2953.5	-44.97	-25	19.97	Pass	765
3000	12000	1	RMS	11951.5	-57.45	-25	32.45	Pass	18003
12000	27000	1	RMS	26962.5	-41.88	-25	16.88	Pass	30004




1.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	0.19	-67.7	-25	42.7	Pass	5971
30	1000	0.1	RMS	828.35	-59.17	-25	34.17	Pass	19402
1000	2568	1	RMS	2562.5	-45.35	-25	20.35	Pass	3137
2568	2618	1	RMS	2588.5	20.29	60	39.71	Pass	401
2618	3000	1	RMS	2959	-45.01	-25	20.01	Pass	765
3000	12000	1	RMS	11955.5	-57.53	-25	32.53	Pass	18003
12000	27000	1	RMS	26997.5	-41.98	-25	16.98	Pass	30004




1.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.24	-67.61	-25	42.61	Pass	5971
30	1000	0.1	RMS	837.3	-58.95	-25	33.95	Pass	19402
1000	2660	1	RMS	2660	-45	-25	20	Pass	3321
2660	2710	1	RMS	2680.625	21.35	60	38.65	Pass	401
2710	3000	1	RMS	2941	-44.98	-25	19.98	Pass	581
3000	12000	1	RMS	11939.5	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26874	-41.88	-25	16.88	Pass	30004



1.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.2	-25	44.2	Pass	401
0.15	30	0.01	RMS	0.165	-67.22	-25	42.22	Pass	5971
30	1000	0.1	RMS	833.55	-59.12	-25	34.12	Pass	19402
1000	2660	1	RMS	2657.5	-44.91	-25	19.91	Pass	3321
2660	2710	1	RMS	2680.375	20.33	60	39.67	Pass	401
2710	3000	1	RMS	2943.5	-45	-25	20	Pass	581
3000	12000	1	RMS	11961	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26937.5	-41.95	-25	16.95	Pass	30004



1.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.15	-67.44	-25	42.44	Pass	5971
30	1000	0.1	RMS	847.1	-59.21	-25	34.21	Pass	19402
1000	2466	1	RMS	2461.5	-46.63	-25	21.63	Pass	2933
2466	2541	1	RMS	2496.938	20.79	60	39.21	Pass	401
2541	3000	1	RMS	2943.5	-45	-25	20	Pass	919
3000	12000	1	RMS	11949	-57.57	-25	32.57	Pass	18003
12000	27000	1	RMS	26989.5	-41.88	-25	16.88	Pass	30004

