



1.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-25	44.51	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	5971
30	1000	0.1	RMS	828.6	-59.15	-25	34.15	Pass	19402
1000	2466	1	RMS	2465	-46.6	-25	21.6	Pass	2933
2466	2541	1	RMS	2496.563	20.1	60	39.9	Pass	401
2541	3000	1	RMS	2940.5	-44.98	-25	19.98	Pass	919
3000	12000	1	RMS	11959.5	-57.54	-25	32.54	Pass	18003
12000	27000	1	RMS	26985.5	-41.93	-25	16.93	Pass	30004




1.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.17	-67.53	-25	42.53	Pass	5971
30	1000	0.1	RMS	839.1	-59.03	-25	34.03	Pass	19402
1000	2555.5	1	RMS	2553	-45.12	-25	20.12	Pass	3112
2555.5	2630.5	1	RMS	2586.063	21.16	60	38.84	Pass	401
2630.5	3000	1	RMS	2942	-44.99	-25	19.99	Pass	740
3000	12000	1	RMS	11943.5	-57.49	-25	32.49	Pass	18003
12000	27000	1	RMS	26982.5	-41.89	-25	16.89	Pass	30004




1.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.195	-67.09	-25	42.09	Pass	5971
30	1000	0.1	RMS	846.4	-59.07	-25	34.07	Pass	19402
1000	2555.5	1	RMS	2554.5	-44.95	-25	19.95	Pass	3112
2555.5	2630.5	1	RMS	2586.25	19.88	60	40.12	Pass	401
2630.5	3000	1	RMS	2944.5	-44.96	-25	19.96	Pass	740
3000	12000	1	RMS	11952.5	-57.52	-25	32.52	Pass	18003
12000	27000	1	RMS	26925	-41.91	-25	16.91	Pass	30004




1.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.2	-25	44.2	Pass	401
0.15	30	0.01	RMS	0.295	-67.41	-25	42.41	Pass	5971
30	1000	0.1	RMS	862.254	-59.27	-25	34.27	Pass	19402
1000	2645	1	RMS	2624	-45.52	-25	20.52	Pass	3291
2645	2720	1	RMS	2675.75	20.53	60	39.47	Pass	401
2720	3000	1	RMS	2954	-44.99	-25	19.99	Pass	561
3000	12000	1	RMS	11957	-57.56	-25	32.56	Pass	18003
12000	27000	1	RMS	26992.5	-41.96	-25	16.96	Pass	30004




1.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	42.6	Pass	5971
30	1000	0.1	RMS	840.3	-59.06	-25	34.06	Pass	19402
1000	2645	1	RMS	2640.5	-45.47	-25	20.47	Pass	3291
2645	2720	1	RMS	2675.75	19.47	60	40.53	Pass	401
2720	3000	1	RMS	2957	-45.03	-25	20.03	Pass	561
3000	12000	1	RMS	11952.5	-57.4	-25	32.4	Pass	18003
12000	27000	1	RMS	26873.5	-41.98	-25	16.98	Pass	30004




1.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.66	-25	44.66	Pass	401
0.15	30	0.01	RMS	0.165	-67.3	-25	42.3	Pass	5971
30	1000	0.1	RMS	831.75	-58.92	-25	33.92	Pass	19402
1000	2456	1	RMS	2447.5	-46.75	-25	21.75	Pass	2913
2456	2556	1	RMS	2496.75	20.6	60	39.4	Pass	401
2556	3000	1	RMS	2941.5	-44.96	-25	19.96	Pass	889
3000	12000	1	RMS	11942.5	-57.57	-25	32.57	Pass	18003
12000	27000	1	RMS	26988.5	-41.99	-25	16.99	Pass	30004




1.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.31	-67.29	-25	42.29	Pass	5971
30	1000	0.1	RMS	853.451	-59	-25	34	Pass	19402
1000	2456	1	RMS	2452	-46.69	-25	21.69	Pass	2913
2456	2556	1	RMS	2496.75	20.12	60	39.88	Pass	401
2556	3000	1	RMS	2945.5	-44.96	-25	19.96	Pass	889
3000	12000	1	RMS	11966	-57.57	-25	32.57	Pass	18003
12000	27000	1	RMS	26975.5	-41.92	-25	16.92	Pass	30004




1.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-25	45.28	Pass	401
0.15	30	0.01	RMS	0.155	-66.11	-25	41.11	Pass	5971
30	1000	0.1	RMS	844.1	-59.15	-25	34.15	Pass	19402
1000	2543	1	RMS	2534.5	-45.92	-25	20.92	Pass	3087
2543	2643	1	RMS	2583.75	21.18	60	38.82	Pass	401
2643	3000	1	RMS	2944	-45	-25	20	Pass	715
3000	12000	1	RMS	11950.5	-57.43	-25	32.43	Pass	18003
12000	27000	1	RMS	26961.5	-41.96	-25	16.96	Pass	30004




1.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.4	-25	44.4	Pass	401
0.15	30	0.01	RMS	0.27	-67.46	-25	42.46	Pass	5971
30	1000	0.1	RMS	838.7	-59.08	-25	34.08	Pass	19402
1000	2543	1	RMS	2543	-45.54	-25	20.54	Pass	3087
2543	2643	1	RMS	2584	20.21	60	39.79	Pass	401
2643	3000	1	RMS	2943.5	-45.02	-25	20.02	Pass	715
3000	12000	1	RMS	11954	-57.51	-25	32.51	Pass	18003
12000	27000	1	RMS	26868.5	-41.94	-25	16.94	Pass	30004




1.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-25	44.69	Pass	401
0.15	30	0.01	RMS	0.185	-67.14	-25	42.14	Pass	5971
30	1000	0.1	RMS	848.1	-59.16	-25	34.16	Pass	19402
1000	2630	1	RMS	2625.5	-45.72	-25	20.72	Pass	3261
2630	2730	1	RMS	2670.75	20.37	60	39.63	Pass	401
2730	3000	1	RMS	2943	-45.02	-25	20.02	Pass	541
3000	12000	1	RMS	11956	-57.51	-25	32.51	Pass	18003
12000	27000	1	RMS	26937	-41.97	-25	16.97	Pass	30004



1.25. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.23	-66.97	-25	41.97	Pass	5971
30	1000	0.1	RMS	851.051	-59.18	-25	34.18	Pass	19402
1000	2630	1	RMS	2628.5	-45.62	-25	20.62	Pass	3261
2630	2730	1	RMS	2671	19.77	60	40.23	Pass	401
2730	3000	1	RMS	2939	-45.01	-25	20.01	Pass	541
3000	12000	1	RMS	11934.5	-57.56	-25	32.56	Pass	18003
12000	27000	1	RMS	26976.5	-41.91	-25	16.91	Pass	30004



2. LTE_Band26(part22)


2.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	5971
30	821.2	0.1	RMS	821.1	-58.57	-13	45.57	Pass	15826
821.2	828.2	0.1	RMS	824.245	20.66	60	39.34	Pass	401
828.2	1000	0.1	RMS	828.2	-59.97	-13	46.97	Pass	3436
1000	3000	1	RMS	1648.5	-48.84	-13	35.84	Pass	4001
3000	10000	1	RMS	7002	-43.78	-13	30.78	Pass	14002




2.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.155	-71.59	-13	58.59	Pass	5971
30	821.2	0.1	RMS	821.1	-59.3	-13	46.3	Pass	15826
821.2	828.2	0.1	RMS	824.263	19.65	60	40.35	Pass	401
828.2	1000	0.1	RMS	828.3	-60.28	-13	47.28	Pass	3436
1000	3000	1	RMS	2938	-48.86	-13	35.86	Pass	4001
3000	10000	1	RMS	7905.5	-43.94	-13	30.94	Pass	14002




2.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	5971
30	833	0.1	RMS	832.7	-59.03	-13	46.03	Pass	16061
833	840	0.1	RMS	836.045	20.72	60	39.28	Pass	401
840	1000	0.1	RMS	840.05	-60.35	-13	47.35	Pass	3201
1000	3000	1	RMS	1672	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	7002.5	-43.83	-13	30.83	Pass	14002




2.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.22	-71.01	-13	58.01	Pass	5971
30	833	0.1	RMS	832.9	-59.52	-13	46.52	Pass	16061
833	840	0.1	RMS	836.063	19.72	60	40.28	Pass	401
840	1000	0.1	RMS	840.8	-60.75	-13	47.75	Pass	3201
1000	3000	1	RMS	1672	-48.86	-13	35.86	Pass	4001
3000	10000	1	RMS	7003.5	-43.91	-13	30.91	Pass	14002




2.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.165	-71.83	-13	58.83	Pass	5971
30	844.8	0.1	RMS	844.75	-59.04	-13	46.04	Pass	16297
844.8	851.8	0.1	RMS	847.845	20.54	60	39.46	Pass	401
851.8	1000	0.1	RMS	851.8	-60.74	-13	47.74	Pass	2965
1000	3000	1	RMS	1695.5	-47.79	-13	34.79	Pass	4001
3000	10000	1	RMS	7001	-43.79	-13	30.79	Pass	14002




2.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.175	-71.3	-13	58.3	Pass	5971
30	844.8	0.1	RMS	844.75	-59.08	-13	46.08	Pass	16297
844.8	851.8	0.1	RMS	847.845	19.77	60	40.23	Pass	401
851.8	1000	0.1	RMS	851.85	-60.83	-13	47.83	Pass	2965
1000	3000	1	RMS	1695.5	-48.53	-13	35.53	Pass	4001
3000	10000	1	RMS	7894.5	-43.9	-13	30.9	Pass	14002




2.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.205	-70.54	-13	57.54	Pass	5971
30	818	0.1	RMS	817.7	-62.18	-13	49.18	Pass	15761
818	833	0.1	RMS	824.225	20.5	60	39.5	Pass	401
833	1000	0.1	RMS	833.2	-62.5	-13	49.5	Pass	3341
1000	3000	1	RMS	2946	-48.88	-13	35.88	Pass	4001
3000	10000	1	RMS	7906.5	-43.89	-13	30.89	Pass	14002




2.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.2	-71.66	-13	58.66	Pass	5971
30	818	0.1	RMS	813.549	-62.18	-13	49.18	Pass	15761
818	833	0.1	RMS	824.225	19.66	60	40.34	Pass	401
833	1000	0.1	RMS	833.05	-62.64	-13	49.64	Pass	3341
1000	3000	1	RMS	2942.5	-48.93	-13	35.93	Pass	4001
3000	10000	1	RMS	7005.5	-43.84	-13	30.84	Pass	14002




2.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.04	-13	58.04	Pass	5971
30	829	0.1	RMS	824.549	-61.51	-13	48.51	Pass	15981
829	844	0.1	RMS	835.225	20.57	60	39.43	Pass	401
844	1000	0.1	RMS	844.8	-62.72	-13	49.72	Pass	3121
1000	3000	1	RMS	1670.5	-47.9	-13	34.9	Pass	4001
3000	10000	1	RMS	7899.5	-43.94	-13	30.94	Pass	14002




2.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.185	-70.97	-13	57.97	Pass	5971
30	829	0.1	RMS	828.75	-62.28	-13	49.28	Pass	15981
829	844	0.1	RMS	835.225	19.69	60	40.31	Pass	401
844	1000	0.1	RMS	844.6	-62.47	-13	49.47	Pass	3121
1000	3000	1	RMS	1670.5	-48.51	-13	35.51	Pass	4001
3000	10000	1	RMS	7893.5	-43.89	-13	30.89	Pass	14002




2.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.21	-70.62	-13	57.62	Pass	5971
30	840	0.1	RMS	835.549	-61.47	-13	48.47	Pass	16201
840	855	0.1	RMS	846.225	20.53	60	39.47	Pass	401
855	1000	0.1	RMS	861.25	-63.26	-13	50.26	Pass	2901
1000	3000	1	RMS	1692.5	-46.7	-13	33.7	Pass	4001
3000	10000	1	RMS	7888	-43.93	-13	30.93	Pass	14002




2.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.255	-71.45	-13	58.45	Pass	5971
30	840	0.1	RMS	838.8	-61.71	-13	48.71	Pass	16201
840	855	0.1	RMS	846.263	19.76	60	40.24	Pass	401
855	1000	0.1	RMS	967.1	-63.36	-13	50.36	Pass	2901
1000	3000	1	RMS	1692.5	-47.52	-13	34.52	Pass	4001
3000	10000	1	RMS	7909	-43.91	-13	30.91	Pass	14002




2.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.25	-71.41	-13	58.41	Pass	5971
30	814	0.1	RMS	813.65	-62.4	-13	49.4	Pass	15681
814	839	0.1	RMS	824.35	20.57	60	39.43	Pass	501
839	1000	0.1	RMS	841.85	-62.82	-13	49.82	Pass	3221
1000	3000	1	RMS	2937.5	-48.94	-13	35.94	Pass	4001
3000	10000	1	RMS	7903	-43.91	-13	30.91	Pass	14002




2.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-13	58.07	Pass	5971
30	814	0.1	RMS	813.6	-62.81	-13	49.81	Pass	15681
814	839	0.1	RMS	824.35	19.63	60	40.37	Pass	501
839	1000	0.1	RMS	843.9	-62.93	-13	49.93	Pass	3221
1000	3000	1	RMS	2942.5	-48.92	-13	35.92	Pass	4001
3000	10000	1	RMS	6997.5	-43.96	-13	30.96	Pass	14002




2.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.27	-71.85	-13	58.85	Pass	5971
30	824	0.1	RMS	823.6	-62.18	-13	49.18	Pass	15881
824	849	0.1	RMS	834.35	20.54	60	39.46	Pass	501
849	1000	0.1	RMS	849.7	-62.98	-13	49.98	Pass	3021
1000	3000	1	RMS	1668.5	-47.71	-13	34.71	Pass	4001
3000	10000	1	RMS	7901.5	-43.93	-13	30.93	Pass	14002




2.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.225	-71.37	-13	58.37	Pass	5971
30	824	0.1	RMS	823.65	-62.07	-13	49.07	Pass	15881
824	849	0.1	RMS	834.35	19.79	60	40.21	Pass	501
849	1000	0.1	RMS	850.05	-62.96	-13	49.96	Pass	3021
1000	3000	1	RMS	1668.5	-48.62	-13	35.62	Pass	4001
3000	10000	1	RMS	7898	-43.88	-13	30.88	Pass	14002




2.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.275	-70.99	-13	57.99	Pass	5971
30	834	0.1	RMS	833.65	-61.38	-13	48.38	Pass	16081
834	859	0.1	RMS	844.35	20.58	60	39.42	Pass	501
859	1000	0.1	RMS	883.6	-63.29	-13	50.29	Pass	2821
1000	3000	1	RMS	1688.5	-47.24	-13	34.24	Pass	4001
3000	10000	1	RMS	6998.5	-43.97	-13	30.97	Pass	14002




2.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.265	-70.6	-13	57.6	Pass	5971
30	834	0.1	RMS	833.65	-62.3	-13	49.3	Pass	16081
834	859	0.1	RMS	844.35	19.76	60	40.24	Pass	501
859	1000	0.1	RMS	863.4	-63.22	-13	50.22	Pass	2821
1000	3000	1	RMS	1688.5	-48.04	-13	35.04	Pass	4001
3000	10000	1	RMS	7889	-43.94	-13	30.94	Pass	14002




2.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.195	-71.31	-13	58.31	Pass	5971
30	804	0.1	RMS	603.823	-63.67	-13	50.67	Pass	15481
804	854	0.1	RMS	824.6	20.72	60	39.28	Pass	1001
854	1000	0.1	RMS	860.9	-63.09	-13	50.09	Pass	2921
1000	3000	1	RMS	1649	-48.83	-13	35.83	Pass	4001
3000	10000	1	RMS	7001	-43.95	-13	30.95	Pass	14002




2.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.155	-70.1	-13	57.1	Pass	5971
30	804	0.1	RMS	789.448	-63.65	-13	50.65	Pass	15481
804	854	0.1	RMS	824.6	19.66	60	40.34	Pass	1001
854	1000	0.1	RMS	869.05	-63.11	-13	50.11	Pass	2921
1000	3000	1	RMS	2941	-48.89	-13	35.89	Pass	4001
3000	10000	1	RMS	7006	-43.92	-13	30.92	Pass	14002




2.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	5971
30	811.5	0.1	RMS	810.25	-63.53	-13	50.53	Pass	15631
811.5	861.5	0.1	RMS	832.1	20.66	60	39.34	Pass	1001
861.5	1000	0.1	RMS	865.35	-63.36	-13	50.36	Pass	2771
1000	3000	1	RMS	1664	-47.37	-13	34.37	Pass	4001
3000	10000	1	RMS	7005.5	-43.9	-13	30.9	Pass	14002




2.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.165	-71.63	-13	58.63	Pass	5971
30	811.5	0.1	RMS	791.847	-63.61	-13	50.61	Pass	15631
811.5	861.5	0.1	RMS	832.1	19.67	60	40.33	Pass	1001
861.5	1000	0.1	RMS	862.85	-63.47	-13	50.47	Pass	2771
1000	3000	1	RMS	1664	-48.18	-13	35.18	Pass	4001
3000	10000	1	RMS	7908.5	-43.95	-13	30.95	Pass	14002




2.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.195	-70.35	-13	57.35	Pass	5971
30	819	0.1	RMS	817.6	-63.27	-13	50.27	Pass	15781
819	869	0.1	RMS	839.6	20.53	60	39.47	Pass	1001
869	1000	0.1	RMS	875.35	-63.45	-13	50.45	Pass	2621
1000	3000	1	RMS	2944.5	-48.9	-13	35.9	Pass	4001
3000	10000	1	RMS	7901	-43.9	-13	30.9	Pass	14002




2.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	58.47	Pass	5971
30	819	0.1	RMS	818.15	-63.2	-13	50.2	Pass	15781
819	869	0.1	RMS	839.6	19.61	60	40.39	Pass	1001
869	1000	0.1	RMS	870.4	-63.45	-13	50.45	Pass	2621
1000	3000	1	RMS	2945.5	-48.94	-13	35.94	Pass	4001
3000	10000	1	RMS	7894.5	-43.86	-13	30.86	Pass	14002




2.25. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.255	-71.27	-13	58.27	Pass	5971
30	794	0.1	RMS	726.44	-63.61	-13	50.61	Pass	15281
794	869	0.1	RMS	824.85	20.17	60	39.83	Pass	1501
869	1000	0.1	RMS	874.25	-63.32	-13	50.32	Pass	2621
1000	3000	1	RMS	2941	-48.92	-13	35.92	Pass	4001
3000	10000	1	RMS	7000	-43.86	-13	30.86	Pass	14002




2.26. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	60.82	Pass	401
0.15	30	0.01	RMS	0.26	-71.04	-13	58.04	Pass	5971
30	794	0.1	RMS	753.044	-63.67	-13	50.67	Pass	15281
794	869	0.1	RMS	824.85	19.39	60	40.61	Pass	1501
869	1000	0.1	RMS	971.65	-63.15	-13	50.15	Pass	2621
1000	3000	1	RMS	2944	-48.9	-13	35.9	Pass	4001
3000	10000	1	RMS	7002	-43.89	-13	30.89	Pass	14002




2.27. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	60.81	Pass	401
0.15	30	0.01	RMS	0.24	-71.13	-13	58.13	Pass	5971
30	799	0.1	RMS	711.488	-63.61	-13	50.61	Pass	15381
799	874	0.1	RMS	829.85	20.25	60	39.75	Pass	1501
874	1000	0.1	RMS	877.5	-63.5	-13	50.5	Pass	2521
1000	3000	1	RMS	1659.5	-47.95	-13	34.95	Pass	4001
3000	10000	1	RMS	7009	-43.92	-13	30.92	Pass	14002




2.28. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.175	-71.25	-13	58.25	Pass	5971
30	799	0.1	RMS	493.608	-63.62	-13	50.62	Pass	15381
799	874	0.1	RMS	829.85	19.61	60	40.39	Pass	1501
874	1000	0.1	RMS	876.95	-63.26	-13	50.26	Pass	2521
1000	3000	1	RMS	1659.5	-48.78	-13	35.78	Pass	4001
3000	10000	1	RMS	7892	-43.87	-13	30.87	Pass	14002




2.29. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	57.21	Pass	5971
30	804	0.1	RMS	785.898	-63.58	-13	50.58	Pass	15481
804	879	0.1	RMS	834.85	20.45	60	39.55	Pass	1501
879	1000	0.1	RMS	956.7	-63.37	-13	50.37	Pass	2421
1000	3000	1	RMS	1669.5	-48.19	-13	35.19	Pass	4001
3000	10000	1	RMS	6998	-43.89	-13	30.89	Pass	14002



2.30. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-13	58.01	Pass	5971
30	804	0.1	RMS	739.891	-63.54	-13	50.54	Pass	15481
804	879	0.1	RMS	834.85	19.32	60	40.68	Pass	1501
879	1000	0.1	RMS	918.4	-63.52	-13	50.52	Pass	2421
1000	3000	1	RMS	2949	-48.93	-13	35.93	Pass	4001
3000	10000	1	RMS	7696.5	-43.98	-13	30.98	Pass	14002



3. LTE_Band38


3.1. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.175	-67.63	-25	42.63	Pass	5971
30	1000	0.1	RMS	860.104	-59.22	-25	34.22	Pass	19402
1000	2560	1	RMS	2556.5	-44.05	-25	19.05	Pass	3121
2560	2585	1	RMS	2570.313	21.34	60	38.66	Pass	401
2585	3000	1	RMS	2949	-44.94	-25	19.94	Pass	831
3000	12000	1	RMS	11951.5	-57.49	-25	32.49	Pass	18003
12000	27000	1	RMS	26997.5	-41.81	-25	16.81	Pass	30004




3.2. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.19	-67.05	-25	42.05	Pass	5971
30	1000	0.1	RMS	827.75	-59.07	-25	34.07	Pass	19402
1000	2560	1	RMS	2560	-42.78	-25	17.78	Pass	3121
2560	2585	1	RMS	2570.188	20.28	60	39.72	Pass	401
2585	3000	1	RMS	2586	-44.91	-25	19.91	Pass	831
3000	12000	1	RMS	11957.5	-57.49	-25	32.49	Pass	18003
12000	27000	1	RMS	26994	-41.95	-25	16.95	Pass	30004




3.3. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.29	-67.68	-25	42.68	Pass	5971
30	1000	0.1	RMS	842.55	-59.09	-25	34.09	Pass	19402
1000	2582.5	1	RMS	2579.5	-43.3	-25	18.3	Pass	3166
2582.5	2607.5	1	RMS	2592.813	20.26	60	39.74	Pass	401
2607.5	3000	1	RMS	2608	-44.87	-25	19.87	Pass	786
3000	12000	1	RMS	11952.5	-57.5	-25	32.5	Pass	18003
12000	27000	1	RMS	26984	-41.82	-25	16.82	Pass	30004




3.4. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-25	44.13	Pass	401
0.15	30	0.01	RMS	0.205	-66.76	-25	41.76	Pass	5971
30	1000	0.1	RMS	843.5	-59.08	-25	34.08	Pass	19402
1000	2582.5	1	RMS	2581.5	-44.3	-25	19.3	Pass	3166
2582.5	2607.5	1	RMS	2592.813	19.7	60	40.3	Pass	401
2607.5	3000	1	RMS	2942	-45	-25	20	Pass	786
3000	12000	1	RMS	11965	-57.56	-25	32.56	Pass	18003
12000	27000	1	RMS	26734	-41.86	-25	16.86	Pass	30004




3.5. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.15	-67.27	-25	42.27	Pass	5971
30	1000	0.1	RMS	840.75	-58.7	-25	33.7	Pass	19402
1000	2605	1	RMS	2603	-44.15	-25	19.15	Pass	3211
2605	2630	1	RMS	2615.313	20.43	60	39.57	Pass	401
2630	3000	1	RMS	2959.5	-45.02	-25	20.02	Pass	741
3000	12000	1	RMS	11963	-57.5	-25	32.5	Pass	18003
12000	27000	1	RMS	26878.5	-41.86	-25	16.86	Pass	30004




3.6. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.3	-25	44.3	Pass	401
0.15	30	0.01	RMS	0.195	-67.54	-25	42.54	Pass	5971
30	1000	0.1	RMS	837.35	-59.07	-25	34.07	Pass	19402
1000	2605	1	RMS	2603	-43.75	-25	18.75	Pass	3211
2605	2630	1	RMS	2615.313	19.55	60	40.45	Pass	401
2630	3000	1	RMS	2948.5	-44.98	-25	19.98	Pass	741
3000	12000	1	RMS	11936	-57.52	-25	32.52	Pass	18003
12000	27000	1	RMS	26918	-41.92	-25	16.92	Pass	30004




3.7. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-25	44.81	Pass	401
0.15	30	0.01	RMS	0.245	-67.39	-25	42.39	Pass	5971
30	1000	0.1	RMS	821.3	-59.09	-25	34.09	Pass	19402
1000	2550	1	RMS	2548	-45.19	-25	20.19	Pass	3101
2550	2600	1	RMS	2570.625	20.45	60	39.55	Pass	401
2600	3000	1	RMS	2940.5	-44.99	-25	19.99	Pass	801
3000	12000	1	RMS	11999.5	-57.54	-25	32.54	Pass	18003
12000	27000	1	RMS	26949.5	-41.72	-25	16.72	Pass	30004




3.8. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.185	-67.26	-25	42.26	Pass	5971
30	1000	0.1	RMS	852.401	-59.21	-25	34.21	Pass	19402
1000	2550	1	RMS	2549	-45.04	-25	20.04	Pass	3101
2550	2600	1	RMS	2570.5	19.64	60	40.36	Pass	401
2600	3000	1	RMS	2944.5	-45	-25	20	Pass	801
3000	12000	1	RMS	11953.5	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26919.5	-41.89	-25	16.89	Pass	30004




3.9. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.19	-66.54	-25	41.54	Pass	5971
30	1000	0.1	RMS	859.553	-59.06	-25	34.06	Pass	19402
1000	2570	1	RMS	2569.5	-45.19	-25	20.19	Pass	3141
2570	2620	1	RMS	2590.625	20.49	60	39.51	Pass	401
2620	3000	1	RMS	2945.5	-45.02	-25	20.02	Pass	761
3000	12000	1	RMS	11932	-57.57	-25	32.57	Pass	18003
12000	27000	1	RMS	26967.5	-41.86	-25	16.86	Pass	30004




3.10. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.89	-25	44.89	Pass	401
0.15	30	0.01	RMS	0.195	-66.72	-25	41.72	Pass	5971
30	1000	0.1	RMS	841.65	-59.23	-25	34.23	Pass	19402
1000	2570	1	RMS	2562.5	-45.11	-25	20.11	Pass	3141
2570	2620	1	RMS	2590.5	19.62	60	40.38	Pass	401
2620	3000	1	RMS	2941	-45.02	-25	20.02	Pass	761
3000	12000	1	RMS	11960	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26907	-41.91	-25	16.91	Pass	30004




3.11. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.275	-67.8	-25	42.8	Pass	5971
30	1000	0.1	RMS	851.251	-59.21	-25	34.21	Pass	19402
1000	2590	1	RMS	2590	-44.71	-25	19.71	Pass	3181
2590	2640	1	RMS	2610.5	20.05	60	39.95	Pass	401
2640	3000	1	RMS	2959.5	-45.02	-25	20.02	Pass	721
3000	12000	1	RMS	11952	-57.51	-25	32.51	Pass	18003
12000	27000	1	RMS	26990.5	-41.93	-25	16.93	Pass	30004




3.12. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.215	-67.77	-25	42.77	Pass	5971
30	1000	0.1	RMS	859.403	-59.14	-25	34.14	Pass	19402
1000	2590	1	RMS	2589.5	-45.02	-25	20.02	Pass	3181
2590	2640	1	RMS	2610.5	19.83	60	40.17	Pass	401
2640	3000	1	RMS	2942	-45	-25	20	Pass	721
3000	12000	1	RMS	11962.5	-57.54	-25	32.54	Pass	18003
12000	27000	1	RMS	26996.5	-41.92	-25	16.92	Pass	30004




3.13. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.3	-25	44.3	Pass	401
0.15	30	0.01	RMS	0.24	-67.58	-25	42.58	Pass	5971
30	1000	0.1	RMS	848.9	-59.17	-25	34.17	Pass	19402
1000	2540	1	RMS	2535	-45.68	-25	20.68	Pass	3081
2540	2615	1	RMS	2570.563	20.1	60	39.9	Pass	401
2615	3000	1	RMS	2941.5	-44.97	-25	19.97	Pass	771
3000	12000	1	RMS	11963	-57.48	-25	32.48	Pass	18003
12000	27000	1	RMS	26947	-41.92	-25	16.92	Pass	30004




3.14. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.3	-25	45.3	Pass	401
0.15	30	0.01	RMS	0.255	-67.05	-25	42.05	Pass	5971
30	1000	0.1	RMS	853.051	-59.25	-25	34.25	Pass	19402
1000	2540	1	RMS	2532	-45.78	-25	20.78	Pass	3081
2540	2615	1	RMS	2570.75	19.69	60	40.31	Pass	401
2615	3000	1	RMS	2945.5	-44.97	-25	19.97	Pass	771
3000	12000	1	RMS	11956	-57.49	-25	32.49	Pass	18003
12000	27000	1	RMS	26988.5	-41.96	-25	16.96	Pass	30004




3.15. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.17	-66.46	-25	41.46	Pass	5971
30	1000	0.1	RMS	846.55	-59.11	-25	34.11	Pass	19402
1000	2557.5	1	RMS	2556.5	-45.8	-25	20.8	Pass	3116
2557.5	2632.5	1	RMS	2588.063	20.36	60	39.64	Pass	401
2632.5	3000	1	RMS	2939.5	-44.99	-25	19.99	Pass	736
3000	12000	1	RMS	11987.5	-57.59	-25	32.59	Pass	18003
12000	27000	1	RMS	26851	-41.93	-25	16.93	Pass	30004




3.16. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.29	-67.63	-25	42.63	Pass	5971
30	1000	0.1	RMS	838.7	-59.22	-25	34.22	Pass	19402
1000	2557.5	1	RMS	2553	-45.62	-25	20.62	Pass	3116
2557.5	2632.5	1	RMS	2588.438	18.95	60	41.05	Pass	401
2632.5	3000	1	RMS	2940	-45.01	-25	20.01	Pass	736
3000	12000	1	RMS	11953	-57.37	-25	32.37	Pass	18003
12000	27000	1	RMS	26838	-41.93	-25	16.93	Pass	30004




3.17. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.155	-67.46	-25	42.46	Pass	5971
30	1000	0.1	RMS	840.5	-59.07	-25	34.07	Pass	19402
1000	2575	1	RMS	2572.5	-45.68	-25	20.68	Pass	3151
2575	2650	1	RMS	2605.75	19.81	60	40.19	Pass	401
2650	3000	1	RMS	2957.5	-45	-25	20	Pass	701
3000	12000	1	RMS	11950.5	-57.53	-25	32.53	Pass	18003
12000	27000	1	RMS	26919.5	-41.88	-25	16.88	Pass	30004




3.18. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.27	-67.71	-25	42.71	Pass	5971
30	1000	0.1	RMS	834.9	-58.92	-25	33.92	Pass	19402
1000	2575	1	RMS	2574	-45.88	-25	20.88	Pass	3151
2575	2650	1	RMS	2605.75	19.79	60	40.21	Pass	401
2650	3000	1	RMS	2942.5	-45.02	-25	20.02	Pass	701
3000	12000	1	RMS	11950.5	-57.5	-25	32.5	Pass	18003
12000	27000	1	RMS	26954.5	-41.88	-25	16.88	Pass	30004




3.19. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.2	-67.14	-25	42.14	Pass	5971
30	1000	0.1	RMS	850.35	-59.21	-25	34.21	Pass	19402
1000	2530	1	RMS	2520.5	-46.09	-25	21.09	Pass	3061
2530	2630	1	RMS	2570.75	20.26	60	39.74	Pass	401
2630	3000	1	RMS	2940.5	-45.01	-25	20.01	Pass	741
3000	12000	1	RMS	11953	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26954.5	-41.93	-25	16.93	Pass	30004




3.20. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.165	-66.47	-25	41.47	Pass	5971
30	1000	0.1	RMS	831.6	-59.15	-25	34.15	Pass	19402
1000	2530	1	RMS	2522.5	-45.96	-25	20.96	Pass	3061
2530	2630	1	RMS	2570.75	19.55	60	40.45	Pass	401
2630	3000	1	RMS	2942	-45.02	-25	20.02	Pass	741
3000	12000	1	RMS	11951	-57.54	-25	32.54	Pass	18003
12000	27000	1	RMS	26968	-41.84	-25	16.84	Pass	30004




3.21. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.36	-25	44.36	Pass	401
0.15	30	0.01	RMS	0.24	-67.01	-25	42.01	Pass	5971
30	1000	0.1	RMS	850.851	-59.12	-25	34.12	Pass	19402
1000	2545	1	RMS	2542	-46.21	-25	21.21	Pass	3091
2545	2645	1	RMS	2585.75	20.18	60	39.82	Pass	401
2645	3000	1	RMS	2940.5	-44.98	-25	19.98	Pass	711
3000	12000	1	RMS	11976	-57.53	-25	32.53	Pass	18003
12000	27000	1	RMS	26997	-42.01	-25	17.01	Pass	30004




3.22. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.205	-66.92	-25	41.92	Pass	5971
30	1000	0.1	RMS	840.2	-59.13	-25	34.13	Pass	19402
1000	2545	1	RMS	2539.5	-46.1	-25	21.1	Pass	3091
2545	2645	1	RMS	2585.75	19.06	60	40.94	Pass	401
2645	3000	1	RMS	2960	-45.02	-25	20.02	Pass	711
3000	12000	1	RMS	11954	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26977	-41.77	-25	16.77	Pass	30004



3.23. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-25	44.71	Pass	401
0.15	30	0.01	RMS	0.175	-66.67	-25	41.67	Pass	5971
30	1000	0.1	RMS	836.7	-59.22	-25	34.22	Pass	19402
1000	2560	1	RMS	2559	-46.07	-25	21.07	Pass	3121
2560	2660	1	RMS	2600.75	19.9	60	40.1	Pass	401
2660	3000	1	RMS	2952.5	-45.01	-25	20.01	Pass	681
3000	12000	1	RMS	11951.5	-57.55	-25	32.55	Pass	18003
12000	27000	1	RMS	26968	-41.93	-25	16.93	Pass	30004



3.24. LTE Spurious Emission at Antenna Terminals_RSS130 132 133 139 140 195 199(Subtest:1, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.195	-67.43	-25	42.43	Pass	5971
30	1000	0.1	RMS	726.5	-59.17	-25	34.17	Pass	19402
1000	2560	1	RMS	2556.5	-46.05	-25	21.05	Pass	3121
2560	2660	1	RMS	2600.75	18.92	60	41.08	Pass	401
2660	3000	1	RMS	2938	-45.02	-25	20.02	Pass	681
3000	12000	1	RMS	11943.5	-57.46	-25	32.46	Pass	18003
12000	27000	1	RMS	26889.5	-41.89	-25	16.89	Pass	30004

