



**1.4. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.18	-70.68	-13	57.68	Pass	5971
30	1000	0.1	RMS	886.062	-62.99	-13	49.99	Pass	19402
1000	1840	1	RMS	1839	-51.85	-13	38.85	Pass	1681
1840	1925	1	RMS	1881.225	13.5	60	46.5	Pass	401
1925	3000	1	RMS	2868.5	-48.47	-13	35.47	Pass	2151
3000	7000	1	RMS	3765	-64.42	-13	51.42	Pass	8001
7000	20000	1	RMS	18302	-56.82	-13	43.82	Pass	26004




**1.5. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.195	-70.61	-13	57.61	Pass	5971
30	1000	0.1	RMS	875.809	-63.04	-13	50.04	Pass	19402
1000	1840	1	RMS	1839	-51.87	-13	38.87	Pass	1681
1840	1925	1	RMS	1880.375	19.56	60	40.44	Pass	401
1925	3000	1	RMS	2882	-48.57	-13	35.57	Pass	2151
3000	7000	1	RMS	3761	-59.39	-13	46.39	Pass	8001
7000	20000	1	RMS	18275	-56.73	-13	43.73	Pass	26004




**1.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.16	-70.25	-13	57.25	Pass	5971
30	1000	0.1	RMS	887.263	-63.13	-13	50.13	Pass	19402
1000	1840	1	RMS	1831.5	-51.89	-13	38.89	Pass	1681
1840	1925	1	RMS	1884.625	19.59	60	40.41	Pass	401
1925	3000	1	RMS	2872	-48.48	-13	35.48	Pass	2151
3000	7000	1	RMS	3769.5	-61.21	-13	48.21	Pass	8001
7000	20000	1	RMS	18228	-56.76	-13	43.76	Pass	26004




**1.7. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:382500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.2	-70.19	-13	57.19	Pass	5971
30	1000	0.1	RMS	894.665	-62.96	-13	49.96	Pass	19402
1000	1840	1	RMS	1835	-51.89	-13	38.89	Pass	1681
1840	1925	1	RMS	1913.525	13.41	60	46.59	Pass	401
1925	3000	1	RMS	2868	-48.53	-13	35.53	Pass	2151
3000	7000	1	RMS	3825.5	-54.3	-13	41.3	Pass	8001
7000	20000	1	RMS	18230.5	-56.84	-13	43.84	Pass	26004




**1.8. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:382500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	57.24	Pass	5971
30	1000	0.1	RMS	890.864	-62.85	-13	49.85	Pass	19402
1000	1840	1	RMS	1837.5	-51.84	-13	38.84	Pass	1681
1840	1925	1	RMS	1910.338	19.47	60	40.53	Pass	401
1925	3000	1	RMS	2881.5	-48.5	-13	35.5	Pass	2151
3000	7000	1	RMS	3820.5	-50.95	-13	37.95	Pass	8001
7000	20000	1	RMS	18241	-56.84	-13	43.84	Pass	26004




**1.9. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:382500,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.325	-70.83	-13	57.83	Pass	5971
30	1000	0.1	RMS	906.519	-63.03	-13	50.03	Pass	19402
1000	1840	1	RMS	1838	-51.79	-13	38.79	Pass	1681
1840	1925	1	RMS	1914.588	19.56	60	40.44	Pass	401
1925	3000	1	RMS	2868	-48.57	-13	35.57	Pass	2151
3000	7000	1	RMS	3829.5	-46.15	-13	33.15	Pass	8001
7000	20000	1	RMS	18224.5	-56.77	-13	43.77	Pass	26004




**1.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	57.51	Pass	5971
30	1000	0.1	RMS	877.709	-63.04	-13	50.04	Pass	19402
1000	1840	1	RMS	1840	-41.44	-13	28.44	Pass	1681
1840	1925	1	RMS	1863.588	9.2	60	50.8	Pass	401
1925	3000	1	RMS	2870	-48.52	-13	35.52	Pass	2151
3000	7000	1	RMS	3715.5	-65.45	-13	52.45	Pass	8001
7000	20000	1	RMS	18289	-56.81	-13	43.81	Pass	26004




**1.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.21	-70.16	-13	57.16	Pass	5971
30	1000	0.1	RMS	879.81	-63.03	-13	50.03	Pass	19402
1000	1840	1	RMS	1839	-51.64	-13	38.64	Pass	1681
1840	1925	1	RMS	1850.413	19.64	60	40.36	Pass	401
1925	3000	1	RMS	2865	-48.47	-13	35.47	Pass	2151
3000	7000	1	RMS	3701	-54.1	-13	41.1	Pass	8001
7000	20000	1	RMS	18244.5	-56.8	-13	43.8	Pass	26004




**1.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:371500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.175	-69.91	-13	56.91	Pass	5971
30	1000	0.1	RMS	922.124	-62.97	-13	49.97	Pass	19402
1000	1840	1	RMS	1836.5	-51	-13	38	Pass	1681
1840	1925	1	RMS	1864.438	19.54	60	40.46	Pass	401
1925	3000	1	RMS	2871	-48.57	-13	35.57	Pass	2151
3000	7000	1	RMS	3729	-56.73	-13	43.73	Pass	8001
7000	20000	1	RMS	18267.5	-56.81	-13	43.81	Pass	26004




**1.13. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.225	-70.78	-13	57.78	Pass	5971
30	1000	0.1	RMS	889.363	-63.03	-13	50.03	Pass	19402
1000	1840	1	RMS	1840	-50.88	-13	37.88	Pass	1681
1840	1925	1	RMS	1876.55	9.03	60	50.97	Pass	401
1925	3000	1	RMS	2868.5	-48.53	-13	35.53	Pass	2151
3000	7000	1	RMS	3764.5	-67.46	-13	54.46	Pass	8001
7000	20000	1	RMS	18302.5	-56.81	-13	43.81	Pass	26004




**1.14. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.165	-70.64	-13	57.64	Pass	5971
30	1000	0.1	RMS	884.762	-62.99	-13	49.99	Pass	19402
1000	1840	1	RMS	1833.5	-51.88	-13	38.88	Pass	1681
1840	1925	1	RMS	1875.488	19.57	60	40.43	Pass	401
1925	3000	1	RMS	2872	-48.52	-13	35.52	Pass	2151
3000	7000	1	RMS	3751	-61.24	-13	48.24	Pass	8001
7000	20000	1	RMS	18249	-56.81	-13	43.81	Pass	26004




**1.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-13	56.82	Pass	5971
30	1000	0.1	RMS	877.459	-63.01	-13	50.01	Pass	19402
1000	1840	1	RMS	1834	-51.86	-13	38.86	Pass	1681
1840	1925	1	RMS	1889.513	19.69	60	40.31	Pass	401
1925	3000	1	RMS	2867	-48.51	-13	35.51	Pass	2151
3000	7000	1	RMS	3779	-56.93	-13	43.93	Pass	8001
7000	20000	1	RMS	18297	-56.82	-13	43.82	Pass	26004




**1.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:381500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.175	-70.38	-13	57.38	Pass	5971
30	1000	0.1	RMS	896.766	-62.94	-13	49.94	Pass	19402
1000	1840	1	RMS	1840	-51.83	-13	38.83	Pass	1681
1840	1925	1	RMS	1901.413	9.43	60	50.57	Pass	401
1925	3000	1	RMS	2873.5	-48.55	-13	35.55	Pass	2151
3000	7000	1	RMS	3817	-63.19	-13	50.19	Pass	8001
7000	20000	1	RMS	18256	-56.81	-13	43.81	Pass	26004




**1.31. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:381500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.175	-70.03	-13	57.03	Pass	5971
30	1000	0.1	RMS	903.568	-62.82	-13	49.82	Pass	19402
1000	1840	1	RMS	1837	-51.92	-13	38.92	Pass	1681
1840	1925	1	RMS	1900.35	19.64	60	40.36	Pass	401
1925	3000	1	RMS	2881.5	-48.51	-13	35.51	Pass	2151
3000	7000	1	RMS	3801	-57.3	-13	44.3	Pass	8001
7000	20000	1	RMS	18255.5	-56.87	-13	43.87	Pass	26004




**1.19. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:381500,
Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.18	-70.47	-13	57.47	Pass	5971
30	1000	0.1	RMS	884.112	-63.1	-13	50.1	Pass	19402
1000	1840	1	RMS	1837	-51.88	-13	38.88	Pass	1681
1840	1925	1	RMS	1914.375	19.57	60	40.43	Pass	401
1925	3000	1	RMS	2869	-48.56	-13	35.56	Pass	2151
3000	7000	1	RMS	3829	-46.06	-13	33.06	Pass	8001
7000	20000	1	RMS	18226	-56.81	-13	43.81	Pass	26004




**1.20. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	57.18	Pass	5971
30	1000	0.1	RMS	736.6	-62.99	-13	49.99	Pass	19402
1000	1840	1	RMS	1840	-41.09	-13	28.09	Pass	1681
1840	1925	1	RMS	1868.475	8.12	60	51.88	Pass	401
1925	3000	1	RMS	2865.5	-48.48	-13	35.48	Pass	2151
3000	7000	1	RMS	3719	-66.72	-13	53.72	Pass	8001
7000	20000	1	RMS	18209	-56.85	-13	43.85	Pass	26004




**1.21. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.265	-70.71	-13	57.71	Pass	5971
30	1000	0.1	RMS	897.366	-63.08	-13	50.08	Pass	19402
1000	1840	1	RMS	1840	-51.43	-13	38.43	Pass	1681
1840	1925	1	RMS	1850.413	19.61	60	40.39	Pass	401
1925	3000	1	RMS	2868.5	-48.48	-13	35.48	Pass	2151
3000	7000	1	RMS	3701	-54.18	-13	41.18	Pass	8001
7000	20000	1	RMS	18233	-56.85	-13	43.85	Pass	26004




**1.22. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:372000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.23	-70.04	-13	57.04	Pass	5971
30	1000	0.1	RMS	883.862	-63.08	-13	50.08	Pass	19402
1000	1840	1	RMS	1839	-51.77	-13	38.77	Pass	1681
1840	1925	1	RMS	1869.325	19.55	60	40.45	Pass	401
1925	3000	1	RMS	2868.5	-48.53	-13	35.53	Pass	2151
3000	7000	1	RMS	3739	-64.15	-13	51.15	Pass	8001
7000	20000	1	RMS	18304	-56.8	-13	43.8	Pass	26004




1.23. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.16	-69.51	-13	56.51	Pass	5971
30	1000	0.1	RMS	899.117	-62.85	-13	49.85	Pass	19402
1000	1840	1	RMS	1840	-48.73	-13	35.73	Pass	1681
1840	1925	1	RMS	1873.788	7.98	60	52.02	Pass	401
1925	3000	1	RMS	2868.5	-48.5	-13	35.5	Pass	2151
3000	7000	1	RMS	6929	-67.72	-13	54.72	Pass	8001
7000	20000	1	RMS	18290.5	-56.77	-13	43.77	Pass	26004




**1.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:376500,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.165	-70.34	-13	57.34	Pass	5971
30	1000	0.1	RMS	893.865	-62.94	-13	49.94	Pass	19402
1000	1840	1	RMS	1840	-51.75	-13	38.75	Pass	1681
1840	1925	1	RMS	1872.938	19.57	60	40.43	Pass	401
1925	3000	1	RMS	2866	-48.56	-13	35.56	Pass	2151
3000	7000	1	RMS	3746	-61.14	-13	48.14	Pass	8001
7000	20000	1	RMS	18252.5	-56.79	-13	43.79	Pass	26004




**1.25. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:376500,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.17	-69.83	-13	56.83	Pass	5971
30	1000	0.1	RMS	883.461	-62.99	-13	49.99	Pass	19402
1000	1840	1	RMS	1839	-51.81	-13	38.81	Pass	1681
1840	1925	1	RMS	1891.85	19.64	60	40.36	Pass	401
1925	3000	1	RMS	2868.5	-48.39	-13	35.39	Pass	2151
3000	7000	1	RMS	3784	-56.3	-13	43.3	Pass	8001
7000	20000	1	RMS	18284	-56.79	-13	43.79	Pass	26004




**1.26. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:381000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.19	-69.79	-13	56.79	Pass	5971
30	1000	0.1	RMS	752.15	-62.95	-13	49.95	Pass	19402
1000	1840	1	RMS	1838.5	-51.55	-13	38.55	Pass	1681
1840	1925	1	RMS	1896.525	8.13	60	51.87	Pass	401
1925	3000	1	RMS	2868	-48.44	-13	35.44	Pass	2151
3000	7000	1	RMS	3821.5	-65.25	-13	52.25	Pass	8001
7000	20000	1	RMS	18280	-56.82	-13	43.82	Pass	26004




**1.27. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:381000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.155	-70.12	-13	57.12	Pass	5971
30	1000	0.1	RMS	896.766	-62.82	-13	49.82	Pass	19402
1000	1840	1	RMS	1824	-51.87	-13	38.87	Pass	1681
1840	1925	1	RMS	1895.463	19.76	60	40.24	Pass	401
1925	3000	1	RMS	2873.5	-48.52	-13	35.52	Pass	2151
3000	7000	1	RMS	3791	-56.82	-13	43.82	Pass	8001
7000	20000	1	RMS	18240.5	-56.81	-13	43.81	Pass	26004



**1.28. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:381000,
Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.18	-69.19	-13	56.19	Pass	5971
30	1000	0.1	RMS	898.116	-62.99	-13	49.99	Pass	19402
1000	1840	1	RMS	1831.5	-51.88	-13	38.88	Pass	1681
1840	1925	1	RMS	1914.375	19.66	60	40.34	Pass	401
1925	3000	1	RMS	2869.5	-48.47	-13	35.47	Pass	2151
3000	7000	1	RMS	3829	-46.18	-13	33.18	Pass	8001
7000	20000	1	RMS	18274	-56.77	-13	43.77	Pass	26004



2. n14


2.1. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.32	-69.75	-13	56.75	Pass	5971
30	778	0.1	RMS	778	-57.73	-13	44.73	Pass	14961
778	808	0.1	RMS	791.95	5.68	60	54.32	Pass	601
808	1000	0.1	RMS	879.5	-62.97	-13	49.97	Pass	3841
1000	3000	1	RMS	2868	-48.54	-13	35.54	Pass	4001
3000	10000	1	RMS	8976.5	-65.08	-13	52.08	Pass	14002




2.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.305	-69.89	-13	56.89	Pass	5971
30	778	0.1	RMS	777.35	-63.2	-13	50.2	Pass	14961
778	808	0.1	RMS	788.35	18.79	60	41.21	Pass	601
808	1000	0.1	RMS	903.7	-62.81	-13	49.81	Pass	3841
1000	3000	1	RMS	2869.5	-48.55	-13	35.55	Pass	4001
3000	10000	1	RMS	8912.5	-65.11	-13	52.11	Pass	14002




2.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.21	-69.52	-13	56.52	Pass	5971
30	778	0.1	RMS	729.243	-63.34	-13	50.34	Pass	14961
778	808	0.1	RMS	792.7	18.52	60	41.48	Pass	601
808	1000	0.1	RMS	897.75	-63.02	-13	50.02	Pass	3841
1000	3000	1	RMS	2867.5	-48.52	-13	35.52	Pass	4001
3000	10000	1	RMS	8903	-65.06	-13	52.06	Pass	14002




2.4. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.365	-70.44	-13	57.44	Pass	5971
30	778	0.1	RMS	777.85	-61.77	-13	48.77	Pass	14961
778	808	0.1	RMS	791.75	5.52	60	54.48	Pass	601
808	1000	0.1	RMS	892.7	-62.92	-13	49.92	Pass	3841
1000	3000	1	RMS	2869.5	-48.56	-13	35.56	Pass	4001
3000	10000	1	RMS	8907	-65.11	-13	52.11	Pass	14002




2.5. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.155	-69.61	-13	56.61	Pass	5971
30	778	0.1	RMS	735.694	-63.31	-13	50.31	Pass	14961
778	808	0.1	RMS	790.85	18.78	60	41.22	Pass	601
808	1000	0.1	RMS	896.7	-63.01	-13	50.01	Pass	3841
1000	3000	1	RMS	2867	-48.59	-13	35.59	Pass	4001
3000	10000	1	RMS	8894.5	-65.11	-13	52.11	Pass	14002




**2.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:158600,
Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	55.6	Pass	5971
30	778	0.1	RMS	761.748	-63.3	-13	50.3	Pass	14961
778	808	0.1	RMS	795.15	18.5	60	41.5	Pass	601
808	1000	0.1	RMS	908.6	-62.89	-13	49.89	Pass	3841
1000	3000	1	RMS	2861.5	-48.58	-13	35.58	Pass	4001
3000	10000	1	RMS	8904.5	-65.14	-13	52.14	Pass	14002




2.7. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-69	-13	56	Pass	5971
30	778	0.1	RMS	777.9	-62.38	-13	49.38	Pass	14961
778	808	0.1	RMS	793.45	6.05	60	53.95	Pass	601
808	1000	0.1	RMS	896.45	-62.68	-13	49.68	Pass	3841
1000	3000	1	RMS	2867	-48.48	-13	35.48	Pass	4001
3000	10000	1	RMS	8908.5	-65.11	-13	52.11	Pass	14002




2.8. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.165	-69.65	-13	56.65	Pass	5971
30	778	0.1	RMS	750.246	-63.38	-13	50.38	Pass	14961
778	808	0.1	RMS	793.35	18.77	60	41.23	Pass	601
808	1000	0.1	RMS	991	-62.93	-13	49.93	Pass	3841
1000	3000	1	RMS	2869	-48.54	-13	35.54	Pass	4001
3000	10000	1	RMS	8894.5	-65.11	-13	52.11	Pass	14002




2.9. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.22	-70.14	-13	57.14	Pass	5971
30	778	0.1	RMS	754.096	-63.27	-13	50.27	Pass	14961
778	808	0.1	RMS	797.65	18.47	60	41.53	Pass	601
808	1000	0.1	RMS	914.8	-62.7	-13	49.7	Pass	3841
1000	3000	1	RMS	2872.5	-48.56	-13	35.56	Pass	4001
3000	10000	1	RMS	9001	-65.06	-13	52.06	Pass	14002




**2.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:158600,
Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.225	-70.47	-13	57.47	Pass	5971
30	778	0.1	RMS	778	-50.07	-13	37.07	Pass	14961
778	808	0.1	RMS	791.75	2.47	60	57.53	Pass	601
808	1000	0.1	RMS	808.45	-62.62	-13	49.62	Pass	3841
1000	3000	1	RMS	2869	-48.53	-13	35.53	Pass	4001
3000	10000	1	RMS	8989	-65.06	-13	52.06	Pass	14002




**2.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:158600,
Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.165	-70.09	-13	57.09	Pass	5971
30	778	0.1	RMS	777.85	-63.09	-13	50.09	Pass	14961
778	808	0.1	RMS	788.4	18.72	60	41.28	Pass	601
808	1000	0.1	RMS	895.85	-62.88	-13	49.88	Pass	3841
1000	3000	1	RMS	2870.5	-48.55	-13	35.55	Pass	4001
3000	10000	1	RMS	8902	-65.1	-13	52.1	Pass	14002



**2.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:158600,
Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:51)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.19	-70.17	-13	57.17	Pass	5971
30	778	0.1	RMS	743.795	-63.48	-13	50.48	Pass	14961
778	808	0.1	RMS	797.6	18.66	60	41.34	Pass	601
808	1000	0.1	RMS	888.65	-62.76	-13	49.76	Pass	3841
1000	3000	1	RMS	2869.5	-48.55	-13	35.55	Pass	4001
3000	10000	1	RMS	8912	-65.11	-13	52.11	Pass	14002




2. n38_PC3

2.1. Spurious Emission at Antenna Terminals for


SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.08	-25	49.08	Pass	401
0.15	30	0.01	RMS	28.27	-68.07	-25	43.07	Pass	5971
30	1000	0.1	RMS	997.749	-57.82	-25	32.82	Pass	19402
1000	2550	1	RMS	2549	-41.68	-25	16.68	Pass	3101
2550	2640	1	RMS	2588.025	6.06	60	53.94	Pass	401
2640	3000	1	RMS	2980.5	-48.25	-25	23.25	Pass	721
3000	7000	1	RMS	6671	-68.31	-25	43.31	Pass	8001
7000	26500	1	RMS	25518	-52.58	-25	27.58	Pass	39005




2.2. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-25	49.82	Pass	401
0.15	30	0.01	RMS	0.21	-68.82	-25	43.82	Pass	5971
30	1000	0.1	RMS	981.644	-58.88	-25	33.88	Pass	19402
1000	2550	1	RMS	2509.5	-49.5	-25	24.5	Pass	3101
2550	2640	1	RMS	2570.925	17.76	60	42.24	Pass	401
2640	3000	1	RMS	2981.5	-48.34	-25	23.34	Pass	721
3000	7000	1	RMS	5176	-47.15	-25	22.15	Pass	8001
7000	26500	1	RMS	25865.5	-52.8	-25	27.8	Pass	39005




2.3. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-25	46.95	Pass	401
0.15	30	0.01	RMS	26.03	-67.15	-25	42.15	Pass	5971
30	1000	0.1	RMS	614.5	-58.26	-25	33.26	Pass	19402
1000	2550	1	RMS	2494	-49.69	-25	24.69	Pass	3101
2550	2640	1	RMS	2588.925	17.62	60	42.38	Pass	401
2640	3000	1	RMS	2992	-48.44	-25	23.44	Pass	721
3000	7000	1	RMS	5178	-65.71	-25	40.71	Pass	8001
7000	26500	1	RMS	26213	-52.6	-25	27.6	Pass	39005




2.4. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-25	48.73	Pass	401
0.15	30	0.01	RMS	22.335	-67.01	-25	42.01	Pass	5971
30	1000	0.1	RMS	412.65	-58.82	-25	33.82	Pass	19402
1000	2550	1	RMS	2546.5	-48.18	-25	23.18	Pass	3101
2550	2640	1	RMS	2603.1	6.08	60	53.92	Pass	401
2640	3000	1	RMS	2640	-46.82	-25	21.82	Pass	721
3000	7000	1	RMS	6982	-68.5	-25	43.5	Pass	8001
7000	26500	1	RMS	25588.5	-52.86	-25	27.86	Pass	39005




**2.5. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:519000,
Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-25	46.99	Pass	401
0.15	30	0.01	RMS	17.455	-66.82	-25	41.82	Pass	5971
30	1000	0.1	RMS	985.595	-58.24	-25	33.24	Pass	19402
1000	2550	1	RMS	2504	-49.64	-25	24.64	Pass	3101
2550	2640	1	RMS	2586	17.8	60	42.2	Pass	401
2640	3000	1	RMS	2984.5	-48.39	-25	23.39	Pass	721
3000	7000	1	RMS	5172	-65.24	-25	40.24	Pass	8001
7000	26500	1	RMS	25936	-52.34	-25	27.34	Pass	39005




**2.6. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:519000,
Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:50)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-25	48.51	Pass	401
0.15	30	0.01	RMS	29.705	-67.42	-25	42.42	Pass	5971
30	1000	0.1	RMS	658.9	-57.46	-25	32.46	Pass	19402
1000	2550	1	RMS	2506.5	-49.55	-25	24.55	Pass	3101
2550	2640	1	RMS	2604	17.63	60	42.37	Pass	401
2640	3000	1	RMS	2984	-48.29	-25	23.29	Pass	721
3000	7000	1	RMS	5208	-68.37	-25	43.37	Pass	8001
7000	26500	1	RMS	25979.5	-52.63	-25	27.63	Pass	39005




**2.7. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:522000,
Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.22	-67.62	-25	42.62	Pass	5971
30	1000	0.1	RMS	816.25	-60.02	-25	35.02	Pass	19402
1000	2550	1	RMS	2508.5	-49.38	-25	24.38	Pass	3101
2550	2640	1	RMS	2618.175	5.98	60	54.02	Pass	401
2640	3000	1	RMS	2640	-39.79	-25	14.79	Pass	721
3000	7000	1	RMS	6996.5	-68.53	-25	43.53	Pass	8001
7000	26500	1	RMS	25830	-52.63	-25	27.63	Pass	39005




2.8. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.22	-68.81	-25	43.81	Pass	5971
30	1000	0.1	RMS	980.544	-60.21	-25	35.21	Pass	19402
1000	2550	1	RMS	2501.5	-49.38	-25	24.38	Pass	3101
2550	2640	1	RMS	2601.075	17.53	60	42.47	Pass	401
2640	3000	1	RMS	2981.5	-48.39	-25	23.39	Pass	721
3000	7000	1	RMS	5202	-67.97	-25	42.97	Pass	8001
7000	26500	1	RMS	25513	-52.68	-25	27.68	Pass	39005




2.9. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.3	-67.91	-25	42.91	Pass	5971
30	1000	0.1	RMS	758.7	-60.55	-25	35.55	Pass	19402
1000	2550	1	RMS	2507.5	-49.62	-25	24.62	Pass	3101
2550	2640	1	RMS	2619.075	17.47	60	42.53	Pass	401
2640	3000	1	RMS	2981	-48.39	-25	23.39	Pass	721
3000	7000	1	RMS	6957	-68.58	-25	43.58	Pass	8001
7000	26500	1	RMS	25892.5	-52.75	-25	27.75	Pass	39005




**2.10. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:517000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.42	-25	49.42	Pass	401
0.15	30	0.01	RMS	0.26	-68.09	-25	43.09	Pass	5971
30	1000	0.1	RMS	627.1	-60.25	-25	35.25	Pass	19402
1000	2540	1	RMS	2540	-42.71	-25	17.71	Pass	3081
2540	2650	1	RMS	2597.75	4.31	60	55.69	Pass	401
2650	3000	1	RMS	2650	-46.99	-25	21.99	Pass	701
3000	7000	1	RMS	6675	-68.48	-25	43.48	Pass	8001
7000	26500	1	RMS	25505.5	-52.28	-25	27.28	Pass	39005




**2.11. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:517000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.265	-66.14	-25	41.14	Pass	5971
30	1000	0.1	RMS	831.5	-60.48	-25	35.48	Pass	19402
1000	2540	1	RMS	2510	-49.48	-25	24.48	Pass	3081
2540	2650	1	RMS	2571.075	17.91	60	42.09	Pass	401
2650	3000	1	RMS	2981.5	-48.38	-25	23.38	Pass	701
3000	7000	1	RMS	5142	-64.48	-25	39.48	Pass	8001
7000	26500	1	RMS	25889	-52.83	-25	27.83	Pass	39005




**2.12. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:517000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:77)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.155	-67.14	-25	42.14	Pass	5971
30	1000	0.1	RMS	879.66	-60.13	-25	35.13	Pass	19402
1000	2540	1	RMS	2500.5	-49.42	-25	24.42	Pass	3081
2540	2650	1	RMS	2598.85	17.66	60	42.34	Pass	401
2650	3000	1	RMS	2984	-48.43	-25	23.43	Pass	701
3000	7000	1	RMS	5197.5	-67.5	-25	42.5	Pass	8001
7000	26500	1	RMS	25509.5	-52.78	-25	27.78	Pass	39005




2.13. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-25	47.47	Pass	401
0.15	30	0.01	RMS	0.185	-67.78	-25	42.78	Pass	5971
30	1000	0.1	RMS	641.15	-60.36	-25	35.36	Pass	19402
1000	2540	1	RMS	2540	-46.04	-25	21.04	Pass	3081
2540	2650	1	RMS	2607.65	4.32	60	55.68	Pass	401
2650	3000	1	RMS	2650	-44.51	-25	19.51	Pass	701
3000	7000	1	RMS	6675.5	-68.59	-25	43.59	Pass	8001
7000	26500	1	RMS	25522.5	-52.71	-25	27.71	Pass	39005




**2.14. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:519000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.21	-67.81	-25	42.81	Pass	5971
30	1000	0.1	RMS	804.8	-59.99	-25	34.99	Pass	19402
1000	2540	1	RMS	2464.5	-49.52	-25	24.52	Pass	3081
2540	2650	1	RMS	2581.25	17.72	60	42.28	Pass	401
2650	3000	1	RMS	2976	-48.47	-25	23.47	Pass	701
3000	7000	1	RMS	5162	-64.77	-25	39.77	Pass	8001
7000	26500	1	RMS	25897	-52.59	-25	27.59	Pass	39005




**2.15. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:519000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:77)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.32	-68.37	-25	43.37	Pass	5971
30	1000	0.1	RMS	741.85	-60.48	-25	35.48	Pass	19402
1000	2540	1	RMS	2502.5	-49.66	-25	24.66	Pass	3081
2540	2650	1	RMS	2608.75	17.58	60	42.42	Pass	401
2650	3000	1	RMS	2974	-48.45	-25	23.45	Pass	701
3000	7000	1	RMS	5217.5	-68.59	-25	43.59	Pass	8001
7000	26500	1	RMS	26181	-52.42	-25	27.42	Pass	39005




**2.16. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:521000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.57	-25	48.57	Pass	401
0.15	30	0.01	RMS	0.36	-67.07	-25	42.07	Pass	5971
30	1000	0.1	RMS	881.261	-60.7	-25	35.7	Pass	19402
1000	2540	1	RMS	2539.5	-48.32	-25	23.32	Pass	3081
2540	2650	1	RMS	2617.825	4.28	60	55.72	Pass	401
2650	3000	1	RMS	2650	-40.73	-25	15.73	Pass	701
3000	7000	1	RMS	6963	-68.59	-25	43.59	Pass	8001
7000	26500	1	RMS	25899	-52.73	-25	27.73	Pass	39005




**2.17. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:521000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-25	48.14	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-25	44.65	Pass	5971
30	1000	0.1	RMS	480.15	-60.75	-25	35.75	Pass	19402
1000	2540	1	RMS	2501	-49.55	-25	24.55	Pass	3081
2540	2650	1	RMS	2591.15	17.67	60	42.33	Pass	401
2650	3000	1	RMS	2990	-48.45	-25	23.45	Pass	701
3000	7000	1	RMS	5182	-66.34	-25	41.34	Pass	8001
7000	26500	1	RMS	25535.5	-52.25	-25	27.25	Pass	39005




**2.18. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:521000,
Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:77)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.37	-25	48.37	Pass	401
0.15	30	0.01	RMS	0.22	-67.38	-25	42.38	Pass	5971
30	1000	0.1	RMS	883.962	-59.58	-25	34.58	Pass	19402
1000	2540	1	RMS	2514.5	-49.45	-25	24.45	Pass	3081
2540	2650	1	RMS	2618.925	17.56	60	42.44	Pass	401
2650	3000	1	RMS	2975.5	-48.48	-25	23.48	Pass	701
3000	7000	1	RMS	6682	-68.37	-25	43.37	Pass	8001
7000	26500	1	RMS	25509	-52.81	-25	27.81	Pass	39005




**2.19. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:518000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-25	48.43	Pass	401
0.15	30	0.01	RMS	0.25	-69.17	-25	44.17	Pass	5971
30	1000	0.1	RMS	978.893	-60.12	-25	35.12	Pass	19402
1000	2530	1	RMS	2529	-44.32	-25	19.32	Pass	3061
2530	2660	1	RMS	2607.35	3.35	60	56.65	Pass	401
2660	3000	1	RMS	2660	-43.46	-25	18.46	Pass	681
3000	7000	1	RMS	6678.5	-68.63	-25	43.63	Pass	8001
7000	26500	1	RMS	25896	-52.79	-25	27.79	Pass	39005




**2.20. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:518000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.2	-67.77	-25	42.77	Pass	5971
30	1000	0.1	RMS	881.711	-60.42	-25	35.42	Pass	19402
1000	2530	1	RMS	2510	-49.68	-25	24.68	Pass	3061
2530	2660	1	RMS	2570.95	17.8	60	42.2	Pass	401
2660	3000	1	RMS	2969.5	-48.5	-25	23.5	Pass	681
3000	7000	1	RMS	5142	-63.95	-25	38.95	Pass	8001
7000	26500	1	RMS	25513	-52.92	-25	27.92	Pass	39005




**2.21. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:518000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.16	-67.35	-25	42.35	Pass	5971
30	1000	0.1	RMS	807.5	-59.59	-25	34.59	Pass	19402
1000	2530	1	RMS	2507	-49.63	-25	24.63	Pass	3061
2530	2660	1	RMS	2608.975	17.56	60	42.44	Pass	401
2660	3000	1	RMS	2980.5	-48.52	-25	23.52	Pass	681
3000	7000	1	RMS	5217.5	-68.64	-25	43.64	Pass	8001
7000	26500	1	RMS	25706.5	-53.04	-25	28.04	Pass	39005




2.22. Spurious Emission at Antenna Terminals for SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.36	-66.71	-25	41.71	Pass	5971
30	1000	0.1	RMS	783.8	-59.28	-25	34.28	Pass	19402
1000	2530	1	RMS	2529.5	-45.09	-25	20.09	Pass	3061
2530	2660	1	RMS	2612.875	3.48	60	56.52	Pass	401
2660	3000	1	RMS	2660	-42.19	-25	17.19	Pass	681
3000	7000	1	RMS	6694	-68.71	-25	43.71	Pass	8001
7000	26500	1	RMS	25454	-52.78	-25	27.78	Pass	39005




**2.23. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:2, Channel:519000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-25	48.91	Pass	401
0.15	30	0.01	RMS	0.675	-67.85	-25	42.85	Pass	5971
30	1000	0.1	RMS	739.4	-59.73	-25	34.73	Pass	19402
1000	2530	1	RMS	2506	-49.58	-25	24.58	Pass	3061
2530	2660	1	RMS	2576.15	17.88	60	42.12	Pass	401
2660	3000	1	RMS	2986	-48.55	-25	23.55	Pass	681
3000	7000	1	RMS	5152	-64.02	-25	39.02	Pass	8001
7000	26500	1	RMS	25920.5	-52.61	-25	27.61	Pass	39005



**2.24. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:3, Channel:519000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB
Position:105)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-25	48.52	Pass	401
0.15	30	0.01	RMS	0.21	-66.35	-25	41.35	Pass	5971
30	1000	0.1	RMS	883.411	-60.39	-25	35.39	Pass	19402
1000	2530	1	RMS	2509.5	-49.76	-25	24.76	Pass	3061
2530	2660	1	RMS	2613.85	17.66	60	42.34	Pass	401
2660	3000	1	RMS	2981	-48.45	-25	23.45	Pass	681
3000	7000	1	RMS	5228	-68.25	-25	43.25	Pass	8001
7000	26500	1	RMS	25447	-52.67	-25	27.67	Pass	39005



**2.25. Spurious Emission at Antenna Terminals for
SA_RSS130&132&133&139&140&195&199(Subtest:1, Channel:520000,
Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	47.48	Pass	401
0.15	30	0.01	RMS	0.365	-67.42	-25	42.42	Pass	5971
30	1000	0.1	RMS	748.8	-60.27	-25	35.27	Pass	19402
1000	2530	1	RMS	2530	-46.24	-25	21.24	Pass	3061
2530	2660	1	RMS	2618.075	3.35	60	56.65	Pass	401
2660	3000	1	RMS	2660	-40.92	-25	15.92	Pass	681
3000	7000	1	RMS	6992	-68.81	-25	43.81	Pass	8001
7000	26500	1	RMS	25709	-52.91	-25	27.91	Pass	39005

