


Annex A.6 Band Edge

1. WCDMA_Band2


1.1. WCDMA Band Edge_RSS132 133 139(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1845	-44.16	-13	31.16	Pass	11
1845	1849	1	RMS	1849	-25.28	-13	12.28	Pass	9
1849	1850	0.05	RMS	1849.838	-27.19	-13	14.19	Pass	401
1850	1855	0.1	RMS	1853.838	7.08	35	27.92	Pass	401
1855	1856	0.05	RMS	1855	-27.59	-13	14.59	Pass	401
1856	1860	1	RMS	1856	-25.76	-13	12.76	Pass	9
1860	1865	1	RMS	1860	-43.2	-13	30.2	Pass	11



1.2. WCDMA Band Edge_RSS132 133 139(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1900	1	RMS	1898	-43.74	-13	30.74	Pass	11
1900	1904	1	RMS	1904	-25.57	-13	12.57	Pass	9
1904	1905	0.05	RMS	1905	-27.54	-13	14.54	Pass	401
1905	1910	0.1	RMS	1906.038	7.33	35	27.67	Pass	401
1910	1911	0.05	RMS	1910	-25.82	-13	12.82	Pass	401
1911	1915	1	RMS	1911	-26.43	-13	13.43	Pass	9
1915	1920	1	RMS	1915	-43.68	-13	30.68	Pass	11



2. WCDMA_Band4


2.1. WCDMA Band Edge_RSS132 133 139(Channel:1312)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1705	1	RMS	1705	-44.14	-13	31.14	Pass	11
1705	1709	1	RMS	1709	-24.94	-13	11.94	Pass	9
1709	1710	0.05	RMS	1710	-25.95	-13	12.95	Pass	401
1710	1715	0.1	RMS	1713.775	7.42	35	27.58	Pass	401
1715	1716	0.05	RMS	1715	-27.33	-13	14.33	Pass	401
1716	1720	1	RMS	1716	-24.89	-13	11.89	Pass	9
1720	1725	1	RMS	1720	-43.48	-13	30.48	Pass	11



2.2. WCDMA Band Edge_RSS132 133 139(Channel:1513)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1745	1	RMS	1745	-43.73	-13	30.73	Pass	11
1745	1749	1	RMS	1749	-25.78	-13	12.78	Pass	9
1749	1750	0.05	RMS	1749.998	-28.13	-13	15.13	Pass	401
1750	1755	0.1	RMS	1753.975	7.07	35	27.93	Pass	401
1755	1756	0.05	RMS	1755	-25.8	-13	12.8	Pass	401
1756	1760	1	RMS	1756	-25.63	-13	12.63	Pass	9
1760	1765	1	RMS	1760	-43.88	-13	30.88	Pass	11



3. WCDMA_Band5


3.1. WCDMA Band Edge_RSS132 133 139(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	819	0.1	RMS	818.988	-47.55	-13	34.55	Pass	401
819	823	0.1	RMS	822.48	-38.11	-13	25.11	Pass	401
823	824	0.05	RMS	824	-27.27	-13	14.27	Pass	401
824	829	0.1	RMS	825.525	8.12	35	26.88	Pass	401
829	830	0.05	RMS	829	-28.26	-13	15.26	Pass	401
830	834	0.1	RMS	830	-37.72	-13	24.72	Pass	401
834	839	0.1	RMS	834	-47.84	-13	34.84	Pass	401



3.2. WCDMA Band Edge_RSS132 133 139(Channel:4233)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	839	0.1	RMS	839	-47.97	-13	34.97	Pass	401
839	843	0.1	RMS	842.69	-36.82	-13	23.82	Pass	401
843	844	0.05	RMS	844	-27.61	-13	14.61	Pass	401
844	849	0.1	RMS	845.738	8.32	35	26.68	Pass	401
849	850	0.05	RMS	849.15	-28.13	-13	15.13	Pass	401
850	854	0.1	RMS	850.18	-39.72	-13	26.72	Pass	401
854	859	0.1	RMS	854.013	-62.91	-13	49.91	Pass	401



1. LTE_Band2


1.1. LTE Band Edge(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-43.56	-13	30.56	Pass	5
1848.6	1849	1	RMS	1849	-38.49	-13	25.49	Pass	3
1849	1850	0.002	RMS	1849.993	-30.7	-13	17.7	Pass	1001
1850	1851.4	0.1	RMS	1850.266	19.64	30	10.36	Pass	401
1851.4	1852.4	0.002	RMS	1851.622	-61.59	-13	48.59	Pass	1001
1852.4	1852.8	1	RMS	1852.4	-42.07	-13	29.07	Pass	3
1852.8	1854.2	1	RMS	1852.811	-45.07	-13	32.07	Pass	401




1.3. LTE Band Edge(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-24.51	-13	11.51	Pass	401
1848.6	1849	1	RMS	1849	-30.75	-13	17.75	Pass	3
1849	1850	0.02	RMS	1850	-26.42	-13	13.42	Pass	401
1850	1851.4	0.1	RMS	1850.595	11.22	30	18.78	Pass	401
1851.4	1852.4	0.02	RMS	1851.4	-25.77	-13	12.77	Pass	401
1852.4	1852.8	1	RMS	1852.4	-31.81	-13	18.81	Pass	3
1852.8	1854.2	1	RMS	1852.8	-24.69	-13	11.69	Pass	401




1.5. LTE Band Edge(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905.8	1907.2	1	RMS	1907.186	-44.63	-13	31.63	Pass	401
1907.2	1907.6	1	RMS	1907.6	-41.85	-13	28.85	Pass	3
1907.6	1908.6	0.002	RMS	1908.597	-60.86	-13	47.86	Pass	1001
1908.6	1910	0.1	RMS	1909.741	19.85	30	10.15	Pass	401
1910	1911	0.002	RMS	1910.007	-28.4	-13	15.4	Pass	1001
1911	1911.4	1	RMS	1911	-37.83	-13	24.83	Pass	3
1911.4	1912.8	1	RMS	1911.4	-42.27	-13	29.27	Pass	5




1.6. LTE Band Edge(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905.8	1907.2	1	RMS	1907.2	-24.18	-13	11.18	Pass	401
1907.2	1907.6	1	RMS	1907.6	-30.33	-13	17.33	Pass	3
1907.6	1908.6	0.02	RMS	1908.598	-26.25	-13	13.25	Pass	401
1908.6	1910	0.1	RMS	1909.185	11.33	30	18.67	Pass	401
1910	1911	0.02	RMS	1910	-25.77	-13	12.77	Pass	401
1911	1911.4	1	RMS	1911	-31.62	-13	18.62	Pass	3
1911.4	1912.8	1	RMS	1911.4	-24.45	-13	11.45	Pass	401




1.7. LTE Band Edge(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.985	-48.82	-13	35.82	Pass	401
1847	1849	1	RMS	1849	-36.74	-13	23.74	Pass	5
1849	1850	0.002	RMS	1849.994	-36.19	-13	23.19	Pass	1001
1850	1853	0.1	RMS	1850.248	19.57	30	10.43	Pass	401
1853	1854	0.002	RMS	1853.022	-69.29	-13	56.29	Pass	1001
1854	1856	1	RMS	1855	-45.15	-13	32.15	Pass	5
1856	1859	1	RMS	1856.03	-48.42	-13	35.42	Pass	401




1.9. LTE Band Edge(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.993	-37.13	-13	24.13	Pass	401
1847	1849	1	RMS	1849	-28.38	-13	15.38	Pass	5
1849	1850	0.03	RMS	1849.998	-26.96	-13	13.96	Pass	401
1850	1853	0.1	RMS	1851.89	7.27	30	22.73	Pass	401
1853	1854	0.03	RMS	1853	-26.5	-13	13.5	Pass	401
1854	1856	1	RMS	1854	-29.31	-13	16.31	Pass	5
1856	1859	1	RMS	1856.008	-37.37	-13	24.37	Pass	401




1.11. LTE Band Edge(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1901	1904	1	RMS	1904	-47.71	-13	34.71	Pass	401
1904	1906	1	RMS	1905	-44.22	-13	31.22	Pass	5
1906	1907	0.002	RMS	1906.005	-71.1	-13	58.1	Pass	1001
1907	1910	0.1	RMS	1909.768	19.83	30	10.17	Pass	401
1910	1911	0.002	RMS	1910.002	-31.96	-13	18.96	Pass	1001
1911	1913	1	RMS	1911	-36.79	-13	23.79	Pass	5
1913	1916	1	RMS	1913.008	-47.91	-13	34.91	Pass	401




1.12. LTE Band Edge(Subtest:12, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1901	1904	1	RMS	1903.985	-35.54	-13	22.54	Pass	401
1904	1906	1	RMS	1906	-29.62	-13	16.62	Pass	5
1906	1907	0.03	RMS	1907	-26.64	-13	13.64	Pass	401
1907	1910	0.1	RMS	1908.178	7.49	30	22.51	Pass	401
1910	1911	0.03	RMS	1910.003	-26.35	-13	13.35	Pass	401
1911	1913	1	RMS	1911	-31.63	-13	18.63	Pass	5
1913	1916	1	RMS	1913.015	-36.29	-13	23.29	Pass	401




1.13. LTE Band Edge(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.975	-50.96	-13	37.96	Pass	401
1845	1849	1	RMS	1849	-40.14	-13	27.14	Pass	9
1849	1850	0.002	RMS	1849.999	-37.1	-13	24.1	Pass	1001
1850	1855	0.1	RMS	1850.35	19.58	30	10.42	Pass	401
1855	1856	0.002	RMS	1855.024	-70.78	-13	57.78	Pass	1001
1856	1860	1	RMS	1859	-45.34	-13	32.34	Pass	9
1860	1865	1	RMS	1860	-50.86	-13	37.86	Pass	401




1.15. LTE Band Edge(Subtest:15, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.988	-39.52	-13	26.52	Pass	401
1845	1849	1	RMS	1849	-28.99	-13	15.99	Pass	9
1849	1850	0.05	RMS	1849.998	-27.82	-13	14.82	Pass	401
1850	1855	0.1	RMS	1851.838	5.04	30	24.96	Pass	401
1855	1856	0.05	RMS	1855	-27.41	-13	14.41	Pass	401
1856	1860	1	RMS	1856	-29.56	-13	16.56	Pass	9
1860	1865	1	RMS	1860.013	-39.09	-13	26.09	Pass	401




1.17. LTE Band Edge(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1900	1	RMS	1900	-50.25	-13	37.25	Pass	401
1900	1904	1	RMS	1901	-43.75	-13	30.75	Pass	9
1904	1905	0.002	RMS	1904.917	-71.41	-13	58.41	Pass	1001
1905	1910	0.1	RMS	1909.663	19.83	30	10.17	Pass	401
1910	1911	0.002	RMS	1910.001	-35.08	-13	22.08	Pass	1001
1911	1915	1	RMS	1911	-39.05	-13	26.05	Pass	9
1915	1920	1	RMS	1915.038	-50.82	-13	37.82	Pass	401




1.18. LTE Band Edge(Subtest:18, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1900	1	RMS	1900	-37.49	-13	24.49	Pass	401
1900	1904	1	RMS	1904	-29.95	-13	16.95	Pass	9
1904	1905	0.05	RMS	1904.998	-27.21	-13	14.21	Pass	401
1905	1910	0.1	RMS	1905.7	5.51	30	24.49	Pass	401
1910	1911	0.05	RMS	1910	-27.66	-13	14.66	Pass	401
1911	1915	1	RMS	1911	-32.25	-13	19.25	Pass	9
1915	1920	1	RMS	1915.013	-38.91	-13	25.91	Pass	401




1.19. LTE Band Edge(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.975	-51.15	-13	38.15	Pass	401
1840	1849	1	RMS	1849	-42.11	-13	29.11	Pass	19
1849	1850	0.002	RMS	1849.996	-49.47	-13	36.47	Pass	1001
1850	1860	0.1	RMS	1850.6	19.5	30	10.5	Pass	401
1860	1861	0.002	RMS	1860.22	-72.83	-13	59.83	Pass	1001
1861	1870	1	RMS	1868	-46.83	-13	33.83	Pass	19
1870	1880	1	RMS	1870.65	-52.05	-13	39.05	Pass	401




1.21. LTE Band Edge(Subtest:21, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.975	-43.68	-13	30.68	Pass	401
1840	1849	1	RMS	1849	-31.84	-13	18.84	Pass	19
1849	1850	0.1	RMS	1849.998	-32.91	-13	19.91	Pass	401
1850	1860	0.1	RMS	1859.175	2.59	30	27.41	Pass	401
1860	1861	0.1	RMS	1860	-32.54	-13	19.54	Pass	401
1861	1870	1	RMS	1861	-30.84	-13	17.84	Pass	19
1870	1880	1	RMS	1870.075	-40.97	-13	27.97	Pass	401




1.23. LTE Band Edge(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1890	1	RMS	1888.775	-51.99	-13	38.99	Pass	401
1890	1899	1	RMS	1899	-50.4	-13	37.4	Pass	19
1899	1900	0.002	RMS	1899.617	-70.05	-13	57.05	Pass	1001
1900	1910	0.1	RMS	1909.425	19.8	30	10.2	Pass	401
1910	1911	0.002	RMS	1910	-47.49	-13	34.49	Pass	1001
1911	1920	1	RMS	1911	-40.43	-13	27.43	Pass	19
1920	1930	1	RMS	1920.175	-51.96	-13	38.96	Pass	401




1.24. LTE Band Edge(Subtest:24, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1890	1	RMS	1889.975	-41.45	-13	28.45	Pass	401
1890	1899	1	RMS	1899	-32.31	-13	19.31	Pass	19
1899	1900	0.1	RMS	1900	-32.2	-13	19.2	Pass	401
1900	1910	0.1	RMS	1901.05	3	30	27	Pass	401
1910	1911	0.1	RMS	1910.003	-33.29	-13	20.29	Pass	401
1911	1920	1	RMS	1911	-33.57	-13	20.57	Pass	19
1920	1930	1	RMS	1920.1	-44.89	-13	31.89	Pass	401




1.25. LTE Band Edge(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1834.963	-52.31	-13	39.31	Pass	401
1835	1849	1	RMS	1849	-40.4	-13	27.4	Pass	29
1849	1850	0.002	RMS	1849.995	-46.57	-13	33.57	Pass	1001
1850	1865	0.1	RMS	1850.825	19.3	30	10.7	Pass	401
1865	1866	0.002	RMS	1865.981	-75.65	-13	62.65	Pass	1001
1866	1880	1	RMS	1866	-45.02	-13	32.02	Pass	29
1880	1895	1	RMS	1881.725	-52.12	-13	39.12	Pass	401




1.27. LTE Band Edge(Subtest:27, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1835	-49.86	-13	36.86	Pass	401
1835	1849	1	RMS	1849	-33.42	-13	20.42	Pass	29
1849	1850	0.15	RMS	1850	-35.46	-13	22.46	Pass	401
1850	1865	0.1	RMS	1864.138	1.06	30	28.94	Pass	401
1865	1866	0.15	RMS	1865.005	-33.93	-13	20.93	Pass	401
1866	1880	1	RMS	1866	-30.8	-13	17.8	Pass	29
1880	1895	1	RMS	1880.3	-42.27	-13	29.27	Pass	401




1.29. LTE Band Edge(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1865	1880	1	RMS	1879.588	-52.11	-13	39.11	Pass	401
1880	1894	1	RMS	1893.5	-43.9	-13	30.9	Pass	29
1894	1895	0.002	RMS	1894	-74.02	-13	61.02	Pass	1001
1895	1910	0.1	RMS	1909.138	19.46	30	10.54	Pass	401
1910	1911	0.002	RMS	1910.005	-46	-13	33	Pass	1001
1911	1925	1	RMS	1911	-40.43	-13	27.43	Pass	29
1925	1940	1	RMS	1938.238	-52.1	-13	39.1	Pass	401




1.30. LTE Band Edge(Subtest:30, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1865	1880	1	RMS	1875.5	-42.36	-13	29.36	Pass	401
1880	1894	1	RMS	1894	-35.07	-13	22.07	Pass	29
1894	1895	0.15	RMS	1894.998	-34.73	-13	21.73	Pass	401
1895	1910	0.1	RMS	1896.538	1.05	30	28.95	Pass	401
1910	1911	0.15	RMS	1910.003	-35.77	-13	22.77	Pass	401
1911	1925	1	RMS	1911	-33.02	-13	20.02	Pass	29
1925	1940	1	RMS	1937.225	-52.12	-13	39.12	Pass	401




1.31. LTE Band Edge(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1810.5	-52.36	-13	39.36	Pass	401
1830	1849	1	RMS	1849	-40.68	-13	27.68	Pass	39
1849	1850	0.002	RMS	1849.981	-48.61	-13	35.61	Pass	1001
1850	1870	0.1	RMS	1851.1	19.33	30	10.67	Pass	401
1870	1871	0.002	RMS	1870.996	-70.84	-13	57.84	Pass	1001
1871	1890	1	RMS	1871.5	-48.77	-13	35.77	Pass	39
1890	1910	1	RMS	1891.2	-52.14	-13	39.14	Pass	401




1.33. LTE Band Edge(Subtest:33, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1829.3	-52.33	-13	39.33	Pass	401
1830	1849	1	RMS	1849	-35.81	-13	22.81	Pass	39
1849	1850	0.2	RMS	1849.993	-37.8	-13	24.8	Pass	401
1850	1870	0.1	RMS	1868.15	-0.27	30	30.27	Pass	401
1870	1871	0.2	RMS	1870	-34.82	-13	21.82	Pass	401
1871	1890	1	RMS	1871	-31.91	-13	18.91	Pass	39
1890	1910	1	RMS	1890	-44.77	-13	31.77	Pass	401




1.35. LTE Band Edge(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1850	1870	1	RMS	1868.95	-52.17	-13	39.17	Pass	401
1870	1889	1	RMS	1888.5	-49.4	-13	36.4	Pass	39
1889	1890	0.002	RMS	1889.037	-72.49	-13	59.49	Pass	1001
1890	1910	0.1	RMS	1908.9	19.44	30	10.56	Pass	401
1910	1911	0.002	RMS	1910.003	-48.22	-13	35.22	Pass	1001
1911	1930	1	RMS	1911	-40.32	-13	27.32	Pass	39
1930	1950	1	RMS	1946.9	-52.07	-13	39.07	Pass	401




1.36. LTE Band Edge(Subtest:36, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1850	1870	1	RMS	1862.95	-44.13	-13	31.13	Pass	401
1870	1889	1	RMS	1889	-37.17	-13	24.17	Pass	39
1889	1890	0.2	RMS	1889.998	-37.32	-13	24.32	Pass	401
1890	1910	0.1	RMS	1896.75	-0.49	30	30.49	Pass	401
1910	1911	0.2	RMS	1910.005	-36.52	-13	23.52	Pass	401
1911	1930	1	RMS	1911	-33.75	-13	20.75	Pass	39
1930	1950	1	RMS	1949.4	-52.08	-13	39.08	Pass	401




1.37. LTE Band Edge(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-44.03	-13	31.03	Pass	5
1848.6	1849	1	RMS	1849	-39.29	-13	26.29	Pass	3
1849	1850	0.002	RMS	1849.994	-30.8	-13	17.8	Pass	1001
1850	1851.4	0.1	RMS	1850.263	18.77	30	11.23	Pass	401
1851.4	1852.4	0.002	RMS	1851.636	-61.72	-13	48.72	Pass	1001
1852.4	1852.8	1	RMS	1852.4	-43.35	-13	30.35	Pass	3
1852.8	1854.2	1	RMS	1852.8	-45.99	-13	32.99	Pass	401




1.39. LTE Band Edge(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-25.41	-13	12.41	Pass	401
1848.6	1849	1	RMS	1849	-31.07	-13	18.07	Pass	3
1849	1850	0.02	RMS	1850	-26.96	-13	13.96	Pass	401
1850	1851.4	0.1	RMS	1850.543	10.2	30	19.8	Pass	401
1851.4	1852.4	0.02	RMS	1851.4	-26.62	-13	13.62	Pass	401
1852.4	1852.8	1	RMS	1852.4	-31.65	-13	18.65	Pass	3
1852.8	1854.2	1	RMS	1852.8	-25.55	-13	12.55	Pass	401




1.41. LTE Band Edge(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905.8	1907.2	1	RMS	1907.2	-45.12	-13	32.12	Pass	401
1907.2	1907.6	1	RMS	1907.6	-42.87	-13	29.87	Pass	3
1907.6	1908.6	0.002	RMS	1908.592	-60.61	-13	47.61	Pass	1001
1908.6	1910	0.1	RMS	1909.752	19.02	30	10.98	Pass	401
1910	1911	0.002	RMS	1910.009	-28.72	-13	15.72	Pass	1001
1911	1911.4	1	RMS	1911	-38.87	-13	25.87	Pass	3
1911.4	1912.8	1	RMS	1911.4	-43.14	-13	30.14	Pass	5




1.42. LTE Band Edge(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905.8	1907.2	1	RMS	1907.2	-25.29	-13	12.29	Pass	401
1907.2	1907.6	1	RMS	1907.6	-30.52	-13	17.52	Pass	3
1907.6	1908.6	0.02	RMS	1908.6	-27.57	-13	14.57	Pass	401
1908.6	1910	0.1	RMS	1908.894	10.35	30	19.65	Pass	401
1910	1911	0.02	RMS	1910	-26.87	-13	13.87	Pass	401
1911	1911.4	1	RMS	1911	-31.31	-13	18.31	Pass	3
1911.4	1912.8	1	RMS	1911.4	-25.43	-13	12.43	Pass	401




1.43. LTE Band Edge(Subtest:7, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.948	-48.87	-13	35.87	Pass	401
1847	1849	1	RMS	1849	-37.96	-13	24.96	Pass	5
1849	1850	0.002	RMS	1849.998	-36.38	-13	23.38	Pass	1001
1850	1853	0.1	RMS	1850.225	18.73	30	11.27	Pass	401
1853	1854	0.002	RMS	1853.019	-65.69	-13	52.69	Pass	1001
1854	1856	1	RMS	1855	-46.27	-13	33.27	Pass	5
1856	1859	1	RMS	1856.173	-48.78	-13	35.78	Pass	401




1.45. LTE Band Edge(Subtest:9, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.985	-37.3	-13	24.3	Pass	401
1847	1849	1	RMS	1849	-28.44	-13	15.44	Pass	5
1849	1850	0.03	RMS	1850	-27.38	-13	14.38	Pass	401
1850	1853	0.1	RMS	1850.623	6.31	30	23.69	Pass	401
1853	1854	0.03	RMS	1853	-27.62	-13	14.62	Pass	401
1854	1856	1	RMS	1854	-29.3	-13	16.3	Pass	5
1856	1859	1	RMS	1856	-37.4	-13	24.4	Pass	401




1.47. LTE Band Edge(Subtest:11, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1901	1904	1	RMS	1903.993	-48.05	-13	35.05	Pass	401
1904	1906	1	RMS	1905	-45.13	-13	32.13	Pass	5
1906	1907	0.002	RMS	1906.963	-67	-13	54	Pass	1001
1907	1910	0.1	RMS	1909.768	18.92	30	11.08	Pass	401
1910	1911	0.002	RMS	1910.003	-32.42	-13	19.42	Pass	1001
1911	1913	1	RMS	1911	-38.01	-13	25.01	Pass	5
1913	1916	1	RMS	1913.015	-48.18	-13	35.18	Pass	401




1.48. LTE Band Edge(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1901	1904	1	RMS	1903.985	-35.82	-13	22.82	Pass	401
1904	1906	1	RMS	1906	-28.72	-13	15.72	Pass	5
1906	1907	0.03	RMS	1906.995	-27.23	-13	14.23	Pass	401
1907	1910	0.1	RMS	1907.263	6.6	30	23.4	Pass	401
1910	1911	0.03	RMS	1910	-26.89	-13	13.89	Pass	401
1911	1913	1	RMS	1911	-30.49	-13	17.49	Pass	5
1913	1916	1	RMS	1913.008	-36.42	-13	23.42	Pass	401




1.49. LTE Band Edge(Subtest:13, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.95	-51.11	-13	38.11	Pass	401
1845	1849	1	RMS	1849	-39.7	-13	26.7	Pass	9
1849	1850	0.002	RMS	1849.999	-36.51	-13	23.51	Pass	1001
1850	1855	0.1	RMS	1850.35	18.67	30	11.33	Pass	401
1855	1856	0.002	RMS	1855.627	-71.8	-13	58.8	Pass	1001
1856	1860	1	RMS	1859	-46.51	-13	33.51	Pass	9
1860	1865	1	RMS	1860.038	-51.17	-13	38.17	Pass	401




1.51. LTE Band Edge(Subtest:15, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1845	-39.47	-13	26.47	Pass	401
1845	1849	1	RMS	1849	-29.25	-13	16.25	Pass	9
1849	1850	0.05	RMS	1849.995	-28.4	-13	15.4	Pass	401
1850	1855	0.1	RMS	1851.925	4.1	30	25.9	Pass	401
1855	1856	0.05	RMS	1855.003	-28.29	-13	15.29	Pass	401
1856	1860	1	RMS	1856	-29.75	-13	16.75	Pass	9
1860	1865	1	RMS	1860.013	-38.93	-13	25.93	Pass	401




1.53. LTE Band Edge(Subtest:17, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1900	1	RMS	1900	-49.8	-13	36.8	Pass	401
1900	1904	1	RMS	1901	-44.99	-13	31.99	Pass	9
1904	1905	0.002	RMS	1904.521	-66.95	-13	53.95	Pass	1001
1905	1910	0.1	RMS	1909.65	18.88	30	11.12	Pass	401
1910	1911	0.002	RMS	1910	-35.46	-13	22.46	Pass	1001
1911	1915	1	RMS	1911	-40.11	-13	27.11	Pass	9
1915	1920	1	RMS	1915.013	-50.83	-13	37.83	Pass	401




1.54. LTE Band Edge(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1900	1	RMS	1900	-37.55	-13	24.55	Pass	401
1900	1904	1	RMS	1904	-29.54	-13	16.54	Pass	9
1904	1905	0.05	RMS	1904.99	-28.32	-13	15.32	Pass	401
1905	1910	0.1	RMS	1905.65	4.52	30	25.48	Pass	401
1910	1911	0.05	RMS	1910.005	-28.14	-13	15.14	Pass	401
1911	1915	1	RMS	1911	-31.57	-13	18.57	Pass	9
1915	1920	1	RMS	1915	-38.8	-13	25.8	Pass	401




1.55. LTE Band Edge(Subtest:19, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.925	-51.38	-13	38.38	Pass	401
1840	1849	1	RMS	1849	-42.31	-13	29.31	Pass	19
1849	1850	0.002	RMS	1849.998	-48.93	-13	35.93	Pass	1001
1850	1860	0.1	RMS	1850.575	18.81	30	11.19	Pass	401
1860	1861	0.002	RMS	1860.277	-70.68	-13	57.68	Pass	1001
1861	1870	1	RMS	1868.5	-46.24	-13	33.24	Pass	19
1870	1880	1	RMS	1870.975	-52.1	-13	39.1	Pass	401




1.57. LTE Band Edge(Subtest:21, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1840	-43.6	-13	30.6	Pass	401
1840	1849	1	RMS	1849	-32.28	-13	19.28	Pass	19
1849	1850	0.1	RMS	1849.995	-33.53	-13	20.53	Pass	401
1850	1860	0.1	RMS	1859.4	1.49	30	28.51	Pass	401
1860	1861	0.1	RMS	1860	-33.4	-13	20.4	Pass	401
1861	1870	1	RMS	1861	-31.12	-13	18.12	Pass	19
1870	1880	1	RMS	1870	-41.15	-13	28.15	Pass	401




1.59. LTE Band Edge(Subtest:23, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1890	1	RMS	1888.575	-52.05	-13	39.05	Pass	401
1890	1899	1	RMS	1899	-50.26	-13	37.26	Pass	19
1899	1900	0.002	RMS	1899.659	-69.82	-13	56.82	Pass	1001
1900	1910	0.1	RMS	1909.4	19	30	11	Pass	401
1910	1911	0.002	RMS	1910.003	-47.61	-13	34.61	Pass	1001
1911	1920	1	RMS	1911	-41.57	-13	28.57	Pass	19
1920	1930	1	RMS	1920.025	-52	-13	39	Pass	401




1.60. LTE Band Edge(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1880	1890	1	RMS	1889.95	-41.61	-13	28.61	Pass	401
1890	1899	1	RMS	1899	-32.67	-13	19.67	Pass	19
1899	1900	0.1	RMS	1899.995	-32.52	-13	19.52	Pass	401
1900	1910	0.1	RMS	1900.775	2.1	30	27.9	Pass	401
1910	1911	0.1	RMS	1910.01	-34.33	-13	21.33	Pass	401
1911	1920	1	RMS	1911	-33.84	-13	20.84	Pass	19
1920	1930	1	RMS	1920.075	-44.85	-13	31.85	Pass	401




1.61. LTE Band Edge(Subtest:25, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1834.55	-52.36	-13	39.36	Pass	401
1835	1849	1	RMS	1849	-40.95	-13	27.95	Pass	29
1849	1850	0.002	RMS	1849.996	-46.95	-13	33.95	Pass	1001
1850	1865	0.1	RMS	1850.825	18.4	30	11.6	Pass	401
1865	1866	0.002	RMS	1865.985	-75.64	-13	62.64	Pass	1001
1866	1880	1	RMS	1866.5	-45.69	-13	32.69	Pass	29
1880	1895	1	RMS	1880.6	-52.15	-13	39.15	Pass	401




1.63. LTE Band Edge(Subtest:27, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1835	-49.63	-13	36.63	Pass	401
1835	1849	1	RMS	1849	-33.31	-13	20.31	Pass	29
1849	1850	0.15	RMS	1849.998	-36.29	-13	23.29	Pass	401
1850	1865	0.1	RMS	1863.913	0.02	30	29.98	Pass	401
1865	1866	0.15	RMS	1865	-34.71	-13	21.71	Pass	401
1866	1880	1	RMS	1866	-31.05	-13	18.05	Pass	29
1880	1895	1	RMS	1880.113	-42.97	-13	29.97	Pass	401




1.65. LTE Band Edge(Subtest:29, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1865	1880	1	RMS	1878.65	-52.18	-13	39.18	Pass	401
1880	1894	1	RMS	1894	-44.69	-13	31.69	Pass	29
1894	1895	0.002	RMS	1894.005	-74.51	-13	61.51	Pass	1001
1895	1910	0.1	RMS	1909.175	18.76	30	11.24	Pass	401
1910	1911	0.002	RMS	1910.003	-47.71	-13	34.71	Pass	1001
1911	1925	1	RMS	1911	-40.81	-13	27.81	Pass	29
1925	1940	1	RMS	1937.45	-52.15	-13	39.15	Pass	401




1.66. LTE Band Edge(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1865	1880	1	RMS	1879.55	-42.74	-13	29.74	Pass	401
1880	1894	1	RMS	1894	-34.66	-13	21.66	Pass	29
1894	1895	0.15	RMS	1895	-35.72	-13	22.72	Pass	401
1895	1910	0.1	RMS	1896.088	0.01	30	29.99	Pass	401
1910	1911	0.15	RMS	1910.008	-36.73	-13	23.73	Pass	401
1911	1925	1	RMS	1911	-33.44	-13	20.44	Pass	29
1925	1940	1	RMS	1938.313	-52.13	-13	39.13	Pass	401




1.67. LTE Band Edge(Subtest:31, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1811	-52.38	-13	39.38	Pass	401
1830	1849	1	RMS	1849	-41.04	-13	28.04	Pass	39
1849	1850	0.002	RMS	1849.996	-48.75	-13	35.75	Pass	1001
1850	1870	0.1	RMS	1851.1	18.25	30	11.75	Pass	401
1870	1871	0.002	RMS	1870.968	-68.86	-13	55.86	Pass	1001
1871	1890	1	RMS	1871.5	-47.95	-13	34.95	Pass	39
1890	1910	1	RMS	1890.7	-52.15	-13	39.15	Pass	401




1.69. LTE Band Edge(Subtest:33, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1828.95	-52.35	-13	39.35	Pass	401
1830	1849	1	RMS	1849	-36.58	-13	23.58	Pass	39
1849	1850	0.2	RMS	1850	-38.47	-13	25.47	Pass	401
1850	1870	0.1	RMS	1868	-1.22	30	31.22	Pass	401
1870	1871	0.2	RMS	1870	-35.98	-13	22.98	Pass	401
1871	1890	1	RMS	1871	-33.16	-13	20.16	Pass	39
1890	1910	1	RMS	1890.45	-45.41	-13	32.41	Pass	401




1.71. LTE Band Edge(Subtest:35, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1850	1870	1	RMS	1869.9	-52.17	-13	39.17	Pass	401
1870	1889	1	RMS	1888.5	-49.13	-13	36.13	Pass	39
1889	1890	0.002	RMS	1889.03	-69.59	-13	56.59	Pass	1001
1890	1910	0.1	RMS	1908.9	18.48	30	11.52	Pass	401
1910	1911	0.002	RMS	1910.004	-48.67	-13	35.67	Pass	1001
1911	1930	1	RMS	1911	-40.8	-13	27.8	Pass	39
1930	1950	1	RMS	1946.25	-52.09	-13	39.09	Pass	401



1.72. LTE Band Edge(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1850	1870	1	RMS	1869.95	-43.8	-13	30.8	Pass	401
1870	1889	1	RMS	1889	-37.77	-13	24.77	Pass	39
1889	1890	0.2	RMS	1889.995	-38.37	-13	25.37	Pass	401
1890	1910	0.1	RMS	1896.65	-1.57	30	31.57	Pass	401
1910	1911	0.2	RMS	1910.003	-37.97	-13	24.97	Pass	401
1911	1930	1	RMS	1911	-34.94	-13	21.94	Pass	39
1930	1950	1	RMS	1949.75	-52.07	-13	39.07	Pass	401



2. LTE_Band4


2.7. LTE Band Edge(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1707.2	1708.6	1	RMS	1708.6	-43.73	-13	30.73	Pass	5
1708.6	1709	1	RMS	1709	-38.67	-13	25.67	Pass	3
1709	1710	0.002	RMS	1709.997	-28.28	-13	15.28	Pass	1001
1710	1711.4	0.1	RMS	1710.256	19.97	30	10.03	Pass	401
1711.4	1712.4	0.002	RMS	1711.617	-61.51	-13	48.51	Pass	1001
1712.4	1712.8	1	RMS	1712.4	-46.01	-13	33.01	Pass	3
1712.8	1714.2	1	RMS	1712.825	-46.87	-13	33.87	Pass	401




2.9. LTE Band Edge(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1707.2	1708.6	1	RMS	1708.6	-24.04	-13	11.04	Pass	401
1708.6	1709	1	RMS	1709	-28.48	-13	15.48	Pass	3
1709	1710	0.02	RMS	1709.998	-25.07	-13	12.07	Pass	401
1710	1711.4	0.1	RMS	1710.599	11.56	30	18.44	Pass	401
1711.4	1712.4	0.02	RMS	1711.4	-26.4	-13	13.4	Pass	401
1712.4	1712.8	1	RMS	1712.4	-29.46	-13	16.46	Pass	3
1712.8	1714.2	1	RMS	1712.8	-24.36	-13	11.36	Pass	401




2.11. LTE Band Edge(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750.8	1752.2	1	RMS	1752.179	-46.11	-13	33.11	Pass	401
1752.2	1752.6	1	RMS	1752.6	-45.46	-13	32.46	Pass	3
1752.6	1753.6	0.002	RMS	1753.354	-61.58	-13	48.58	Pass	1001
1753.6	1755	0.1	RMS	1754.738	19.86	30	10.14	Pass	401
1755	1756	0.002	RMS	1755.006	-28.05	-13	15.05	Pass	1001
1756	1756.4	1	RMS	1756	-38.58	-13	25.58	Pass	3
1756.4	1757.8	1	RMS	1756.4	-43.07	-13	30.07	Pass	5




2.12. LTE Band Edge(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750.8	1752.2	1	RMS	1752.2	-24.47	-13	11.47	Pass	401
1752.2	1752.6	1	RMS	1752.6	-29.5	-13	16.5	Pass	3
1752.6	1753.6	0.02	RMS	1753.598	-25.92	-13	12.92	Pass	401
1753.6	1755	0.1	RMS	1754.16	11.41	30	18.59	Pass	401
1755	1756	0.02	RMS	1755	-25.84	-13	12.84	Pass	401
1756	1756.4	1	RMS	1756	-30.62	-13	17.62	Pass	3
1756.4	1757.8	1	RMS	1756.4	-24.57	-13	11.57	Pass	401




2.13. LTE Band Edge(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1704	1707	1	RMS	1706.955	-48.98	-13	35.98	Pass	401
1707	1709	1	RMS	1709	-37.57	-13	24.57	Pass	5
1709	1710	0.002	RMS	1710	-30.7	-13	17.7	Pass	1001
1710	1713	0.1	RMS	1710.24	19.93	30	10.07	Pass	401
1713	1714	0.002	RMS	1713.074	-70.44	-13	57.44	Pass	1001
1714	1716	1	RMS	1715	-47.4	-13	34.4	Pass	5
1716	1719	1	RMS	1716	-49.49	-13	36.49	Pass	401




2.15. LTE Band Edge(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1704	1707	1	RMS	1706.985	-37.27	-13	24.27	Pass	401
1707	1709	1	RMS	1709	-26.07	-13	13.07	Pass	5
1709	1710	0.03	RMS	1710	-25.11	-13	12.11	Pass	401
1710	1713	0.1	RMS	1712.483	7.65	30	22.35	Pass	401
1713	1714	0.03	RMS	1713	-25.87	-13	12.87	Pass	401
1714	1716	1	RMS	1714	-26.11	-13	13.11	Pass	5
1716	1719	1	RMS	1716	-37.38	-13	24.38	Pass	401




2.17. LTE Band Edge(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1746	1749	1	RMS	1749	-49.44	-13	36.44	Pass	401
1749	1751	1	RMS	1750	-46.85	-13	33.85	Pass	5
1751	1752	0.002	RMS	1751.975	-72.05	-13	59.05	Pass	1001
1752	1755	0.1	RMS	1754.745	19.85	30	10.15	Pass	401
1755	1756	0.002	RMS	1755.001	-31.86	-13	18.86	Pass	1001
1756	1758	1	RMS	1756	-37.86	-13	24.86	Pass	5
1758	1761	1	RMS	1758	-48.41	-13	35.41	Pass	401




2.18. LTE Band Edge(Subtest:12, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1746	1749	1	RMS	1749	-37.32	-13	24.32	Pass	401
1749	1751	1	RMS	1751	-26.67	-13	13.67	Pass	5
1751	1752	0.03	RMS	1751.998	-25.99	-13	12.99	Pass	401
1752	1755	0.1	RMS	1752.525	7.46	30	22.54	Pass	401
1755	1756	0.03	RMS	1755.005	-26.3	-13	13.3	Pass	401
1756	1758	1	RMS	1756	-27.14	-13	14.14	Pass	5
1758	1761	1	RMS	1758.008	-37.92	-13	24.92	Pass	401




2.19. LTE Band Edge(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1705	1	RMS	1704.938	-51.15	-13	38.15	Pass	401
1705	1709	1	RMS	1709	-40.65	-13	27.65	Pass	9
1709	1710	0.002	RMS	1710	-35.12	-13	22.12	Pass	1001
1710	1715	0.1	RMS	1710.338	19.92	30	10.08	Pass	401
1715	1716	0.002	RMS	1715.071	-72.63	-13	59.63	Pass	1001
1716	1720	1	RMS	1719	-47.18	-13	34.18	Pass	9
1720	1725	1	RMS	1720.013	-51.34	-13	38.34	Pass	401



2.21. LTE Band Edge(Subtest:15, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1705	1	RMS	1704.988	-40.86	-13	27.86	Pass	401
1705	1709	1	RMS	1709	-27.06	-13	14.06	Pass	9
1709	1710	0.05	RMS	1710	-27	-13	14	Pass	401
1710	1715	0.1	RMS	1714.488	5.42	30	24.58	Pass	401
1715	1716	0.05	RMS	1715	-26.5	-13	13.5	Pass	401
1716	1720	1	RMS	1716	-26.88	-13	13.88	Pass	9
1720	1725	1	RMS	1720	-40.13	-13	27.13	Pass	401



2.23. LTE Band Edge(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1745	1	RMS	1744.05	-51.01	-13	38.01	Pass	401
1745	1749	1	RMS	1746	-46.41	-13	33.41	Pass	9
1749	1750	0.002	RMS	1749.876	-72.11	-13	59.11	Pass	1001
1750	1755	0.1	RMS	1754.663	19.88	30	10.12	Pass	401
1755	1756	0.002	RMS	1755.013	-35.57	-13	22.57	Pass	1001
1756	1760	1	RMS	1756	-39.57	-13	26.57	Pass	9
1760	1765	1	RMS	1760	-50.68	-13	37.68	Pass	401

