



2.11. Band Edge for SA(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-62.42	-13	49.42	Pass	401
776.9	777	0.03	RMS	776.981	-43.58	-13	30.58	Pass	401
777	787	0.1	RMS	786.575	18.55	30	11.45	Pass	401
787	787.1	0.03	RMS	787.001	-22.48	-13	9.48	Pass	401
787.1	802	0.1	RMS	787.1	-22.13	-13	9.13	Pass	401




2.12. Band Edge for SA(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-32.88	-13	19.88	Pass	401
776.9	777	0.03	RMS	776.997	-35.33	-13	22.33	Pass	401
777	787	0.1	RMS	782.45	2.35	30	27.65	Pass	401
787	787.1	0.03	RMS	787	-33.85	-13	20.85	Pass	401
787.1	802	0.1	RMS	787.1	-31.63	-13	18.63	Pass	401




2.13. Band Edge for SA(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	771.518	-72.68	-35	37.68	Pass	3871




2.14. Band Edge for SA(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.981	-66.53	-35	31.53	Pass	3871




2.15. Band Edge for SA(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.381	-72.32	-35	37.32	Pass	4194



2.16. Band Edge for SA(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.006	-51.53	-35	16.53	Pass	4194



3. n66


3.1. Band Edge for SA(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.16	-13	16.16	Pass	401
1709	1710	0.051	RMS	1709.998	-17.18	-13	4.18	Pass	401
1710	1715	1	RMS	1710.388	20.13	30	9.87	Pass	401
1715	1716	0.051	RMS	1715.125	-55.06	-13	42.06	Pass	401
1716	1725	1	RMS	1716.023	-41.25	-13	28.25	Pass	401




3.2. Band Edge for SA(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-27.49	-13	14.49	Pass	401
1709	1710	0.051	RMS	1710	-26.92	-13	13.92	Pass	401
1710	1715	1	RMS	1713.65	14.02	30	15.98	Pass	401
1715	1716	0.051	RMS	1715	-27.32	-13	14.32	Pass	401
1716.5	1725	1	RMS	1716.5	-27.36	-13	14.36	Pass	401




3.3. Band Edge for SA(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1774	1	RMS	1774	-41.23	-13	28.23	Pass	401
1774	1775	0.051	RMS	1774.835	-54.56	-13	41.56	Pass	401
1775	1780	1	RMS	1779.625	19.53	30	10.47	Pass	401
1780	1781	0.051	RMS	1780	-18.92	-13	5.92	Pass	401
1781.5	1790	1	RMS	1781.5	-32.2	-13	19.2	Pass	401




3.4. Band Edge for SA(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1773.5	1	RMS	1773.5	-27.8	-13	14.8	Pass	401
1774	1775	0.051	RMS	1774.998	-27.81	-13	14.81	Pass	401
1775	1780	1	RMS	1776.375	13.45	30	16.55	Pass	401
1780	1781	0.051	RMS	1780	-27.79	-13	14.79	Pass	401
1781.5	1790	1	RMS	1781.5	-28.54	-13	15.54	Pass	401




3.5. Band Edge for SA(Subtest:1, Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1695	1708.5	1	RMS	1708.5	-32.97	-13	19.97	Pass	401
1709	1710	0.1	RMS	1710	-16.14	-13	3.14	Pass	401
1710	1720	1	RMS	1710.4	20.21	30	9.79	Pass	401
1720	1721	0.1	RMS	1720.01	-51.94	-13	38.94	Pass	401
1721	1735	1	RMS	1721.035	-41.49	-13	28.49	Pass	401




3.6. Band Edge for SA(Subtest:2, Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1695	1709	1	RMS	1709	-21.06	-13	8.06	Pass	401
1709	1710	0.1	RMS	1709.998	-28.42	-13	15.42	Pass	401
1710	1720	1	RMS	1718.125	10.88	30	19.12	Pass	401
1720	1721	0.1	RMS	1720.005	-30.16	-13	17.16	Pass	401
1721	1735	1	RMS	1721	-22.46	-13	9.46	Pass	401




3.7. Band Edge for SA(Subtest:3, Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1769	1	RMS	1769	-41.45	-13	28.45	Pass	401
1769	1770	0.1	RMS	1769.96	-51.72	-13	38.72	Pass	401
1770	1780	1	RMS	1779.55	19.52	30	10.48	Pass	401
1780	1781	0.1	RMS	1780	-17.99	-13	4.99	Pass	401
1781.5	1795	1	RMS	1781.5	-36.17	-13	23.17	Pass	401




3.8. Band Edge for SA(Subtest:4, Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1769	1	RMS	1769	-21.06	-13	8.06	Pass	401
1769	1770	0.1	RMS	1770	-30.07	-13	17.07	Pass	401
1770	1780	1	RMS	1771.225	10.77	30	19.23	Pass	401
1780	1781	0.1	RMS	1780	-28.88	-13	15.88	Pass	401
1781	1795	1	RMS	1781	-23.05	-13	10.05	Pass	401




3.9. Band Edge for SA(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708.5	1	RMS	1708.5	-36.08	-13	23.08	Pass	401
1709	1710	0.15	RMS	1710	-16.65	-13	3.65	Pass	401
1710	1725	1	RMS	1710.45	20.36	30	9.64	Pass	401
1725	1726	0.15	RMS	1725.025	-50.23	-13	37.23	Pass	401
1726	1745	1	RMS	1726	-41.58	-13	28.58	Pass	401




3.10. Band Edge for SA(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1709	1	RMS	1709	-24.97	-13	11.97	Pass	401
1709	1710	0.15	RMS	1709.998	-30.91	-13	17.91	Pass	401
1710	1725	1	RMS	1723.425	9.07	30	20.93	Pass	401
1725	1726	0.15	RMS	1725	-32.69	-13	19.69	Pass	401
1726	1745	1	RMS	1726	-26.17	-13	13.17	Pass	401




3.11. Band Edge for SA(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1764	1	RMS	1763.953	-41.52	-13	28.52	Pass	401
1764	1765	0.15	RMS	1764.98	-49.99	-13	36.99	Pass	401
1765	1780	1	RMS	1779.513	19.59	30	10.41	Pass	401
1780	1781	0.15	RMS	1780	-18.19	-13	5.19	Pass	401
1781.5	1800	1	RMS	1781.5	-38.61	-13	25.61	Pass	401




3.12. Band Edge for SA(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1764	1	RMS	1764	-24.65	-13	11.65	Pass	401
1764	1765	0.15	RMS	1764.998	-30.18	-13	17.18	Pass	401
1765	1780	1	RMS	1766.425	9.25	30	20.75	Pass	401
1780	1781	0.15	RMS	1780	-32.73	-13	19.73	Pass	401
1781	1800	1	RMS	1781	-26.95	-13	13.95	Pass	401




3.13. Band Edge for SA(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-38.51	-13	25.51	Pass	401
1709	1710	0.2	RMS	1710	-18.59	-13	5.59	Pass	401
1710	1730	1	RMS	1710.5	20.2	30	9.8	Pass	401
1730	1731	0.2	RMS	1730.008	-49.01	-13	36.01	Pass	401
1731	1755	1	RMS	1731.6	-41.71	-13	28.71	Pass	401




3.14. Band Edge for SA(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1709	1	RMS	1709	-27.92	-13	14.92	Pass	401
1709	1710	0.2	RMS	1710	-32.13	-13	19.13	Pass	401
1710	1730	1	RMS	1728.35	7.83	30	22.17	Pass	401
1730	1731	0.2	RMS	1730	-33.22	-13	20.22	Pass	401
1731	1755	1	RMS	1731	-28.38	-13	15.38	Pass	401




3.15. Band Edge for SA(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1759	1	RMS	1759	-41.63	-13	28.63	Pass	401
1759	1760	0.2	RMS	1759.933	-48.75	-13	35.75	Pass	401
1760	1780	1	RMS	1779.4	19.57	30	10.43	Pass	401
1780	1781	0.2	RMS	1780	-19.68	-13	6.68	Pass	401
1781.5	1805	1	RMS	1781.5	-39.88	-13	26.88	Pass	401



3.16. Band Edge for SA(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1759	1	RMS	1759	-27.43	-13	14.43	Pass	401
1759	1760	0.2	RMS	1759.998	-31.92	-13	18.92	Pass	401
1760	1780	1	RMS	1761.4	8.27	30	21.73	Pass	401
1780	1781	0.2	RMS	1780	-32.98	-13	19.98	Pass	401
1781	1805	1	RMS	1781	-29.17	-13	16.17	Pass	401



4. n71 15kHz


4.1. Band Edge for SA(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-18.72	-13	5.72	Pass	401
662.9	663	0.03	RMS	663	-18.2	-13	5.2	Pass	401
663	668	0.1	RMS	663.325	19	30	11	Pass	401
668	668.1	0.03	RMS	668.1	-64.8	-13	51.8	Pass	401
668.1	678	0.1	RMS	668.62	-59.11	-13	46.11	Pass	401




4.2. Band Edge for SA(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-26.42	-13	13.42	Pass	401
662.9	663	0.03	RMS	662.999	-28.57	-13	15.57	Pass	401
663	668	0.1	RMS	665.225	5.46	30	24.54	Pass	401
668	668.1	0.03	RMS	668	-29.69	-13	16.69	Pass	401
668.1	678	0.1	RMS	668.1	-28	-13	15	Pass	401




4.3. Band Edge for SA(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	692.9	0.1	RMS	691.217	-56.81	-13	43.81	Pass	401
692.9	693	0.03	RMS	692.934	-44.23	-13	31.23	Pass	401
693	698	0.1	RMS	697.663	18.84	30	11.16	Pass	401
698	698.1	0.03	RMS	698	-19.96	-13	6.96	Pass	401
698.1	708	0.1	RMS	698.1	-20.8	-13	7.8	Pass	401




4.4. Band Edge for SA(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	692.9	0.1	RMS	692.9	-26.33	-13	13.33	Pass	401
692.9	693	0.03	RMS	693	-28.07	-13	15.07	Pass	401
693	698	0.1	RMS	693.8	5.65	30	24.35	Pass	401
698	698.1	0.03	RMS	698.001	-29.07	-13	16.07	Pass	401
698.1	708	0.1	RMS	698.1	-27.18	-13	14.18	Pass	401




4.5. Band Edge for SA(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
648	662.9	0.1	RMS	662.9	-19.7	-13	6.7	Pass	401
662.9	663	0.03	RMS	662.999	-20.23	-13	7.23	Pass	401
663	673	0.1	RMS	663.4	18.99	30	11.01	Pass	401
673	673.1	0.03	RMS	673.019	-66.89	-13	53.89	Pass	401
673.1	688	0.1	RMS	673.473	-60.43	-13	47.43	Pass	401




4.6. Band Edge for SA(Subtest:2, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
648	662.9	0.1	RMS	662.9	-31.99	-13	18.99	Pass	401
662.9	663	0.03	RMS	663	-34.17	-13	21.17	Pass	401
663	673	0.1	RMS	672.175	2.83	30	27.17	Pass	401
673	673.1	0.03	RMS	673.004	-32.84	-13	19.84	Pass	401
673.1	688	0.1	RMS	673.1	-30.61	-13	17.61	Pass	401




4.7. Band Edge for SA(Subtest:3, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
673	687.9	0.1	RMS	686.075	-60.33	-13	47.33	Pass	401
687.9	688	0.03	RMS	687.993	-40.52	-13	27.52	Pass	401
688	698	0.1	RMS	697.575	18.86	30	11.14	Pass	401
698	698.1	0.03	RMS	698	-21.97	-13	8.97	Pass	401
698.1	713	0.1	RMS	698.1	-21.69	-13	8.69	Pass	401




4.8. Band Edge for SA(Subtest:4, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
673	687.9	0.1	RMS	687.9	-31.34	-13	18.34	Pass	401
687.9	688	0.03	RMS	687.998	-33.65	-13	20.65	Pass	401
688	698	0.1	RMS	690.65	2.44	30	27.56	Pass	401
698	698.1	0.03	RMS	698	-35.43	-13	22.43	Pass	401
698.1	713	0.1	RMS	698.1	-33.41	-13	20.41	Pass	401




4.9. Band Edge for SA(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-23.1	-13	10.1	Pass	401
662.9	663	0.03	RMS	662.999	-23.48	-13	10.48	Pass	401
663	678	0.1	RMS	663.488	18.99	30	11.01	Pass	401
678	678.1	0.03	RMS	678.056	-68.39	-13	55.39	Pass	401
678.1	698	0.1	RMS	678.846	-61.67	-13	48.67	Pass	401




4.10. Band Edge for SA(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-35.47	-13	22.47	Pass	401
662.9	663	0.03	RMS	663	-38.1	-13	25.1	Pass	401
663	678	0.1	RMS	674.888	1.16	30	28.84	Pass	401
678	678.1	0.03	RMS	678	-39.15	-13	26.15	Pass	401
678.1	698	0.1	RMS	678.1	-36.67	-13	23.67	Pass	401




4.11. Band Edge for SA(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
663	682.9	0.1	RMS	678.323	-58.81	-13	45.81	Pass	401
682.9	683	0.03	RMS	682.933	-47.34	-13	34.34	Pass	401
683	698	0.1	RMS	697.513	18.99	30	11.01	Pass	401
698	698.1	0.03	RMS	698	-25.44	-13	12.44	Pass	401
698.1	718	0.1	RMS	698.1	-25.32	-13	12.32	Pass	401




4.12. Band Edge for SA(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
663	682.9	0.1	RMS	682.9	-35.42	-13	22.42	Pass	401
682.9	683	0.03	RMS	683	-38.14	-13	25.14	Pass	401
683	698	0.1	RMS	694.888	0.65	30	29.35	Pass	401
698	698.1	0.03	RMS	698.001	-39.97	-13	26.97	Pass	401
698.1	718	0.1	RMS	698.1	-36.96	-13	23.96	Pass	401




4.13. Band Edge for SA(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-27.41	-13	14.41	Pass	498
662.9	663	0.03	RMS	662.999	-27.04	-13	14.04	Pass	401
663	683	0.1	RMS	663.55	18.99	30	11.01	Pass	401
683	683.1	0.03	RMS	683	-68.8	-13	55.8	Pass	401
683.1	708	0.1	RMS	686.557	-62.8	-13	49.8	Pass	498




4.14. Band Edge for SA(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-38.95	-13	25.95	Pass	498
662.9	663	0.03	RMS	663	-41.95	-13	28.95	Pass	401
663	683	0.1	RMS	674.55	-0.18	30	30.18	Pass	401
683	683.1	0.03	RMS	683.001	-42.63	-13	29.63	Pass	401
683.1	708	0.1	RMS	683.1	-39.83	-13	26.83	Pass	498




4.15. Band Edge for SA(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	677.9	0.1	RMS	674.393	-61.16	-13	48.16	Pass	498
677.9	678	0.03	RMS	677.932	-54.01	-13	41.01	Pass	401
678	698	0.1	RMS	697.45	18.87	30	11.13	Pass	401
698	698.1	0.03	RMS	698.001	-29.16	-13	16.16	Pass	401
698.1	723	0.1	RMS	698.1	-29.88	-13	16.88	Pass	498



4.16. Band Edge for SA(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	677.9	0.1	RMS	677.9	-38.58	-13	25.58	Pass	498
677.9	678	0.03	RMS	678	-41.23	-13	28.23	Pass	401
678	698	0.1	RMS	689.5	-0.55	30	30.55	Pass	401
698	698.1	0.03	RMS	698	-42.29	-13	29.29	Pass	401
698.1	723	0.1	RMS	698.1	-39.35	-13	26.35	Pass	498



5. n38_PC3


5.1. Band Edge for SA(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.725	-49.88	-25	24.88	Pass	401
2550	2565	1	RMS	2562.075	-48.17	-13	35.17	Pass	401
2565	2569	1	RMS	2569	-29.2	-10	19.2	Pass	401
2569	2570	0.051	RMS	2569.993	-27.73	-10	17.73	Pass	401
2570	2590	1	RMS	2571	18.51	30	11.49	Pass	401
2590	2591	0.051	RMS	2590.075	-62.33	-10	52.33	Pass	401
2591	2595	1	RMS	2591.33	-49.03	-10	39.03	Pass	401
2595	2610	1	RMS	2597.813	-48.53	-13	35.53	Pass	401
2610	2615	1	RMS	2613	-49.36	-25	24.36	Pass	401




5.2. Band Edge for SA(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-41.09	-25	16.09	Pass	401
2550	2565	1	RMS	2565	-32.47	-13	19.47	Pass	401
2565	2569	1	RMS	2569	-30.08	-10	20.08	Pass	401
2569	2570	0.4	RMS	2570	-29.42	-10	19.42	Pass	401
2570	2590	1	RMS	2588.15	6.55	30	23.45	Pass	401
2590	2591	0.4	RMS	2590.003	-29.42	-10	19.42	Pass	401
2591	2595	1	RMS	2591.02	-28.61	-10	18.61	Pass	401
2595	2610	1	RMS	2595	-29.97	-13	16.97	Pass	401
2610	2615	1	RMS	2610.038	-37.96	-25	12.96	Pass	401




5.3. Band Edge for SA(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2575	2580	1	RMS	2577.388	-49.42	-25	24.42	Pass	401
2580	2595	1	RMS	2592	-48.88	-13	35.88	Pass	401
2595	2599	1	RMS	2598.26	-49.24	-10	39.24	Pass	401
2599	2600	0.051	RMS	2599.89	-62.25	-10	52.25	Pass	401
2600	2620	1	RMS	2619	18.18	30	11.82	Pass	401
2620	2621	0.051	RMS	2620.003	-29.15	-10	19.15	Pass	401
2621	2625	1	RMS	2621	-30.33	-10	20.33	Pass	401
2625	2640	1	RMS	2637.038	-47.86	-13	34.86	Pass	401
2640	2645	1	RMS	2640.925	-49.26	-25	24.26	Pass	401




5.4. Band Edge for SA(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2575	2580	1	RMS	2580	-41	-25	16	Pass	401
2580	2595	1	RMS	2595	-31.51	-13	18.51	Pass	401
2595	2599	1	RMS	2598.98	-29.13	-10	19.13	Pass	401
2599	2600	0.4	RMS	2599.985	-29.69	-10	19.69	Pass	401
2600	2620	1	RMS	2618.25	6.57	30	23.43	Pass	401
2620	2621	0.4	RMS	2620.003	-28.13	-10	18.13	Pass	401
2621	2625	1	RMS	2621.01	-27.32	-10	17.32	Pass	401
2625	2640	1	RMS	2625	-29.06	-13	16.06	Pass	401
2640	2645	1	RMS	2640.063	-39.22	-25	14.22	Pass	401




5.5. Band Edge for SA(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2536.6	-49.95	-25	24.95	Pass	401
2540	2565	1	RMS	2557.25	-48	-13	35	Pass	401
2565	2569	1	RMS	2569	-33.62	-10	23.62	Pass	401
2569	2570	0.051	RMS	2569.993	-31.93	-10	21.93	Pass	401
2570	2600	1	RMS	2571.125	18.52	30	11.48	Pass	401
2600	2601	0.051	RMS	2600.695	-62.33	-10	52.33	Pass	401
2601	2605	1	RMS	2601.74	-49.1	-10	39.1	Pass	401
2605	2630	1	RMS	2626.688	-48.41	-13	35.41	Pass	401
2630	2635	1	RMS	2631.538	-49.13	-25	24.13	Pass	401




5.6. Band Edge for SA(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.913	-42.85	-25	17.85	Pass	401
2540	2565	1	RMS	2565	-33.54	-13	20.54	Pass	401
2565	2569	1	RMS	2568.96	-31.59	-10	21.59	Pass	401
2569	2570	0.62	RMS	2570	-29.79	-10	19.79	Pass	401
2570	2600	1	RMS	2597.975	4.82	30	25.18	Pass	401
2600	2601	0.62	RMS	2600	-28.75	-10	18.75	Pass	401
2601	2605	1	RMS	2601	-29.2	-10	19.2	Pass	401
2605	2630	1	RMS	2605.063	-29.9	-13	16.9	Pass	401
2630	2635	1	RMS	2630	-38.89	-25	13.89	Pass	401




5.7. Band Edge for SA(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.713	-49.66	-25	24.66	Pass	401
2560	2585	1	RMS	2577.063	-48.86	-13	35.86	Pass	401
2585	2589	1	RMS	2588.01	-49.13	-10	39.13	Pass	401
2589	2590	0.051	RMS	2589.175	-62.67	-10	52.67	Pass	401
2590	2620	1	RMS	2618.875	18.26	30	11.74	Pass	401
2620	2621	0.051	RMS	2620.003	-34.55	-10	24.55	Pass	401
2621	2625	1	RMS	2621.01	-35.3	-10	25.3	Pass	401
2625	2650	1	RMS	2646.5	-47.83	-13	34.83	Pass	401
2650	2655	1	RMS	2650.988	-49.43	-25	24.43	Pass	401




5.8. Band Edge for SA(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.975	-43.09	-25	18.09	Pass	401
2560	2585	1	RMS	2584.813	-32.97	-13	19.97	Pass	401
2585	2589	1	RMS	2588.95	-31.01	-10	21.01	Pass	401
2589	2590	0.62	RMS	2590	-29.41	-10	19.41	Pass	401
2590	2620	1	RMS	2617.525	4.83	30	25.17	Pass	401
2620	2621	0.62	RMS	2620	-27.66	-10	17.66	Pass	401
2621	2625	1	RMS	2621	-28.29	-10	18.29	Pass	401
2625	2650	1	RMS	2625.25	-29.31	-13	16.31	Pass	401
2650	2655	1	RMS	2650.025	-40.16	-25	15.16	Pass	401




5.9. Band Edge for SA(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.35	-49.94	-25	24.94	Pass	401
2530	2565	1	RMS	2552.138	-48.24	-13	35.24	Pass	401
2565	2569	1	RMS	2568.99	-33.81	-10	23.81	Pass	401
2569	2570	0.051	RMS	2570	-32.16	-10	22.16	Pass	401
2570	2610	1	RMS	2571.1	18.48	30	11.52	Pass	401
2610	2611	0.051	RMS	2610.008	-62.22	-10	52.22	Pass	401
2611	2615	1	RMS	2611.24	-49.1	-10	39.1	Pass	401
2615	2650	1	RMS	2647.725	-48.46	-13	35.46	Pass	401
2650	2655	1	RMS	2651.725	-49.43	-25	24.43	Pass	401




5.10. Band Edge for SA(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.813	-43.83	-25	18.83	Pass	401
2530	2565	1	RMS	2565	-35	-13	22	Pass	401
2565	2569	1	RMS	2568.99	-33.23	-10	23.23	Pass	401
2569	2570	0.82	RMS	2570	-21.72	-10	11.72	Pass	401
2570	2610	1	RMS	2608.1	3.87	30	26.13	Pass	401
2610	2611	0.82	RMS	2610	-21.48	-10	11.48	Pass	401
2611	2615	1	RMS	2611.02	-29.44	-10	19.44	Pass	401
2615	2650	1	RMS	2615.088	-30.06	-13	17.06	Pass	401
2650	2655	1	RMS	2650.063	-39.85	-25	14.85	Pass	401




5.11. Band Edge for SA(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2535.213	-50.06	-25	25.06	Pass	401
2540	2575	1	RMS	2562.313	-48.86	-13	35.86	Pass	401
2575	2579	1	RMS	2578.74	-49.13	-10	39.13	Pass	401
2579	2580	0.051	RMS	2579.498	-62.44	-10	52.44	Pass	401
2580	2620	1	RMS	2618.9	18.18	30	11.82	Pass	401
2620	2621	0.051	RMS	2620	-31.83	-10	21.83	Pass	401
2621	2625	1	RMS	2621.01	-33.52	-10	23.52	Pass	401
2625	2660	1	RMS	2656.588	-47.35	-13	34.35	Pass	401
2660	2665	1	RMS	2662.575	-49.52	-25	24.52	Pass	401



5.12. Band Edge for SA(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.663	-43.95	-25	18.95	Pass	401
2540	2575	1	RMS	2575	-34.54	-13	21.54	Pass	401
2575	2579	1	RMS	2578.97	-32.67	-10	22.67	Pass	401
2579	2580	0.82	RMS	2580	-21.9	-10	11.9	Pass	401
2580	2620	1	RMS	2616.7	3.82	30	26.18	Pass	401
2620	2621	0.82	RMS	2620	-21.47	-10	11.47	Pass	401
2621	2625	1	RMS	2621.01	-29.05	-10	19.05	Pass	401
2625	2660	1	RMS	2625	-29.91	-13	16.91	Pass	401
2660	2665	1	RMS	2660.15	-40.49	-25	15.49	Pass	401



1. n26 15kHz(824-849)


1.1. Band Edge for SA(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.865	-49.63	-13	36.63	Pass	401
823	824	0.02	RMS	824	-23.01	-13	10.01	Pass	401
824	829	0.1	RMS	824.35	18.66	30	11.34	Pass	401
829	830	0.02	RMS	829.64	-64.86	-13	51.86	Pass	401
830	839	0.1	RMS	830.113	-59.7	-13	46.7	Pass	401




1.2. Band Edge for SA(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-36.49	-13	23.49	Pass	401
823	824	0.051	RMS	823.998	-27.13	-13	14.13	Pass	401
824	829	0.1	RMS	825.113	5.14	30	24.86	Pass	401
829	830	0.051	RMS	829	-26.69	-13	13.69	Pass	401
830	839	0.1	RMS	830.315	-37.2	-13	24.2	Pass	401




1.3. Band Edge for SA(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	843	0.1	RMS	842.888	-59.15	-13	46.15	Pass	401
843	844	0.02	RMS	843.88	-62.24	-13	49.24	Pass	401
844	849	0.1	RMS	848.663	18.6	30	11.4	Pass	401
849	850	0.02	RMS	849	-22.13	-13	9.13	Pass	401
850	859	0.1	RMS	850	-47.68	-13	34.68	Pass	401




1.4. Band Edge for SA(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	843	0.1	RMS	843	-37.76	-13	24.76	Pass	401
843	844	0.051	RMS	843.993	-27.47	-13	14.47	Pass	401
844	849	0.1	RMS	845.1	5.22	30	24.78	Pass	401
849	850	0.051	RMS	849	-28.1	-13	15.1	Pass	401
850	859	0.1	RMS	850	-39.07	-13	26.07	Pass	401




1.5. Band Edge for SA(Subtest:1, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	823	-49.45	-13	36.45	Pass	401
823	824	0.02	RMS	824	-24.89	-13	11.89	Pass	401
824	834	0.1	RMS	824.425	18.68	30	11.32	Pass	401
834	835	0.02	RMS	834.523	-66.32	-13	53.32	Pass	401
835	849	0.1	RMS	835.98	-60.53	-13	47.53	Pass	401




1.6. Band Edge for SA(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	823	-38.24	-13	25.24	Pass	401
823	824	0.1	RMS	824	-30.36	-13	17.36	Pass	401
824	834	0.1	RMS	831.35	1.97	30	28.03	Pass	401
834	835	0.1	RMS	834	-28.95	-13	15.95	Pass	401
835	849	0.1	RMS	835.805	-38.6	-13	25.6	Pass	401




1.7. Band Edge for SA(Subtest:3, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
824	838	0.1	RMS	837.09	-59.04	-13	46.04	Pass	401
838	839	0.02	RMS	838.943	-64.3	-13	51.3	Pass	401
839	849	0.1	RMS	848.6	18.47	30	11.53	Pass	401
849	850	0.02	RMS	849	-25.19	-13	12.19	Pass	401
850	864	0.1	RMS	850.105	-49.94	-13	36.94	Pass	401




1.8. Band Edge for SA(Subtest:4, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
824	838	0.1	RMS	838	-39.42	-13	26.42	Pass	401
838	839	0.1	RMS	839	-29.76	-13	16.76	Pass	401
839	849	0.1	RMS	839.85	2.15	30	27.85	Pass	401
849	850	0.1	RMS	849	-29.86	-13	16.86	Pass	401
850	864	0.1	RMS	850	-41.88	-13	28.88	Pass	401




1.9. Band Edge for SA(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-49.15	-13	36.15	Pass	401
823	824	0.02	RMS	824	-28.31	-13	15.31	Pass	401
824	839	0.1	RMS	824.488	18.55	30	11.45	Pass	401
839	840	0.02	RMS	839.925	-66.16	-13	53.16	Pass	401
840	859	0.1	RMS	843.753	-61.05	-13	48.05	Pass	401




1.10. Band Edge for SA(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-39.65	-13	26.65	Pass	401
823	824	0.15	RMS	823.998	-31.33	-13	18.33	Pass	401
824	839	0.1	RMS	836.263	0.24	30	29.76	Pass	401
839	840	0.15	RMS	839	-30.52	-13	17.52	Pass	401
840	859	0.1	RMS	840.143	-38.92	-13	25.92	Pass	401




1.11. Band Edge for SA(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	833	0.1	RMS	829.343	-56.98	-13	43.98	Pass	401
833	834	0.02	RMS	833.248	-62.44	-13	49.44	Pass	401
834	849	0.1	RMS	848.55	18.38	30	11.62	Pass	401
849	850	0.02	RMS	849	-27.51	-13	14.51	Pass	401
850	869	0.1	RMS	850	-49.84	-13	36.84	Pass	401




1.12. Band Edge for SA(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	833	0.1	RMS	832.525	-40.79	-13	27.79	Pass	401
833	834	0.15	RMS	833.998	-30.59	-13	17.59	Pass	401
834	849	0.1	RMS	835.388	0.5	30	29.5	Pass	401
849	850	0.15	RMS	849	-31.82	-13	18.82	Pass	401
850	869	0.1	RMS	850.143	-41.81	-13	28.81	Pass	401



1.13. Band Edge for SA(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.68	-13	36.68	Pass	481
823	824	0.02	RMS	824	-31.67	-13	18.67	Pass	401
824	844	0.1	RMS	824.55	18.52	30	11.48	Pass	401
844	845	0.02	RMS	844.238	-67.68	-13	54.68	Pass	401
845	869	0.1	RMS	847.6	-61.24	-13	48.24	Pass	481



1.14. Band Edge for SA(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.45	-41.15	-13	28.15	Pass	481
823	824	0.2	RMS	824	-32.61	-13	19.61	Pass	401
824	844	0.1	RMS	836.9	-1.14	30	31.14	Pass	401
844	845	0.2	RMS	844	-31.95	-13	18.95	Pass	401
845	869	0.1	RMS	845	-40.91	-13	27.91	Pass	481

