



3.22. Band Edge for SA_Part22-24-27(Subtest:2, Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3365	3445	1	RMS	3445	-39.68	-13	26.68	Pass	401
3445	3449	0.62	RMS	3448.81	-39.65	-13	26.65	Pass	401
3449	3450	0.2	RMS	3450	-39.44	-13	26.44	Pass	401
3450	3530	1	RMS	3510.4	2.73	40	37.27	Pass	401




3.23. Band Edge for SA_Part22-24-27(Subtest:3, Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:216)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3470	3550	1	RMS	3548.8	20.33	40	19.67	Pass	401
3550	3551	0.2	RMS	3550	-23.76	-13	10.76	Pass	401
3551	3555	0.62	RMS	3551.05	-37.51	-13	24.51	Pass	401
3555	3635	1	RMS	3555.2	-45.64	-13	32.64	Pass	401



3.24. Band Edge for SA_Part22-24-27(Subtest:4, Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3470	3550	1	RMS	3486.2	2.72	40	37.28	Pass	401
3550	3551	0.2	RMS	3550.023	-40.61	-13	27.61	Pass	401
3551	3555	0.62	RMS	3551.02	-40.24	-13	27.24	Pass	401
3555	3635	1	RMS	3555.2	-40.55	-13	27.55	Pass	401



4. n77(3700-3980)


4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3692.1	-45.28	-13	32.28	Pass	401
3695	3699	0.62	RMS	3699	-37.1	-13	24.1	Pass	401
3699	3700	0.051	RMS	3699.998	-28.27	-13	15.27	Pass	401
3700	3720	1	RMS	3700.95	19.99	40	20.01	Pass	401




4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-30.18	-13	17.18	Pass	401
3695	3699	0.62	RMS	3699	-28.23	-13	15.23	Pass	401
3699	3700	0.4	RMS	3700	-26.27	-13	13.27	Pass	401
3700	3720	1	RMS	3717.85	8.55	40	31.45	Pass	401




4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3979	21.23	40	18.77	Pass	401
3980	3981	0.051	RMS	3980.005	-26.36	-13	13.36	Pass	401
3981	3985	0.62	RMS	3981.01	-35.07	-13	22.07	Pass	401
3985	4005	1	RMS	3985.05	-44.53	-13	31.53	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3961.9	9.87	40	30.13	Pass	401
3980	3981	0.4	RMS	3980.013	-25.23	-13	12.23	Pass	401
3981	3985	0.62	RMS	3981.04	-27.46	-13	14.46	Pass	401
3985	4005	1	RMS	3985	-31.23	-13	18.23	Pass	401




1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3665	3695	1	RMS	3694.85	-45.81	-13	32.81	Pass	401
3695	3699	0.62	RMS	3698.98	-38.7	-13	25.7	Pass	401
3699	3700	0.051	RMS	3700	-31.78	-13	18.78	Pass	401
3700	3730	1	RMS	3701.125	19.34	40	20.66	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3665	3695	1	RMS	3694.4	-32.33	-13	19.33	Pass	401
3695	3699	0.62	RMS	3698.95	-31.64	-13	18.64	Pass	401
3699	3700	0.4	RMS	3699.998	-31.11	-13	18.11	Pass	401
3700	3730	1	RMS	3726.85	6.17	40	33.83	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3950	3980	1	RMS	3978.725	20.77	40	19.23	Pass	401
3980	3981	0.051	RMS	3980	-33.18	-13	20.18	Pass	401
3981	3985	0.62	RMS	3981.01	-37.92	-13	24.92	Pass	401
3985	4015	1	RMS	3985.15	-44.96	-13	31.96	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3950	3980	1	RMS	3952.1	7.61	40	32.39	Pass	401
3980	3981	0.4	RMS	3980.003	-29.23	-13	16.23	Pass	401
3981	3985	0.62	RMS	3981.07	-30.37	-13	17.37	Pass	401
3985	4015	1	RMS	3985.075	-32.15	-13	19.15	Pass	401




4.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3655	3695	1	RMS	3695	-45.47	-13	32.47	Pass	401
3695	3699	0.62	RMS	3698.99	-38.67	-13	25.67	Pass	401
3699	3700	0.051	RMS	3699.998	-30.92	-13	17.92	Pass	401
3700	3740	1	RMS	3701	20.07	40	19.93	Pass	401




4.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3655	3695	1	RMS	3694.8	-32.79	-13	19.79	Pass	401
3695	3699	0.62	RMS	3699	-32.95	-13	19.95	Pass	401
3699	3700	0.4	RMS	3699.993	-31.3	-13	18.3	Pass	401
3700	3740	1	RMS	3736.5	5.55	40	34.45	Pass	401



4.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3940	3980	1	RMS	3978.9	21.28	40	18.72	Pass	401
3980	3981	0.051	RMS	3980	-28.63	-13	15.63	Pass	401
3981	3985	0.62	RMS	3981.01	-36.09	-13	23.09	Pass	401
3985	4025	1	RMS	3985	-44.63	-13	31.63	Pass	401




4.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3940	3980	1	RMS	3942.7	6.44	40	33.56	Pass	401
3980	3981	0.4	RMS	3980.005	-31.16	-13	18.16	Pass	401
3981	3985	0.62	RMS	3981.23	-33.4	-13	20.4	Pass	401
3985	4025	1	RMS	3985.2	-34.2	-13	21.2	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-45.33	-13	32.33	Pass	401
3695	3699	0.62	RMS	3699	-37.75	-13	24.75	Pass	401
3699	3700	0.051	RMS	3699.995	-28.67	-13	15.67	Pass	401
3700	3760	1	RMS	3701.05	19.76	40	20.24	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3694.85	-35.59	-13	22.59	Pass	401
3695	3699	0.62	RMS	3698.64	-34.84	-13	21.84	Pass	401
3699	3700	0.4	RMS	3700	-33.26	-13	20.26	Pass	401
3700	3760	1	RMS	3758.05	4.01	40	35.99	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	20.79	40	19.21	Pass	401
3980	3981	0.051	RMS	3980.003	-27.16	-13	14.16	Pass	401
3981	3985	0.62	RMS	3981	-36.16	-13	23.16	Pass	401
3985	4045	1	RMS	3985.15	-44.93	-13	31.93	Pass	401




4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3923	4.49	40	35.51	Pass	401
3980	3981	0.4	RMS	3980	-32.53	-13	19.53	Pass	401
3981	3985	0.62	RMS	3981.16	-34.34	-13	21.34	Pass	401
3985	4045	1	RMS	3985	-34.12	-13	21.12	Pass	401




4.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3615	3695	1	RMS	3695	-45.42	-13	32.42	Pass	401
3695	3699	0.62	RMS	3698.99	-38.59	-13	25.59	Pass	401
3699	3700	0.051	RMS	3700	-31.31	-13	18.31	Pass	401
3700	3780	1	RMS	3701.2	19.56	40	20.44	Pass	401




4.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3615	3695	1	RMS	3694.8	-37.78	-13	24.78	Pass	401
3695	3699	0.62	RMS	3698.98	-38.11	-13	25.11	Pass	401
3699	3700	0.4	RMS	3699.995	-36.32	-13	23.32	Pass	401
3700	3780	1	RMS	3777.8	2.96	40	37.04	Pass	401



4.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:216)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3900	3980	1	RMS	3978.8	20.94	40	19.06	Pass	401
3980	3981	0.051	RMS	3980.008	-30.51	-13	17.51	Pass	401
3981	3985	0.62	RMS	3981	-37.27	-13	24.27	Pass	401
3985	4065	1	RMS	3985	-44.9	-13	31.9	Pass	401




4.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3900	3980	1	RMS	3904	2.98	40	37.02	Pass	401
3980	3981	0.4	RMS	3980.003	-34.93	-13	21.93	Pass	401
3981	3985	0.62	RMS	3981.07	-36.24	-13	23.24	Pass	401
3985	4065	1	RMS	3985	-36.1	-13	23.1	Pass	401




4.17. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3652.25	-45.42	-13	32.42	Pass	401
3695	3699	0.62	RMS	3699	-37.63	-13	24.63	Pass	401
3699	3700	0.051	RMS	3699.995	-28.74	-13	15.74	Pass	401
3700	3800	1	RMS	3701	19.65	40	20.35	Pass	401




4.18. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-37.76	-13	24.76	Pass	401
3695	3699	0.62	RMS	3698.39	-38.01	-13	25.01	Pass	401
3699	3700	0.4	RMS	3700	-35.9	-13	22.9	Pass	401
3700	3800	1	RMS	3795.25	2.09	40	37.91	Pass	401



4.19. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.94	40	19.06	Pass	401
3980	3981	0.051	RMS	3980	-26.97	-13	13.97	Pass	401
3981	3985	0.62	RMS	3981.01	-36.37	-13	23.37	Pass	401
3985	4085	1	RMS	3985	-44.56	-13	31.56	Pass	401



4.20. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3895.5	1.9	40	38.1	Pass	401
3980	3981	0.4	RMS	3980.018	-35.64	-13	22.64	Pass	401
3981	3985	0.62	RMS	3981.23	-36.51	-13	23.51	Pass	401
3985	4085	1	RMS	3985	-36.55	-13	23.55	Pass	401



5. n78(3700-3800)


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3692	-45.25	-13	32.25	Pass	401
3695	3699	0.62	RMS	3699	-37.58	-13	24.58	Pass	401
3699	3700	0.051	RMS	3699.998	-28.5	-13	15.5	Pass	401
3700	3720	1	RMS	3701	19.81	40	20.19	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-29.78	-13	16.78	Pass	401
3695	3699	0.62	RMS	3698.97	-27.54	-13	14.54	Pass	401
3699	3700	0.4	RMS	3699.993	-26.1	-13	13.1	Pass	401
3700	3720	1	RMS	3717.75	8.52	40	31.48	Pass	401




5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3798.95	21.24	40	18.76	Pass	401
3800	3801	0.051	RMS	3800	-26.61	-13	13.61	Pass	401
3801	3805	0.62	RMS	3801	-36.66	-13	23.66	Pass	401
3805	3825	1	RMS	3805	-44.16	-13	31.16	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3782.8	9.78	40	30.22	Pass	401
3800	3801	0.4	RMS	3800.01	-26.59	-13	13.59	Pass	401
3801	3805	0.62	RMS	3801	-30.18	-13	17.18	Pass	401
3805	3825	1	RMS	3805.35	-33.2	-13	20.2	Pass	401




1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3665	3695	1	RMS	3694.85	-45.81	-13	32.81	Pass	401
3695	3699	0.62	RMS	3698.98	-38.7	-13	25.7	Pass	401
3699	3700	0.051	RMS	3700	-31.78	-13	18.78	Pass	401
3700	3730	1	RMS	3701.125	19.34	40	20.66	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3665	3695	1	RMS	3694.4	-32.33	-13	19.33	Pass	401
3695	3699	0.62	RMS	3698.95	-31.64	-13	18.64	Pass	401
3699	3700	0.4	RMS	3699.998	-31.11	-13	18.11	Pass	401
3700	3730	1	RMS	3726.85	6.17	40	33.83	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3950	3980	1	RMS	3978.725	20.77	40	19.23	Pass	401
3980	3981	0.051	RMS	3980	-33.18	-13	20.18	Pass	401
3981	3985	0.62	RMS	3981.01	-37.92	-13	24.92	Pass	401
3985	4015	1	RMS	3985.15	-44.96	-13	31.96	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3950	3980	1	RMS	3952.1	7.61	40	32.39	Pass	401
3980	3981	0.4	RMS	3980.003	-29.23	-13	16.23	Pass	401
3981	3985	0.62	RMS	3981.07	-30.37	-13	17.37	Pass	401
3985	4015	1	RMS	3985.075	-32.15	-13	19.15	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3655	3695	1	RMS	3694.8	-45.46	-13	32.46	Pass	401
3695	3699	0.62	RMS	3698.99	-38.49	-13	25.49	Pass	401
3699	3700	0.051	RMS	3700	-31.2	-13	18.2	Pass	401
3700	3740	1	RMS	3701.1	20	40	20	Pass	401




5.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3655	3695	1	RMS	3695	-32.38	-13	19.38	Pass	401
3695	3699	0.62	RMS	3698.97	-32.41	-13	19.41	Pass	401
3699	3700	0.4	RMS	3699.995	-31.09	-13	18.09	Pass	401
3700	3740	1	RMS	3737.6	5.56	40	34.44	Pass	401




5.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3760	3800	1	RMS	3798.8	21.34	40	18.66	Pass	401
3800	3801	0.051	RMS	3800	-29.07	-13	16.07	Pass	401
3801	3805	0.62	RMS	3801.08	-37.12	-13	24.12	Pass	401
3805	3845	1	RMS	3805.5	-44.29	-13	31.29	Pass	401




5.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3760	3800	1	RMS	3795	6.43	40	33.57	Pass	401
3800	3801	0.4	RMS	3800	-31.71	-13	18.71	Pass	401
3801	3805	0.62	RMS	3801.33	-35.68	-13	22.68	Pass	401
3805	3845	1	RMS	3805	-34.93	-13	21.93	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-45.58	-13	32.58	Pass	401
3695	3699	0.62	RMS	3699	-39.56	-13	26.56	Pass	401
3699	3700	0.4	RMS	3699.998	-24.24	-13	11.24	Pass	401
3700	3750	1	RMS	3701.25	19.7	40	20.3	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-33.71	-13	20.71	Pass	401
3695	3699	0.62	RMS	3698.75	-34.11	-13	21.11	Pass	401
3699	3700	0.4	RMS	3699.998	-33.73	-13	20.73	Pass	401
3700	3750	1	RMS	3747.25	4.61	40	35.39	Pass	401



5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	21.05	40	18.95	Pass	401
3800	3801	0.4	RMS	3800.003	-24.5	-13	11.5	Pass	401
3801	3805	0.62	RMS	3801.02	-38.85	-13	25.85	Pass	401
3805	3855	1	RMS	3805	-44.38	-13	31.38	Pass	401




5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3797.125	5.37	40	34.63	Pass	401
3800	3801	0.4	RMS	3800	-34.47	-13	21.47	Pass	401
3801	3805	0.62	RMS	3802.74	-36.15	-13	23.15	Pass	401
3805	3855	1	RMS	3805.125	-35.01	-13	22.01	Pass	401




5.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3686.45	-45.55	-13	32.55	Pass	401
3695	3699	0.62	RMS	3699	-38.19	-13	25.19	Pass	401
3699	3700	0.051	RMS	3699.998	-29.59	-13	16.59	Pass	401
3700	3760	1	RMS	3701.05	19.53	40	20.47	Pass	401




5.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-34.4	-13	21.4	Pass	401
3695	3699	0.62	RMS	3698.71	-33.98	-13	20.98	Pass	401
3699	3700	0.4	RMS	3699.995	-32.85	-13	19.85	Pass	401
3700	3760	1	RMS	3757.75	3.96	40	36.04	Pass	401




5.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3798.95	21.06	40	18.94	Pass	401
3800	3801	0.051	RMS	3800	-27.09	-13	14.09	Pass	401
3801	3805	0.62	RMS	3801	-37.24	-13	24.24	Pass	401
3805	3865	1	RMS	3805.45	-44.27	-13	31.27	Pass	401




5.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3797.6	4.56	40	35.44	Pass	401
3800	3801	0.4	RMS	3800	-33.25	-13	20.25	Pass	401
3801	3805	0.62	RMS	3802.27	-36.84	-13	23.84	Pass	401
3805	3865	1	RMS	3805	-35.56	-13	22.56	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3625	3695	1	RMS	3695	-45.9	-13	32.9	Pass	401
3695	3699	0.62	RMS	3698.97	-39.04	-13	26.04	Pass	401
3699	3700	0.051	RMS	3699.993	-31.76	-13	18.76	Pass	401
3700	3770	1	RMS	3701.225	18.99	40	21.01	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3625	3695	1	RMS	3695	-31.99	-13	18.99	Pass	401
3695	3699	0.62	RMS	3698.83	-31.8	-13	18.8	Pass	401
3699	3700	0.4	RMS	3700	-32.56	-13	19.56	Pass	401
3700	3770	1	RMS	3764.4	2.85	40	37.15	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:188)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3730	3800	1	RMS	3798.775	20.44	40	19.56	Pass	401
3800	3801	0.051	RMS	3800	-33.49	-13	20.49	Pass	401
3801	3805	0.62	RMS	3801.01	-38.98	-13	25.98	Pass	401
3805	3875	1	RMS	3805.35	-44.53	-13	31.53	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3730	3800	1	RMS	3785.825	3.17	40	36.83	Pass	401
3800	3801	0.4	RMS	3800.005	-32.21	-13	19.21	Pass	401
3801	3805	0.62	RMS	3803.85	-32.25	-13	19.25	Pass	401
3805	3875	1	RMS	3806.225	-34.89	-13	21.89	Pass	401



5.17. Band Edge for SA_Part22-24-27(Subtest:1, Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3615	3695	1	RMS	3694.8	-45.59	-13	32.59	Pass	401
3695	3699	0.62	RMS	3698.97	-38.81	-13	25.81	Pass	401
3699	3700	0.051	RMS	3699.995	-31.29	-13	18.29	Pass	401
3700	3780	1	RMS	3701.2	19.43	40	20.57	Pass	401




5.18. Band Edge for SA_Part22-24-27(Subtest:2, Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3615	3695	1	RMS	3695	-36.28	-13	23.28	Pass	401
3695	3699	0.62	RMS	3699	-36.76	-13	23.76	Pass	401
3699	3700	0.4	RMS	3699.983	-35.7	-13	22.7	Pass	401
3700	3780	1	RMS	3776.8	2.88	40	37.12	Pass	401




5.19. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:216)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3720	3800	1	RMS	3798.8	20.97	40	19.03	Pass	401
3800	3801	0.051	RMS	3800	-30.35	-13	17.35	Pass	401
3801	3805	0.62	RMS	3801.01	-38.2	-13	25.2	Pass	401
3805	3885	1	RMS	3805	-44.23	-13	31.23	Pass	401




5.20. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3720	3800	1	RMS	3782	3.04	40	36.96	Pass	401
3800	3801	0.4	RMS	3800.03	-35.36	-13	22.36	Pass	401
3801	3805	0.62	RMS	3802.43	-37.83	-13	24.83	Pass	401
3805	3885	1	RMS	3805.2	-36.65	-13	23.65	Pass	401



5.25. Band Edge for SA_Part22-24-27(Subtest:1, Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3605	3695	1	RMS	3695	-45.38	-13	32.38	Pass	401
3695	3699	0.62	RMS	3699	-37.78	-13	24.78	Pass	401
3699	3700	0.051	RMS	3700	-29.67	-13	16.67	Pass	401
3700	3790	1	RMS	3701.125	19.57	40	20.43	Pass	401



--BLANK BELOW--


5.26. Band Edge for SA_Part22-24-27(Subtest:2, Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3605	3695	1	RMS	3694.775	-36.72	-13	23.72	Pass	401
3695	3699	0.62	RMS	3698.91	-36.77	-13	23.77	Pass	401
3699	3700	0.4	RMS	3699.975	-35.81	-13	22.81	Pass	401
3700	3790	1	RMS	3783.025	2.49	40	37.51	Pass	401



5.27. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:244)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3710	3800	1	RMS	3798.875	21	40	19	Pass	401
3800	3801	0.051	RMS	3800	-28.84	-13	15.84	Pass	401
3801	3805	0.62	RMS	3801	-37.8	-13	24.8	Pass	401
3805	3895	1	RMS	3805	-44.2	-13	31.2	Pass	401




5.28. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3710	3800	1	RMS	3788.975	2.47	40	37.53	Pass	401
3800	3801	0.4	RMS	3800	-35.25	-13	22.25	Pass	401
3801	3805	0.62	RMS	3802.92	-37.02	-13	24.02	Pass	401
3805	3895	1	RMS	3805.225	-36.31	-13	23.31	Pass	401




5.21. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3652	-45.19	-13	32.19	Pass	401
3695	3699	0.62	RMS	3698.99	-37.93	-13	24.93	Pass	401
3699	3700	0.051	RMS	3700	-29.02	-13	16.02	Pass	401
3700	3800	1	RMS	3701	19.49	40	20.51	Pass	401




5.22. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-37.4	-13	24.4	Pass	401
3695	3699	0.62	RMS	3698.87	-38.61	-13	25.61	Pass	401
3699	3700	0.4	RMS	3700	-36.15	-13	23.15	Pass	401
3700	3800	1	RMS	3785.75	2.04	40	37.96	Pass	401




5.23. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.91	40	19.09	Pass	401
3800	3801	0.051	RMS	3800	-26.86	-13	13.86	Pass	401
3801	3805	0.62	RMS	3801	-37.48	-13	24.48	Pass	401
3805	3905	1	RMS	3805	-44.01	-13	31.01	Pass	401



5.24. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3785.25	2.01	40	37.99	Pass	401
3800	3801	0.4	RMS	3800.003	-36.06	-13	23.06	Pass	401
3801	3805	0.62	RMS	3802.61	-37.91	-13	24.91	Pass	401
3805	3905	1	RMS	3805	-36.51	-13	23.51	Pass	401



1. n5


1.1. Band Edge for SA(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-45.66	-13	32.66	Pass	401
823	824	0.02	RMS	824	-20.13	-13	7.13	Pass	401
824	829	0.1	RMS	824.325	18.55	30	11.45	Pass	401
829	830	0.02	RMS	829.005	-60.6	-13	47.6	Pass	401
830	839	0.1	RMS	830.855	-52.64	-13	39.64	Pass	401




1.2. Band Edge for SA(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-36.53	-13	23.53	Pass	401
823	824	0.051	RMS	823.998	-26.45	-13	13.45	Pass	401
824	829	0.1	RMS	824.363	4.93	30	25.07	Pass	401
829	830	0.051	RMS	829	-26.07	-13	13.07	Pass	401
830	839	0.1	RMS	830.045	-37.4	-13	24.4	Pass	401




1.3. Band Edge for SA(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	843	0.1	RMS	842.213	-52.92	-13	39.92	Pass	401
843	844	0.02	RMS	843.863	-59.8	-13	46.8	Pass	401
844	849	0.1	RMS	848.65	18.5	30	11.5	Pass	401
849	850	0.02	RMS	849	-21.48	-13	8.48	Pass	401
850	859	0.1	RMS	850.788	-44.59	-13	31.59	Pass	401




1.4. Band Edge for SA(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	843	0.1	RMS	843	-37.57	-13	24.57	Pass	401
843	844	0.051	RMS	843.998	-25.9	-13	12.9	Pass	401
844	849	0.1	RMS	844.538	4.97	30	25.03	Pass	401
849	850	0.051	RMS	849	-27.19	-13	14.19	Pass	401
850	859	0.1	RMS	850.045	-39.11	-13	26.11	Pass	401




1.5. Band Edge for SA(Subtest:1, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	822.93	-48.36	-13	35.36	Pass	401
823	824	0.02	RMS	824	-22.14	-13	9.14	Pass	401
824	834	0.1	RMS	824.4	18.52	30	11.48	Pass	401
834	835	0.02	RMS	834.475	-61.1	-13	48.1	Pass	401
835	849	0.1	RMS	847.25	-54.51	-13	41.51	Pass	401



1.6. Band Edge for SA(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	823	-38.08	-13	25.08	Pass	401
823	824	0.1	RMS	824	-29.7	-13	16.7	Pass	401
824	834	0.1	RMS	832.3	1.98	30	28.02	Pass	401
834	835	0.1	RMS	834	-28.61	-13	15.61	Pass	401
835	849	0.1	RMS	835.595	-38.45	-13	25.45	Pass	401



1.7. Band Edge for SA(Subtest:3, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
824	838	0.1	RMS	837.09	-54.14	-13	41.14	Pass	401
838	839	0.02	RMS	838.913	-60.59	-13	47.59	Pass	401
839	849	0.1	RMS	848.575	18.43	30	11.57	Pass	401
849	850	0.02	RMS	849	-23.91	-13	10.91	Pass	401
850	864	0.1	RMS	850.035	-49.38	-13	36.38	Pass	401

