



10.7. LTE Band Edge(Subtest:23, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
686	696	0.1	RMS	694.825	-64.03	-13	51.03	Pass	401
696	705.9	0.1	RMS	702.683	-57.29	-13	44.29	Pass	401
705.9	706	0.03	RMS	705.95	-66.87	-13	53.87	Pass	9
706	716	0.1	RMS	715.425	20.79	30	9.21	Pass	401
716	716.1	0.03	RMS	716	-38.45	-13	25.45	Pass	9
716.1	726	0.1	RMS	716.1	-39.09	-13	26.09	Pass	401
726	736	0.1	RMS	733.625	-63.99	-13	50.99	Pass	401




10.8. LTE Band Edge(Subtest:24, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
686	696	0.1	RMS	692.675	-48.98	-13	35.98	Pass	401
696	705.9	0.1	RMS	705.9	-34.91	-13	21.91	Pass	401
705.9	706	0.03	RMS	706	-38.2	-13	25.2	Pass	9
706	716	0.1	RMS	714.175	3.87	30	26.13	Pass	401
716	716.1	0.03	RMS	716	-38.18	-13	25.18	Pass	9
716.1	726	0.1	RMS	716.1	-34.95	-13	21.95	Pass	401
726	736	0.1	RMS	729.125	-63.98	-13	50.98	Pass	401




10.9. LTE Band Edge(Subtest:13, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
694	699	0.1	RMS	697.875	-61.44	-13	48.44	Pass	401
699	703.9	0.1	RMS	703.9	-30.79	-13	17.79	Pass	401
703.9	704	0.03	RMS	704	-26.43	-13	13.43	Pass	9
704	709	0.1	RMS	704.338	19.83	30	10.17	Pass	401
709	709.1	0.03	RMS	709.013	-64.25	-13	51.25	Pass	9
709.1	714	0.1	RMS	710.974	-54.62	-13	41.62	Pass	401
714	719	0.1	RMS	715.138	-62.82	-13	49.82	Pass	401




10.10. LTE Band Edge(Subtest:15, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
694	699	0.1	RMS	698.438	-44.92	-13	31.92	Pass	401
699	703.9	0.1	RMS	703.9	-27.99	-13	14.99	Pass	401
703.9	704	0.03	RMS	704	-30.09	-13	17.09	Pass	9
704	709	0.1	RMS	704.388	5.67	30	24.33	Pass	401
709	709.1	0.03	RMS	709	-30.7	-13	17.7	Pass	9
709.1	714	0.1	RMS	709.1	-28.82	-13	15.82	Pass	401
714	719	0.1	RMS	714.575	-44.28	-13	31.28	Pass	401




10.11. LTE Band Edge(Subtest:17, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	706	0.1	RMS	704.963	-62.3	-13	49.3	Pass	401
706	710.9	0.1	RMS	709.222	-54.89	-13	41.89	Pass	401
710.9	711	0.03	RMS	710.975	-64.4	-13	51.4	Pass	9
711	716	0.1	RMS	715.663	19.92	30	10.08	Pass	401
716	716.1	0.03	RMS	716	-26.22	-13	13.22	Pass	9
716.1	721	0.1	RMS	716.1	-30.56	-13	17.56	Pass	401
721	726	0.1	RMS	721.113	-63.19	-13	50.19	Pass	401




10.12. LTE Band Edge(Subtest:18, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	706	0.1	RMS	705.763	-47.08	-13	34.08	Pass	401
706	710.9	0.1	RMS	710.9	-28.89	-13	15.89	Pass	401
710.9	711	0.03	RMS	711	-30.91	-13	17.91	Pass	9
711	716	0.1	RMS	714.325	5.53	30	24.47	Pass	401
716	716.1	0.03	RMS	716	-30.47	-13	17.47	Pass	9
716.1	721	0.1	RMS	716.1	-29.27	-13	16.27	Pass	401
721	726	0.1	RMS	721	-50.19	-13	37.19	Pass	401




10.13. LTE Band Edge(Subtest:19, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	694	0.1	RMS	693.9	-62.15	-13	49.15	Pass	401
694	703.9	0.1	RMS	703.875	-39.14	-13	26.14	Pass	401
703.9	704	0.03	RMS	704	-38.75	-13	25.75	Pass	9
704	714	0.1	RMS	704.575	19.94	30	10.06	Pass	401
714	714.1	0.03	RMS	714.1	-64.03	-13	51.03	Pass	9
714.1	724	0.1	RMS	717.417	-55.48	-13	42.48	Pass	401
724	734	0.1	RMS	729.125	-63.96	-13	50.96	Pass	401




10.14. LTE Band Edge(Subtest:21, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	694	0.1	RMS	693.825	-49.35	-13	36.35	Pass	401
694	703.9	0.1	RMS	703.9	-34.93	-13	21.93	Pass	401
703.9	704	0.03	RMS	704	-38.3	-13	25.3	Pass	9
704	714	0.1	RMS	713.075	3.08	30	26.92	Pass	401
714	714.1	0.03	RMS	714	-37.84	-13	24.84	Pass	9
714.1	724	0.1	RMS	714.1	-34.59	-13	21.59	Pass	401
724	734	0.1	RMS	726.175	-64.03	-13	51.03	Pass	401




**10.15. LTE Band Edge(Subtest:23, Channel:23800, Bandwidth:10,
Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
686	696	0.1	RMS	695.975	-64.11	-13	51.11	Pass	401
696	705.9	0.1	RMS	705.578	-56.61	-13	43.61	Pass	401
705.9	706	0.03	RMS	705.913	-66.74	-13	53.74	Pass	9
706	716	0.1	RMS	715.4	19.89	30	10.11	Pass	401
716	716.1	0.03	RMS	716	-38.84	-13	25.84	Pass	9
716.1	726	0.1	RMS	716.199	-39.63	-13	26.63	Pass	401
726	736	0.1	RMS	729.85	-64.05	-13	51.05	Pass	401



10.16. LTE Band Edge(Subtest:24, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
686	696	0.1	RMS	696	-49.24	-13	36.24	Pass	401
696	705.9	0.1	RMS	705.9	-35.59	-13	22.59	Pass	401
705.9	706	0.03	RMS	706	-38.85	-13	25.85	Pass	9
706	716	0.1	RMS	713.5	2.91	30	27.09	Pass	401
716	716.1	0.03	RMS	716	-38.57	-13	25.57	Pass	9
716.1	726	0.1	RMS	716.1	-35.42	-13	22.42	Pass	401
726	736	0.1	RMS	732.325	-64	-13	51	Pass	401



11. LTE_Band25


11.1. LTE Band Edge(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-43.4	-13	30.4	Pass	5
1848.6	1849	1	RMS	1849	-38.5	-13	25.5	Pass	3
1849	1850	0.002	RMS	1849.993	-30.05	-13	17.05	Pass	1001
1850	1851.4	0.1	RMS	1850.263	19.71	30	10.29	Pass	401
1851.4	1852.4	0.002	RMS	1851.624	-61.38	-13	48.38	Pass	1001
1852.4	1852.8	1	RMS	1852.4	-42.17	-13	29.17	Pass	3
1852.8	1854.2	1	RMS	1852.811	-45.27	-13	32.27	Pass	401




11.2. LTE Band Edge(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-24.59	-13	11.59	Pass	401
1848.6	1849	1	RMS	1849	-30.71	-13	17.71	Pass	3
1849	1850	0.02	RMS	1850	-26.03	-13	13.03	Pass	401
1850	1851.4	0.1	RMS	1850.805	11.23	30	18.77	Pass	401
1851.4	1852.4	0.02	RMS	1851.4	-25.94	-13	12.94	Pass	401
1852.4	1852.8	1	RMS	1852.4	-31.78	-13	18.78	Pass	3
1852.8	1854.2	1	RMS	1852.8	-24.6	-13	11.6	Pass	401




11.3. LTE Band Edge(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910.8	1912.2	1	RMS	1912.2	-44.66	-13	31.66	Pass	401
1912.2	1912.6	1	RMS	1912.6	-42.04	-13	29.04	Pass	3
1912.6	1913.6	0.002	RMS	1913.595	-60.89	-13	47.89	Pass	1001
1913.6	1915	0.1	RMS	1914.731	19.92	30	10.08	Pass	401
1915	1916	0.002	RMS	1915.006	-29.72	-13	16.72	Pass	1001
1916	1916.4	1	RMS	1916	-38.49	-13	25.49	Pass	3
1916.4	1917.8	1	RMS	1916.4	-43.2	-13	30.2	Pass	5




11.4. LTE Band Edge(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910.8	1912.2	1	RMS	1912.2	-24.02	-13	11.02	Pass	401
1912.2	1912.6	1	RMS	1912.6	-29.43	-13	16.43	Pass	3
1912.6	1913.6	0.02	RMS	1913.598	-26.12	-13	13.12	Pass	401
1913.6	1915	0.1	RMS	1913.929	11.51	30	18.49	Pass	401
1915	1916	0.02	RMS	1915	-26.8	-13	13.8	Pass	401
1916	1916.4	1	RMS	1916	-31.44	-13	18.44	Pass	3
1916.4	1917.8	1	RMS	1916.4	-24.73	-13	11.73	Pass	401




11.5. LTE Band Edge(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.963	-48.77	-13	35.77	Pass	401
1847	1849	1	RMS	1849	-36.89	-13	23.89	Pass	5
1849	1850	0.002	RMS	1849.997	-35.69	-13	22.69	Pass	1001
1850	1853	0.1	RMS	1850.24	19.69	30	10.31	Pass	401
1853	1854	0.002	RMS	1853.107	-71.1	-13	58.1	Pass	1001
1854	1856	1	RMS	1855	-45.04	-13	32.04	Pass	5
1856	1859	1	RMS	1856	-48.27	-13	35.27	Pass	401




11.6. LTE Band Edge(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1847	-36.91	-13	23.91	Pass	401
1847	1849	1	RMS	1849	-28.49	-13	15.49	Pass	5
1849	1850	0.03	RMS	1850	-26.62	-13	13.62	Pass	401
1850	1853	0.1	RMS	1851.868	7.32	30	22.68	Pass	401
1853	1854	0.03	RMS	1853	-26.08	-13	13.08	Pass	401
1854	1856	1	RMS	1854	-29.35	-13	16.35	Pass	5
1856	1859	1	RMS	1856.008	-37.23	-13	24.23	Pass	401




11.7. LTE Band Edge(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1906	1909	1	RMS	1908.985	-48.25	-13	35.25	Pass	401
1909	1911	1	RMS	1910	-44.84	-13	31.84	Pass	5
1911	1912	0.002	RMS	1911.953	-70.79	-13	57.79	Pass	1001
1912	1915	0.1	RMS	1914.76	19.94	30	10.06	Pass	401
1915	1916	0.002	RMS	1915.004	-34.9	-13	21.9	Pass	1001
1916	1918	1	RMS	1916	-37.6	-13	24.6	Pass	5
1918	1921	1	RMS	1918	-49.03	-13	36.03	Pass	401




11.8. LTE Band Edge(Subtest:12, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1906	1909	1	RMS	1909	-35.46	-13	22.46	Pass	401
1909	1911	1	RMS	1911	-31.62	-13	18.62	Pass	5
1911	1912	0.03	RMS	1912	-26.82	-13	13.82	Pass	401
1912	1915	0.1	RMS	1913.088	7.66	30	22.34	Pass	401
1915	1916	0.03	RMS	1915.003	-27.5	-13	14.5	Pass	401
1916	1918	1	RMS	1916	-32.64	-13	19.64	Pass	5
1918	1921	1	RMS	1918	-38.5	-13	25.5	Pass	401




11.9. LTE Band Edge(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.988	-50.69	-13	37.69	Pass	401
1845	1849	1	RMS	1849	-39.68	-13	26.68	Pass	9
1849	1850	0.002	RMS	1849.999	-37.02	-13	24.02	Pass	1001
1850	1855	0.1	RMS	1850.338	19.62	30	10.38	Pass	401
1855	1856	0.002	RMS	1855.014	-71.69	-13	58.69	Pass	1001
1856	1860	1	RMS	1859	-44.78	-13	31.78	Pass	9
1860	1865	1	RMS	1860	-50.57	-13	37.57	Pass	401




11.10. LTE Band Edge(Subtest:15, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.975	-39.56	-13	26.56	Pass	401
1845	1849	1	RMS	1849	-29.19	-13	16.19	Pass	9
1849	1850	0.05	RMS	1850	-27.79	-13	14.79	Pass	401
1850	1855	0.1	RMS	1853.188	5.13	30	24.87	Pass	401
1855	1856	0.05	RMS	1855	-27.34	-13	14.34	Pass	401
1856	1860	1	RMS	1856	-29.7	-13	16.7	Pass	9
1860	1865	1	RMS	1860.013	-38.96	-13	25.96	Pass	401




11.11. LTE Band Edge(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1905	1	RMS	1904.025	-50.73	-13	37.73	Pass	401
1905	1909	1	RMS	1906	-49.84	-13	36.84	Pass	9
1909	1910	0.002	RMS	1909.912	-71.96	-13	58.96	Pass	1001
1910	1915	0.1	RMS	1914.663	20.03	30	9.97	Pass	401
1915	1916	0.002	RMS	1915.002	-36.82	-13	23.82	Pass	1001
1916	1920	1	RMS	1916	-38.48	-13	25.48	Pass	9
1920	1925	1	RMS	1920	-51.11	-13	38.11	Pass	401




11.12. LTE Band Edge(Subtest:18, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1905	1	RMS	1905	-37.99	-13	24.99	Pass	401
1905	1909	1	RMS	1909	-32.55	-13	19.55	Pass	9
1909	1910	0.05	RMS	1909.998	-27.44	-13	14.44	Pass	401
1910	1915	0.1	RMS	1913.1	5.38	30	24.62	Pass	401
1915	1916	0.05	RMS	1915.003	-28.49	-13	15.49	Pass	401
1916	1920	1	RMS	1916	-33.79	-13	20.79	Pass	9
1920	1925	1	RMS	1920	-40.96	-13	27.96	Pass	401




11.13. LTE Band Edge(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.925	-51.08	-13	38.08	Pass	401
1840	1849	1	RMS	1849	-41.99	-13	28.99	Pass	19
1849	1850	0.002	RMS	1849.998	-49.64	-13	36.64	Pass	1001
1850	1860	0.1	RMS	1850.575	19.55	30	10.45	Pass	401
1860	1861	0.002	RMS	1860.247	-70.87	-13	57.87	Pass	1001
1861	1870	1	RMS	1868	-46.5	-13	33.5	Pass	19
1870	1880	1	RMS	1871.125	-51.83	-13	38.83	Pass	401




**11.14. LTE Band Edge(Subtest:21, Channel:26090, Bandwidth:10,
Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.975	-43.71	-13	30.71	Pass	401
1840	1849	1	RMS	1849	-31.75	-13	18.75	Pass	19
1849	1850	0.1	RMS	1850	-32.63	-13	19.63	Pass	401
1850	1860	0.1	RMS	1859.075	2.68	30	27.32	Pass	401
1860	1861	0.1	RMS	1860.003	-32.54	-13	19.54	Pass	401
1861	1870	1	RMS	1861	-30.97	-13	17.97	Pass	19
1870	1880	1	RMS	1870	-41.04	-13	28.04	Pass	401




11.15. LTE Band Edge(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1895	1	RMS	1893.825	-51.77	-13	38.77	Pass	401
1895	1904	1	RMS	1901.5	-50.19	-13	37.19	Pass	19
1904	1905	0.002	RMS	1904.661	-71.55	-13	58.55	Pass	1001
1905	1915	0.1	RMS	1914.4	19.89	30	10.11	Pass	401
1915	1916	0.002	RMS	1915.001	-48.57	-13	35.57	Pass	1001
1916	1925	1	RMS	1916	-41.18	-13	28.18	Pass	19
1925	1935	1	RMS	1934.975	-51.9	-13	38.9	Pass	401




11.16. LTE Band Edge(Subtest:24, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1895	1	RMS	1894.975	-40.52	-13	27.52	Pass	401
1895	1904	1	RMS	1904	-33.44	-13	20.44	Pass	19
1904	1905	0.1	RMS	1905	-32.38	-13	19.38	Pass	401
1905	1915	0.1	RMS	1905.625	2.6	30	27.4	Pass	401
1915	1916	0.1	RMS	1915.003	-33.47	-13	20.47	Pass	401
1916	1925	1	RMS	1916	-35.63	-13	22.63	Pass	19
1925	1935	1	RMS	1934.45	-51.89	-13	38.89	Pass	401




**11.17. LTE Band Edge(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1834.7	-52.06	-13	39.06	Pass	401
1835	1849	1	RMS	1849	-40.36	-13	27.36	Pass	29
1849	1850	0.002	RMS	1849.998	-45.77	-13	32.77	Pass	1001
1850	1865	0.1	RMS	1850.825	19.3	30	10.7	Pass	401
1865	1866	0.002	RMS	1865.983	-75.24	-13	62.24	Pass	1001
1866	1880	1	RMS	1866	-44.72	-13	31.72	Pass	29
1880	1895	1	RMS	1881.2	-51.91	-13	38.91	Pass	401




**11.18. LTE Band Edge(Subtest:27, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1835	-49.3	-13	36.3	Pass	401
1835	1849	1	RMS	1849	-33.66	-13	20.66	Pass	29
1849	1850	0.15	RMS	1850	-35.67	-13	22.67	Pass	401
1850	1865	0.1	RMS	1863.463	0.93	30	29.07	Pass	401
1865	1866	0.15	RMS	1865.003	-33.86	-13	20.86	Pass	401
1866	1880	1	RMS	1867	-31.1	-13	18.1	Pass	29
1880	1895	1	RMS	1880.3	-42.25	-13	29.25	Pass	401




**11.19. LTE Band Edge(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1885	1	RMS	1884.4	-51.9	-13	38.9	Pass	401
1885	1899	1	RMS	1898.5	-43.4	-13	30.4	Pass	29
1899	1900	0.002	RMS	1899.003	-73.3	-13	60.3	Pass	1001
1900	1915	0.1	RMS	1914.138	19.52	30	10.48	Pass	401
1915	1916	0.002	RMS	1915.002	-47.55	-13	34.55	Pass	1001
1916	1930	1	RMS	1916	-41.19	-13	28.19	Pass	29
1930	1945	1	RMS	1940.913	-51.86	-13	38.86	Pass	401




**11.20. LTE Band Edge(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1885	1	RMS	1880.613	-41.96	-13	28.96	Pass	401
1885	1899	1	RMS	1898	-33.4	-13	20.4	Pass	29
1899	1900	0.15	RMS	1899.998	-34.18	-13	21.18	Pass	401
1900	1915	0.1	RMS	1900.863	1.43	30	28.57	Pass	401
1915	1916	0.15	RMS	1915.005	-35.99	-13	22.99	Pass	401
1916	1930	1	RMS	1916	-35.81	-13	22.81	Pass	29
1930	1945	1	RMS	1944.963	-51.86	-13	38.86	Pass	401




**11.21. LTE Band Edge(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1812	-52.14	-13	39.14	Pass	401
1830	1849	1	RMS	1849	-40.62	-13	27.62	Pass	39
1849	1850	0.002	RMS	1849.982	-48.67	-13	35.67	Pass	1001
1850	1870	0.1	RMS	1851.1	19.51	30	10.49	Pass	401
1870	1871	0.002	RMS	1870.99	-71.69	-13	58.69	Pass	1001
1871	1890	1	RMS	1871.5	-48.65	-13	35.65	Pass	39
1890	1910	1	RMS	1890.45	-51.9	-13	38.9	Pass	401




**11.22. LTE Band Edge(Subtest:33, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1828.35	-52.1	-13	39.1	Pass	401
1830	1849	1	RMS	1849	-36.05	-13	23.05	Pass	39
1849	1850	0.2	RMS	1850	-37.67	-13	24.67	Pass	401
1850	1870	0.1	RMS	1868.65	-0.13	30	30.13	Pass	401
1870	1871	0.2	RMS	1870.005	-34.81	-13	21.81	Pass	401
1871	1890	1	RMS	1871	-32.04	-13	19.04	Pass	39
1890	1910	1	RMS	1890	-44.5	-13	31.5	Pass	401




**11.23. LTE Band Edge(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1855	1875	1	RMS	1873.95	-51.93	-13	38.93	Pass	401
1875	1894	1	RMS	1893.5	-49.24	-13	36.24	Pass	39
1894	1895	0.002	RMS	1894.012	-71.92	-13	58.92	Pass	1001
1895	1915	0.1	RMS	1913.9	19.58	30	10.42	Pass	401
1915	1916	0.002	RMS	1915.002	-48.82	-13	35.82	Pass	1001
1916	1935	1	RMS	1916	-41.37	-13	28.37	Pass	39
1935	1955	1	RMS	1951.05	-51.84	-13	38.84	Pass	401




**11.24. LTE Band Edge(Subtest:36, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1855	1875	1	RMS	1867.85	-43.8	-13	30.8	Pass	401
1875	1894	1	RMS	1894	-35.74	-13	22.74	Pass	39
1894	1895	0.2	RMS	1894.99	-36.39	-13	23.39	Pass	401
1895	1915	0.1	RMS	1896.4	0.17	30	29.83	Pass	401
1915	1916	0.2	RMS	1915.008	-37.33	-13	24.33	Pass	401
1916	1935	1	RMS	1916	-36.49	-13	23.49	Pass	39
1935	1955	1	RMS	1951.65	-51.85	-13	38.85	Pass	401




11.25. LTE Band Edge(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-44.29	-13	31.29	Pass	5
1848.6	1849	1	RMS	1849	-39.41	-13	26.41	Pass	3
1849	1850	0.002	RMS	1849.992	-30.64	-13	17.64	Pass	1001
1850	1851.4	0.1	RMS	1850.263	18.75	30	11.25	Pass	401
1851.4	1852.4	0.002	RMS	1851.609	-62.5	-13	49.5	Pass	1001
1852.4	1852.8	1	RMS	1852.4	-43.23	-13	30.23	Pass	3
1852.8	1854.2	1	RMS	1852.804	-45.87	-13	32.87	Pass	401




11.26. LTE Band Edge(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1847.2	1848.6	1	RMS	1848.6	-25.48	-13	12.48	Pass	401
1848.6	1849	1	RMS	1849	-31.03	-13	18.03	Pass	3
1849	1850	0.02	RMS	1850	-27.36	-13	14.36	Pass	401
1850	1851.4	0.1	RMS	1850.389	10.29	30	19.71	Pass	401
1851.4	1852.4	0.02	RMS	1851.4	-26.92	-13	13.92	Pass	401
1852.4	1852.8	1	RMS	1852.4	-31.65	-13	18.65	Pass	3
1852.8	1854.2	1	RMS	1852.8	-25.67	-13	12.67	Pass	401




11.27. LTE Band Edge(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910.8	1912.2	1	RMS	1912.19	-45.26	-13	32.26	Pass	401
1912.2	1912.6	1	RMS	1912.6	-42.99	-13	29.99	Pass	3
1912.6	1913.6	0.002	RMS	1913.34	-60.21	-13	47.21	Pass	1001
1913.6	1915	0.1	RMS	1914.745	19.12	30	10.88	Pass	401
1915	1916	0.002	RMS	1915.009	-31.68	-13	18.68	Pass	1001
1916	1916.4	1	RMS	1916	-39.42	-13	26.42	Pass	3
1916.4	1917.8	1	RMS	1916.4	-44.11	-13	31.11	Pass	5




**11.28. LTE Band Edge(Subtest:6, Channel:26683, Bandwidth:1.4,
Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910.8	1912.2	1	RMS	1912.2	-25.17	-13	12.17	Pass	401
1912.2	1912.6	1	RMS	1912.6	-30.55	-13	17.55	Pass	3
1912.6	1913.6	0.02	RMS	1913.6	-27.5	-13	14.5	Pass	401
1913.6	1915	0.1	RMS	1913.908	10.47	30	19.53	Pass	401
1915	1916	0.02	RMS	1915	-28.17	-13	15.17	Pass	401
1916	1916.4	1	RMS	1916	-32.17	-13	19.17	Pass	3
1916.4	1917.8	1	RMS	1916.4	-25.72	-13	12.72	Pass	401




11.29. LTE Band Edge(Subtest:7, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1846.895	-48.75	-13	35.75	Pass	401
1847	1849	1	RMS	1849	-37.81	-13	24.81	Pass	5
1849	1850	0.002	RMS	1849.995	-36.56	-13	23.56	Pass	1001
1850	1853	0.1	RMS	1850.233	18.79	30	11.21	Pass	401
1853	1854	0.002	RMS	1853.09	-65.09	-13	52.09	Pass	1001
1854	1856	1	RMS	1855	-45.78	-13	32.78	Pass	5
1856	1859	1	RMS	1856.053	-48.15	-13	35.15	Pass	401




11.30. LTE Band Edge(Subtest:9, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1844	1847	1	RMS	1847	-37.38	-13	24.38	Pass	401
1847	1849	1	RMS	1849	-28.71	-13	15.71	Pass	5
1849	1850	0.03	RMS	1850	-27.37	-13	14.37	Pass	401
1850	1853	0.1	RMS	1852.46	6.45	30	23.55	Pass	401
1853	1854	0.03	RMS	1853.005	-27.21	-13	14.21	Pass	401
1854	1856	1	RMS	1854	-29.59	-13	16.59	Pass	5
1856	1859	1	RMS	1856	-37.39	-13	24.39	Pass	401




11.31. LTE Band Edge(Subtest:11, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1906	1909	1	RMS	1908.978	-48.82	-13	35.82	Pass	401
1909	1911	1	RMS	1910	-46.18	-13	33.18	Pass	5
1911	1912	0.002	RMS	1911.961	-70.23	-13	57.23	Pass	1001
1912	1915	0.1	RMS	1914.76	19.05	30	10.95	Pass	401
1915	1916	0.002	RMS	1915.001	-35.93	-13	22.93	Pass	1001
1916	1918	1	RMS	1916	-38.51	-13	25.51	Pass	5
1918	1921	1	RMS	1918.008	-49.23	-13	36.23	Pass	401




11.32. LTE Band Edge(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1906	1909	1	RMS	1908.993	-36.26	-13	23.26	Pass	401
1909	1911	1	RMS	1911	-30.86	-13	17.86	Pass	5
1911	1912	0.03	RMS	1912	-27.36	-13	14.36	Pass	401
1912	1915	0.1	RMS	1912.638	6.64	30	23.36	Pass	401
1915	1916	0.03	RMS	1915	-28.16	-13	15.16	Pass	401
1916	1918	1	RMS	1916	-32.58	-13	19.58	Pass	5
1918	1921	1	RMS	1918.015	-38.96	-13	25.96	Pass	401




11.33. LTE Band Edge(Subtest:13, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1844.988	-50.84	-13	37.84	Pass	401
1845	1849	1	RMS	1849	-40.42	-13	27.42	Pass	9
1849	1850	0.002	RMS	1849.999	-36.21	-13	23.21	Pass	1001
1850	1855	0.1	RMS	1850.338	18.69	30	11.31	Pass	401
1855	1856	0.002	RMS	1855.019	-70.34	-13	57.34	Pass	1001
1856	1860	1	RMS	1859	-45.89	-13	32.89	Pass	9
1860	1865	1	RMS	1860.013	-50.78	-13	37.78	Pass	401




11.34. LTE Band Edge(Subtest:15, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1845	1	RMS	1845	-39.37	-13	26.37	Pass	401
1845	1849	1	RMS	1849	-29.43	-13	16.43	Pass	9
1849	1850	0.05	RMS	1850	-28.67	-13	15.67	Pass	401
1850	1855	0.1	RMS	1851.788	4.14	30	25.86	Pass	401
1855	1856	0.05	RMS	1855.01	-28.26	-13	15.26	Pass	401
1856	1860	1	RMS	1856	-29.99	-13	16.99	Pass	9
1860	1865	1	RMS	1860.013	-38.83	-13	25.83	Pass	401




11.35. LTE Band Edge(Subtest:17, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1905	1	RMS	1903.988	-50.99	-13	37.99	Pass	401
1905	1909	1	RMS	1908	-50.42	-13	37.42	Pass	9
1909	1910	0.002	RMS	1909.712	-68.03	-13	55.03	Pass	1001
1910	1915	0.1	RMS	1914.65	19.01	30	10.99	Pass	401
1915	1916	0.002	RMS	1915.003	-37.76	-13	24.76	Pass	1001
1916	1920	1	RMS	1916	-39.15	-13	26.15	Pass	9
1920	1925	1	RMS	1920.125	-51.09	-13	38.09	Pass	401




11.36. LTE Band Edge(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1905	1	RMS	1905	-38.24	-13	25.24	Pass	401
1905	1909	1	RMS	1909	-31.79	-13	18.79	Pass	9
1909	1910	0.05	RMS	1910	-28.87	-13	15.87	Pass	401
1910	1915	0.1	RMS	1913.238	4.43	30	25.57	Pass	401
1915	1916	0.05	RMS	1915.005	-28.71	-13	15.71	Pass	401
1916	1920	1	RMS	1916	-33.33	-13	20.33	Pass	9
1920	1925	1	RMS	1920	-41.15	-13	28.15	Pass	401




11.37. LTE Band Edge(Subtest:19, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.9	-51.22	-13	38.22	Pass	401
1840	1849	1	RMS	1849	-42.64	-13	29.64	Pass	19
1849	1850	0.002	RMS	1849.997	-49.06	-13	36.06	Pass	1001
1850	1860	0.1	RMS	1850.575	18.74	30	11.26	Pass	401
1860	1861	0.002	RMS	1860.219	-68.53	-13	55.53	Pass	1001
1861	1870	1	RMS	1868	-47.71	-13	34.71	Pass	19
1870	1880	1	RMS	1870.075	-51.86	-13	38.86	Pass	401




11.38. LTE Band Edge(Subtest:21, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1840	1	RMS	1839.975	-43.42	-13	30.42	Pass	401
1840	1849	1	RMS	1849	-32.14	-13	19.14	Pass	19
1849	1850	0.1	RMS	1849.993	-33.49	-13	20.49	Pass	401
1850	1860	0.1	RMS	1859.125	1.6	30	28.4	Pass	401
1860	1861	0.1	RMS	1860.003	-33.24	-13	20.24	Pass	401
1861	1870	1	RMS	1861	-31.36	-13	18.36	Pass	19
1870	1880	1	RMS	1870.025	-41.05	-13	28.05	Pass	401




11.39. LTE Band Edge(Subtest:23, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1895	1	RMS	1894.875	-51.82	-13	38.82	Pass	401
1895	1904	1	RMS	1904	-50.02	-13	37.02	Pass	19
1904	1905	0.002	RMS	1904.525	-67.31	-13	54.31	Pass	1001
1905	1915	0.1	RMS	1914.4	19.01	30	10.99	Pass	401
1915	1916	0.002	RMS	1915.004	-49.55	-13	36.55	Pass	1001
1916	1925	1	RMS	1916	-41.91	-13	28.91	Pass	19
1925	1935	1	RMS	1934	-51.92	-13	38.92	Pass	401




11.40. LTE Band Edge(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1885	1895	1	RMS	1894.925	-40.55	-13	27.55	Pass	401
1895	1904	1	RMS	1904	-33.02	-13	20.02	Pass	19
1904	1905	0.1	RMS	1904.998	-32.88	-13	19.88	Pass	401
1905	1915	0.1	RMS	1905.625	1.65	30	28.35	Pass	401
1915	1916	0.1	RMS	1915.005	-34.15	-13	21.15	Pass	401
1916	1925	1	RMS	1916	-35.03	-13	22.03	Pass	19
1925	1935	1	RMS	1932.525	-51.92	-13	38.92	Pass	401




**11.41. LTE Band Edge(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1834.963	-52.12	-13	39.12	Pass	401
1835	1849	1	RMS	1849	-40.82	-13	27.82	Pass	29
1849	1850	0.002	RMS	1849.996	-46.95	-13	33.95	Pass	1001
1850	1865	0.1	RMS	1850.825	18.51	30	11.49	Pass	401
1865	1866	0.002	RMS	1865.985	-75.08	-13	62.08	Pass	1001
1866	1880	1	RMS	1866	-45.45	-13	32.45	Pass	29
1880	1895	1	RMS	1880.113	-51.9	-13	38.9	Pass	401




**11.42. LTE Band Edge(Subtest:27, Channel:26115, Bandwidth:15,
Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1835	1	RMS	1835	-48.94	-13	35.94	Pass	401
1835	1849	1	RMS	1849	-33.63	-13	20.63	Pass	29
1849	1850	0.15	RMS	1850	-36.39	-13	23.39	Pass	401
1850	1865	0.1	RMS	1863.913	0.08	30	29.92	Pass	401
1865	1866	0.15	RMS	1865.023	-34.78	-13	21.78	Pass	401
1866	1880	1	RMS	1866	-31.27	-13	18.27	Pass	29
1880	1895	1	RMS	1880.3	-42.9	-13	29.9	Pass	401




**11.43. LTE Band Edge(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1885	1	RMS	1884.7	-51.92	-13	38.92	Pass	401
1885	1899	1	RMS	1898.5	-44.33	-13	31.33	Pass	29
1899	1900	0.002	RMS	1899.002	-73.73	-13	60.73	Pass	1001
1900	1915	0.1	RMS	1914.175	18.63	30	11.37	Pass	401
1915	1916	0.002	RMS	1915.004	-47.77	-13	34.77	Pass	1001
1916	1930	1	RMS	1916	-41.54	-13	28.54	Pass	29
1930	1945	1	RMS	1941.213	-51.89	-13	38.89	Pass	401




**11.44. LTE Band Edge(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1885	1	RMS	1884.288	-42.51	-13	29.51	Pass	401
1885	1899	1	RMS	1899	-33.3	-13	20.3	Pass	29
1899	1900	0.15	RMS	1899.998	-34.97	-13	21.97	Pass	401
1900	1915	0.1	RMS	1901.163	0.4	30	29.6	Pass	401
1915	1916	0.15	RMS	1915.013	-36.71	-13	23.71	Pass	401
1916	1930	1	RMS	1916	-34.9	-13	21.9	Pass	29
1930	1945	1	RMS	1942.938	-51.89	-13	38.89	Pass	401




**11.45. LTE Band Edge(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1828.1	-52.14	-13	39.14	Pass	401
1830	1849	1	RMS	1849	-41.07	-13	28.07	Pass	39
1849	1850	0.002	RMS	1849.981	-48.68	-13	35.68	Pass	1001
1850	1870	0.1	RMS	1851.1	18.36	30	11.64	Pass	401
1870	1871	0.002	RMS	1870.963	-68.99	-13	55.99	Pass	1001
1871	1890	1	RMS	1877	-48.25	-13	35.25	Pass	39
1890	1910	1	RMS	1891.15	-51.95	-13	38.95	Pass	401




**11.46. LTE Band Edge(Subtest:33, Channel:26140, Bandwidth:20,
Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1810	1830	1	RMS	1828.65	-52.13	-13	39.13	Pass	401
1830	1849	1	RMS	1849	-36.5	-13	23.5	Pass	39
1849	1850	0.2	RMS	1849.995	-38.34	-13	25.34	Pass	401
1850	1870	0.1	RMS	1868.6	-1.08	30	31.08	Pass	401
1870	1871	0.2	RMS	1870.003	-35.98	-13	22.98	Pass	401
1871	1890	1	RMS	1871	-33.22	-13	20.22	Pass	39
1890	1910	1	RMS	1890.1	-45.28	-13	32.28	Pass	401




**11.47. LTE Band Edge(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1855	1875	1	RMS	1872.4	-51.96	-13	38.96	Pass	401
1875	1894	1	RMS	1893.5	-48.38	-13	35.38	Pass	39
1894	1895	0.002	RMS	1894.036	-71.4	-13	58.4	Pass	1001
1895	1915	0.1	RMS	1913.9	18.61	30	11.39	Pass	401
1915	1916	0.002	RMS	1915.02	-49.15	-13	36.15	Pass	1001
1916	1935	1	RMS	1916	-41.7	-13	28.7	Pass	39
1935	1955	1	RMS	1954.4	-51.86	-13	38.86	Pass	401



**11.48. LTE Band Edge(Subtest:36, Channel:26590, Bandwidth:20,
Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1855	1875	1	RMS	1874.85	-43.81	-13	30.81	Pass	401
1875	1894	1	RMS	1894	-36.47	-13	23.47	Pass	39
1894	1895	0.2	RMS	1894.998	-37.53	-13	24.53	Pass	401
1895	1915	0.1	RMS	1896.45	-0.84	30	30.84	Pass	401
1915	1916	0.2	RMS	1915.008	-38.24	-13	25.24	Pass	401
1916	1935	1	RMS	1916	-36.64	-13	23.64	Pass	39
1935	1955	1	RMS	1950.5	-51.86	-13	38.86	Pass	401



12. LTE_Band66


12.1. LTE Band Edge(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1707.2	1708.6	1	RMS	1708.6	-43.71	-13	30.71	Pass	5
1708.6	1709	1	RMS	1709	-38.61	-13	25.61	Pass	3
1709	1710	0.002	RMS	1709.997	-28.6	-13	15.6	Pass	1001
1710	1711.4	0.1	RMS	1710.249	20.06	30	9.94	Pass	401
1711.4	1712.4	0.002	RMS	1711.663	-61.91	-13	48.91	Pass	1001
1712.4	1712.8	1	RMS	1712.4	-45.78	-13	32.78	Pass	3
1712.8	1714.2	1	RMS	1713.224	-46.05	-13	33.05	Pass	401




12.2. LTE Band Edge(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1707.2	1708.6	1	RMS	1708.6	-24.18	-13	11.18	Pass	401
1708.6	1709	1	RMS	1709	-28.3	-13	15.3	Pass	3
1709	1710	0.02	RMS	1709.998	-24.45	-13	11.45	Pass	401
1710	1711.4	0.1	RMS	1710.613	11.58	30	18.42	Pass	401
1711.4	1712.4	0.02	RMS	1711.403	-26.24	-13	13.24	Pass	401
1712.4	1712.8	1	RMS	1712.4	-29.26	-13	16.26	Pass	3
1712.8	1714.2	1	RMS	1712.8	-24.26	-13	11.26	Pass	401




12.3. LTE Band Edge(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775.8	1777.2	1	RMS	1777.2	-46.26	-13	33.26	Pass	401
1777.2	1777.6	1	RMS	1777.6	-45.84	-13	32.84	Pass	3
1777.6	1778.6	0.002	RMS	1778.594	-61.46	-13	48.46	Pass	1001
1778.6	1780	0.1	RMS	1779.748	19.59	30	10.41	Pass	401
1780	1781	0.002	RMS	1780.007	-28.48	-13	15.48	Pass	1001
1781	1781.4	1	RMS	1781	-38.78	-13	25.78	Pass	3
1781.4	1782.8	1	RMS	1781.4	-43.04	-13	30.04	Pass	5




12.4. LTE Band Edge(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775.8	1777.2	1	RMS	1777.2	-24.65	-13	11.65	Pass	401
1777.2	1777.6	1	RMS	1777.6	-29.6	-13	16.6	Pass	3
1777.6	1778.6	0.02	RMS	1778.6	-26.07	-13	13.07	Pass	401
1778.6	1780	0.1	RMS	1779.15	11.18	30	18.82	Pass	401
1780	1781	0.02	RMS	1780	-25.74	-13	12.74	Pass	401
1781	1781.4	1	RMS	1781	-30.67	-13	17.67	Pass	3
1781.4	1782.8	1	RMS	1781.4	-24.78	-13	11.78	Pass	401




12.5. LTE Band Edge(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1704	1707	1	RMS	1706.94	-48.95	-13	35.95	Pass	401
1707	1709	1	RMS	1709	-37.65	-13	24.65	Pass	5
1709	1710	0.002	RMS	1709.998	-31.68	-13	18.68	Pass	1001
1710	1713	0.1	RMS	1710.225	19.99	30	10.01	Pass	401
1713	1714	0.002	RMS	1713.045	-70.17	-13	57.17	Pass	1001
1714	1716	1	RMS	1715	-47.37	-13	34.37	Pass	5
1716	1719	1	RMS	1716.015	-49.41	-13	36.41	Pass	401



12.6. LTE Band Edge(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1704	1707	1	RMS	1706.993	-36.99	-13	23.99	Pass	401
1707	1709	1	RMS	1709	-25.93	-13	12.93	Pass	5
1709	1710	0.03	RMS	1709.998	-25.4	-13	12.4	Pass	401
1710	1713	0.1	RMS	1711.71	7.66	30	22.34	Pass	401
1713	1714	0.03	RMS	1713	-25.72	-13	12.72	Pass	401
1714	1716	1	RMS	1714	-26.09	-13	13.09	Pass	5
1716	1719	1	RMS	1716.008	-37.1	-13	24.1	Pass	401



12.7. LTE Band Edge(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1771	1774	1	RMS	1773.993	-49.31	-13	36.31	Pass	401
1774	1776	1	RMS	1775	-47.19	-13	34.19	Pass	5
1776	1777	0.002	RMS	1776.976	-65.1	-13	52.1	Pass	1001
1777	1780	0.1	RMS	1779.76	19.57	30	10.43	Pass	401
1780	1781	0.002	RMS	1780.001	-32.84	-13	19.84	Pass	1001
1781	1783	1	RMS	1781	-37.96	-13	24.96	Pass	5
1783	1786	1	RMS	1783.015	-48.49	-13	35.49	Pass	401

