



1.8. LTE Band Edge(Subtest:6, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2600	1	RMS	2599.85	-36.07	-25	11.07	Pass	401
2600	2605	1	RMS	2604.975	-31.92	-13	18.92	Pass	401
2605	2609	1	RMS	2609	-29.5	-10	19.5	Pass	9
2609	2610	0.2	RMS	2609.998	-28.09	-10	18.09	Pass	401
2610	2620	0.1	RMS	2618.75	2.17	30	27.83	Pass	401
2620	2621	0.2	RMS	2620	-28.31	-10	18.31	Pass	401
2621	2625	1	RMS	2621	-28.58	-10	18.58	Pass	9
2625	2630	1	RMS	2625.075	-30.22	-13	17.22	Pass	401
2630	2640	1	RMS	2630.075	-34.96	-25	9.96	Pass	401




**13.25. LTE Band Edge(Subtest:1, Channel:37825, Bandwidth:15,
Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2555	1	RMS	2554.475	-44.44	-25	19.44	Pass	401
2555	2565	1	RMS	2564.4	-38.56	-13	25.56	Pass	401
2565	2569	1	RMS	2569	-30.48	-10	20.48	Pass	9
2569	2570	0.005	RMS	2569.998	-40.79	-10	30.79	Pass	401
2570	2585	0.1	RMS	2570.825	18.93	30	11.07	Pass	401
2585	2586	0.005	RMS	2585.075	-65.89	-10	55.89	Pass	401
2586	2590	1	RMS	2586	-42.55	-10	32.55	Pass	9
2590	2600	1	RMS	2594.2	-44.05	-13	31.05	Pass	401
2600	2615	1	RMS	2600.413	-44.88	-25	19.88	Pass	401




13.26. LTE Band Edge(Subtest:3, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2555	1	RMS	2554.888	-38.86	-25	13.86	Pass	401
2555	2565	1	RMS	2565	-33.03	-13	20.03	Pass	401
2565	2569	1	RMS	2569	-30.57	-10	20.57	Pass	9
2569	2570	0.3	RMS	2569.995	-30.97	-10	20.97	Pass	401
2570	2585	0.1	RMS	2583.763	-0.18	30	30.18	Pass	401
2585	2586	0.3	RMS	2585.003	-30.27	-10	20.27	Pass	401
2586	2590	1	RMS	2586	-29.77	-10	19.77	Pass	9
2590	2600	1	RMS	2590.325	-31.12	-13	18.12	Pass	401
2600	2615	1	RMS	2600.038	-35.77	-25	10.77	Pass	401




**13.27. LTE Band Edge(Subtest:5, Channel:38175, Bandwidth:15,
Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2575	2590	1	RMS	2588.8	-45.36	-25	20.36	Pass	401
2590	2600	1	RMS	2599.45	-44.66	-13	31.66	Pass	401
2600	2604	1	RMS	2604	-43.54	-10	33.54	Pass	9
2604	2605	0.005	RMS	2604.8	-65.94	-10	55.94	Pass	401
2605	2620	0.1	RMS	2619.138	18.23	30	11.77	Pass	401
2620	2621	0.005	RMS	2620	-40.99	-10	30.99	Pass	401
2621	2625	1	RMS	2621	-30.79	-10	20.79	Pass	9
2625	2635	1	RMS	2625.325	-38.98	-13	25.98	Pass	401
2635	2650	1	RMS	2635.3	-44.07	-25	19.07	Pass	401




**13.28. LTE Band Edge(Subtest:6, Channel:38175, Bandwidth:15,
Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2575	2590	1	RMS	2589.513	-38.49	-25	13.49	Pass	401
2590	2600	1	RMS	2599.925	-33.03	-13	20.03	Pass	401
2600	2604	1	RMS	2603	-31.04	-10	21.04	Pass	9
2604	2605	0.3	RMS	2605	-30.98	-10	20.98	Pass	401
2605	2620	0.1	RMS	2618.05	-0.13	30	30.13	Pass	401
2620	2621	0.3	RMS	2620.01	-30.85	-10	20.85	Pass	401
2621	2625	1	RMS	2622	-28.55	-10	18.55	Pass	9
2625	2635	1	RMS	2626.475	-29.14	-13	16.14	Pass	401
2635	2650	1	RMS	2635.563	-36.1	-25	11.1	Pass	401




**13.29. LTE Band Edge(Subtest:1, Channel:37850, Bandwidth:20,
Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2550	1	RMS	2548.75	-44.95	-25	19.95	Pass	401
2550	2565	1	RMS	2564.438	-39.15	-13	26.15	Pass	401
2565	2569	1	RMS	2569	-31.37	-10	21.37	Pass	9
2569	2570	0.005	RMS	2569.993	-43.39	-10	33.39	Pass	401
2570	2590	0.1	RMS	2571.1	18.68	30	11.32	Pass	401
2590	2591	0.005	RMS	2590.925	-65.23	-10	55.23	Pass	401
2591	2595	1	RMS	2591.5	-44.97	-10	34.97	Pass	9
2595	2610	1	RMS	2596.65	-42.44	-13	29.44	Pass	401
2610	2630	1	RMS	2610.75	-45.33	-25	20.33	Pass	401




13.30. LTE Band Edge(Subtest:3, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2550	1	RMS	2549.85	-41.47	-25	16.47	Pass	401
2550	2565	1	RMS	2565	-34.09	-13	21.09	Pass	401
2565	2569	1	RMS	2569	-32.63	-10	22.63	Pass	9
2569	2570	0.5	RMS	2569.993	-31.07	-10	21.07	Pass	401
2570	2590	0.1	RMS	2588.65	-0.98	30	30.98	Pass	401
2590	2591	0.5	RMS	2590.023	-29.97	-10	19.97	Pass	401
2591	2595	1	RMS	2591	-31.31	-10	21.31	Pass	9
2595	2610	1	RMS	2595.113	-31.72	-13	18.72	Pass	401
2610	2630	1	RMS	2610	-36.74	-25	11.74	Pass	401




13.31. LTE Band Edge(Subtest:5, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2580	1	RMS	2579.25	-45.61	-25	20.61	Pass	401
2580	2595	1	RMS	2593.65	-44.85	-13	31.85	Pass	401
2595	2599	1	RMS	2598.5	-45.46	-10	35.46	Pass	9
2599	2600	0.005	RMS	2599.51	-66.86	-10	56.86	Pass	401
2600	2620	0.1	RMS	2618.9	17.93	30	12.07	Pass	401
2620	2621	0.005	RMS	2620.013	-43.49	-10	33.49	Pass	401
2621	2625	1	RMS	2621	-31.06	-10	21.06	Pass	9
2625	2640	1	RMS	2625.15	-38.21	-13	25.21	Pass	401
2640	2660	1	RMS	2640.2	-44.7	-25	19.7	Pass	401



**13.32. LTE Band Edge(Subtest:6, Channel:38150, Bandwidth:20,
Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2580	1	RMS	2579.95	-40.53	-25	15.53	Pass	401
2580	2595	1	RMS	2594.663	-34.07	-13	21.07	Pass	401
2595	2599	1	RMS	2599	-33.28	-10	23.28	Pass	9
2599	2600	0.5	RMS	2599.995	-31.43	-10	21.43	Pass	401
2600	2620	0.1	RMS	2618.65	-1.24	30	31.24	Pass	401
2620	2621	0.5	RMS	2620.025	-29.19	-10	19.19	Pass	401
2621	2625	1	RMS	2621	-30.4	-10	20.4	Pass	9
2625	2640	1	RMS	2625.038	-30.61	-13	17.61	Pass	401
2640	2660	1	RMS	2640.15	-37.95	-25	12.95	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_P90-ALL MASK(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
811.2	812.6	0.1	RMS	812.565	-53.8	-13	40.8	Pass	401
812.6	813.9625	0.1	RMS	813.963	-17.24	-13	4.24	Pass	29
813.9625	814	0.002	RMS	813.993	-28.56	-20	8.56	Pass	401
814	815.4	0.1	RMS	814.266	20.81	30	9.19	Pass	401
815.4	815.4375	0.002	RMS	815.406	-62.39	-20	42.39	Pass	401
815.4375	816.8	0.1	RMS	815.638	-46.81	-13	33.81	Pass	401
816.8	818.2	0.1	RMS	816.821	-56.84	-13	43.84	Pass	401




1.2. LTE Band Edge_P90-ALL MASK(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
811.2	812.6	0.1	RMS	812.565	-40.06	-13	27.06	Pass	401
812.6	813.9625	0.1	RMS	813.963	-20.17	-13	7.17	Pass	401
813.9625	814	0.02	RMS	813.997	-24.93	-20	4.93	Pass	401
814	815.4	0.1	RMS	814.83	12.62	30	17.38	Pass	401
815.4	815.4375	0.02	RMS	815.4	-25.4	-20	5.4	Pass	401
815.4375	816.8	0.1	RMS	815.438	-17.5	-13	4.5	Pass	401
816.8	818.2	0.1	RMS	816.835	-39.73	-13	26.73	Pass	401




1.3. LTE Band Edge_P90-ALL MASK(Subtest:3, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819.8	821.2	0.1	RMS	821.193	-56.69	-13	43.69	Pass	401
821.2	822.5625	0.1	RMS	822.358	-46.69	-13	33.69	Pass	401
822.5625	822.6	0.002	RMS	822.563	-62.66	-20	42.66	Pass	401
822.6	824	0.1	RMS	823.755	20.67	30	9.33	Pass	401
824	824.0375	0.002	RMS	824.006	-28.87	-20	8.87	Pass	401
824.0375	825.4	0.1	RMS	824.038	-17.62	-13	4.62	Pass	29
825.4	826.8	0.1	RMS	825.407	-53.31	-13	40.31	Pass	401




1.4. LTE Band Edge_P90-ALL MASK(Subtest:4, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819.8	821.2	0.1	RMS	821.176	-39.42	-13	26.42	Pass	401
821.2	822.5625	0.1	RMS	822.563	-19.8	-13	6.8	Pass	401
822.5625	822.6	0.02	RMS	822.599	-24.58	-20	4.58	Pass	401
822.6	824	0.1	RMS	823.153	12.51	30	17.49	Pass	401
824	824.0375	0.02	RMS	824.002	-25.38	-20	5.38	Pass	401
824.0375	825.4	0.1	RMS	824.041	-18.98	-13	5.98	Pass	401
825.4	826.8	0.1	RMS	825.453	-39.98	-13	26.98	Pass	401




1.5. LTE Band Edge_P90-ALL MASK(Subtest:5, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
808	811	0.1	RMS	810.993	-60.29	-13	47.29	Pass	401
811	813.9625	0.1	RMS	813.963	-19.41	-13	6.41	Pass	401
813.9625	814	0.002	RMS	813.998	-33.43	-20	13.43	Pass	401
814	817	0.1	RMS	814.225	20.71	30	9.29	Pass	401
817	817.0375	0.002	RMS	817.006	-70.5	-20	50.5	Pass	401
817.0375	820	0.1	RMS	818.015	-55.78	-13	42.78	Pass	401
820	823	0.1	RMS	820.668	-59.02	-13	46.02	Pass	401




1.6. LTE Band Edge_P90-ALL MASK(Subtest:6, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
808	811	0.1	RMS	810.483	-46.19	-13	33.19	Pass	401
811	813.9625	0.1	RMS	813.955	-22.09	-13	9.09	Pass	401
813.9625	814	0.03	RMS	813.999	-24.78	-20	4.78	Pass	401
814	817	0.1	RMS	815.86	8.81	30	21.19	Pass	401
817	817.0375	0.03	RMS	817.001	-25.28	-20	5.28	Pass	401
817.0375	820	0.1	RMS	817.038	-22.34	-13	9.34	Pass	401
820	823	0.1	RMS	821.26	-44.2	-13	31.2	Pass	401




1.7. LTE Band Edge_P90-ALL MASK(Subtest:7, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	818	0.1	RMS	817.303	-58.51	-13	45.51	Pass	401
818	820.9625	0.1	RMS	820.822	-54.05	-13	41.05	Pass	401
820.9625	821	0.002	RMS	820.993	-67.26	-20	47.26	Pass	401
821	824	0.1	RMS	823.753	21	30	9	Pass	401
824	824.0375	0.002	RMS	824.003	-32.16	-20	12.16	Pass	401
824.0375	827	0.1	RMS	824.038	-19.17	-13	6.17	Pass	401
827	830	0.1	RMS	827.488	-58.49	-13	45.49	Pass	401




1.8. LTE Band Edge_P90-ALL MASK(Subtest:8, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	818	0.1	RMS	816.718	-43.69	-13	30.69	Pass	401
818	820.9625	0.1	RMS	820.963	-21.43	-13	8.43	Pass	401
820.9625	821	0.03	RMS	820.997	-24.58	-20	4.58	Pass	401
821	824	0.1	RMS	821.293	8.99	30	21.01	Pass	401
824	824.0375	0.03	RMS	824	-25.93	-20	5.93	Pass	401
824.0375	827	0.1	RMS	824.045	-22.89	-13	9.89	Pass	401
827	830	0.1	RMS	828.26	-44.31	-13	31.31	Pass	401




1.9. LTE Band Edge_P90-ALL MASK(Subtest:9, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	809	0.1	RMS	808.975	-62.89	-13	49.89	Pass	401
809	813.9625	0.1	RMS	813.963	-21.58	-13	8.58	Pass	401
813.9625	814	0.002	RMS	813.999	-34.56	-20	14.56	Pass	401
814	819	0.1	RMS	814.35	21.01	30	8.99	Pass	401
819	819.0375	0.002	RMS	819.014	-70.61	-20	50.61	Pass	401
819.0375	824	0.1	RMS	820.799	-54.47	-13	41.47	Pass	401
824	829	0.1	RMS	827.263	-62.1	-13	49.1	Pass	401




1.10. LTE Band Edge_P90-ALL MASK(Subtest:10, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	809	0.1	RMS	809	-52.67	-13	39.67	Pass	401
809	813.9625	0.1	RMS	813.963	-24.82	-13	11.82	Pass	401
813.9625	814	0.05	RMS	813.999	-26.29	-20	6.29	Pass	401
814	819	0.1	RMS	817.175	6.58	30	23.42	Pass	401
819	819.0375	0.05	RMS	819.001	-26.43	-20	6.43	Pass	401
819.0375	824	0.1	RMS	819.038	-25.13	-13	12.13	Pass	401
824	829	0.1	RMS	824.575	-46.96	-13	33.96	Pass	401




1.11. LTE Band Edge_P90-ALL MASK(Subtest:11, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	814	0.1	RMS	812.95	-61.78	-13	48.78	Pass	401
814	818.9625	0.1	RMS	818.963	-53.55	-13	40.55	Pass	401
818.9625	819	0.002	RMS	818.991	-70.1	-20	50.1	Pass	401
819	824	0.1	RMS	823.65	21.06	30	8.94	Pass	401
824	824.0375	0.002	RMS	824	-34.22	-20	14.22	Pass	401
824.0375	829	0.1	RMS	824.038	-22.38	-13	9.38	Pass	401
829	834	0.1	RMS	829.038	-61.11	-13	48.11	Pass	401




1.12. LTE Band Edge_P90-ALL MASK(Subtest:12, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	814	0.1	RMS	813.4	-46.25	-13	33.25	Pass	401
814	818.9625	0.1	RMS	818.963	-25.07	-13	12.07	Pass	401
818.9625	819	0.05	RMS	818.999	-25.95	-20	5.95	Pass	401
819	824	0.1	RMS	820.338	6.71	30	23.29	Pass	401
824	824.0375	0.05	RMS	824.002	-26.92	-20	6.92	Pass	401
824.0375	829	0.1	RMS	824.038	-25.8	-13	12.8	Pass	401
829	834	0.1	RMS	831.25	-46.06	-13	33.06	Pass	401




1.13. LTE Band Edge_P90-ALL MASK(Subtest:13, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	803.875	-62.38	-13	49.38	Pass	401
804	813.9625	0.1	RMS	813.963	-33.76	-13	20.76	Pass	401
813.9625	814	0.002	RMS	813.998	-46.55	-20	26.55	Pass	401
814	824	0.1	RMS	814.575	21.05	30	8.95	Pass	401
824	824.0375	0.002	RMS	824.002	-73.09	-20	53.09	Pass	401
824.0375	834	0.1	RMS	824.361	-56.48	-13	43.48	Pass	401
834	844	0.1	RMS	837.925	-63.23	-13	50.23	Pass	401




1.14. LTE Band Edge_P90-ALL MASK(Subtest:14, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	802.95	-63.92	-13	50.92	Pass	401
804	813.9625	0.1	RMS	813.963	-32.45	-13	19.45	Pass	401
813.9625	814	0.1	RMS	813.998	-31.42	-20	11.42	Pass	401
814	824	0.1	RMS	816.825	3.63	30	26.37	Pass	401
824	824.0375	0.1	RMS	824	-32.94	-20	12.94	Pass	401
824.0375	834	0.1	RMS	824.038	-33.97	-13	20.97	Pass	401
834	844	0.1	RMS	838.45	-49.43	-13	36.43	Pass	401




1.15. LTE Band Edge_P90-ALL MASK(Subtest:15, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	800	-63.94	-13	50.94	Pass	401
804	813.9625	0.1	RMS	813.514	-55.01	-13	42.01	Pass	401
813.9625	814	0.002	RMS	813.976	-73.26	-20	53.26	Pass	401
814	824	0.1	RMS	823.425	20.86	30	9.14	Pass	401
824	824.0375	0.002	RMS	824.003	-47.37	-20	27.37	Pass	401
824.0375	834	0.1	RMS	824.038	-34.53	-13	21.53	Pass	401
834	844	0.1	RMS	834.175	-62.78	-13	49.78	Pass	401




1.16. LTE Band Edge_P90-ALL MASK(Subtest:16, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	801.6	-63.9	-13	50.9	Pass	401
804	813.9625	0.1	RMS	813.963	-33.23	-13	20.23	Pass	401
813.9625	814	0.1	RMS	813.999	-32.05	-20	12.05	Pass	401
814	824	0.1	RMS	818.675	3.65	30	26.35	Pass	401
824	824.0375	0.1	RMS	824	-32.75	-20	12.75	Pass	401
824.0375	834	0.1	RMS	824.038	-33.93	-13	20.93	Pass	401
834	844	0.1	RMS	836.425	-49.35	-13	36.35	Pass	401




1.17. LTE Band Edge_P90-ALL MASK(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
811.2	812.6	0.1	RMS	812.576	-54.26	-13	41.26	Pass	401
812.6	813.9625	0.1	RMS	813.963	-17.47	-13	4.47	Pass	29
813.9625	814	0.002	RMS	813.994	-28.2	-20	8.2	Pass	401
814	815.4	0.1	RMS	814.263	19.91	30	10.09	Pass	401
815.4	815.4375	0.002	RMS	815.434	-63.47	-20	43.47	Pass	401
815.4375	816.8	0.1	RMS	815.645	-47.47	-13	34.47	Pass	401
816.8	818.2	0.1	RMS	817.654	-56.8	-13	43.8	Pass	401




1.18. LTE Band Edge_P90-ALL MASK(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
811.2	812.6	0.1	RMS	812.586	-41.26	-13	28.26	Pass	401
812.6	813.9625	0.1	RMS	813.963	-20.76	-13	7.76	Pass	401
813.9625	814	0.02	RMS	813.999	-25.86	-20	5.86	Pass	401
814	815.4	0.1	RMS	814.886	11.69	30	18.31	Pass	401
815.4	815.4375	0.02	RMS	815.4	-26.27	-20	6.27	Pass	401
815.4375	816.8	0.1	RMS	815.438	-18.84	-13	5.84	Pass	401
816.8	818.2	0.1	RMS	816.804	-40.82	-13	27.82	Pass	401




1.19. LTE Band Edge_P90-ALL MASK(Subtest:3, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819.8	821.2	0.1	RMS	820.381	-55.93	-13	42.93	Pass	401
821.2	822.5625	0.1	RMS	822.368	-47.07	-13	34.07	Pass	401
822.5625	822.6	0.002	RMS	822.595	-62.97	-20	42.97	Pass	401
822.6	824	0.1	RMS	823.748	19.82	30	10.18	Pass	401
824	824.0375	0.002	RMS	824.009	-29.54	-20	9.54	Pass	401
824.0375	825.4	0.1	RMS	824.038	-18.71	-13	5.71	Pass	29
825.4	826.8	0.1	RMS	825.46	-52.96	-13	39.96	Pass	401




1.20. LTE Band Edge_P90-ALL MASK(Subtest:4, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819.8	821.2	0.1	RMS	821.197	-40.28	-13	27.28	Pass	401
821.2	822.5625	0.1	RMS	822.559	-20.89	-13	7.89	Pass	401
822.5625	822.6	0.02	RMS	822.6	-25.51	-20	5.51	Pass	401
822.6	824	0.1	RMS	822.905	11.51	30	18.49	Pass	401
824	824.0375	0.02	RMS	824	-26.46	-20	6.46	Pass	401
824.0375	825.4	0.1	RMS	824.038	-19.28	-13	6.28	Pass	401
825.4	826.8	0.1	RMS	825.411	-40.68	-13	27.68	Pass	401




1.21. LTE Band Edge_P90-ALL MASK(Subtest:5, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
808	811	0.1	RMS	810.985	-60.23	-13	47.23	Pass	401
811	813.9625	0.1	RMS	813.963	-19.17	-13	6.17	Pass	401
813.9625	814	0.002	RMS	813.998	-33.79	-20	13.79	Pass	401
814	817	0.1	RMS	814.24	20.17	30	9.83	Pass	401
817	817.0375	0.002	RMS	817.009	-64.28	-20	44.28	Pass	401
817.0375	820	0.1	RMS	817.141	-51.94	-13	38.94	Pass	401
820	823	0.1	RMS	820.765	-57.56	-13	44.56	Pass	401




1.22. LTE Band Edge_P90-ALL MASK(Subtest:6, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
808	811	0.1	RMS	811	-45.19	-13	32.19	Pass	401
811	813.9625	0.1	RMS	813.963	-22.44	-13	9.44	Pass	401
813.9625	814	0.03	RMS	813.998	-25.96	-20	5.96	Pass	401
814	817	0.1	RMS	816.138	7.85	30	22.15	Pass	401
817	817.0375	0.03	RMS	817	-26.08	-20	6.08	Pass	401
817.0375	820	0.1	RMS	817.038	-23.13	-13	10.13	Pass	401
820	823	0.1	RMS	820	-44.16	-13	31.16	Pass	401




1.23. LTE Band Edge_P90-ALL MASK(Subtest:7, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	818	0.1	RMS	817.235	-57.27	-13	44.27	Pass	401
818	820.9625	0.1	RMS	820.903	-51.78	-13	38.78	Pass	401
820.9625	821	0.002	RMS	820.994	-63.27	-20	43.27	Pass	401
821	824	0.1	RMS	823.745	20.12	30	9.88	Pass	401
824	824.0375	0.002	RMS	824.001	-33.52	-20	13.52	Pass	401
824.0375	827	0.1	RMS	824.038	-19.68	-13	6.68	Pass	401
827	830	0.1	RMS	827.263	-58.94	-13	45.94	Pass	401




1.24. LTE Band Edge_P90-ALL MASK(Subtest:8, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	818	0.1	RMS	817.993	-43.6	-13	30.6	Pass	401
818	820.9625	0.1	RMS	820.955	-23.26	-13	10.26	Pass	401
820.9625	821	0.03	RMS	821	-25.66	-20	5.66	Pass	401
821	824	0.1	RMS	821.33	7.95	30	22.05	Pass	401
824	824.0375	0.03	RMS	824	-27.04	-20	7.04	Pass	401
824.0375	827	0.1	RMS	824.038	-23.62	-13	10.62	Pass	401
827	830	0.1	RMS	827	-44.24	-13	31.24	Pass	401




1.25. LTE Band Edge_P90-ALL MASK(Subtest:9, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	809	0.1	RMS	808.988	-63.01	-13	50.01	Pass	401
809	813.9625	0.1	RMS	813.963	-22.5	-13	9.5	Pass	401
813.9625	814	0.002	RMS	813.999	-34.72	-20	14.72	Pass	401
814	819	0.1	RMS	814.338	20.11	30	9.89	Pass	401
819	819.0375	0.002	RMS	819.017	-68.85	-20	48.85	Pass	401
819.0375	824	0.1	RMS	820.787	-52.98	-13	39.98	Pass	401
824	829	0.1	RMS	827.375	-62.51	-13	49.51	Pass	401




1.26. LTE Band Edge_P90-ALL MASK(Subtest:10, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	809	0.1	RMS	809	-51.43	-13	38.43	Pass	401
809	813.9625	0.1	RMS	813.963	-25.94	-13	12.94	Pass	401
813.9625	814	0.05	RMS	813.998	-27.03	-20	7.03	Pass	401
814	819	0.1	RMS	817.163	5.56	30	24.44	Pass	401
819	819.0375	0.05	RMS	819	-26.99	-20	6.99	Pass	401
819.0375	824	0.1	RMS	819.038	-25.96	-13	12.96	Pass	401
824	829	0.1	RMS	824.263	-46.59	-13	33.59	Pass	401




1.27. LTE Band Edge_P90-ALL MASK(Subtest:11, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	814	0.1	RMS	812.975	-62.22	-13	49.22	Pass	401
814	818.9625	0.1	RMS	818.317	-53.46	-13	40.46	Pass	401
818.9625	819	0.002	RMS	818.993	-68.87	-20	48.87	Pass	401
819	824	0.1	RMS	823.65	19.98	30	10.02	Pass	401
824	824.0375	0.002	RMS	824.003	-35.62	-20	15.62	Pass	401
824.0375	829	0.1	RMS	824.038	-23.65	-13	10.65	Pass	401
829	834	0.1	RMS	829.875	-61.52	-13	48.52	Pass	401




1.28. LTE Band Edge_P90-ALL MASK(Subtest:12, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	814	0.1	RMS	813.813	-45.91	-13	32.91	Pass	401
814	818.9625	0.1	RMS	818.963	-25.87	-13	12.87	Pass	401
818.9625	819	0.05	RMS	818.997	-26.91	-20	6.91	Pass	401
819	824	0.1	RMS	819.675	5.78	30	24.22	Pass	401
824	824.0375	0.05	RMS	824.001	-27.44	-20	7.44	Pass	401
824.0375	829	0.1	RMS	824.038	-26.39	-13	13.39	Pass	401
829	834	0.1	RMS	829.2	-46.01	-13	33.01	Pass	401




1.29. LTE Band Edge_P90-ALL MASK(Subtest:13, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	803.875	-62.66	-13	49.66	Pass	401
804	813.9625	0.1	RMS	813.963	-34.36	-13	21.36	Pass	401
813.9625	814	0.002	RMS	814	-47.24	-20	27.24	Pass	401
814	824	0.1	RMS	814.6	20.3	30	9.7	Pass	401
824	824.0375	0.002	RMS	824.006	-72.24	-20	52.24	Pass	401
824.0375	834	0.1	RMS	827.425	-56.42	-13	43.42	Pass	401
834	844	0.1	RMS	835.8	-63.21	-13	50.21	Pass	401




1.30. LTE Band Edge_P90-ALL MASK(Subtest:14, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	803.925	-63.87	-13	50.87	Pass	401
804	813.9625	0.1	RMS	813.963	-33.68	-13	20.68	Pass	401
813.9625	814	0.1	RMS	813.998	-32.38	-20	12.38	Pass	401
814	824	0.1	RMS	816.85	2.6	30	27.4	Pass	401
824	824.0375	0.1	RMS	824.003	-32.73	-20	12.73	Pass	401
824.0375	834	0.1	RMS	824.038	-34.82	-13	21.82	Pass	401
834	844	0.1	RMS	834	-49.38	-13	36.38	Pass	401




1.31. LTE Band Edge_P90-ALL MASK(Subtest:15, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	798.025	-63.93	-13	50.93	Pass	401
804	813.9625	0.1	RMS	813.888	-55.78	-13	42.78	Pass	401
813.9625	814	0.002	RMS	813.978	-71.83	-20	51.83	Pass	401
814	824	0.1	RMS	823.4	19.93	30	10.07	Pass	401
824	824.0375	0.002	RMS	824.002	-47.71	-20	27.71	Pass	401
824.0375	834	0.1	RMS	824.038	-35.29	-13	22.29	Pass	401
834	844	0.1	RMS	835.975	-62.25	-13	49.25	Pass	401



1.32. LTE Band Edge_P90-ALL MASK(Subtest:16, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	804	0.1	RMS	801.75	-63.92	-13	50.92	Pass	401
804	813.9625	0.1	RMS	813.963	-33.67	-13	20.67	Pass	401
813.9625	814	0.1	RMS	813.998	-32.25	-20	12.25	Pass	401
814	824	0.1	RMS	816.475	2.6	30	27.4	Pass	401
824	824.0375	0.1	RMS	824.003	-33.05	-20	13.05	Pass	401
824.0375	834	0.1	RMS	824.038	-34.67	-13	21.67	Pass	401
834	844	0.1	RMS	834.175	-49.39	-13	36.39	Pass	401



1. LTE_Band41 full


1.1. LTE Band Edge(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2486	2490.5	1	RMS	2490.478	-40.3	-25	15.3	Pass	401
2490.5	2495	1	RMS	2495	-26.98	-13	13.98	Pass	11
2495	2496	0.005	RMS	2496	-30.33	-13	17.33	Pass	401
2496	2501	0.1	RMS	2496.35	20.34	30	9.66	Pass	401
2501	2502	0.005	RMS	2501.17	-60.93	-10	50.93	Pass	401
2502	2506	1	RMS	2502	-40.59	-10	30.59	Pass	9
2506	2507	1	RMS	2506.003	-43.06	-13	30.06	Pass	401
2507	2511	1	RMS	2507.34	-43.72	-25	18.72	Pass	401




1.2. LTE Band Edge(Subtest:3, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2486	2490.5	1	RMS	2490.5	-37.15	-25	12.15	Pass	401
2490.5	2495	1	RMS	2495	-24.57	-13	11.57	Pass	11
2495	2496	0.1	RMS	2495.998	-23.68	-13	10.68	Pass	401
2496	2501	0.1	RMS	2499.225	6.59	30	23.41	Pass	401
2501	2502	0.1	RMS	2501	-22.82	-10	12.82	Pass	401
2502	2506	1	RMS	2502	-24.45	-10	14.45	Pass	9
2506	2507	1	RMS	2506	-35.48	-13	22.48	Pass	401
2507	2511	1	RMS	2507.08	-38.37	-25	13.37	Pass	401




1.3. LTE Band Edge(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2679	1	RMS	2678.59	-43.74	-25	18.74	Pass	401
2679	2680	1	RMS	2680	-43.34	-13	30.34	Pass	401
2680	2684	1	RMS	2684	-41.28	-10	31.28	Pass	9
2684	2685	0.005	RMS	2684.963	-60.86	-10	50.86	Pass	401
2685	2690	0.1	RMS	2689.663	19.72	30	10.28	Pass	401
2690	2691	0.005	RMS	2690.003	-30.85	-10	20.85	Pass	401
2691	2695	1	RMS	2691	-28.91	-10	18.91	Pass	9
2695	2696	1	RMS	2695.1	-39.83	-13	26.83	Pass	401
2696	2700	1	RMS	2696.22	-41.28	-25	16.28	Pass	401




1.4. LTE Band Edge(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2679	1	RMS	2678.9	-38.54	-25	13.54	Pass	401
2679	2680	1	RMS	2680	-36.36	-13	23.36	Pass	401
2680	2684	1	RMS	2684	-28.77	-10	18.77	Pass	9
2684	2685	0.1	RMS	2684.998	-24.7	-10	14.7	Pass	401
2685	2690	0.1	RMS	2689.3	5.9	30	24.1	Pass	401
2690	2691	0.1	RMS	2690	-23.92	-10	13.92	Pass	401
2691	2695	1	RMS	2691	-28.26	-10	18.26	Pass	9
2695	2696	1	RMS	2695.003	-35.12	-13	22.12	Pass	401
2696	2700	1	RMS	2696.1	-37.85	-25	12.85	Pass	401




1.5. LTE Band Edge(Subtest:1, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2476	2490.5	1	RMS	2490.355	-39.66	-25	14.66	Pass	401
2490.5	2495	1	RMS	2495	-28.1	-13	15.1	Pass	11
2495	2496	0.005	RMS	2495.965	-40.37	-13	27.37	Pass	401
2496	2506	0.1	RMS	2496.6	20.43	30	9.57	Pass	401
2506	2507	0.005	RMS	2506.213	-63.11	-10	53.11	Pass	401
2507	2511	1	RMS	2507	-43.35	-10	33.35	Pass	9
2511	2516	1	RMS	2511.313	-44.2	-13	31.2	Pass	401
2516	2526	1	RMS	2516	-45.23	-25	20.23	Pass	401




1.6. LTE Band Edge(Subtest:3, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2476	2490.5	1	RMS	2490.5	-31.96	-25	6.96	Pass	31
2490.5	2495	1	RMS	2495	-26.61	-13	13.61	Pass	11
2495	2496	0.2	RMS	2495.995	-26.78	-13	13.78	Pass	401
2496	2506	0.1	RMS	2503.25	3.38	30	26.62	Pass	401
2506	2507	0.2	RMS	2506.008	-26.56	-10	16.56	Pass	401
2507	2511	1	RMS	2507	-25.91	-10	15.91	Pass	9
2511	2516	1	RMS	2511.05	-29.08	-13	16.08	Pass	401
2516	2526	1	RMS	2516.25	-38.19	-25	13.19	Pass	401




1.7. LTE Band Edge(Subtest:5, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2660	2670	1	RMS	2669.45	-45.26	-25	20.26	Pass	401
2670	2675	1	RMS	2671.85	-43.59	-13	30.59	Pass	401
2675	2679	1	RMS	2679	-43.68	-10	33.68	Pass	9
2679	2680	0.005	RMS	2679.873	-64.33	-10	54.33	Pass	401
2680	2690	0.1	RMS	2689.4	20.11	30	9.89	Pass	401
2690	2691	0.005	RMS	2690.013	-40.86	-10	30.86	Pass	401
2691	2695	1	RMS	2691	-29.17	-10	19.17	Pass	9
2695	2700	1	RMS	2695.075	-39.16	-13	26.16	Pass	401
2700	2710	1	RMS	2700.075	-43.06	-25	18.06	Pass	401




1.8. LTE Band Edge(Subtest:6, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2660	2670	1	RMS	2669.775	-39.92	-25	14.92	Pass	401
2670	2675	1	RMS	2674.95	-34.22	-13	21.22	Pass	401
2675	2679	1	RMS	2679	-30.64	-10	20.64	Pass	9
2679	2680	0.2	RMS	2680	-28.82	-10	18.82	Pass	401
2680	2690	0.1	RMS	2688.6	3.04	30	26.96	Pass	401
2690	2691	0.2	RMS	2690	-28.03	-10	18.03	Pass	401
2691	2695	1	RMS	2691	-30.92	-10	20.92	Pass	9
2695	2700	1	RMS	2695.075	-34.06	-13	21.06	Pass	401
2700	2710	1	RMS	2700	-38.75	-25	13.75	Pass	401




1.9. LTE Band Edge(Subtest:1, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.5	-39.19	-25	14.19	Pass	51
2490.5	2495	1	RMS	2495	-28.39	-13	15.39	Pass	11
2495	2496	0.005	RMS	2495.983	-39.97	-13	26.97	Pass	401
2496	2511	0.1	RMS	2496.863	20.09	30	9.91	Pass	401
2511	2512	0.005	RMS	2511.515	-65.83	-10	55.83	Pass	401
2512	2516	1	RMS	2512	-41.57	-10	31.57	Pass	9
2516	2526	1	RMS	2517.5	-44.76	-13	31.76	Pass	401
2526	2541	1	RMS	2527.575	-45.53	-25	20.53	Pass	401




1.10. LTE Band Edge(Subtest:3, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.01	-31.83	-25	6.83	Pass	51
2490.5	2495	1	RMS	2495	-28.27	-13	15.27	Pass	11
2495	2496	0.3	RMS	2495.998	-29.62	-13	16.62	Pass	401
2496	2511	0.1	RMS	2496.938	0.75	30	29.25	Pass	401
2511	2512	0.3	RMS	2511.003	-28.51	-10	18.51	Pass	401
2512	2516	1	RMS	2512	-27.09	-10	17.09	Pass	9
2516	2526	1	RMS	2517.15	-28.81	-13	15.81	Pass	401
2526	2541	1	RMS	2526.075	-39.45	-25	14.45	Pass	401




1.11. LTE Band Edge(Subtest:5, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2660	1	RMS	2659.85	-45.86	-25	20.86	Pass	401
2660	2670	1	RMS	2662.55	-44.29	-13	31.29	Pass	401
2670	2674	1	RMS	2674	-43.47	-10	33.47	Pass	9
2674	2675	0.005	RMS	2674.985	-65.9	-10	55.9	Pass	401
2675	2690	0.1	RMS	2689.138	19.75	30	10.25	Pass	401
2690	2691	0.005	RMS	2690.005	-40.99	-10	30.99	Pass	401
2691	2695	1	RMS	2691	-29.33	-10	19.33	Pass	9
2695	2705	1	RMS	2695.175	-38.69	-13	25.69	Pass	401
2705	2720	1	RMS	2706.2	-44.63	-25	19.63	Pass	401




1.12. LTE Band Edge(Subtest:6, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2660	1	RMS	2659.063	-41.72	-25	16.72	Pass	401
2660	2670	1	RMS	2669.75	-34.67	-13	21.67	Pass	401
2670	2674	1	RMS	2674	-32.13	-10	22.13	Pass	9
2674	2675	0.3	RMS	2675	-31.44	-10	21.44	Pass	401
2675	2690	0.1	RMS	2688.913	0.89	30	29.11	Pass	401
2690	2691	0.3	RMS	2690	-31.22	-10	21.22	Pass	401
2691	2695	1	RMS	2691	-31.95	-10	21.95	Pass	9
2695	2705	1	RMS	2695.05	-34.45	-13	21.45	Pass	401
2705	2720	1	RMS	2705.263	-39.83	-25	14.83	Pass	401




1.13. LTE Band Edge(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2456	2490.5	1	RMS	2490.5	-39.28	-25	14.28	Pass	70
2490.5	2495	1	RMS	2495	-29.07	-13	16.07	Pass	11
2495	2496	0.005	RMS	2495.995	-41.86	-13	28.86	Pass	401
2496	2516	0.1	RMS	2497.05	19.55	30	10.45	Pass	401
2516	2517	0.005	RMS	2516.863	-65.26	-10	55.26	Pass	401
2517	2521	1	RMS	2517.5	-45.04	-10	35.04	Pass	9
2521	2536	1	RMS	2522.913	-44.04	-13	31.04	Pass	401
2536	2556	1	RMS	2536.6	-46.06	-25	21.06	Pass	401




1.14. LTE Band Edge(Subtest:3, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2456	2490.5	1	RMS	2490.5	-33.62	-25	8.62	Pass	70
2490.5	2495	1	RMS	2495	-29.49	-13	16.49	Pass	11
2495	2496	0.5	RMS	2495.965	-28.72	-13	15.72	Pass	401
2496	2516	0.1	RMS	2514.55	-0.1	30	30.1	Pass	401
2516	2517	0.5	RMS	2516	-28.14	-10	18.14	Pass	401
2517	2521	1	RMS	2517	-28.19	-10	18.19	Pass	9
2521	2536	1	RMS	2521.075	-30.12	-13	17.12	Pass	401
2536	2556	1	RMS	2536.05	-40.74	-25	15.74	Pass	401




1.15. LTE Band Edge(Subtest:5, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2650	1	RMS	2647.85	-46.19	-25	21.19	Pass	401
2650	2665	1	RMS	2653.225	-44.8	-13	31.8	Pass	401
2665	2669	1	RMS	2668.5	-45.5	-10	35.5	Pass	9
2669	2670	0.005	RMS	2669.748	-66.66	-10	56.66	Pass	401
2670	2690	0.1	RMS	2688.9	19.86	30	10.14	Pass	401
2690	2691	0.005	RMS	2690.003	-41.93	-10	31.93	Pass	401
2691	2695	1	RMS	2691	-29.54	-10	19.54	Pass	9
2695	2710	1	RMS	2695.225	-37.7	-13	24.7	Pass	401
2710	2730	1	RMS	2711	-45.01	-25	20.01	Pass	401




1.16. LTE Band Edge(Subtest:6, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2650	1	RMS	2649.6	-43.46	-25	18.46	Pass	401
2650	2665	1	RMS	2664.888	-36.4	-13	23.4	Pass	401
2665	2669	1	RMS	2669	-33.83	-10	23.83	Pass	9
2669	2670	0.5	RMS	2669.99	-31.22	-10	21.22	Pass	401
2670	2690	0.1	RMS	2688.35	-0.12	30	30.12	Pass	401
2690	2691	0.5	RMS	2690.015	-30.5	-10	20.5	Pass	401
2691	2695	1	RMS	2691	-33.06	-10	23.06	Pass	9
2695	2710	1	RMS	2695	-34.89	-13	21.89	Pass	401
2710	2730	1	RMS	2710.05	-41.01	-25	16.01	Pass	401




1.17. LTE Band Edge(Subtest:1, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2486	2490.5	1	RMS	2490.5	-39.52	-25	14.52	Pass	401
2490.5	2495	1	RMS	2495	-27.87	-13	14.87	Pass	11
2495	2496	0.005	RMS	2496	-31.94	-13	18.94	Pass	401
2496	2501	0.1	RMS	2496.313	19.81	30	10.19	Pass	401
2501	2502	0.005	RMS	2501.043	-60.35	-10	50.35	Pass	401
2502	2506	1	RMS	2502	-41.48	-10	31.48	Pass	9
2506	2507	1	RMS	2506.053	-42.95	-13	29.95	Pass	401
2507	2511	1	RMS	2507.22	-43.18	-25	18.18	Pass	401




1.18. LTE Band Edge(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2486	2490.5	1	RMS	2490.241	-38.27	-25	13.27	Pass	401
2490.5	2495	1	RMS	2495	-24.9	-13	11.9	Pass	11
2495	2496	0.1	RMS	2496	-25.11	-13	12.11	Pass	401
2496	2501	0.1	RMS	2497.675	5.11	30	24.89	Pass	401
2501	2502	0.1	RMS	2501.003	-23.85	-10	13.85	Pass	401
2502	2506	1	RMS	2502	-24.78	-10	14.78	Pass	9
2506	2507	1	RMS	2506.003	-37.06	-13	24.06	Pass	401
2507	2511	1	RMS	2507.08	-39.42	-25	14.42	Pass	401




1.19. LTE Band Edge(Subtest:5, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2679	1	RMS	2678.51	-44.1	-25	19.1	Pass	401
2679	2680	1	RMS	2679.995	-43.34	-13	30.34	Pass	401
2680	2684	1	RMS	2684	-41.81	-10	31.81	Pass	9
2684	2685	0.005	RMS	2684.778	-60.75	-10	50.75	Pass	401
2685	2690	0.1	RMS	2689.65	18.83	30	11.17	Pass	401
2690	2691	0.005	RMS	2690	-30.62	-10	20.62	Pass	401
2691	2695	1	RMS	2691	-29.67	-10	19.67	Pass	9
2695	2696	1	RMS	2695.035	-39.57	-13	26.57	Pass	401
2696	2700	1	RMS	2696.14	-40.98	-25	15.98	Pass	401



1.20. LTE Band Edge(Subtest:6, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2679	1	RMS	2678.93	-39	-25	14	Pass	401
2679	2680	1	RMS	2679.903	-37.35	-13	24.35	Pass	401
2680	2684	1	RMS	2684	-28.89	-10	18.89	Pass	9
2684	2685	0.1	RMS	2685	-25.03	-10	15.03	Pass	401
2685	2690	0.1	RMS	2688.45	4.85	30	25.15	Pass	401
2690	2691	0.1	RMS	2690	-24.64	-10	14.64	Pass	401
2691	2695	1	RMS	2691	-28.72	-10	18.72	Pass	9
2695	2696	1	RMS	2695.018	-37.02	-13	24.02	Pass	401
2696	2700	1	RMS	2696.2	-38.54	-25	13.54	Pass	401



1.21. LTE Band Edge(Subtest:1, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2476	2490.5	1	RMS	2490.355	-38.57	-25	13.57	Pass	401
2490.5	2495	1	RMS	2495	-29.03	-13	16.03	Pass	11
2495	2496	0.005	RMS	2495.955	-41.01	-13	28.01	Pass	401
2496	2506	0.1	RMS	2496.6	19.47	30	10.53	Pass	401
2506	2507	0.005	RMS	2506.325	-61.43	-10	51.43	Pass	401
2507	2511	1	RMS	2507	-43.53	-10	33.53	Pass	9
2511	2516	1	RMS	2512.175	-44.09	-13	31.09	Pass	401
2516	2526	1	RMS	2518.5	-45.2	-25	20.2	Pass	401

