

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.59	-1.26	21.33	<=33.01	Pass
			2	22.78	-1.26	21.52	<=33.01	Pass
			5	22.61	-1.26	21.35	<=33.01	Pass
		3	0	22.69	-1.26	21.43	<=33.01	Pass
			2	22.78	-1.26	21.52	<=33.01	Pass
			3	22.71	-1.26	21.45	<=33.01	Pass
		6	0	21.80	-1.26	20.54	<=33.01	Pass
	1880	1	0	22.63	-1.26	21.37	<=33.01	Pass
			2	22.72	-1.26	21.46	<=33.01	Pass
			5	22.58	-1.26	21.32	<=33.01	Pass
		3	0	22.62	-1.26	21.36	<=33.01	Pass
			2	22.75	-1.26	21.49	<=33.01	Pass
			3	22.68	-1.26	21.42	<=33.01	Pass
		6	0	21.69	-1.26	20.43	<=33.01	Pass
	1909.3	1	0	22.88	-1.26	21.62	<=33.01	Pass
			2	23.10	-1.26	21.84	<=33.01	Pass
			5	22.94	-1.26	21.68	<=33.01	Pass
		3	0	23.04	-1.26	21.78	<=33.01	Pass
			2	23.09	-1.26	21.83	<=33.01	Pass
			3	23.05	-1.26	21.79	<=33.01	Pass
		6	0	22.13	-1.26	20.87	<=33.01	Pass
16QAM	1850.7	1	0	21.96	-1.26	20.70	<=33.01	Pass
			2	22.17	-1.26	20.91	<=33.01	Pass
			5	22.01	-1.26	20.75	<=33.01	Pass
		3	0	21.69	-1.26	20.43	<=33.01	Pass
			2	21.75	-1.26	20.49	<=33.01	Pass
			3	21.75	-1.26	20.49	<=33.01	Pass
		6	0	20.89	-1.26	19.63	<=33.01	Pass
	1880	1	0	21.90	-1.26	20.64	<=33.01	Pass
			2	21.97	-1.26	20.71	<=33.01	Pass
			5	21.82	-1.26	20.56	<=33.01	Pass
		3	0	21.70	-1.26	20.44	<=33.01	Pass
			2	21.69	-1.26	20.43	<=33.01	Pass
			3	21.61	-1.26	20.35	<=33.01	Pass
		6	0	20.80	-1.26	19.54	<=33.01	Pass
	1909.3	1	0	22.24	-1.26	20.98	<=33.01	Pass
			2	22.33	-1.26	21.07	<=33.01	Pass
			5	21.94	-1.26	20.68	<=33.01	Pass
		3	0	22.09	-1.26	20.83	<=33.01	Pass
			2	22.07	-1.26	20.81	<=33.01	Pass
			3	22.07	-1.26	20.81	<=33.01	Pass
		6	0	21.11	-1.26	19.85	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.40	-1.26	21.14	<=33.01	Pass
			7	22.85	-1.26	21.59	<=33.01	Pass
			14	22.78	-1.26	21.52	<=33.01	Pass
		8	0	21.76	-1.26	20.50	<=33.01	Pass
			4	21.81	-1.26	20.55	<=33.01	Pass
			7	21.82	-1.26	20.56	<=33.01	Pass
		15	0	21.78	-1.26	20.52	<=33.01	Pass
	1880	1	0	22.62	-1.26	21.36	<=33.01	Pass
			7	22.59	-1.26	21.33	<=33.01	Pass
			14	22.51	-1.26	21.25	<=33.01	Pass
		8	0	21.47	-1.26	20.21	<=33.01	Pass
			4	21.70	-1.26	20.44	<=33.01	Pass
			7	21.53	-1.26	20.27	<=33.01	Pass
		15	0	21.67	-1.26	20.41	<=33.01	Pass
	1908.5	1	0	23.00	-1.26	21.74	<=33.01	Pass
			7	23.01	-1.26	21.75	<=33.01	Pass
			14	22.98	-1.26	21.72	<=33.01	Pass
		8	0	22.01	-1.26	20.75	<=33.01	Pass
			4	22.07	-1.26	20.81	<=33.01	Pass
			7	22.05	-1.26	20.79	<=33.01	Pass
		15	0	22.09	-1.26	20.83	<=33.01	Pass
16QAM	1851.5	1	0	22.06	-1.26	20.80	<=33.01	Pass
			7	22.17	-1.26	20.91	<=33.01	Pass
			14	21.99	-1.26	20.73	<=33.01	Pass
		8	0	20.86	-1.26	19.60	<=33.01	Pass
			4	20.90	-1.26	19.64	<=33.01	Pass
			7	20.90	-1.26	19.64	<=33.01	Pass
		15	0	20.79	-1.26	19.53	<=33.01	Pass
	1880	1	0	21.77	-1.26	20.51	<=33.01	Pass
			7	21.89	-1.26	20.63	<=33.01	Pass
			14	21.80	-1.26	20.54	<=33.01	Pass
		8	0	20.77	-1.26	19.51	<=33.01	Pass
			4	20.82	-1.26	19.56	<=33.01	Pass
			7	20.56	-1.26	19.30	<=33.01	Pass
		15	0	20.72	-1.26	19.46	<=33.01	Pass
	1908.5	1	0	22.08	-1.26	20.82	<=33.01	Pass
			7	22.44	-1.26	21.18	<=33.01	Pass
			14	22.22	-1.26	20.96	<=33.01	Pass
		8	0	21.13	-1.26	19.87	<=33.01	Pass
			4	21.18	-1.26	19.92	<=33.01	Pass
			7	21.15	-1.26	19.89	<=33.01	Pass
		15	0	21.10	-1.26	19.84	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1852.5	1	0	22.56	-1.26	21.30	<=33.01	Pass
			13	22.70	-1.26	21.44	<=33.01	Pass
			24	22.59	-1.26	21.33	<=33.01	Pass
		12	0	21.76	-1.26	20.50	<=33.01	Pass
			6	21.86	-1.26	20.60	<=33.01	Pass
			13	21.83	-1.26	20.57	<=33.01	Pass
		25	0	21.83	-1.26	20.57	<=33.01	Pass
	1880	1	0	22.48	-1.26	21.22	<=33.01	Pass
			13	22.59	-1.26	21.33	<=33.01	Pass
			24	22.57	-1.26	21.31	<=33.01	Pass
		12	0	21.72	-1.26	20.46	<=33.01	Pass
			6	21.59	-1.26	20.33	<=33.01	Pass
			13	21.69	-1.26	20.43	<=33.01	Pass
		25	0	21.72	-1.26	20.46	<=33.01	Pass
	1907.5	1	0	22.86	-1.26	21.60	<=33.01	Pass
			13	23.06	-1.26	21.80	<=33.01	Pass
			24	22.93	-1.26	21.67	<=33.01	Pass
		12	0	22.09	-1.26	20.83	<=33.01	Pass
			6	22.12	-1.26	20.86	<=33.01	Pass
			13	22.11	-1.26	20.85	<=33.01	Pass
		25	0	22.10	-1.26	20.84	<=33.01	Pass
16QAM	1852.5	1	0	21.96	-1.26	20.70	<=33.01	Pass
			13	22.01	-1.26	20.75	<=33.01	Pass
			24	22.03	-1.26	20.77	<=33.01	Pass
		12	0	20.77	-1.26	19.51	<=33.01	Pass
			6	20.90	-1.26	19.64	<=33.01	Pass
			13	20.87	-1.26	19.61	<=33.01	Pass
		25	0	20.87	-1.26	19.61	<=33.01	Pass
	1880	1	0	21.82	-1.26	20.56	<=33.01	Pass
			13	21.91	-1.26	20.65	<=33.01	Pass
			24	21.70	-1.26	20.44	<=33.01	Pass
		12	0	20.75	-1.26	19.49	<=33.01	Pass
			6	20.80	-1.26	19.54	<=33.01	Pass
			13	20.64	-1.26	19.38	<=33.01	Pass
		25	0	20.76	-1.26	19.50	<=33.01	Pass
	1907.5	1	0	22.15	-1.26	20.89	<=33.01	Pass
			13	22.28	-1.26	21.02	<=33.01	Pass
			24	22.11	-1.26	20.85	<=33.01	Pass
		12	0	21.04	-1.26	19.78	<=33.01	Pass
			6	21.09	-1.26	19.83	<=33.01	Pass
			13	21.05	-1.26	19.79	<=33.01	Pass
		25	0	21.11	-1.26	19.85	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.15	-1.26	20.89	<=33.01	Pass
			25	22.57	-1.26	21.31	<=33.01	Pass
			49	22.70	-1.26	21.44	<=33.01	Pass
		25	0	21.82	-1.26	20.56	<=33.01	Pass
			13	21.87	-1.26	20.61	<=33.01	Pass

16QAM			25	21.92	-1.26	20.66	<=33.01	Pass
		50	0	21.88	-1.26	20.62	<=33.01	Pass
	1880	1	0	22.74	-1.26	21.48	<=33.01	Pass
			25	22.70	-1.26	21.44	<=33.01	Pass
			49	22.67	-1.26	21.41	<=33.01	Pass
		25	0	21.82	-1.26	20.56	<=33.01	Pass
			13	21.76	-1.26	20.50	<=33.01	Pass
			25	21.72	-1.26	20.46	<=33.01	Pass
		50	0	21.78	-1.26	20.52	<=33.01	Pass
	1905	1	0	22.71	-1.26	21.45	<=33.01	Pass
			25	22.90	-1.26	21.64	<=33.01	Pass
			49	23.03	-1.26	21.77	<=33.01	Pass
		25	0	22.13	-1.26	20.87	<=33.01	Pass
			13	22.08	-1.26	20.82	<=33.01	Pass
			25	22.12	-1.26	20.86	<=33.01	Pass
		50	0	22.12	-1.26	20.86	<=33.01	Pass
	1855	1	0	21.80	-1.26	20.54	<=33.01	Pass
			25	21.98	-1.26	20.72	<=33.01	Pass
			49	22.06	-1.26	20.80	<=33.01	Pass
		25	0	20.85	-1.26	19.59	<=33.01	Pass
			13	20.91	-1.26	19.65	<=33.01	Pass
			25	20.94	-1.26	19.68	<=33.01	Pass
		50	0	20.91	-1.26	19.65	<=33.01	Pass
		1	0	21.91	-1.26	20.65	<=33.01	Pass
			25	21.91	-1.26	20.65	<=33.01	Pass
			49	21.84	-1.26	20.58	<=33.01	Pass
		25	0	20.83	-1.26	19.57	<=33.01	Pass
			13	20.79	-1.26	19.53	<=33.01	Pass
			25	20.77	-1.26	19.51	<=33.01	Pass
		50	0	20.81	-1.26	19.55	<=33.01	Pass
	1905	1	0	22.00	-1.26	20.74	<=33.01	Pass
			25	22.06	-1.26	20.80	<=33.01	Pass
			49	22.27	-1.26	21.01	<=33.01	Pass
		25	0	21.14	-1.26	19.88	<=33.01	Pass
			13	21.09	-1.26	19.83	<=33.01	Pass
			25	21.14	-1.26	19.88	<=33.01	Pass
		50	0	21.11	-1.26	19.85	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.46	-1.26	21.20	<=33.01	Pass
			38	22.79	-1.26	21.53	<=33.01	Pass
			74	22.67	-1.26	21.41	<=33.01	Pass
		36	0	21.80	-1.26	20.54	<=33.01	Pass
			18	21.84	-1.26	20.58	<=33.01	Pass
			39	21.87	-1.26	20.61	<=33.01	Pass
		75	0	21.82	-1.26	20.56	<=33.01	Pass
	1880	1	0	22.70	-1.26	21.44	<=33.01	Pass
			38	22.66	-1.26	21.40	<=33.01	Pass
			74	22.55	-1.26	21.29	<=33.01	Pass

16QAM	1902.5	36	0	21.77	-1.26	20.51	<=33.01	Pass
			18	21.76	-1.26	20.50	<=33.01	Pass
			39	21.72	-1.26	20.46	<=33.01	Pass
		75	0	21.73	-1.26	20.47	<=33.01	Pass
		1	0	22.55	-1.26	21.29	<=33.01	Pass
			38	22.87	-1.26	21.61	<=33.01	Pass
			74	22.90	-1.26	21.64	<=33.01	Pass
		36	0	21.91	-1.26	20.65	<=33.01	Pass
			18	22.00	-1.26	20.74	<=33.01	Pass
			39	22.05	-1.26	20.79	<=33.01	Pass
		75	0	21.98	-1.26	20.72	<=33.01	Pass
	1857.5	1	0	21.94	-1.26	20.68	<=33.01	Pass
			38	22.01	-1.26	20.75	<=33.01	Pass
			74	22.00	-1.26	20.74	<=33.01	Pass
		36	0	20.76	-1.26	19.50	<=33.01	Pass
			18	20.85	-1.26	19.59	<=33.01	Pass
			39	20.88	-1.26	19.62	<=33.01	Pass
		75	0	20.85	-1.26	19.59	<=33.01	Pass
	1880	1	0	21.90	-1.26	20.64	<=33.01	Pass
			38	21.72	-1.26	20.46	<=33.01	Pass
			74	21.76	-1.26	20.50	<=33.01	Pass
		36	0	20.75	-1.26	19.49	<=33.01	Pass
			18	20.77	-1.26	19.51	<=33.01	Pass
			39	20.69	-1.26	19.43	<=33.01	Pass
		75	0	20.75	-1.26	19.49	<=33.01	Pass
	1902.5	1	0	21.78	-1.26	20.52	<=33.01	Pass
			38	22.22	-1.26	20.96	<=33.01	Pass
			74	22.21	-1.26	20.95	<=33.01	Pass
		36	0	20.89	-1.26	19.63	<=33.01	Pass
			18	20.98	-1.26	19.72	<=33.01	Pass
			39	21.04	-1.26	19.78	<=33.01	Pass
		75	0	20.98	-1.26	19.72	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.33	-1.26	21.07	<=33.01	Pass
			50	22.73	-1.26	21.47	<=33.01	Pass
			99	22.44	-1.26	21.18	<=33.01	Pass
		50	0	21.77	-1.26	20.51	<=33.01	Pass
			25	21.86	-1.26	20.60	<=33.01	Pass
			50	21.87	-1.26	20.61	<=33.01	Pass
		100	0	21.80	-1.26	20.54	<=33.01	Pass
	1880	1	0	22.42	-1.26	21.16	<=33.01	Pass
			50	22.63	-1.26	21.37	<=33.01	Pass
			99	22.14	-1.26	20.88	<=33.01	Pass
		50	0	21.62	-1.26	20.36	<=33.01	Pass
			25	21.53	-1.26	20.27	<=33.01	Pass
			50	21.62	-1.26	20.36	<=33.01	Pass
		100	0	21.69	-1.26	20.43	<=33.01	Pass
	1900	1	0	22.34	-1.26	21.08	<=33.01	Pass

16QAM	1860		50	22.68	-1.26	21.42	<=33.01	Pass
			99	22.23	-1.26	20.97	<=33.01	Pass
		50	0	21.25	-1.26	19.99	<=33.01	Pass
			25	21.49	-1.26	20.23	<=33.01	Pass
			50	21.68	-1.26	20.42	<=33.01	Pass
		100	0	21.57	-1.26	20.31	<=33.01	Pass
			0	21.68	-1.26	20.42	<=33.01	Pass
			50	21.82	-1.26	20.56	<=33.01	Pass
		1	99	21.45	-1.26	20.19	<=33.01	Pass
			0	20.66	-1.26	19.40	<=33.01	Pass
	1880	50	25	20.88	-1.26	19.62	<=33.01	Pass
			50	20.92	-1.26	19.66	<=33.01	Pass
			0	20.81	-1.26	19.55	<=33.01	Pass
		1	0	21.58	-1.26	20.32	<=33.01	Pass
			50	21.73	-1.26	20.47	<=33.01	Pass
			99	21.26	-1.26	20.00	<=33.01	Pass
		50	0	20.68	-1.26	19.42	<=33.01	Pass
			25	20.56	-1.26	19.30	<=33.01	Pass
			50	20.54	-1.26	19.28	<=33.01	Pass
		100	0	20.52	-1.26	19.26	<=33.01	Pass
	1900	1	0	21.18	-1.26	19.92	<=33.01	Pass
			50	21.78	-1.26	20.52	<=33.01	Pass
			99	21.55	-1.26	20.29	<=33.01	Pass
		50	0	20.34	-1.26	19.08	<=33.01	Pass
			25	20.49	-1.26	19.23	<=33.01	Pass
			50	20.52	-1.26	19.26	<=33.01	Pass
		100	0	20.53	-1.26	19.27	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2.1 B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.10	-0.19	21.91	<=30	Pass
			2	22.24	-0.19	22.05	<=30	Pass
			5	22.13	-0.19	21.94	<=30	Pass
		3	0	22.22	-0.19	22.03	<=30	Pass
			2	22.25	-0.19	22.06	<=30	Pass
			3	22.18	-0.19	21.99	<=30	Pass
		6	0	21.18	-0.19	20.99	<=30	Pass
	1732.5	1	0	22.41	-0.19	22.22	<=30	Pass
			2	22.51	-0.19	22.32	<=30	Pass
			5	22.37	-0.19	22.18	<=30	Pass
		3	0	22.50	-0.19	22.31	<=30	Pass
			2	22.55	-0.19	22.36	<=30	Pass
			3	22.47	-0.19	22.28	<=30	Pass
		6	0	21.47	-0.19	21.28	<=30	Pass
	1754.3	1	0	22.19	-0.19	22.00	<=30	Pass
			2	22.36	-0.19	22.17	<=30	Pass
			5	22.21	-0.19	22.02	<=30	Pass
		3	0	22.29	-0.19	22.10	<=30	Pass
			2	22.31	-0.19	22.12	<=30	Pass
			3	22.26	-0.19	22.07	<=30	Pass
		6	0	21.30	-0.19	21.11	<=30	Pass
16QAM	1710.7	1	0	21.42	-0.19	21.23	<=30	Pass
			2	21.60	-0.19	21.41	<=30	Pass
			5	21.45	-0.19	21.26	<=30	Pass
		3	0	21.23	-0.19	21.04	<=30	Pass
			2	21.25	-0.19	21.06	<=30	Pass
			3	21.26	-0.19	21.07	<=30	Pass
		6	0	20.40	-0.19	20.21	<=30	Pass
	1732.5	1	0	21.61	-0.19	21.42	<=30	Pass
			2	21.80	-0.19	21.61	<=30	Pass
			5	21.34	-0.19	21.15	<=30	Pass
		3	0	21.43	-0.19	21.24	<=30	Pass
			2	21.52	-0.19	21.33	<=30	Pass
			3	21.38	-0.19	21.19	<=30	Pass
		6	0	20.65	-0.19	20.46	<=30	Pass
	1754.3	1	0	21.35	-0.19	21.16	<=30	Pass
			2	21.61	-0.19	21.42	<=30	Pass
			5	21.26	-0.19	21.07	<=30	Pass
		3	0	21.24	-0.19	21.05	<=30	Pass
			2	21.22	-0.19	21.03	<=30	Pass
			3	21.30	-0.19	21.11	<=30	Pass
		6	0	20.42	-0.19	20.23	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1711.5	1	0	22.16	-0.19	21.97	<=30	Pass
			7	22.30	-0.19	22.11	<=30	Pass
			14	22.21	-0.19	22.02	<=30	Pass
		8	0	21.17	-0.19	20.98	<=30	Pass
			4	21.23	-0.19	21.04	<=30	Pass
			7	21.17	-0.19	20.98	<=30	Pass
		15	0	21.15	-0.19	20.96	<=30	Pass
	1732.5	1	0	22.44	-0.19	22.25	<=30	Pass
			7	22.34	-0.19	22.15	<=30	Pass
			14	22.22	-0.19	22.03	<=30	Pass
		8	0	21.19	-0.19	21.00	<=30	Pass
			4	21.26	-0.19	21.07	<=30	Pass
			7	21.21	-0.19	21.02	<=30	Pass
		15	0	21.40	-0.19	21.21	<=30	Pass
	1753.5	1	0	22.14	-0.19	21.95	<=30	Pass
			7	22.23	-0.19	22.04	<=30	Pass
			14	22.14	-0.19	21.95	<=30	Pass
		8	0	21.24	-0.19	21.05	<=30	Pass
			4	21.24	-0.19	21.05	<=30	Pass
			7	21.17	-0.19	20.98	<=30	Pass
		15	0	21.27	-0.19	21.08	<=30	Pass
16QAM	1711.5	1	0	21.49	-0.19	21.30	<=30	Pass
			7	21.60	-0.19	21.41	<=30	Pass
			14	21.46	-0.19	21.27	<=30	Pass
		8	0	20.29	-0.19	20.10	<=30	Pass
			4	20.36	-0.19	20.17	<=30	Pass
			7	20.32	-0.19	20.13	<=30	Pass
		15	0	20.26	-0.19	20.07	<=30	Pass
	1732.5	1	0	21.71	-0.19	21.52	<=30	Pass
			7	21.73	-0.19	21.54	<=30	Pass
			14	21.64	-0.19	21.45	<=30	Pass
		8	0	20.51	-0.19	20.32	<=30	Pass
			4	20.62	-0.19	20.43	<=30	Pass
			7	20.54	-0.19	20.35	<=30	Pass
		15	0	20.41	-0.19	20.22	<=30	Pass
	1753.5	1	0	21.36	-0.19	21.17	<=30	Pass
			7	21.54	-0.19	21.35	<=30	Pass
			14	21.49	-0.19	21.30	<=30	Pass
		8	0	20.38	-0.19	20.19	<=30	Pass
			4	20.37	-0.19	20.18	<=30	Pass
			7	20.19	-0.19	20.00	<=30	Pass
		15	0	20.27	-0.19	20.08	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	21.97	-0.19	21.78	<=30	Pass
			13	22.25	-0.19	22.06	<=30	Pass
			24	22.13	-0.19	21.94	<=30	Pass
		12	0	21.15	-0.19	20.96	<=30	Pass
			6	21.22	-0.19	21.03	<=30	Pass

16QAM			13	21.24	-0.19	21.05	<=30	Pass
		25	0	21.19	-0.19	21.00	<=30	Pass
	1732.5	1	0	22.32	-0.19	22.13	<=30	Pass
			13	22.49	-0.19	22.30	<=30	Pass
			24	22.36	-0.19	22.17	<=30	Pass
		12	0	21.38	-0.19	21.19	<=30	Pass
			6	21.48	-0.19	21.29	<=30	Pass
			13	21.45	-0.19	21.26	<=30	Pass
		25	0	21.41	-0.19	21.22	<=30	Pass
	1752.5	1	0	22.17	-0.19	21.98	<=30	Pass
			13	22.25	-0.19	22.06	<=30	Pass
			24	22.13	-0.19	21.94	<=30	Pass
		12	0	21.30	-0.19	21.11	<=30	Pass
			6	21.34	-0.19	21.15	<=30	Pass
			13	21.28	-0.19	21.09	<=30	Pass
		25	0	21.31	-0.19	21.12	<=30	Pass
	1712.5	1	0	21.39	-0.19	21.20	<=30	Pass
			13	21.41	-0.19	21.22	<=30	Pass
			24	21.19	-0.19	21.00	<=30	Pass
		12	0	20.22	-0.19	20.03	<=30	Pass
			6	20.15	-0.19	19.96	<=30	Pass
			13	20.30	-0.19	20.11	<=30	Pass
		25	0	20.16	-0.19	19.97	<=30	Pass
	1732.5	1	0	21.62	-0.19	21.43	<=30	Pass
			13	21.72	-0.19	21.53	<=30	Pass
			24	21.55	-0.19	21.36	<=30	Pass
		12	0	20.47	-0.19	20.28	<=30	Pass
			6	20.53	-0.19	20.34	<=30	Pass
			13	20.44	-0.19	20.25	<=30	Pass
		25	0	20.41	-0.19	20.22	<=30	Pass
	1752.5	1	0	21.47	-0.19	21.28	<=30	Pass
			13	21.47	-0.19	21.28	<=30	Pass
			24	21.45	-0.19	21.26	<=30	Pass
		12	0	20.29	-0.19	20.10	<=30	Pass
			6	20.32	-0.19	20.13	<=30	Pass
			13	20.30	-0.19	20.11	<=30	Pass
		25	0	20.39	-0.19	20.20	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.03	-0.19	21.84	<=30	Pass
			25	22.28	-0.19	22.09	<=30	Pass
			49	22.21	-0.19	22.02	<=30	Pass
		25	0	21.11	-0.19	20.92	<=30	Pass
			13	21.17	-0.19	20.98	<=30	Pass
			25	21.29	-0.19	21.10	<=30	Pass
		50	0	21.15	-0.19	20.96	<=30	Pass
	1732.5	1	0	22.36	-0.19	22.17	<=30	Pass
			25	22.54	-0.19	22.35	<=30	Pass
			49	22.41	-0.19	22.22	<=30	Pass

		25	0	21.40	-0.19	21.21	<=30	Pass		
			13	21.48	-0.19	21.29	<=30	Pass		
			25	21.51	-0.19	21.32	<=30	Pass		
		50	0	21.38	-0.19	21.19	<=30	Pass		
			1750	1	0	22.32	-0.19	22.13	<=30	Pass
					25	22.40	-0.19	22.21	<=30	Pass
		49			22.20	-0.19	22.01	<=30	Pass	
		25		0	21.36	-0.19	21.17	<=30	Pass	
	13			21.34	-0.19	21.15	<=30	Pass		
	25			21.32	-0.19	21.13	<=30	Pass		
	50	0	21.35	-0.19	21.16	<=30	Pass			
	16QAM	1715	1	0	21.28	-0.19	21.09	<=30	Pass	
25				21.49	-0.19	21.30	<=30	Pass		
49				21.43	-0.19	21.24	<=30	Pass		
25			0	20.18	-0.19	19.99	<=30	Pass		
			13	20.26	-0.19	20.07	<=30	Pass		
			25	20.29	-0.19	20.10	<=30	Pass		
50			0	20.26	-0.19	20.07	<=30	Pass		
1732.5			1	0	21.20	-0.19	21.01	<=30	Pass	
				25	21.78	-0.19	21.59	<=30	Pass	
		49		21.69	-0.19	21.50	<=30	Pass		
		25	0	20.40	-0.19	20.21	<=30	Pass		
			13	20.46	-0.19	20.27	<=30	Pass		
			25	20.50	-0.19	20.31	<=30	Pass		
		50	0	20.34	-0.19	20.15	<=30	Pass		
		1750	1	0	21.34	-0.19	21.15	<=30	Pass	
				25	21.68	-0.19	21.49	<=30	Pass	
49				21.47	-0.19	21.28	<=30	Pass		
25			0	20.41	-0.19	20.22	<=30	Pass		
			13	20.30	-0.19	20.11	<=30	Pass		
			25	20.32	-0.19	20.13	<=30	Pass		
50			0	20.41	-0.19	20.22	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

1.2.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	21.91	-0.19	21.72	<=30	Pass
			38	22.23	-0.19	22.04	<=30	Pass
			74	22.25	-0.19	22.06	<=30	Pass
		36	0	21.11	-0.19	20.92	<=30	Pass
			18	21.21	-0.19	21.02	<=30	Pass
			39	21.31	-0.19	21.12	<=30	Pass
		75	0	21.19	-0.19	21.00	<=30	Pass
			0	22.09	-0.19	21.90	<=30	Pass
			38	22.46	-0.19	22.27	<=30	Pass
	1732.5	1	74	22.29	-0.19	22.10	<=30	Pass
			0	21.37	-0.19	21.18	<=30	Pass
			18	21.22	-0.19	21.03	<=30	Pass
		36	39	21.47	-0.19	21.28	<=30	Pass
			0	21.46	-0.19	21.27	<=30	Pass
			75	21.46	-0.19	21.27	<=30	Pass
		75	0	21.46	-0.19	21.27	<=30	Pass
			0	22.34	-0.19	22.15	<=30	Pass
			0	22.34	-0.19	22.15	<=30	Pass

16QAM	1717.5	36	38	22.37	-0.19	22.18	<=30	Pass
			74	22.21	-0.19	22.02	<=30	Pass
			0	21.42	-0.19	21.23	<=30	Pass
		75	18	21.42	-0.19	21.23	<=30	Pass
			39	21.30	-0.19	21.11	<=30	Pass
			0	21.29	-0.19	21.10	<=30	Pass
	1732.5	1	0	21.21	-0.19	21.02	<=30	Pass
			38	21.54	-0.19	21.35	<=30	Pass
			74	21.56	-0.19	21.37	<=30	Pass
		36	0	20.14	-0.19	19.95	<=30	Pass
			18	20.27	-0.19	20.08	<=30	Pass
			39	20.38	-0.19	20.19	<=30	Pass
		75	0	20.28	-0.19	20.09	<=30	Pass
	1747.5	1	0	21.54	-0.19	21.35	<=30	Pass
			38	21.79	-0.19	21.60	<=30	Pass
			74	21.66	-0.19	21.47	<=30	Pass
		36	0	20.37	-0.19	20.18	<=30	Pass
			18	20.32	-0.19	20.13	<=30	Pass
			39	20.58	-0.19	20.39	<=30	Pass
		75	0	20.45	-0.19	20.26	<=30	Pass
		1	0	21.61	-0.19	21.42	<=30	Pass
			38	21.56	-0.19	21.37	<=30	Pass
			74	21.41	-0.19	21.22	<=30	Pass
		36	0	20.32	-0.19	20.13	<=30	Pass
			18	20.34	-0.19	20.15	<=30	Pass
			39	20.28	-0.19	20.09	<=30	Pass
		75	0	20.41	-0.19	20.22	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	21.79	-0.19	21.60	<=30	Pass
			50	22.32	-0.19	22.13	<=30	Pass
			99	22.17	-0.19	21.98	<=30	Pass
		50	0	21.09	-0.19	20.90	<=30	Pass
			25	21.27	-0.19	21.08	<=30	Pass
			50	21.38	-0.19	21.19	<=30	Pass
		100	0	21.22	-0.19	21.03	<=30	Pass
	1732.5	1	0	22.02	-0.19	21.83	<=30	Pass
			50	22.48	-0.19	22.29	<=30	Pass
			99	22.18	-0.19	21.99	<=30	Pass
		50	0	21.28	-0.19	21.09	<=30	Pass
			25	21.42	-0.19	21.23	<=30	Pass
			50	21.53	-0.19	21.34	<=30	Pass
		100	0	21.43	-0.19	21.24	<=30	Pass
	1745	1	0	22.07	-0.19	21.88	<=30	Pass
			50	22.44	-0.19	22.25	<=30	Pass
			99	21.95	-0.19	21.76	<=30	Pass
		50	0	21.39	-0.19	21.20	<=30	Pass
			25	21.31	-0.19	21.12	<=30	Pass
			50	21.33	-0.19	21.14	<=30	Pass

		100	0	21.38	-0.19	21.19	<=30	Pass
16QAM	1720	1	0	21.12	-0.19	20.93	<=30	Pass
			50	21.59	-0.19	21.40	<=30	Pass
			99	21.40	-0.19	21.21	<=30	Pass
			0	20.17	-0.19	19.98	<=30	Pass
		50	25	20.35	-0.19	20.16	<=30	Pass
			50	20.46	-0.19	20.27	<=30	Pass
		100	0	20.31	-0.19	20.12	<=30	Pass
	1732.5	1	0	21.36	-0.19	21.17	<=30	Pass
			50	21.84	-0.19	21.65	<=30	Pass
			99	21.44	-0.19	21.25	<=30	Pass
		50	0	20.31	-0.19	20.12	<=30	Pass
			25	20.54	-0.19	20.35	<=30	Pass
			50	20.61	-0.19	20.42	<=30	Pass
		100	0	20.50	-0.19	20.31	<=30	Pass
	1745	1	0	21.33	-0.19	21.14	<=30	Pass
			50	21.69	-0.19	21.50	<=30	Pass
			99	21.23	-0.19	21.04	<=30	Pass
		50	0	20.44	-0.19	20.25	<=30	Pass
			25	20.49	-0.19	20.30	<=30	Pass
			50	20.36	-0.19	20.17	<=30	Pass
		100	0	20.39	-0.19	20.20	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.3.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.67	0.06	20.58	<=38.45	Pass
			2	22.81	0.06	20.72	<=38.45	Pass
			5	22.61	0.06	20.52	<=38.45	Pass
		3	0	22.80	0.06	20.71	<=38.45	Pass
			2	22.81	0.06	20.72	<=38.45	Pass
			3	22.81	0.06	20.72	<=38.45	Pass
		6	0	21.77	0.06	19.68	<=38.45	Pass
	836.5	1	0	22.38	0.06	20.29	<=38.45	Pass
			2	22.65	0.06	20.56	<=38.45	Pass
			5	22.26	0.06	20.17	<=38.45	Pass
		3	0	22.48	0.06	20.39	<=38.45	Pass
			2	22.65	0.06	20.56	<=38.45	Pass
			3	22.36	0.06	20.27	<=38.45	Pass
		6	0	21.54	0.06	19.45	<=38.45	Pass
	848.3	1	0	22.88	0.06	20.79	<=38.45	Pass
			2	23.01	0.06	20.92	<=38.45	Pass
			5	22.89	0.06	20.80	<=38.45	Pass
		3	0	22.97	0.06	20.88	<=38.45	Pass
			2	23.02	0.06	20.93	<=38.45	Pass
			3	22.95	0.06	20.86	<=38.45	Pass
		6	0	21.98	0.06	19.89	<=38.45	Pass
16QAM	824.7	1	0	21.96	0.06	19.87	<=38.45	Pass
			2	22.06	0.06	19.97	<=38.45	Pass
			5	21.99	0.06	19.90	<=38.45	Pass
		3	0	21.71	0.06	19.62	<=38.45	Pass
			2	21.80	0.06	19.71	<=38.45	Pass
			3	21.84	0.06	19.75	<=38.45	Pass
		6	0	20.90	0.06	18.81	<=38.45	Pass
	836.5	1	0	21.81	0.06	19.72	<=38.45	Pass
			2	21.98	0.06	19.89	<=38.45	Pass
			5	21.71	0.06	19.62	<=38.45	Pass
		3	0	21.58	0.06	19.49	<=38.45	Pass
			2	21.60	0.06	19.51	<=38.45	Pass
			3	21.52	0.06	19.43	<=38.45	Pass
		6	0	20.73	0.06	18.64	<=38.45	Pass
	848.3	1	0	22.17	0.06	20.08	<=38.45	Pass
			2	22.20	0.06	20.11	<=38.45	Pass
			5	22.00	0.06	19.91	<=38.45	Pass
		3	0	21.85	0.06	19.76	<=38.45	Pass
			2	21.88	0.06	19.79	<=38.45	Pass
			3	22.00	0.06	19.91	<=38.45	Pass
		6	0	21.04	0.06	18.95	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	825.5	1	0	22.75	0.06	20.66	<=38.45	Pass
			7	22.86	0.06	20.77	<=38.45	Pass
			14	22.70	0.06	20.61	<=38.45	Pass
		8	0	21.74	0.06	19.65	<=38.45	Pass
			4	21.76	0.06	19.67	<=38.45	Pass
			7	21.73	0.06	19.64	<=38.45	Pass
		15	0	21.76	0.06	19.67	<=38.45	Pass
	836.5	1	0	22.54	0.06	20.45	<=38.45	Pass
			7	22.56	0.06	20.47	<=38.45	Pass
			14	22.61	0.06	20.52	<=38.45	Pass
		8	0	21.54	0.06	19.45	<=38.45	Pass
			4	21.60	0.06	19.51	<=38.45	Pass
			7	21.52	0.06	19.43	<=38.45	Pass
		15	0	21.35	0.06	19.26	<=38.45	Pass
	847.5	1	0	22.90	0.06	20.81	<=38.45	Pass
			7	23.09	0.06	21.00	<=38.45	Pass
			14	22.92	0.06	20.83	<=38.45	Pass
		8	0	21.94	0.06	19.85	<=38.45	Pass
			4	21.98	0.06	19.89	<=38.45	Pass
			7	21.94	0.06	19.85	<=38.45	Pass
		15	0	21.93	0.06	19.84	<=38.45	Pass
16QAM	825.5	1	0	22.08	0.06	19.99	<=38.45	Pass
			7	22.27	0.06	20.18	<=38.45	Pass
			14	21.96	0.06	19.87	<=38.45	Pass
		8	0	20.85	0.06	18.76	<=38.45	Pass
			4	20.85	0.06	18.76	<=38.45	Pass
			7	20.77	0.06	18.68	<=38.45	Pass
		15	0	20.80	0.06	18.71	<=38.45	Pass
	836.5	1	0	21.84	0.06	19.75	<=38.45	Pass
			7	21.97	0.06	19.88	<=38.45	Pass
			14	21.75	0.06	19.66	<=38.45	Pass
		8	0	20.67	0.06	18.58	<=38.45	Pass
			4	20.60	0.06	18.51	<=38.45	Pass
			7	20.67	0.06	18.58	<=38.45	Pass
		15	0	20.55	0.06	18.46	<=38.45	Pass
	847.5	1	0	22.04	0.06	19.95	<=38.45	Pass
			7	22.23	0.06	20.14	<=38.45	Pass
			14	22.13	0.06	20.04	<=38.45	Pass
		8	0	21.05	0.06	18.96	<=38.45	Pass
			4	21.06	0.06	18.97	<=38.45	Pass
			7	21.01	0.06	18.92	<=38.45	Pass
		15	0	20.97	0.06	18.88	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.69	0.06	20.60	<=38.45	Pass
			13	22.56	0.06	20.47	<=38.45	Pass
			24	22.41	0.06	20.32	<=38.45	Pass
		12	0	21.76	0.06	19.67	<=38.45	Pass
			6	21.79	0.06	19.70	<=38.45	Pass

16QAM	836.5	25	13	21.69	0.06	19.60	<=38.45	Pass
			0	21.75	0.06	19.66	<=38.45	Pass
	836.5	1	0	22.48	0.06	20.39	<=38.45	Pass
			13	22.59	0.06	20.50	<=38.45	Pass
			24	22.58	0.06	20.49	<=38.45	Pass
		12	0	21.49	0.06	19.40	<=38.45	Pass
			6	21.61	0.06	19.52	<=38.45	Pass
			13	21.52	0.06	19.43	<=38.45	Pass
	846.5	25	0	21.58	0.06	19.49	<=38.45	Pass
			0	22.47	0.06	20.38	<=38.45	Pass
			13	22.94	0.06	20.85	<=38.45	Pass
		1	24	22.62	0.06	20.53	<=38.45	Pass
			0	21.94	0.06	19.85	<=38.45	Pass
		12	6	21.97	0.06	19.88	<=38.45	Pass
			13	21.91	0.06	19.82	<=38.45	Pass
			0	21.94	0.06	19.85	<=38.45	Pass
	826.5	25	0	21.86	0.06	19.77	<=38.45	Pass
			13	21.80	0.06	19.71	<=38.45	Pass
			24	21.85	0.06	19.76	<=38.45	Pass
		1	0	20.77	0.06	18.68	<=38.45	Pass
			6	20.81	0.06	18.72	<=38.45	Pass
			13	20.71	0.06	18.62	<=38.45	Pass
		12	0	20.78	0.06	18.69	<=38.45	Pass
			0	21.74	0.06	19.65	<=38.45	Pass
			13	21.87	0.06	19.78	<=38.45	Pass
	836.5	1	24	21.94	0.06	19.85	<=38.45	Pass
			0	20.55	0.06	18.46	<=38.45	Pass
		12	6	20.65	0.06	18.56	<=38.45	Pass
			13	20.54	0.06	18.45	<=38.45	Pass
			0	20.59	0.06	18.50	<=38.45	Pass
	846.5	25	0	22.13	0.06	20.04	<=38.45	Pass
			13	22.28	0.06	20.19	<=38.45	Pass
			24	22.07	0.06	19.98	<=38.45	Pass
		1	0	20.95	0.06	18.86	<=38.45	Pass
			6	20.98	0.06	18.89	<=38.45	Pass
			13	20.97	0.06	18.88	<=38.45	Pass
		12	0	20.98	0.06	18.89	<=38.45	Pass
			0	20.98	0.06	18.89	<=38.45	Pass
			0	20.98	0.06	18.89	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.77	0.06	20.68	<=38.45	Pass
			25	22.77	0.06	20.68	<=38.45	Pass
			49	22.51	0.06	20.42	<=38.45	Pass
		25	0	21.76	0.06	19.67	<=38.45	Pass
			13	21.70	0.06	19.61	<=38.45	Pass
			25	21.73	0.06	19.64	<=38.45	Pass
		50	0	21.76	0.06	19.67	<=38.45	Pass
			0	22.65	0.06	20.56	<=38.45	Pass
			25	22.51	0.06	20.42	<=38.45	Pass
	836.5	1	49	22.73	0.06	20.64	<=38.45	Pass

16QAM		25	0	21.68	0.06	19.59	<=38.45	Pass
			13	21.52	0.06	19.43	<=38.45	Pass
			25	21.68	0.06	19.59	<=38.45	Pass
		50	0	21.64	0.06	19.55	<=38.45	Pass
	844	1	0	22.72	0.06	20.63	<=38.45	Pass
			25	23.01	0.06	20.92	<=38.45	Pass
			49	22.94	0.06	20.85	<=38.45	Pass
		25	0	21.94	0.06	19.85	<=38.45	Pass
			13	21.89	0.06	19.80	<=38.45	Pass
			25	21.89	0.06	19.80	<=38.45	Pass
			0	21.91	0.06	19.82	<=38.45	Pass
			0	22.05	0.06	19.96	<=38.45	Pass
		1	25	21.93	0.06	19.84	<=38.45	Pass
			49	21.75	0.06	19.66	<=38.45	Pass
			0	20.80	0.06	18.71	<=38.45	Pass
		25	13	20.65	0.06	18.56	<=38.45	Pass
			25	20.72	0.06	18.63	<=38.45	Pass
			0	20.78	0.06	18.69	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4.1 B12_1.4MHz_ERP

Band: 12 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	23.28	-1.72	19.41	<=34.77	Pass
			2	23.44	-1.72	19.57	<=34.77	Pass
			5	23.26	-1.72	19.39	<=34.77	Pass
		3	0	23.38	-1.72	19.51	<=34.77	Pass
			2	23.37	-1.72	19.50	<=34.77	Pass
			3	23.36	-1.72	19.49	<=34.77	Pass
		6	0	22.35	-1.72	18.48	<=34.77	Pass
	707.5	1	0	23.14	-1.72	19.27	<=34.77	Pass
			2	23.24	-1.72	19.37	<=34.77	Pass
			5	23.13	-1.72	19.26	<=34.77	Pass
		3	0	23.24	-1.72	19.37	<=34.77	Pass
			2	23.26	-1.72	19.39	<=34.77	Pass
			3	23.28	-1.72	19.41	<=34.77	Pass
		6	0	22.25	-1.72	18.38	<=34.77	Pass
	715.3	1	0	23.60	-1.72	19.73	<=34.77	Pass
			2	23.49	-1.72	19.62	<=34.77	Pass
			5	23.54	-1.72	19.67	<=34.77	Pass
		3	0	23.74	-1.72	19.87	<=34.77	Pass
			2	23.73	-1.72	19.86	<=34.77	Pass
			3	23.68	-1.72	19.81	<=34.77	Pass
		6	0	22.70	-1.72	18.83	<=34.77	Pass
16QAM	699.7	1	0	22.42	-1.72	18.55	<=34.77	Pass
			2	22.58	-1.72	18.71	<=34.77	Pass
			5	22.59	-1.72	18.72	<=34.77	Pass
		3	0	22.19	-1.72	18.32	<=34.77	Pass
			2	22.14	-1.72	18.27	<=34.77	Pass
			3	21.95	-1.72	18.08	<=34.77	Pass
		6	0	21.51	-1.72	17.64	<=34.77	Pass
	707.5	1	0	22.32	-1.72	18.45	<=34.77	Pass
			2	22.44	-1.72	18.57	<=34.77	Pass
			5	22.43	-1.72	18.56	<=34.77	Pass
		3	0	22.21	-1.72	18.34	<=34.77	Pass
			2	22.16	-1.72	18.29	<=34.77	Pass
			3	22.16	-1.72	18.29	<=34.77	Pass
		6	0	21.21	-1.72	17.34	<=34.77	Pass
	715.3	1	0	22.66	-1.72	18.79	<=34.77	Pass
			2	22.90	-1.72	19.03	<=34.77	Pass
			5	22.59	-1.72	18.72	<=34.77	Pass
		3	0	22.65	-1.72	18.78	<=34.77	Pass
			2	22.70	-1.72	18.83	<=34.77	Pass
			3	22.66	-1.72	18.79	<=34.77	Pass
		6	0	21.80	-1.72	17.93	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4.2 B12_3MHz_ERP

Band: 12 / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	700.5	1	0	23.33	-1.72	19.46	<=34.77	Pass
			7	23.44	-1.72	19.57	<=34.77	Pass
			14	23.23	-1.72	19.36	<=34.77	Pass
		8	0	22.31	-1.72	18.44	<=34.77	Pass
			4	22.33	-1.72	18.46	<=34.77	Pass
			7	22.30	-1.72	18.43	<=34.77	Pass
		15	0	22.22	-1.72	18.35	<=34.77	Pass
	707.5	1	0	23.15	-1.72	19.28	<=34.77	Pass
			7	23.34	-1.72	19.47	<=34.77	Pass
			14	23.22	-1.72	19.35	<=34.77	Pass
		8	0	22.24	-1.72	18.37	<=34.77	Pass
			4	22.29	-1.72	18.42	<=34.77	Pass
			7	22.29	-1.72	18.42	<=34.77	Pass
		15	0	22.24	-1.72	18.37	<=34.77	Pass
	714.5	1	0	23.52	-1.72	19.65	<=34.77	Pass
			7	23.49	-1.72	19.62	<=34.77	Pass
			14	23.42	-1.72	19.55	<=34.77	Pass
		8	0	22.71	-1.72	18.84	<=34.77	Pass
			4	22.46	-1.72	18.59	<=34.77	Pass
			7	22.51	-1.72	18.64	<=34.77	Pass
		15	0	22.64	-1.72	18.77	<=34.77	Pass
16QAM	700.5	1	0	22.55	-1.72	18.68	<=34.77	Pass
			7	22.73	-1.72	18.86	<=34.77	Pass
			14	22.58	-1.72	18.71	<=34.77	Pass
		8	0	21.52	-1.72	17.65	<=34.77	Pass
			4	21.49	-1.72	17.62	<=34.77	Pass
			7	21.51	-1.72	17.64	<=34.77	Pass
		15	0	21.44	-1.72	17.57	<=34.77	Pass
	707.5	1	0	22.51	-1.72	18.64	<=34.77	Pass
			7	22.58	-1.72	18.71	<=34.77	Pass
			14	22.48	-1.72	18.61	<=34.77	Pass
		8	0	21.40	-1.72	17.53	<=34.77	Pass
			4	21.42	-1.72	17.55	<=34.77	Pass
			7	21.43	-1.72	17.56	<=34.77	Pass
		15	0	21.22	-1.72	17.35	<=34.77	Pass
	714.5	1	0	22.77	-1.72	18.90	<=34.77	Pass
			7	22.94	-1.72	19.07	<=34.77	Pass
			14	22.77	-1.72	18.90	<=34.77	Pass
		8	0	21.72	-1.72	17.85	<=34.77	Pass
			4	21.74	-1.72	17.87	<=34.77	Pass
			7	21.69	-1.72	17.82	<=34.77	Pass
		15	0	21.70	-1.72	17.83	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4.3 B12_5MHz_ERP

Band: 12 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	23.25	-1.72	19.38	<=34.77	Pass
			13	23.29	-1.72	19.42	<=34.77	Pass
			24	23.17	-1.72	19.30	<=34.77	Pass
		12	0	22.34	-1.72	18.47	<=34.77	Pass
			6	22.35	-1.72	18.48	<=34.77	Pass

16QAM	707.5	25	13	22.31	-1.72	18.44	<=34.77	Pass
			0	22.33	-1.72	18.46	<=34.77	Pass
	707.5	1	0	23.15	-1.72	19.28	<=34.77	Pass
			13	23.23	-1.72	19.36	<=34.77	Pass
			24	23.25	-1.72	19.38	<=34.77	Pass
		12	0	22.28	-1.72	18.41	<=34.77	Pass
			6	22.29	-1.72	18.42	<=34.77	Pass
			13	22.28	-1.72	18.41	<=34.77	Pass
	713.5	25	0	22.29	-1.72	18.42	<=34.77	Pass
			0	23.36	-1.72	19.49	<=34.77	Pass
			13	23.61	-1.72	19.74	<=34.77	Pass
		1	24	23.60	-1.72	19.73	<=34.77	Pass
			0	22.56	-1.72	18.69	<=34.77	Pass
			6	22.61	-1.72	18.74	<=34.77	Pass
		12	13	22.56	-1.72	18.69	<=34.77	Pass
			0	22.60	-1.72	18.73	<=34.77	Pass
			25	22.60	-1.72	18.73	<=34.77	Pass
	701.5	1	0	22.47	-1.72	18.60	<=34.77	Pass
			13	22.06	-1.72	18.19	<=34.77	Pass
			24	22.10	-1.72	18.23	<=34.77	Pass
		12	0	21.40	-1.72	17.53	<=34.77	Pass
			6	21.39	-1.72	17.52	<=34.77	Pass
			13	21.33	-1.72	17.46	<=34.77	Pass
		25	0	21.41	-1.72	17.54	<=34.77	Pass
			0	22.19	-1.72	18.32	<=34.77	Pass
			13	22.36	-1.72	18.49	<=34.77	Pass
	707.5	1	24	22.34	-1.72	18.47	<=34.77	Pass
			0	21.36	-1.72	17.49	<=34.77	Pass
			6	21.37	-1.72	17.50	<=34.77	Pass
		12	13	21.29	-1.72	17.42	<=34.77	Pass
			0	21.34	-1.72	17.47	<=34.77	Pass
			25	21.34	-1.72	17.47	<=34.77	Pass
	713.5	1	0	22.53	-1.72	18.66	<=34.77	Pass
			13	22.83	-1.72	18.96	<=34.77	Pass
			24	22.90	-1.72	19.03	<=34.77	Pass
		12	0	21.56	-1.72	17.69	<=34.77	Pass
			6	21.66	-1.72	17.79	<=34.77	Pass
			13	21.54	-1.72	17.67	<=34.77	Pass
		25	0	21.62	-1.72	17.75	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4.4 B12_10MHz_ERP

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	23.36	-1.72	19.49	<=34.77	Pass
			25	23.29	-1.72	19.42	<=34.77	Pass
			49	23.24	-1.72	19.37	<=34.77	Pass
		25	0	22.33	-1.72	18.46	<=34.77	Pass
			13	22.30	-1.72	18.43	<=34.77	Pass
			25	22.22	-1.72	18.35	<=34.77	Pass
		50	0	22.28	-1.72	18.41	<=34.77	Pass
			0	23.11	-1.72	19.24	<=34.77	Pass
			25	23.29	-1.72	19.42	<=34.77	Pass
	707.5	1	49	23.46	-1.72	19.59	<=34.77	Pass

16QAM	711	25	0	22.32	-1.72	18.45	<=34.77	Pass
			13	22.33	-1.72	18.46	<=34.77	Pass
			25	22.36	-1.72	18.49	<=34.77	Pass
		50	0	22.34	-1.72	18.47	<=34.77	Pass
			0	23.19	-1.72	19.32	<=34.77	Pass
			25	23.54	-1.72	19.67	<=34.77	Pass
		1	49	23.52	-1.72	19.65	<=34.77	Pass
			0	22.41	-1.72	18.54	<=34.77	Pass
			13	22.52	-1.72	18.65	<=34.77	Pass
			25	22.42	-1.72	18.55	<=34.77	Pass
		25	0	22.46	-1.72	18.59	<=34.77	Pass
			0	22.70	-1.72	18.83	<=34.77	Pass
			25	22.63	-1.72	18.76	<=34.77	Pass
	704	1	49	22.47	-1.72	18.60	<=34.77	Pass
			0	21.37	-1.72	17.50	<=34.77	Pass
			25	21.35	-1.72	17.48	<=34.77	Pass
		25	25	21.22	-1.72	17.35	<=34.77	Pass
			0	21.32	-1.72	17.45	<=34.77	Pass
		50	0	22.44	-1.72	18.57	<=34.77	Pass
			25	22.69	-1.72	18.82	<=34.77	Pass
			49	22.63	-1.72	18.76	<=34.77	Pass
		1	0	21.37	-1.72	17.50	<=34.77	Pass
			13	21.25	-1.72	17.38	<=34.77	Pass
			25	21.39	-1.72	17.52	<=34.77	Pass
	707.5	25	25	21.36	-1.72	17.49	<=34.77	Pass
			0	22.09	-1.72	18.22	<=34.77	Pass
			25	22.65	-1.72	18.78	<=34.77	Pass
		1	49	22.74	-1.72	18.87	<=34.77	Pass
			0	21.16	-1.72	17.29	<=34.77	Pass
			13	21.50	-1.72	17.63	<=34.77	Pass
		25	25	21.40	-1.72	17.53	<=34.77	Pass
			0	21.47	-1.72	17.60	<=34.77	Pass
			0	21.47	-1.72	17.60	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.5.1 B13_5MHz_ERP

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	22.95	-0.54	20.26	<=34.77	Pass
			13	23.08	-0.54	20.39	<=34.77	Pass
			24	22.78	-0.54	20.09	<=34.77	Pass
		12	0	22.02	-0.54	19.33	<=34.77	Pass
			6	22.08	-0.54	19.39	<=34.77	Pass
			13	22.03	-0.54	19.34	<=34.77	Pass
		25	0	22.05	-0.54	19.36	<=34.77	Pass
	782	1	0	22.87	-0.54	20.18	<=34.77	Pass
			13	22.91	-0.54	20.22	<=34.77	Pass
			24	22.70	-0.54	20.01	<=34.77	Pass
		12	0	21.83	-0.54	19.14	<=34.77	Pass
			6	21.95	-0.54	19.26	<=34.77	Pass
			13	21.93	-0.54	19.24	<=34.77	Pass
		25	0	21.90	-0.54	19.21	<=34.77	Pass
	784.5	1	0	22.79	-0.54	20.10	<=34.77	Pass
			13	22.91	-0.54	20.22	<=34.77	Pass
			24	22.78	-0.54	20.09	<=34.77	Pass
		12	0	21.89	-0.54	19.20	<=34.77	Pass
			6	21.98	-0.54	19.29	<=34.77	Pass
			13	21.86	-0.54	19.17	<=34.77	Pass
		25	0	21.89	-0.54	19.20	<=34.77	Pass
16QAM	779.5	1	0	21.81	-0.54	19.12	<=34.77	Pass
			13	22.32	-0.54	19.63	<=34.77	Pass
			24	21.84	-0.54	19.15	<=34.77	Pass
		12	0	21.00	-0.54	18.31	<=34.77	Pass
			6	21.08	-0.54	18.39	<=34.77	Pass
			13	21.08	-0.54	18.39	<=34.77	Pass
		25	0	21.08	-0.54	18.39	<=34.77	Pass
	782	1	0	21.67	-0.54	18.98	<=34.77	Pass
			13	22.17	-0.54	19.48	<=34.77	Pass
			24	21.81	-0.54	19.12	<=34.77	Pass
		12	0	20.86	-0.54	18.17	<=34.77	Pass
			6	20.95	-0.54	18.26	<=34.77	Pass
			13	20.95	-0.54	18.26	<=34.77	Pass
		25	0	20.85	-0.54	18.16	<=34.77	Pass
	784.5	1	0	21.98	-0.54	19.29	<=34.77	Pass
			13	22.14	-0.54	19.45	<=34.77	Pass
			24	21.75	-0.54	19.06	<=34.77	Pass
		12	0	20.87	-0.54	18.18	<=34.77	Pass
			6	20.96	-0.54	18.27	<=34.77	Pass
			13	20.85	-0.54	18.16	<=34.77	Pass
		25	0	20.93	-0.54	18.24	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.5.2 B13_10MHz_ERP

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	782	1	0	23.01	-0.54	20.32	<=34.77	Pass
			25	22.78	-0.54	20.09	<=34.77	Pass
			49	22.86	-0.54	20.17	<=34.77	Pass
		25	0	21.89	-0.54	19.20	<=34.77	Pass
			13	21.92	-0.54	19.23	<=34.77	Pass
			25	21.93	-0.54	19.24	<=34.77	Pass
		50	0	21.93	-0.54	19.24	<=34.77	Pass
16QAM	782	1	0	22.12	-0.54	19.43	<=34.77	Pass
			25	22.24	-0.54	19.55	<=34.77	Pass
			49	21.99	-0.54	19.30	<=34.77	Pass
		25	0	20.91	-0.54	18.22	<=34.77	Pass
			13	20.94	-0.54	18.25	<=34.77	Pass
			25	20.92	-0.54	18.23	<=34.77	Pass
		50	0	20.92	-0.54	18.23	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.6.1 B17_5MHz_ERP

Band: 17 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	706.5	1	0	22.97	-1.72	19.10	<=34.77	Pass
			13	23.18	-1.72	19.31	<=34.77	Pass
			24	23.07	-1.72	19.20	<=34.77	Pass
		12	0	22.13	-1.72	18.26	<=34.77	Pass
			6	22.24	-1.72	18.37	<=34.77	Pass
			13	22.16	-1.72	18.29	<=34.77	Pass
		25	0	22.13	-1.72	18.26	<=34.77	Pass
	710	1	0	23.06	-1.72	19.19	<=34.77	Pass
			13	23.19	-1.72	19.32	<=34.77	Pass
			24	23.02	-1.72	19.15	<=34.77	Pass
		12	0	22.09	-1.72	18.22	<=34.77	Pass
			6	22.17	-1.72	18.30	<=34.77	Pass
			13	22.03	-1.72	18.16	<=34.77	Pass
		25	0	22.15	-1.72	18.28	<=34.77	Pass
	713.5	1	0	23.06	-1.72	19.19	<=34.77	Pass
			13	23.10	-1.72	19.23	<=34.77	Pass
			24	22.96	-1.72	19.09	<=34.77	Pass
		12	0	22.18	-1.72	18.31	<=34.77	Pass
			6	22.22	-1.72	18.35	<=34.77	Pass
			13	22.02	-1.72	18.15	<=34.77	Pass
		25	0	22.15	-1.72	18.28	<=34.77	Pass
16QAM	706.5	1	0	22.30	-1.72	18.43	<=34.77	Pass
			13	22.27	-1.72	18.40	<=34.77	Pass
			24	22.29	-1.72	18.42	<=34.77	Pass
		12	0	21.20	-1.72	17.33	<=34.77	Pass
			6	21.28	-1.72	17.41	<=34.77	Pass
			13	21.23	-1.72	17.36	<=34.77	Pass
		25	0	21.23	-1.72	17.36	<=34.77	Pass
	710	1	0	22.34	-1.72	18.47	<=34.77	Pass
			13	22.57	-1.72	18.70	<=34.77	Pass
			24	22.25	-1.72	18.38	<=34.77	Pass
		12	0	21.18	-1.72	17.31	<=34.77	Pass
			6	21.23	-1.72	17.36	<=34.77	Pass
			13	21.13	-1.72	17.26	<=34.77	Pass
		25	0	21.25	-1.72	17.38	<=34.77	Pass
	713.5	1	0	22.42	-1.72	18.55	<=34.77	Pass
			13	22.35	-1.72	18.48	<=34.77	Pass
			24	22.10	-1.72	18.23	<=34.77	Pass
		12	0	21.28	-1.72	17.41	<=34.77	Pass
			6	21.18	-1.72	17.31	<=34.77	Pass
			13	21.06	-1.72	17.19	<=34.77	Pass
		25	0	21.21	-1.72	17.34	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.6.2 B17_10MHz_ERP

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	709	1	0	23.09	-1.72	19.22	<=34.77	Pass
			25	23.30	-1.72	19.43	<=34.77	Pass
			49	23.07	-1.72	19.20	<=34.77	Pass
		25	0	22.24	-1.72	18.37	<=34.77	Pass
			13	22.21	-1.72	18.34	<=34.77	Pass
			25	22.14	-1.72	18.27	<=34.77	Pass
		50	0	22.23	-1.72	18.36	<=34.77	Pass
		25	23.27	-1.72	19.40	<=34.77	Pass	
		49	23.07	-1.72	19.20	<=34.77	Pass	
	25	0	22.25	-1.72	18.38	<=34.77	Pass	
		13	22.24	-1.72	18.37	<=34.77	Pass	
		25	22.11	-1.72	18.24	<=34.77	Pass	
	50	0	22.23	-1.72	18.36	<=34.77	Pass	
	25	23.24	-1.72	19.37	<=34.77	Pass		
	49	23.10	-1.72	19.23	<=34.77	Pass		
	25	0	22.29	-1.72	18.42	<=34.77	Pass	
		13	22.24	-1.72	18.37	<=34.77	Pass	
		25	22.05	-1.72	18.18	<=34.77	Pass	
50	0	22.17	-1.72	18.30	<=34.77	Pass		
16QAM	709	1	0	22.27	-1.72	18.40	<=34.77	Pass
			25	22.54	-1.72	18.67	<=34.77	Pass
			49	22.23	-1.72	18.36	<=34.77	Pass
		25	0	21.22	-1.72	17.35	<=34.77	Pass
			13	21.30	-1.72	17.43	<=34.77	Pass
			25	21.21	-1.72	17.34	<=34.77	Pass
		50	0	21.32	-1.72	17.45	<=34.77	Pass
		25	22.42	-1.72	18.55	<=34.77	Pass	
		49	22.31	-1.72	18.44	<=34.77	Pass	
	25	0	21.21	-1.72	17.34	<=34.77	Pass	
		13	21.32	-1.72	17.45	<=34.77	Pass	
		25	21.19	-1.72	17.32	<=34.77	Pass	
	50	0	21.30	-1.72	17.43	<=34.77	Pass	
	25	22.44	-1.72	18.57	<=34.77	Pass		
	49	22.21	-1.72	18.34	<=34.77	Pass		
	25	0	21.22	-1.72	17.35	<=34.77	Pass	
		13	21.34	-1.72	17.47	<=34.77	Pass	
		25	21.12	-1.72	17.25	<=34.77	Pass	
50	0	21.23	-1.72	17.36	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15								

---End of the Appendix---