




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,139.750	42.82	54.00	11.18	43.80	V	4.5	1.00
2	5,150.000	42.70	54.00	11.30	43.83	V	4.5	1.00
2	5,244.400	87.67			43.72	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.

**802.11ac (20MHz)**

CHANNEL	TX Channel 36	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,127.100	58.06	74.00	15.94	43.77	H	178.8	1.00
1	5,150.000	57.75	74.00	16.25	43.83	H	318.7	1.00
1	5,186.050	95.59			43.99	H	318.7	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,137.450	42.82	54.00	11.18	43.80	H	1	1.00
1	5,150.000	42.71	54.00	11.29	43.83	H	223	2.00
1	5,185.600	85.09			43.99	H	323.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,128.900	58.28	74.00	15.72	43.78	V	6.6	2.00
1	5,150.000	56.60	74.00	17.40	43.83	V	86.8	2.00
1	5,186.050	100.38			43.99	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.350	42.86	54.00	11.14	43.82	V	5.8	1.00
1	5,150.000	42.85	54.00	11.15	43.83	V	5.8	1.00
1	5,185.600	89.58			43.99	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5180MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,137.300	42.85	54.00	11.15	43.80	H	1	1.00
2	5,150.000	42.69	54.00	11.31	43.83	H	257.7	1.00
2	5,205.400	83.78			43.99	H	346.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,116.900	57.80	74.00	16.20	43.75	V	223	1.00
2	5,150.000	57.11	74.00	16.89	43.83	V	318.7	2.00
2	5,206.600	99.78			43.98	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,138.500	42.84	54.00	11.16	43.80	V	1	1.00
2	5,150.000	42.79	54.00	11.21	43.83	V	5	1.00
2	5,205.400	88.81			43.99	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5200MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,144.125	42.88	54.00	11.12	43.82	H	177.6	1.00
3	5,150.000	42.73	54.00	11.27	43.83	H	1	1.00
3	5,234.500	82.68			43.79	H	351.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,147.125	57.89	74.00	16.11	43.82	V	312.7	1.00
3	5,150.000	56.88	74.00	17.12	43.83	V	355.6	2.00
3	5,245.000	99.71			43.72	V	1	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,138.125	42.86	54.00	11.14	43.80	V	1	1.00
3	5,150.000	42.70	54.00	11.30	43.83	V	1	1.00
3	5,245.375	89.27			43.71	V	1	1.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5240MHz: Fundamental frequency.




802.11ac (40MHz)

CHANNEL	TX Channel 38	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.000	58.59	74.00	15.41	43.82	H	358.9	1.00
1	5,150.000	57.12	74.00	16.88	43.83	H	352.6	1.00
1	5,187.500	90.38			44.00	H	316.3	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	43.22	54.00	10.78	43.83	H	226.7	2.00
1	5,150.000	43.19	54.00	10.81	43.83	H	226.7	2.00
1	5,188.500	79.90			44.00	H	316.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,141.500	58.29	74.00	15.71	43.81	V	60.5	2.00
1	5,150.000	59.39	74.00	14.61	43.83	V	6.5	1.00
1	5,205.500	95.40			43.99	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	44.30	54.00	9.70	43.83	V	5.1	1.00
1	5,150.000	44.39	54.00	9.61	43.83	V	5.1	1.00
1	5,204.500	84.98			43.99	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5190MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,139.050	42.89	54.00	11.11	43.80	H	1	1.00
2	5,150.000	42.72	54.00	11.28	43.83	H	271.9	1.00
2	5,216.050	83.31			43.91	H	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,127.500	57.82	74.00	16.18	43.77	V	270.8	1.00
2	5,150.000	56.24	74.00	17.76	43.83	V	270.8	1.00
2	5,241.950	97.73			43.74	V	316.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,142.550	42.93	54.00	11.07	43.81	V	181.2	1.00
2	5,150.000	42.75	54.00	11.25	43.83	V	317.5	1.00
2	5,244.750	87.67			43.72	V	134.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.

**802.11ac (80MHz)**

CHANNEL	TX Channel 42	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,129.550	59.58	74.00	14.42	43.78	H	42.6	2.00
10	5,150.000	59.05	74.00	14.95	43.83	H	42.6	2.00
10	5,200.950	94.22			44.02	H	272	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,145.275	44.92	54.00	9.08	43.82	H	5	1.00
10	5,150.000	44.90	54.00	9.10	43.83	H	5	1.00
10	5,201.375	83.19			44.01	H	271.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,148.250	59.92	74.00	14.08	43.83	V	180.1	1.00
10	5,150.000	57.63	74.00	16.37	43.83	V	88.1	2.00
10	5,237.500	91.57			43.77	V	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,145.275	44.41	54.00	9.59	43.82	V	180	1.00
10	5,150.000	44.21	54.00	9.79	43.83	V	180	1.00
10	5,237.500	80.56			43.77	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.




Band 2

802.11a

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,264.600	99.43			43.61	H	178.9	1.00
4	5,350.000	58.25	74.00	15.75	43.55	H	0.9	2.00
4	5,357.700	59.73	74.00	14.27	43.55	H	1.1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,265.550	88.68			43.61	H	177.7	1.00
4	5,350.000	44.31	54.00	9.69	43.55	H	359	2.00
4	5,352.475	44.25	54.00	9.75	43.55	H	132.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,264.600	104.16			43.61	V	359.1	1.00
4	5,350.000	58.10	74.00	15.90	43.55	V	42.6	2.00
4	5,372.425	59.64	74.00	14.36	43.55	V	41.3	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,266.025	93.53			43.61	V	358.9	1.00
4	5,350.000	44.30	54.00	9.70	43.55	V	1	1.00
4	5,351.525	44.31	54.00	9.69	43.55	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,305.400	88.14			43.46	H	175.3	1.00
5	5,350.000	44.24	54.00	9.76	43.55	H	4.5	1.00
5	5,350.400	44.31	54.00	9.69	43.55	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,294.600	104.00			43.47	V	1	1.00
5	5,350.000	59.52	74.00	14.48	43.55	V	1	1.00
5	5,357.000	59.67	74.00	14.33	43.55	V	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,294.000	93.38			43.47	V	1	1.00
5	5,350.000	44.40	54.00	9.60	43.55	V	1	1.00
5	5,350.400	44.38	54.00	9.62	43.55	V	359	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.