







ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,314.400	85.26			43.48	H	182.4	1.00
6	5,350.000	44.17	54.00	9.83	43.55	H	4.6	2.00
6	5,350.800	44.15	54.00	9.85	43.55	H	182.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,314.400	100.90			43.48	V	355.4	1.00
6	5,350.000	58.36	74.00	15.64	43.55	V	359.1	1.00
6	5,363.600	59.36	74.00	14.64	43.55	V	182.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,314.400	90.49			43.48	V	355	1.00
6	5,350.000	44.25	54.00	9.75	43.55	V	1	1.00
6	5,350.400	44.29	54.00	9.71	43.55	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.

**802.11ac (40MHz)**

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.133	96.06			43.60	H	5.1	1.00
3	5,350.000	58.14	74.00	15.86	43.55	H	272	1.00
3	5,454.500	59.44	74.00	14.56	44.13	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.233	85.15			43.60	H	5.2	1.00
3	5,350.000	44.21	54.00	9.79	43.55	H	135.8	2.00
3	5,350.367	44.30	54.00	9.70	43.55	H	180.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	98.54			43.60	V	355.3	1.00
3	5,350.000	58.44	74.00	15.56	43.55	V	181.3	2.00
3	5,439.100	59.22	74.00	14.78	43.96	V	323.5	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,271.533	88.76			43.58	V	181.2	1.00
3	5,350.000	44.28	54.00	9.72	43.55	V	135.8	1.00
3	5,350.367	44.37	54.00	9.63	43.55	V	359.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5270MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,323.000	84.67			43.50	H	4.5	1.00
4	5,350.000	44.55	54.00	9.45	43.55	H	272	1.00
4	5,350.500	44.53	54.00	9.47	43.55	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,297.000	99.11			43.46	V	180	1.00
4	5,350.000	59.03	74.00	14.97	43.55	V	359	1.00
4	5,351.500	60.32	74.00	13.68	43.55	V	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,295.000	88.24			43.47	V	181.3	1.00
4	5,350.000	44.72	54.00	9.28	43.55	V	134.6	1.00
4	5,350.500	44.72	54.00	9.28	43.55	V	134.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.

**802.11ac (80MHz)**

CHANNEL	TX Channel 58	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,317.000	96.45			43.49	H	5	1.00
1	5,350.000	60.04	74.00	13.96	43.55	H	272	1.00
1	5,351.833	59.73	74.00	14.27	43.55	H	39	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,317.367	85.48			43.49	H	4.5	1.00
1	5,350.000	45.03	54.00	8.97	43.55	H	4.5	1.00
1	5,351.467	45.06	54.00	8.94	43.55	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,317.000	92.39			43.49	V	359	1.00
1	5,350.000	58.36	74.00	15.64	43.55	V	4.5	1.00
1	5,452.300	59.38	74.00	14.62	44.11	V	180.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,271.900	82.24			43.58	V	1	1.00
1	5,350.000	44.60	54.00	9.40	43.55	V	359.1	1.00
1	5,352.933	44.65	54.00	9.35	43.55	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




Band 3

802.11a

CHANNEL	TX Channel 100	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,453.850	59.08	74.00	14.92	44.13	H	227.9	2.00
7	5,460.000	57.93	74.00	16.07	44.19	H	40.2	1.00
7	5,493.900	103.76			44.58	H	221.8	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,455.200	44.17	54.00	9.83	44.14	H	5.2	1.00
7	5,460.000	44.12	54.00	9.88	44.19	H	175.3	1.00
7	5,506.050	92.90			44.71	H	220.7	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	60.04	74.00	13.96	44.19	V	351.3	1.00
7	5,460.000	61.05	74.00	12.95	44.19	V	351.3	1.00
7	5,493.900	108.54			44.58	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.700	44.59	54.00	9.41	44.19	V	359	1.00
7	5,460.000	44.57	54.00	9.43	44.19	V	1	1.00
7	5,495.250	97.82			44.59	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,454.650	44.14	54.00	9.86	44.14	H	5.1	1.00
8	5,460.000	43.97	54.00	10.03	44.18	H	315.1	1.00
8	5,574.925	93.04			44.47	H	223	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,455.500	59.19	74.00	14.81	44.15	V	131	2.00
8	5,460.000	58.08	74.00	15.92	44.18	V	359	1.00
8	5,573.650	108.79			44.47	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,454.225	44.20	54.00	9.80	44.13	V	1	1.00
8	5,460.000	44.07	54.00	9.93	44.19	V	1	1.00
8	5,573.650	98.16			44.47	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,705.150	106.70			44.48	V	5.8	1.00
10	5,725.000	58.70	68.20	9.50	44.48	V	359	1.00
10	5,726.925	60.15	68.20	8.05	44.48	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.500	106.49			44.48	V	181.3	1.00
9	5,850.000	58.27	68.20	9.93	44.73	V	133.4	1.00
9	5,869.000	59.06	68.20	9.14	44.66	V	151.4	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,454.300	44.35	54.00	9.65	44.13	H	41.4	1.00
7	5,460.000	44.35	54.00	9.65	44.19	H	178.9	1.00
7	5,494.350	93.71			44.58	H	178.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	64.01	74.00	9.99	44.18	V	359.1	1.00
7	5,460.000	63.04	74.00	10.96	44.19	V	350	1.00
7	5,494.800	109.23			44.59	V	350	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	44.91	54.00	9.09	44.19	V	357.8	1.00
7	5,460.000	44.92	54.00	9.08	44.19	V	359	1.00
7	5,494.350	98.79			44.58	V	338.5	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.

