




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,455.075	44.09	54.00	9.91	44.14	H	1	1.00
8	5,460.000	43.88	54.00	10.12	44.19	H	359.1	1.00
8	5,585.550	92.13			44.43	H	5	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,435.525	58.49	74.00	15.51	43.92	V	85.7	2.00
8	5,460.000	57.96	74.00	16.04	44.19	V	1	1.00
8	5,574.930	109.14			44.47	V	359.1	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,453.375	44.16	54.00	9.84	44.12	V	321.1	1.00
8	5,460.000	44.03	54.00	9.97	44.19	V	1	1.00
8	5,574.500	98.24			44.47	V	359.1	1.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,706.130	104.82			44.48	H	186	1.00
10	5,725.000	59.55	68.20	8.65	44.48	H	232.7	1.00
10	5,726.600	59.60	68.20	8.60	44.48	H	186	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,706.450	107.25			44.48	V	357.6	1.00
10	5,725.000	63.81	68.20	4.39	44.48	V	359.1	1.00
10	5,725.300	63.81	68.20	4.39	44.48	V	359.1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,714.500	106.87			44.48	V	354.6	1.00
9	5,850.000	58.08	68.20	10.12	44.73	V	177.7	2.00
9	5,879.000	59.70	68.20	8.50	44.63	V	37.8	2.00

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11n (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.500	62.70	74.00	11.30	44.18	H	183.6	1.00
5	5,460.000	61.50	74.00	12.50	44.20	H	41.4	1.00
5	5,525.500	98.73			44.69	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	46.19	54.00	7.81	44.19	H	187.1	1.00
5	5,460.000	46.40	54.00	7.60	44.20	H	187.1	1.00
5	5,524.500	88.09			44.69	H	5.7	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.500	62.70	74.00	11.30	44.18	H	183.6	1.00
5	5,460.000	61.50	74.00	12.50	44.20	H	41.4	1.00
5	5,525.500	98.73			44.69	H	5.1	1.00






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	46.19	54.00	7.81	44.19	H	187.1	1.00
5	5,460.000	46.40	54.00	7.60	44.20	H	187.1	1.00
5	5,524.500	88.09			44.69	H	5.7	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,453.200	44.05	54.00	9.95	44.12	H	226.7	2.00
6	5,460.000	43.91	54.00	10.09	44.19	H	177.7	1.00
6	5,535.488	89.56			44.63	H	177.7	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,457.188	58.91	74.00	15.09	44.16	V	359.1	1.00
6	5,460.000	58.17	74.00	15.83	44.19	V	43.8	1.00
6	5,536.940	105.48			44.62	V	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,455.013	44.17	54.00	9.83	44.14	V	359.1	1.00
6	5,460.000	44.06	54.00	9.94	44.19	V	1	1.00
6	5,536.213	94.88			44.63	V	359.1	1.00




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,453.200	44.05	54.00	9.95	44.12	H	226.7	2.00
6	5,460.000	43.91	54.00	10.09	44.19	H	177.7	1.00
6	5,535.488	89.56			44.63	H	177.7	1.00


**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,707.500	103.62			44.48	V	351.8	1.00
9	5,850.000	58.39	68.20	9.81	44.73	V	274.5	2.00
9	5,868.833	59.12	68.20	9.08	44.66	V	0.9	2.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11ac (20MHz)

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,443.950	59.17	74.00	14.83	44.02	H	47.4	1.00
7	5,460.000	57.99	74.00	16.01	44.19	H	176.6	2.00
7	5,505.150	100.57			44.70	H	8.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,453.850	44.05	54.00	9.95	44.13	H	1	1.00
7	5,460.000	43.85	54.00	10.15	44.19	H	82	2.00
7	5,505.600	90.32			44.71	H	156.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	59.67	74.00	14.33	44.18	V	5	1.00
7	5,460.000	58.57	74.00	15.43	44.19	V	355.5	2.00
7	5,494.800	106.60			44.59	V	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,453.850	44.25	54.00	9.75	44.13	V	1	1.00
7	5,460.000	44.09	54.00	9.91	44.19	V	359	1.00
7	5,494.800	95.84			44.59	V	359	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,454.225	44.08	54.00	9.92	44.13	H	1	1.00
8	5,460.000	43.93	54.00	10.07	44.19	H	1	1.00
8	5,585.550	90.27			44.43	H	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,431.700	58.87	74.00	15.13	43.88	V	281.6	1.00
8	5,460.000	57.76	74.00	16.24	44.18	V	267.3	2.00
8	5,574.930	106.63			44.47	V	329.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,454.225	44.13	54.00	9.87	44.13	V	1	1.00
8	5,460.000	43.99	54.00	10.01	44.19	V	1	1.00
8	5,574.500	95.99			44.47	V	328.2	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,706.450	105.17			44.48	V	355	1.00
10	5,725.000	58.68	68.20	9.52	44.48	V	359.1	1.00
10	5,749.025	58.76	68.20	9.44	44.51	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,714.500	104.79			44.48	V	352.2	1.00
9	5,850.000	58.21	68.20	9.99	44.73	V	318.7	2.00
9	5,886.000	59.99	68.20	8.21	44.60	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.

**802.11ac (40MHz)**

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,456.000	61.56	74.00	12.44	44.15	H	10.8	1.00
5	5,460.000	59.98	74.00	14.02	44.20	H	39	2.00
5	5,494.500	97.59			44.58	H	39	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	44.50	54.00	9.50	44.19	H	5.7	1.00
5	5,460.000	44.52	54.00	9.48	44.20	H	5.7	1.00
5	5,496.000	88.67			44.60	H	5.7	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,454.500	61.16	74.00	12.84	44.13	V	182.5	1.00
5	5,460.000	59.99	74.00	14.01	44.20	V	359	1.00
5	5,497.000	102.19			44.61	V	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	44.49	54.00	9.51	44.19	V	186	1.00
5	5,460.000	44.66	54.00	9.34	44.20	V	139.4	1.00
5	5,496.000	90.47			44.60	V	139.4	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,452.838	44.14	54.00	9.86	44.12	H	359.1	1.00
6	5,460.000	43.94	54.00	10.06	44.19	H	177.8	2.00
6	5,563.400	88.64			44.51	H	42.5	1.00

