









Mode	7																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																											
ANT	SISO																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>56.37</td><td>34.67</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	41.31	74.00	-32.69	56.37	34.67	7.75	57.48	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>57.83</td><td>34.67</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.77	74.00	-31.23	57.83	34.67	7.75	57.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	41.31	74.00	-32.69	56.37	34.67	7.75	57.48	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	42.77	74.00	-31.23	57.83	34.67	7.75	57.48	--	--	Peak																																																																																	







Mode	8	
	Harmonic	
	2400-2483.5_802.11n_HT20_CH06_2437MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Date: 2023-08-28 1 4874.00 41.68 74.00 -32.32 57.06 34.37 7.77 57.52 -- -- Peak 2 7311.00 55.61 74.00 -18.39 69.55 36.05 8.93 58.92 205 139 Peak 3 7311.00 49.00 54.00 -5.00 62.94 36.05 8.93 58.92 205 139 Average	Level (dBuV/m) Date: 2023-08-28 1 4874.00 41.78 74.00 -32.22 57.16 34.37 7.77 57.52 -- -- Peak 2 7311.00 48.27 74.00 -25.73 62.21 36.05 8.93 58.92 -- -- Peak





Mode	9																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>68.25</td><td>74.00</td><td>-5.75</td><td>64.48</td><td>32.46</td><td>4.92</td><td>33.61</td><td>349</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	68.25	74.00	-5.75	64.48	32.46	4.92	33.61	349	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.93</td><td>-----</td><td>-----</td><td>103.26</td><td>32.40</td><td>4.89</td><td>33.62</td><td>349</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.55	68.25	74.00	-5.75	64.48	32.46	4.92	33.61	349	331	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	106.93	-----	-----	103.26	32.40	4.89	33.62	349	331	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>46.94</td><td>32.46</td><td>4.92</td><td>33.61</td><td>349</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	50.71	54.00	-3.29	46.94	32.46	4.92	33.61	349	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.97</td><td>-----</td><td>-----</td><td>96.29</td><td>32.41</td><td>4.89</td><td>33.62</td><td>349</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	99.97	-----	-----	96.29	32.41	4.89	33.62	349	331
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.70	50.71	54.00	-3.29	46.94	32.46	4.92	33.61	349	331	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	99.97	-----	-----	96.29	32.41	4.89	33.62	349	331	AVERAGE																																																																																



		9																																																																																		
Mode		Band Edge																																																																																		
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																		
ANT		SISO																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.81	64.62	74.00	-9.38	60.85	32.46	4.92	33.61	309	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.99</td><td>-----</td><td>-----</td><td>100.31</td><td>32.41</td><td>4.89</td><td>33.62</td><td>309</td><td>296</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.99	-----	-----	100.31	32.41	4.89	33.62	309	296
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2483.81	64.62	74.00	-9.38	60.85	32.46	4.92	33.61	309	296	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2462.00	103.99	-----	-----	100.31	32.41	4.89	33.62	309	296	PEAK																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	48.24	54.00	-5.76	44.47	32.46	4.92	33.61	309	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.22</td><td>-----</td><td>-----</td><td>93.55</td><td>32.40</td><td>4.89</td><td>33.62</td><td>309</td><td>296</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	97.22	-----	-----	93.55	32.40	4.89	33.62	309	296
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2483.58	48.24	54.00	-5.76	44.47	32.46	4.92	33.61	309	296	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2462.00	97.22	-----	-----	93.55	32.40	4.89	33.62	309	296	AVERAGE																																																																									



Mode	9																																																																										
	Harmonic																																																																										
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																										
ANT	SISO																																																																										
Pol.	Horizontal						Vertical																																																																				
Peak Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>59.05</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>64.80</td><td>35.99</td><td>9.17</td><td>58.95</td><td>155</td><td>244</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>56.27</td><td>35.99</td><td>9.17</td><td>58.95</td><td>155</td><td>244</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	43.63	74.00	-30.37	59.05	34.34	7.79	57.55	--	Peak	2	7386.00	51.01	74.00	-22.99	64.80	35.99	9.17	58.95	155	244	Peak	3	7386.00	42.48	54.00	-11.52	56.27	35.99	9.17	58.95	155	244	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	4924.00	43.63	74.00	-30.37	59.05	34.34	7.79	57.55	--	Peak																																																																	
2	7386.00	51.01	74.00	-22.99	64.80	35.99	9.17	58.95	155	244	Peak																																																																
3	7386.00	42.48	54.00	-11.52	56.27	35.99	9.17	58.95	155	244	Average																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>57.40</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>61.26</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	41.98	74.00	-32.02	57.40	34.34	7.79	57.55	--	Peak	2	7386.00	47.47	74.00	-26.53	61.26	35.99	9.17	58.95	--	Peak														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	4924.00	41.98	74.00	-32.02	57.40	34.34	7.79	57.55	--	Peak																																																																	
2	7386.00	47.47	74.00	-26.53	61.26	35.99	9.17	58.95	--	Peak																																																																	



10


LF

2400-2483.5_802.11n HT20_CH11_2462MHz


SISO

Horizontal

Vertical







	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	32.91	18.77	-21.23	40.00	34.04	18.23	1.26	34.76	---	Peak
2	171.62	25.74	-17.76	43.50	40.30	17.69	2.45	34.70	---	Peak
3	290.93	28.46	-17.54	46.00	41.06	18.85	3.17	34.62	---	Peak
4	453.89	30.38	-15.62	46.00	38.62	22.80	3.46	34.50	---	Peak
5	692.51	27.05	-18.95	46.00	30.76	26.97	3.73	34.41	---	Peak
6	872.93	29.33	-16.67	46.00	30.51	28.72	4.40	34.30	---	Peak







	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	32.91	32.11	-7.89	40.00	47.38	18.23	1.26	34.76	---	Peak
2	173.56	29.10	-14.40	43.50	43.77	17.57	2.46	34.70	---	Peak
3	293.84	24.92	-21.08	46.00	37.40	18.94	3.19	34.61	---	Peak
4	451.95	24.88	-21.12	46.00	33.14	22.77	3.47	34.50	---	Peak
5	710.94	26.64	-19.36	46.00	30.09	27.21	3.74	34.40	---	Peak
6	940.83	29.77	-16.23	46.00	30.02	29.56	4.49	34.30	---	Peak





		11																																																																																									
Mode		Band Edge																																																																																									
		Co-colation_802.11n HT20_CH11_2462MHz & LTE Band 13																																																																																									
ANT		SISO																																																																																									
Pol.		Horizontal										Fundamental																																																																															
Peak																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>67.18</td><td>74.00</td><td>-6.82</td><td>63.41</td><td>32.46</td><td>4.92</td><td>33.61</td><td>300</td><td>328</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.66	67.18	74.00	-6.82	63.41	32.46	4.92	33.61	300	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.32</td><td>-----</td><td>-----</td><td>101.65</td><td>32.40</td><td>4.89</td><td>33.62</td><td>300</td><td>328</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	105.32	-----	-----	101.65	32.40	4.89	33.62	300	328
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.66	67.18	74.00	-6.82	63.41	32.46	4.92	33.61	300	328	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	105.32	-----	-----	101.65	32.40	4.89	33.62	300	328	PEAK																																																																																
Avg																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>46.21</td><td>32.46</td><td>4.92</td><td>33.61</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.77	49.98	54.00	-4.02	46.21	32.46	4.92	33.61	300	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.01</td><td>-----</td><td>-----</td><td>94.34</td><td>32.40</td><td>4.89</td><td>33.62</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	98.01	-----	-----	94.34	32.40	4.89	33.62	300	328
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.77	49.98	54.00	-4.02	46.21	32.46	4.92	33.61	300	328	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	98.01	-----	-----	94.34	32.40	4.89	33.62	300	328	AVERAGE																																																																																



Mode	11																																																																																									
	Band Edge																																																																																									
	Co-colation_802.11n HT20_CH11_2462MHz & LTE Band 13																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>65.83</td><td>74.00</td><td>-8.17</td><td>62.06</td><td>32.46</td><td>4.92</td><td>33.61</td><td>300</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	65.83	74.00	-8.17	62.06	32.46	4.92	33.61	300	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.52</td><td>-----</td><td>-----</td><td>99.85</td><td>32.40</td><td>4.89</td><td>33.62</td><td>300</td><td>298</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.52	-----	-----	99.85	32.40	4.89	33.62	300	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.58	65.83	74.00	-8.17	62.06	32.46	4.92	33.61	300	298	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	103.52	-----	-----	99.85	32.40	4.89	33.62	300	298	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>44.96</td><td>32.46</td><td>4.92</td><td>33.61</td><td>300</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	48.73	54.00	-5.27	44.96	32.46	4.92	33.61	300	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.70</td><td>-----</td><td>-----</td><td>93.03</td><td>32.40</td><td>4.89</td><td>33.62</td><td>300</td><td>298</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	96.70	-----	-----	93.03	32.40	4.89	33.62	300	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.58	48.73	54.00	-5.27	44.96	32.46	4.92	33.61	300	298	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	96.70	-----	-----	93.03	32.40	4.89	33.62	300	298	AVERAGE																																																																															




Mode	11																																																																												
	Harmonic																																																																												
	Co-colation_802.11n HT20_CH11_2462MHz & LTE Band 13																																																																												
ANT	SISO																																																																												
Pol.	Horizontal																																																																												
Peak Avg	Date: 2023-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>58.21</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>67.91</td><td>35.99</td><td>9.17</td><td>58.95</td><td>214</td><td>147</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>46.01</td><td>54.00</td><td>-7.99</td><td>59.80</td><td>35.99</td><td>9.17</td><td>58.95</td><td>214</td><td>147</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	42.79	74.00	-31.21	58.21	34.34	7.79	57.55	--	--	Peak	2	7386.00	54.12	74.00	-19.88	67.91	35.99	9.17	58.95	214	147	Peak	3	7386.00	46.01	54.00	-7.99	59.80	35.99	9.17	58.95	214	147	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	4924.00	42.79	74.00	-31.21	58.21	34.34	7.79	57.55	--	--	Peak																																																																		
2	7386.00	54.12	74.00	-19.88	67.91	35.99	9.17	58.95	214	147	Peak																																																																		
3	7386.00	46.01	54.00	-7.99	59.80	35.99	9.17	58.95	214	147	Average																																																																		
Vertical																																																																													
Date: 2023-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.34</td><td>74.00</td><td>-31.66</td><td>57.76</td><td>34.34</td><td>7.79</td><td>57.55</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>62.00</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	42.34	74.00	-31.66	57.76	34.34	7.79	57.55	--	--	Peak	2	7386.00	48.21	74.00	-25.79	62.00	35.99	9.17	58.95	--	--	Peak													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4924.00	42.34	74.00	-31.66	57.76	34.34	7.79	57.55	--	--	Peak																																																																		
2	7386.00	48.21	74.00	-25.79	62.00	35.99	9.17	58.95	--	--	Peak																																																																		

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.94	-	-	10Hz
802.11g	93.33	1.4	0.714	1KHz
802.11n HT20	92.91	1.31	0.763	1KHz

802.11b






802.11g



Date: 22.AUG.2023 13:27:24

802.11n HT20



Date: 22.AUG.2023 13:24:14