





BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5260



BUREAU  
VERITAS


Test Report No.: W7L-P22050011RF03





BUREAU  
VERITAS


Test Report No.: W7L-P22050011RF03






BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5700




11AC20SISO\_Ant1\_5745



BUREAU  
VERITAS


Test Report No.: W7L-P22050011RF03






BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5270




11AC40SISO\_Ant1\_5310



BUREAU  
VERITAS


Test Report No.: W7L-P22050011RF03






BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5670




11AC40SISO\_Ant1\_5755




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5795




11AC80SISO\_Ant1\_5210



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_5290




11AC80SISO\_Ant1\_5530




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_5610




11AC80SISO\_Ant1\_5775



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



## MAXIMUM CONDUCTED OUTPUT POWER

### TEST RESULT CHANNEL POWER

| Test Mode | Antenna | Channel | Result [dBm] | Result [mw] | Limit [dBm] | Verdict | Power setting |
|-----------|---------|---------|--------------|-------------|-------------|---------|---------------|
| 11A       | Ant1    | 5180    | 15.18        | 32.96       | ≤23.98      | PASS    | 16            |
|           |         | 5200    | 15.21        | 33.19       | ≤23.98      | PASS    | 16            |
|           |         | 5240    | 15.10        | 32.36       | ≤23.98      | PASS    | 16            |
|           |         | 5260    | 15.22        | 33.27       | ≤23.98      | PASS    | 16            |
|           |         | 5280    | 15.38        | 34.51       | ≤23.97      | PASS    | 16            |
|           |         | 5320    | 15.41        | 34.75       | ≤23.98      | PASS    | 16            |
|           |         | 5500    | 15.11        | 32.43       | ≤23.98      | PASS    | 16            |
|           |         | 5580    | 15.12        | 32.51       | ≤23.98      | PASS    | 16            |
|           |         | 5700    | 15.33        | 34.12       | ≤23.98      | PASS    | 16            |
|           |         | 5745    | 15.57        | 36.06       | ≤30         | PASS    | 16            |
|           |         | 5785    | 15.55        | 35.89       | ≤30         | PASS    | 16            |
|           |         | 5825    | 15.46        | 35.16       | ≤30         | PASS    | 16            |
| 11N20SISO | Ant1    | 5180    | 15.02        | 31.77       | ≤23.98      | PASS    | 16            |
|           |         | 5200    | 15.14        | 32.66       | ≤23.98      | PASS    | 16            |
|           |         | 5240    | 15.06        | 32.06       | ≤23.98      | PASS    | 16            |
|           |         | 5260    | 15.15        | 32.73       | ≤23.98      | PASS    | 16            |
|           |         | 5280    | 15.31        | 33.96       | ≤23.98      | PASS    | 16            |
|           |         | 5320    | 15.35        | 34.28       | ≤23.98      | PASS    | 16            |
|           |         | 5500    | 15.07        | 32.14       | ≤23.98      | PASS    | 16            |
|           |         | 5580    | 14.93        | 31.12       | ≤23.98      | PASS    | 16            |
|           |         | 5700    | 15.26        | 33.57       | ≤23.98      | PASS    | 16            |
|           |         | 5745    | 15.53        | 35.73       | ≤30         | PASS    | 16            |
|           |         | 5785    | 15.43        | 34.91       | ≤30         | PASS    | 16            |
|           |         | 5825    | 15.46        | 35.16       | ≤30         | PASS    | 16            |
| 11N40SISO | Ant1    | 5190    | 15.11        | 32.43       | ≤23.98      | PASS    | 16            |
|           |         | 5230    | 15.14        | 32.66       | ≤23.98      | PASS    | 16            |
|           |         | 5270    | 15.16        | 32.81       | ≤23.98      | PASS    | 16            |
|           |         | 5310    | 15.36        | 34.36       | ≤23.98      | PASS    | 16            |
|           |         | 5510    | 15.22        | 33.27       | ≤23.98      | PASS    | 16            |



|            |      |      |       |       |        |      |    |
|------------|------|------|-------|-------|--------|------|----|
|            |      | 5550 | 15.23 | 33.34 | ≤23.98 | PASS | 16 |
|            |      | 5670 | 15.17 | 32.89 | ≤23.98 | PASS | 16 |
|            |      | 5755 | 15.46 | 35.16 | ≤30    | PASS | 16 |
|            |      | 5795 | 15.50 | 35.48 | ≤30    | PASS | 16 |
| 11AC20SISO | Ant1 | 5180 | 15.11 | 32.43 | ≤23.98 | PASS | 16 |
|            |      | 5200 | 15.12 | 32.51 | ≤23.98 | PASS | 16 |
|            |      | 5240 | 15.06 | 32.06 | ≤23.98 | PASS | 16 |
|            |      | 5260 | 15.10 | 32.36 | ≤23.98 | PASS | 16 |
|            |      | 5280 | 15.35 | 34.28 | ≤23.98 | PASS | 16 |
|            |      | 5320 | 15.33 | 34.12 | ≤23.98 | PASS | 16 |
|            |      | 5500 | 15.01 | 31.70 | ≤23.98 | PASS | 16 |
|            |      | 5580 | 15.02 | 31.77 | ≤23.98 | PASS | 16 |
|            |      | 5700 | 15.11 | 32.43 | ≤23.98 | PASS | 16 |
|            |      | 5745 | 15.50 | 35.48 | ≤30    | PASS | 16 |
|            |      | 5785 | 15.47 | 35.24 | ≤30    | PASS | 16 |
|            |      | 5825 | 15.43 | 34.91 | ≤30    | PASS | 16 |
| 11AC40SISO | Ant1 | 5190 | 15.13 | 32.58 | ≤23.98 | PASS | 16 |
|            |      | 5230 | 15.17 | 32.89 | ≤23.98 | PASS | 16 |
|            |      | 5270 | 15.13 | 32.58 | ≤23.98 | PASS | 16 |
|            |      | 5310 | 15.33 | 34.12 | ≤23.98 | PASS | 16 |
|            |      | 5510 | 15.25 | 33.50 | ≤23.98 | PASS | 16 |
|            |      | 5550 | 15.21 | 33.19 | ≤23.98 | PASS | 16 |
|            |      | 5670 | 15.15 | 32.73 | ≤23.98 | PASS | 16 |
|            |      | 5755 | 15.48 | 35.32 | ≤30    | PASS | 16 |
|            |      | 5795 | 15.50 | 35.48 | ≤30    | PASS | 16 |
| 11AC80SISO | Ant1 | 5210 | 15.51 | 35.56 | ≤23.98 | PASS | 16 |
|            |      | 5290 | 15.18 | 32.96 | ≤23.98 | PASS | 16 |
|            |      | 5530 | 15.23 | 33.34 | ≤23.98 | PASS | 16 |
|            |      | 5610 | 15.45 | 35.08 | ≤23.98 | PASS | 16 |
|            |      | 5775 | 15.83 | 38.28 | ≤30    | PASS | 16 |

**Note:** The Duty Cycle Factor is compensated in the Result.

## MAXIMUM POWER SPECTRAL DENSITY

### TEST RESULT

| TestMode  | Antenna | Frequency[MHz] | Result [dBm/MHz] | Limit[dBm/MHz] | Verdict |
|-----------|---------|----------------|------------------|----------------|---------|
| 11A       | Ant1    | 5180           | 3.06             | ≤11            | PASS    |
|           |         | 5200           | 2.85             | ≤11            | PASS    |
|           |         | 5240           | 3.08             | ≤11            | PASS    |
|           |         | 5260           | 3.31             | ≤11            | PASS    |
|           |         | 5280           | 3.51             | ≤11            | PASS    |
|           |         | 5320           | 3.16             | ≤11            | PASS    |
|           |         | 5500           | 3.91             | ≤11            | PASS    |
|           |         | 5580           | 3.55             | ≤11            | PASS    |
|           |         | 5700           | 2.91             | ≤11            | PASS    |
|           |         | 5745           | 1.38             | ≤30            | PASS    |
|           |         | 5785           | 0.66             | ≤30            | PASS    |
|           |         | 5825           | 0.02             | ≤30            | PASS    |
| 11N20SISO | Ant1    | 5180           | 2.79             | ≤11            | PASS    |
|           |         | 5200           | 2.51             | ≤11            | PASS    |
|           |         | 5240           | 2.71             | ≤11            | PASS    |
|           |         | 5260           | 2.6              | ≤11            | PASS    |
|           |         | 5280           | 2.04             | ≤11            | PASS    |
|           |         | 5320           | 3.06             | ≤11            | PASS    |
|           |         | 5500           | 3.38             | ≤11            | PASS    |
|           |         | 5580           | 2.84             | ≤11            | PASS    |
|           |         | 5700           | 2.54             | ≤11            | PASS    |
|           |         | 5745           | 0.51             | ≤30            | PASS    |
|           |         | 5785           | 0.63             | ≤30            | PASS    |
|           |         | 5825           | -0.26            | ≤30            | PASS    |
| 11N40SISO | Ant1    | 5190           | -1.79            | ≤11            | PASS    |
|           |         | 5230           | -1.13            | ≤11            | PASS    |
|           |         | 5270           | -1.05            | ≤11            | PASS    |
|           |         | 5310           | -1.29            | ≤11            | PASS    |
|           |         | 5510           | -1.07            | ≤11            | PASS    |
|           |         | 5550           | -1.2             | ≤11            | PASS    |
|           |         | 5670           | -0.98            | ≤11            | PASS    |



|            |      |      |       |     |      |
|------------|------|------|-------|-----|------|
|            |      | 5755 | -3.61 | ≤30 | PASS |
|            |      | 5795 | -4.22 | ≤30 | PASS |
| 11AC20SISO | Ant1 | 5180 | 2.75  | ≤11 | PASS |
|            |      | 5200 | 2.39  | ≤11 | PASS |
|            |      | 5240 | 2.78  | ≤11 | PASS |
|            |      | 5260 | 2.76  | ≤11 | PASS |
|            |      | 5280 | 2.75  | ≤11 | PASS |
|            |      | 5320 | 2.56  | ≤11 | PASS |
|            |      | 5500 | 2.7   | ≤11 | PASS |
|            |      | 5580 | 2.58  | ≤11 | PASS |
|            |      | 5700 | 1.88  | ≤11 | PASS |
|            |      | 5745 | 0.66  | ≤30 | PASS |
|            |      | 5785 | 0.24  | ≤30 | PASS |
|            |      | 5825 | -0.03 | ≤30 | PASS |
| 11AC40SISO | Ant1 | 5190 | -1.55 | ≤11 | PASS |
|            |      | 5230 | -1.33 | ≤11 | PASS |
|            |      | 5270 | -1.49 | ≤11 | PASS |
|            |      | 5310 | -1.83 | ≤11 | PASS |
|            |      | 5510 | -1.35 | ≤11 | PASS |
|            |      | 5550 | -1.45 | ≤11 | PASS |
|            |      | 5670 | -1.89 | ≤11 | PASS |
|            |      | 5755 | -3.74 | ≤30 | PASS |
|            |      | 5795 | -4.22 | ≤30 | PASS |
| 11AC80SISO | Ant1 | 5210 | -3.54 | ≤11 | PASS |
|            |      | 5290 | -3.58 | ≤11 | PASS |
|            |      | 5530 | -3.93 | ≤11 | PASS |
|            |      | 5610 | -4.43 | ≤11 | PASS |
|            |      | 5775 | -5.96 | ≤30 | PASS |

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.  
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

## TEST GRAPHS

11A\_Ant1\_5180



11A\_Ant1\_5200



11A\_Ant1\_5240



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_5260



11A\_Ant1\_5280



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_5320



11A\_Ant1\_5500



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_5580



11A\_Ant1\_5700



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_5745



11A\_Ant1\_5785



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_5825



11N20SISO\_Ant1\_5180



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5200



11N20SISO\_Ant1\_5240



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5260



11N20SISO\_Ant1\_5280



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5320



11N20SISO\_Ant1\_5500



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5580



11N20SISO\_Ant1\_5700



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5745



11N20SISO\_Ant1\_5785



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_5825



11N40SISO\_Ant1\_5190



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03





BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_5310



11N40SISO\_Ant1\_5510



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_5550



11N40SISO\_Ant1\_5670



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5180



11AC20SISO\_Ant1\_5200



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5240



11AC20SISO\_Ant1\_5260



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5280



11AC20SISO\_Ant1\_5320



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5500



11AC20SISO\_Ant1\_5580



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5700



11AC20SISO\_Ant1\_5745



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_5785



11AC20SISO\_Ant1\_5825



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5190



11AC40SISO\_Ant1\_5230



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5270



11AC40SISO\_Ant1\_5310



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5510



11AC40SISO\_Ant1\_5550



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5670



11AC40SISO\_Ant1\_5755




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_5795



11AC80SISO\_Ant1\_5210



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_5290



11AC80SISO\_Ant1\_5530



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_5610



11AC80SISO\_Ant1\_5775



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



## BAND EDGE MEASUREMENTS

### TEST RESULT B1/2/3

| TestMode   | Antenna | ChName | Frequency[MHz] | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|----------------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180           | -37.31      | ≤-27       | PASS    |
|            |         | High   | 5240           | -38.87      | ≤-27       | PASS    |
|            |         | Low    | 5260           | -37.65      | ≤-27       | PASS    |
|            |         | High   | 5320           | -38.76      | ≤-27       | PASS    |
|            |         | Low    | 5500           | -39.66      | ≤-27       | PASS    |
|            |         | High   | 5700           | -38.92      | ≤-27       | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180           | -37.24      | ≤-27       | PASS    |
|            |         | High   | 5240           | -39.8       | ≤-27       | PASS    |
|            |         | Low    | 5260           | -37.38      | ≤-27       | PASS    |
|            |         | High   | 5320           | -39.24      | ≤-27       | PASS    |
|            |         | Low    | 5500           | -38.56      | ≤-27       | PASS    |
|            |         | High   | 5700           | -38.59      | ≤-27       | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190           | -37.42      | ≤-27       | PASS    |
|            |         | High   | 5230           | -36.7       | ≤-27       | PASS    |
|            |         | Low    | 5270           | -37.6       | ≤-27       | PASS    |
|            |         | High   | 5310           | -37.89      | ≤-27       | PASS    |
|            |         | Low    | 5510           | -39.45      | ≤-27       | PASS    |
|            |         | High   | 5670           | -39.28      | ≤-27       | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180           | -37.16      | ≤-27       | PASS    |
|            |         | High   | 5240           | -39.37      | ≤-27       | PASS    |
|            |         | Low    | 5260           | -36.82      | ≤-27       | PASS    |
|            |         | High   | 5320           | -38.86      | ≤-27       | PASS    |
|            |         | Low    | 5500           | -39.29      | ≤-27       | PASS    |
|            |         | High   | 5700           | -39.25      | ≤-27       | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190           | -37.24      | ≤-27       | PASS    |
|            |         | High   | 5230           | -39.07      | ≤-27       | PASS    |
|            |         | Low    | 5270           | -37.01      | ≤-27       | PASS    |
|            |         | High   | 5310           | -37.58      | ≤-27       | PASS    |
|            |         | Low    | 5510           | -39.41      | ≤-27       | PASS    |
|            |         | High   | 5670           | -39.49      | ≤-27       | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210           | -37.43      | ≤-27       | PASS    |



|  |  |      |      |        |            |      |
|--|--|------|------|--------|------------|------|
|  |  | High | 5210 | -39.69 | $\leq -27$ | PASS |
|  |  | Low  | 5290 | -37.78 | $\leq -27$ | PASS |
|  |  | High | 5290 | -36.49 | $\leq -27$ | PASS |
|  |  | Low  | 5530 | -37.97 | $\leq -27$ | PASS |
|  |  | High | 5610 | -37.66 | $\leq -27$ | PASS |

## TEST RESULT B4

| TestMode        | Antenna | ChName | Frequency[MHz] | FreqRange [MHz] | Result [dBm] | Limit [dBm]   | Verdict |
|-----------------|---------|--------|----------------|-----------------|--------------|---------------|---------|
| 11A             | Ant1    | Low    | 5745           | 5650~5700       | -38.97       | $\leq -24.32$ | PASS    |
|                 |         |        |                | 5700~5720       | -39.08       | $\leq 14.21$  | PASS    |
|                 |         |        |                | 5720~5725       | -39.19       | $\leq 25.26$  | PASS    |
|                 |         |        |                | 5760~5650       | -39.14       | $\leq -27$    | PASS    |
|                 |         | High   | 5825           | 5850~5855       | -40.1        | $\leq 22.87$  | PASS    |
|                 |         |        |                | 5855~5875       | -39.27       | $\leq 14.71$  | PASS    |
|                 |         |        |                | 5875~5925       | -38.66       | $\leq -12.27$ | PASS    |
|                 |         |        |                | 5925~5935       | -39.73       | $\leq -27$    | PASS    |
| 11N20SISO       | Ant1    | Low    | 5745           | 5650~5700       | -38.41       | $\leq -5.77$  | PASS    |
|                 |         |        |                | 5700~5720       | -38.97       | $\leq 13.73$  | PASS    |
|                 |         |        |                | 5720~5725       | -39          | $\leq 23.16$  | PASS    |
|                 |         |        |                | 5760~5650       | -39.03       | $\leq -27$    | PASS    |
|                 |         | High   | 5825           | 5850~5855       | -40.28       | $\leq 19.49$  | PASS    |
|                 |         |        |                | 5855~5875       | -38.81       | $\leq 12.86$  | PASS    |
|                 |         |        |                | 5875~5925       | -39.32       | $\leq -15.17$ | PASS    |
|                 |         |        |                | 5925~5935       | -40.01       | $\leq -27$    | PASS    |
| 11N40SISO       | Ant1    | Low    | 5755           | 5650~5700       | -38.9        | $\leq 2.27$   | PASS    |
|                 |         |        |                | 5700~5720       | -38.45       | $\leq 15.24$  | PASS    |
|                 |         |        |                | 5720~5725       | -37.6        | $\leq 21.58$  | PASS    |
|                 |         |        |                | 5780~5650       | -40.06       | $\leq -27$    | PASS    |
|                 |         | High   | 5795           | 5850~5855       | -40.54       | $\leq 24.69$  | PASS    |
|                 |         |        |                | 5855~5875       | -38.47       | $\leq 15.44$  | PASS    |
|                 |         |        |                | 5875~5925       | -37.58       | $\leq 2.75$   | PASS    |
|                 |         |        |                | 5925~5935       | -39.35       | $\leq -27$    | PASS    |
| 11AC20SISO<br>O | Ant1    | Low    | 5745           | 5650~5700       | -39.04       | $\leq -1.17$  | PASS    |
|                 |         |        |                | 5700~5720       | -38.74       | $\leq 10.38$  | PASS    |



|                |      |      |      |           |        |         |      |
|----------------|------|------|------|-----------|--------|---------|------|
|                |      | High | 5825 | 5720~5725 | -39.18 | ≤22.90  | PASS |
|                |      |      |      | 5760~5650 | -39.5  | ≤-27    | PASS |
|                |      |      |      | 5850~5855 | -39.86 | ≤25.95  | PASS |
|                |      |      |      | 5855~5875 | -39.21 | ≤14.86  | PASS |
|                |      |      |      | 5875~5925 | -38.24 | ≤-23.76 | PASS |
|                |      |      |      | 5925~5935 | -38.94 | ≤-27    | PASS |
| 11AC40SIS<br>O | Ant1 | Low  | 5755 | 5650~5700 | -38.48 | ≤-22.61 | PASS |
|                |      |      |      | 5700~5720 | -38.62 | ≤14.97  | PASS |
|                |      |      |      | 5720~5725 | -38.81 | ≤22.82  | PASS |
|                |      |      |      | 5780~5650 | -39.72 | ≤-27    | PASS |
|                |      | High | 5795 | 5850~5855 | -38.81 | ≤18.67  | PASS |
|                |      |      |      | 5855~5875 | -39.77 | ≤11.24  | PASS |
|                |      |      |      | 5875~5925 | -38.85 | ≤-6.29  | PASS |
|                |      |      |      | 5925~5935 | -40.18 | ≤-27    | PASS |
| 11AC80SIS<br>O | Ant1 | Low  | 5775 | 5650~5700 | -38.62 | ≤-4.32  | PASS |
|                |      |      |      | 5700~5720 | -38.47 | ≤14.52  | PASS |
|                |      |      |      | 5720~5725 | -38.06 | ≤16.00  | PASS |
|                |      |      |      | 5800~5650 | -39.23 | ≤-27    | PASS |
|                |      | High | 5775 | 5850~5855 | -38.3  | ≤20.01  | PASS |
|                |      |      |      | 5855~5875 | -39.17 | ≤13.54  | PASS |
|                |      |      |      | 5875~5925 | -37.72 | ≤-12.03 | PASS |
|                |      |      |      | 5925~5935 | -38.71 | ≤-27    | PASS |

## TEST GRAPHS B1/2/3

11A\_Ant1\_Low\_5180



11A\_Ant1\_High\_5240



11A\_Ant1\_Low\_5260



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_High\_5320



11A\_Ant1\_Low\_5500



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11A\_Ant1\_High\_5700




11N20SISO\_Ant1\_Low\_5180



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_High\_5240



11N20SISO\_Ant1\_Low\_5260



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_High\_5320




11N20SISO\_Ant1\_Low\_5500



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_High\_5700



11N40SISO\_Ant1\_Low\_5190



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_High\_5230



11N40SISO\_Ant1\_Low\_5270



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_High\_5310




11N40SISO\_Ant1\_Low\_5510



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_High\_5670



11AC20SISO\_Ant1\_Low\_5180



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_High\_5240



11AC20SISO\_Ant1\_Low\_5260




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_High\_5320



11AC20SISO\_Ant1\_Low\_5500



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_High\_5700



11AC40SISO\_Ant1\_Low\_5190




BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_High\_5230



11AC40SISO\_Ant1\_Low\_5270



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_High\_5310




11AC40SISO\_Ant1\_Low\_5510



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_High\_5670



11AC80SISO\_Ant1\_Low\_5210



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_High\_5210



11AC80SISO\_Ant1\_Low\_5290



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_High\_5290



11AC80SISO\_Ant1\_Low\_5530



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_High\_5610



## TEST GRAPHS B4

11A\_Ant1\_Low\_5745



11A\_Ant1\_High\_5825



11N20SISO\_Ant1\_Low\_5745



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N20SISO\_Ant1\_High\_5825



11N40SISO\_Ant1\_Low\_5755



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11N40SISO\_Ant1\_High\_5795



11AC20SISO\_Ant1\_Low\_5745



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC20SISO\_Ant1\_High\_5825



11AC40SISO\_Ant1\_Low\_5755



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC40SISO\_Ant1\_High\_5795



11AC80SISO\_Ant1\_Low\_5775



BUREAU  
VERITAS

Test Report No.: W7L-P22050011RF03



11AC80SISO\_Ant1\_High\_5775



---END---