




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz_Detection status_ON




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_OFF



802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_Minimal




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz_Detection status_ON




7.2.3 Contention Based Protocol_Detection Probability_Band 5_Ant0

802.11ax(HEW20)_MCH_6175MHz_Inject signal_6175MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6110MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected






802.11ax(HEW160)_MCH_6185MHz_Inject signal_6185MHz - Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11ax(HEW160)_MCH_6185MHz_Inject signal_6260MHz - Inject Incumbent signal at 10th seconds and keep the signal continuously injected






7.2.4 Duty Cycle_Band 6_Ant0




7.2.5 Contention Based Protocol_Detection Power_Band 6_Ant0


802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_OFF



802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_Minimal




802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_ON




7.2.6 Contention Based Protocol_Detection Probability_Band 6_Ant0

802.11ax(HEW20)_MCH_6475MHz_Inject signal_6475MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




7.2.7 Duty Cycle_Band 7_Ant0




7.2.8 Contention Based Protocol_Detection Power_Band 7_Ant0


802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_OFF



802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_Minimal




802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_ON




7.2.9 Contention Based Protocol_Detection Probability_Band 7_Ant0


802.11ax(HEW20)_MCH_6695MHz_Inject signal_6695MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




7.2.10 Duty Cycle_Band 8_Ant0



7.2.11 Contention Based Protocol_Detection Power_Band 8_Ant0




802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_ON



7.2.12 Contention Based Protocol_Detection Probability_Band 8_Ant0

802.11ax(HEW20)_MCH_6995MHz_Inject signal_6995MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected



- End of the Report -