

Annex F. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

GSM Conducted Power (DSI 0&4)						
Band	GSM850			GSM1900		
Channel	128	189	251	512	661	810
Frequency	824.2	836.4	848.8	1850.2	1880	1909.8
GSM	31.59	31.98	31.53	28.74	28.61	28.65
GPRS 1Tx Slot	31.43	31.82	31.41	28.68	28.55	28.60
GPRS 2Tx Slot	28.93	29.32	28.87	25.78	25.64	25.69
GPRS 3Tx Slot	27.31	27.72	27.26	23.82	23.69	23.75
GPRS 4Tx Slot	25.81	26.21	25.75	22.64	22.51	22.56
EDGE 1Tx Slot (MCS9)	26.59	26.98	26.53	24.99	24.86	24.92
EDGE 2Tx Slot (MCS9)	23.82	24.21	23.78	21.62	21.47	21.52
EDGE 3Tx Slot (MCS9)	21.77	22.16	21.71	19.82	19.69	19.75
EDGE 4Tx Slot (MCS9)	20.65	21.05	20.59	18.59	18.46	18.51

WCDMA Conducted Power (DS1 0)						
Band	WCDMA II			WCDMA V		
TX Channel	9262	9400	9538	4132	4182	4233
Rx Channel	9662	9800	9938	4357	4407	4458
Frequency	1852.4	1880	1907.6	826.4	836.4	846.6
RMC 12.2K	23.71	23.59	23.53	24.19	24.17	24.15
HSDPA Subtest-1	22.71	22.61	22.48	23.19	23.20	23.16
HSDPA Subtest-2	22.69	22.59	22.52	23.14	22.98	23.14
HSDPA Subtest-3	22.24	22.13	22.14	22.68	22.67	22.64
HSDPA Subtest-4	22.25	22.08	22.09	22.64	22.63	22.65
HSUPA Subtest-1	22.73	22.53	22.48	23.19	23.17	23.13
HSUPA Subtest-2	20.75	20.55	20.48	21.19	21.19	21.18
HSUPA Subtest-3	21.62	21.53	21.49	22.14	22.16	22.19
HSUPA Subtest-4	20.63	20.52	20.43	21.15	21.20	21.13
HSUPA Subtest-5	22.70	22.60	22.50	23.20	23.20	23.20

WCDMA Conducted Power (DSI 1)			
Band	WCDMA II		
TX Channel	9262	9400	9538
Rx Channel	9662	9800	9938
Frequency	1852.4	1880	1907.6
RMC 12.2K	21.79	21.64	21.63
HSDPA Subtest-1	20.68	20.66	20.73
HSDPA Subtest-2	20.64	20.63	20.71
HSDPA Subtest-3	19.78	19.76	19.72
HSDPA Subtest-4	19.73	19.72	19.71
HSUPA Subtest-1	20.11	20.13	20.15
HSUPA Subtest-2	18.81	18.86	18.83
HSUPA Subtest-3	19.31	19.33	19.41
HSUPA Subtest-4	18.63	18.61	18.56
HSUPA Subtest-5	20.30	20.20	20.20

WCDMA Conducted Power (DSI 4)						
Band	WCDMA II			WCDMA V		
TX Channel	9262	9400	9538	4132	4182	4233
Rx Channel	9662	9800	9938	4357	4407	4458
Frequency	1852.4	1880	1907.6	826.4	836.4	846.6
RMC 12.2K	21.69	21.67	21.66	24.19	24.17	24.15
HSDPA Subtest-1	21.67	21.65	21.64	23.19	23.20	23.16
HSDPA Subtest-2	21.62	21.63	21.61	23.14	22.98	23.14
HSDPA Subtest-3	21.19	21.17	21.18	22.68	22.67	22.64
HSDPA Subtest-4	21.18	21.13	21.16	22.64	22.63	22.65
HSUPA Subtest-1	21.55	21.61	21.58	23.19	23.17	23.13
HSUPA Subtest-2	19.59	19.63	19.66	21.19	21.19	21.18
HSUPA Subtest-3	20.69	20.64	20.61	22.14	22.16	22.19
HSUPA Subtest-4	19.68	19.63	19.67	21.15	21.20	21.13
HSUPA Subtest-5	21.68	21.60	21.60	23.20	23.20	23.20

LTE Conducted Power (DSI 0)							
LTE Band 2 (Ant0/Ant1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.42	23.47	23.36	0
		1	50	23.33	23.38	23.27	0
		1	99	23.29	23.34	23.23	0
		50	0	22.59	22.64	22.53	1
		50	25	22.52	22.57	22.46	1
		50	50	22.44	22.49	22.38	1
		100	0	22.48	22.53	22.42	1
20M	16QAM	1	0	22.65	22.70	22.59	1
		1	50	22.61	22.66	22.55	1
		1	99	22.53	22.58	22.47	1
		50	0	21.61	21.66	21.55	2
		50	25	21.54	21.59	21.48	2
		50	50	21.47	21.52	21.41	2
		100	0	21.48	21.53	21.42	2
20M	64QAM	1	0	21.65	21.70	21.59	2
		1	50	21.59	21.64	21.53	2
		1	99	21.57	21.62	21.51	2
		50	0	20.56	20.61	20.50	3
		50	25	20.52	20.57	20.46	3
		50	50	20.46	20.51	20.40	3
		100	0	20.53	20.58	20.47	3
20M	256QAM	1	0	18.69	18.74	18.63	5
		1	50	18.63	18.68	18.57	5
		1	99	18.57	18.62	18.51	5
		50	0	18.61	18.66	18.55	5
		50	25	18.56	18.61	18.50	5
		50	50	18.47	18.52	18.41	5
		100	0	18.53	18.58	18.47	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.37	23.38	23.30	0
		1	37	23.33	23.31	23.25	0
		1	74	23.23	23.33	23.20	0
		36	0	22.49	22.56	22.43	1
		36	19	22.52	22.55	22.43	1
		36	39	22.40	22.45	22.33	1
		75	0	22.39	22.46	22.38	1
15M	16QAM	1	0	22.63	22.70	22.58	1
		1	37	22.61	22.63	22.47	1
		1	74	22.47	22.51	22.41	1
		36	0	21.53	21.65	21.50	2
		36	19	21.53	21.58	21.47	2
		36	39	21.45	21.45	21.40	2
		75	0	21.42	21.50	21.36	2
15M	64QAM	1	0	21.58	21.67	21.57	2
		1	37	21.55	21.59	21.45	2
		1	74	21.55	21.60	21.48	2
		36	0	20.51	20.59	20.50	3
		36	19	20.43	20.57	20.37	3
		36	39	20.37	20.43	20.34	3
		75	0	20.52	20.50	20.46	3
15M	256QAM	1	0	18.65	18.66	18.58	5
		1	37	18.63	18.60	18.55	5
		1	74	18.48	18.55	18.43	5
		36	0	18.53	18.64	18.49	5
		36	19	18.46	18.58	18.50	5
		36	39	18.42	18.52	18.33	5
		75	0	18.52	18.49	18.42	5

LTE Conducted Power (DSI 0)							
LTE Band 2 (Ant0/Ant1)							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	23.32	23.31	23.35	0
		1	24	23.20	23.15	23.11	0
		1	49	23.20	23.19	23.04	0
		25	0	22.57	22.58	22.40	1
		25	12	22.50	22.40	22.45	1
		25	25	22.29	22.28	22.26	1
		50	0	22.35	22.45	22.37	1
10M	16QAM	1	0	22.55	22.50	22.53	1
		1	24	22.61	22.53	22.49	1
		1	49	22.40	22.54	22.29	1
		25	0	21.44	21.53	21.50	2
		25	12	21.50	21.46	21.46	2
		25	25	21.29	21.36	21.28	2
		50	0	21.40	21.37	21.24	2
10M	64QAM	1	0	21.51	21.57	21.41	2
		1	24	21.51	21.58	21.37	2
		1	49	21.40	21.51	21.44	2
		25	0	20.45	20.44	20.38	3
		25	12	20.41	20.44	20.41	3
		25	25	20.26	20.44	20.23	3
		50	0	20.32	20.35	20.35	3
10M	256QAM	1	0	18.68	18.51	18.59	5
		1	24	18.50	18.58	18.46	5
		1	49	18.50	18.55	18.41	5
		25	0	18.55	18.50	18.38	5
		25	12	18.43	18.48	18.31	5
		25	25	18.34	18.33	18.31	5
		50	0	18.42	18.43	18.35	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	23.32	23.26	23.22	0
		1	12	23.19	23.28	22.93	0
		1	24	23.12	23.15	22.96	0
		12	0	22.57	22.46	22.41	1
		12	6	22.36	22.39	22.19	1
		12	13	22.42	22.35	22.14	1
		25	0	22.23	22.35	22.27	1
5M	16QAM	1	0	22.42	22.54	22.43	1
		1	12	22.53	22.61	22.33	1
		1	24	22.44	22.43	22.36	1
		12	0	21.38	21.47	21.43	2
		12	6	21.47	21.34	21.42	2
		12	13	21.30	21.45	21.33	2
		25	0	21.40	21.33	21.24	2
5M	64QAM	1	0	21.42	21.64	21.49	2
		1	12	21.44	21.52	21.42	2
		1	24	21.40	21.47	21.41	2
		12	0	20.40	20.51	20.26	3
		12	6	20.38	20.55	20.40	3
		12	13	20.46	20.31	20.26	3
		25	0	20.46	20.43	20.32	3
5M	256QAM	1	0	18.62	18.57	18.51	5
		1	12	18.44	18.57	18.44	5
		1	24	18.36	18.59	18.34	5
		12	0	18.52	18.55	18.41	5
		12	6	18.45	18.46	18.41	5
		12	13	18.36	18.52	18.39	5
		25	0	18.48	18.40	18.22	5

LTE Conducted Power (DSI 0)							
LTE Band 2 (Ant0/Ant1)							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.40	23.39	23.23	0
		1	7	23.28	23.23	23.18	0
		1	14	23.22	23.09	23.04	0
		8	0	22.47	22.50	22.34	1
		8	3	22.41	22.49	22.36	1
		8	7	22.30	22.37	22.27	1
		15	0	22.36	22.43	22.40	1
3M	16QAM	1	0	22.58	22.64	22.45	1
		1	7	22.48	22.59	22.47	1
		1	14	22.51	22.46	22.36	1
		8	0	21.54	21.47	21.42	2
		8	3	21.44	21.44	21.33	2
		8	7	21.38	21.40	21.24	2
		15	0	21.38	21.48	21.29	2
3M	64QAM	1	0	21.45	21.60	21.36	2
		1	7	21.53	21.57	21.51	2
		1	14	21.42	21.39	21.36	2
		8	0	20.43	20.49	20.36	3
		8	3	20.42	20.41	20.44	3
		8	7	20.40	20.42	20.20	3
		15	0	20.40	20.49	20.24	3
3M	256QAM	1	0	18.59	18.59	18.51	5
		1	7	18.59	18.45	18.54	5
		1	14	18.39	18.57	18.50	5
		8	0	18.51	18.51	18.55	5
		8	3	18.41	18.44	18.35	5
		8	7	18.34	18.47	18.29	5
		15	0	18.47	18.48	18.28	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.35	23.31	23.17	0
		1	2	23.17	23.30	23.12	0
		1	5	23.16	23.25	23.15	0
		3	0	23.38	23.44	23.37	0
		3	1	23.42	23.42	23.22	0
		3	3	23.29	23.27	23.17	0
		6	0	22.41	22.34	22.34	1
1.4M	16QAM	1	0	22.61	22.59	22.42	1
		1	2	22.48	22.53	22.45	1
		1	5	22.35	22.45	22.39	1
		3	0	22.50	22.61	22.37	1
		3	1	22.34	22.49	22.25	1
		3	3	22.28	22.46	22.26	1
		6	0	21.36	21.44	21.33	2
1.4M	64QAM	1	0	21.58	21.55	21.40	2
		1	2	21.48	21.45	21.31	2
		1	5	21.33	21.49	21.44	2
		3	0	21.44	21.51	21.33	2
		3	1	21.44	21.45	21.34	2
		3	3	21.25	21.42	21.23	2
		6	0	20.41	20.41	20.29	3
1.4M	256QAM	1	0	18.57	18.51	18.45	5
		1	2	18.55	18.61	18.43	5
		1	5	18.42	18.49	18.40	5
		3	0	18.46	18.56	18.42	5
		3	1	18.37	18.41	18.33	5
		3	3	18.40	18.30	18.26	5
		6	0	18.38	18.56	18.28	5

LTE Conducted Power (DSI 1)							
LTE Band 2 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	21.89	21.90	21.77	0
		1	50	21.82	21.84	21.70	0
		1	99	21.72	21.73	21.60	0
		50	0	20.81	20.92	20.80	1
		50	25	20.79	20.90	20.78	1
		50	50	20.72	20.83	20.71	1
		100	0	20.76	20.87	20.75	1
20M	16QAM	1	0	21.08	21.19	21.07	1
		1	50	21.03	21.14	21.02	1
		1	99	20.95	21.06	20.94	1
		50	0	19.87	19.98	19.86	2
		50	25	19.83	19.94	19.82	2
		50	50	19.77	19.88	19.76	2
		100	0	19.82	19.93	19.81	2
20M	64QAM	1	0	19.82	19.93	19.81	2
		1	50	19.77	19.88	19.76	2
		1	99	19.74	19.85	19.73	2
		50	0	18.75	18.86	18.74	3
		50	25	18.71	18.82	18.70	3
		50	50	18.67	18.78	18.66	3
		100	0	18.69	18.80	18.68	3
20M	256QAM	1	0	16.85	16.96	16.84	5
		1	50	16.82	16.93	16.81	5
		1	99	16.75	16.86	16.74	5
		50	0	16.77	16.88	16.76	5
		50	25	16.72	16.83	16.71	5
		50	50	16.67	16.78	16.66	5
		100	0	16.69	16.80	16.68	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	21.74	21.79	21.76	0
		1	37	21.64	21.78	21.68	0
		1	74	21.53	21.69	21.52	0
		36	0	20.80	20.88	20.70	1
		36	19	20.73	20.81	20.78	1
		36	39	20.71	20.77	20.62	1
		75	0	20.71	20.78	20.74	1
15M	16QAM	1	0	20.98	21.16	21.02	1
		1	37	20.96	21.07	20.96	1
		1	74	20.85	21.03	20.91	1
		36	0	19.86	19.93	19.76	2
		36	19	19.79	19.91	19.82	2
		36	39	19.73	19.80	19.68	2
		75	0	19.72	19.93	19.80	2
15M	64QAM	1	0	19.79	19.92	19.79	2
		1	37	19.74	19.85	19.71	2
		1	74	19.65	19.82	19.71	2
		36	0	18.73	18.80	18.74	3
		36	19	18.68	18.78	18.64	3
		36	39	18.60	18.77	18.64	3
		75	0	18.69	18.75	18.58	3
15M	256QAM	1	0	16.84	16.96	16.74	5
		1	37	16.73	16.90	16.76	5
		1	74	16.65	16.83	16.71	5
		36	0	16.71	16.87	16.73	5
		36	19	16.71	16.80	16.64	5
		36	39	16.57	16.75	16.61	5
		75	0	16.59	16.72	16.58	5

LTE Conducted Power (DSI 1)							
LTE Band 2 (Ant 0)							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	21.67	21.74	21.61	0
		1	24	21.64	21.71	21.55	0
		1	49	21.41	21.69	21.43	0
		25	0	20.79	20.84	20.70	1
		25	12	20.71	20.82	20.73	1
		25	25	20.63	20.64	20.62	1
		50	0	20.61	20.82	20.63	1
10M	16QAM	1	0	20.99	21.11	21.05	1
		1	24	20.88	21.04	20.79	1
		1	49	20.83	20.89	20.80	1
		25	0	19.70	19.92	19.73	2
		25	12	19.75	19.81	19.72	2
		25	25	19.65	19.78	19.74	2
		50	0	19.72	19.75	19.70	2
10M	64QAM	1	0	19.69	19.86	19.75	2
		1	24	19.56	19.69	19.52	2
		1	49	19.61	19.72	19.51	2
		25	0	18.50	18.74	18.52	3
		25	12	18.68	18.78	18.64	3
		25	25	18.60	18.77	18.64	3
		50	0	18.69	18.75	18.58	3
10M	256QAM	1	0	16.70	16.81	16.77	5
		1	24	16.68	16.83	16.60	5
		1	49	16.55	16.81	16.58	5
		25	0	16.67	16.81	16.54	5
		25	12	16.58	16.62	16.50	5
		25	25	16.54	16.65	16.43	5
		50	0	16.57	16.74	16.58	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	21.74	21.75	21.50	0
		1	12	21.55	21.75	21.37	0
		1	24	21.49	21.56	21.31	0
		12	0	20.68	20.86	20.76	1
		12	6	20.63	20.68	20.49	1
		12	13	20.59	20.73	20.57	1
		25	0	20.53	20.81	20.66	1
5M	16QAM	1	0	20.93	21.13	20.90	1
		1	12	20.83	20.97	20.93	1
		1	24	20.76	20.92	20.93	1
		12	0	19.65	19.80	19.63	2
		12	6	19.69	19.88	19.75	2
		12	13	19.67	19.79	19.70	2
		25	0	19.74	19.84	19.75	2
5M	64QAM	1	0	19.70	19.71	19.79	2
		1	12	19.69	19.78	19.63	2
		1	24	19.64	19.80	19.62	2
		12	0	18.51	18.70	18.67	3
		12	6	18.60	18.67	18.51	3
		12	13	18.55	18.65	18.58	3
		25	0	18.54	18.70	18.52	3
5M	256QAM	1	0	16.78	16.85	16.76	5
		1	12	16.68	16.89	16.70	5
		1	24	16.60	16.67	16.68	5
		12	0	16.58	16.84	16.64	5
		12	6	16.63	16.63	16.63	5
		12	13	16.44	16.64	16.49	5
		25	0	16.49	16.67	16.61	5

LTE Conducted Power (DSI 1)							
LTE Band 2 (Ant 0)							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	21.67	21.74	21.56	0
		1	7	21.57	21.64	21.59	0
		1	14	21.54	21.51	21.51	0
		8	0	20.70	20.82	20.77	1
		8	3	20.72	20.75	20.71	1
		8	7	20.71	20.74	20.61	1
		15	0	20.63	20.79	20.57	1
3M	16QAM	1	0	20.97	21.10	20.92	1
		1	7	20.83	20.97	20.82	1
		1	14	20.88	20.90	20.74	1
		8	0	19.65	19.86	19.65	2
		8	3	19.81	19.85	19.63	2
		8	7	19.63	19.75	19.59	2
		15	0	19.66	19.77	19.70	2
3M	64QAM	1	0	19.69	19.81	19.58	2
		1	7	19.71	19.74	19.75	2
		1	14	19.53	19.71	19.57	2
		8	0	18.57	18.77	18.63	3
		8	3	18.54	18.69	18.60	3
		8	7	18.49	18.67	18.52	3
		15	0	18.55	18.71	18.62	3
3M	256QAM	1	0	16.64	16.92	16.74	5
		1	7	16.70	16.85	16.66	5
		1	14	16.62	16.71	16.69	5
		8	0	16.72	16.81	16.56	5
		8	3	16.56	16.71	16.58	5
		8	7	16.56	16.60	16.55	5
		15	0	16.52	16.76	16.48	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	21.72	21.79	21.69	0
		1	2	21.61	21.73	21.52	0
		1	5	21.53	21.59	21.49	0
		3	0	21.78	21.81	21.63	0
		3	1	21.65	21.86	21.74	0
		3	3	21.65	21.76	21.69	0
		6	0	20.52	20.84	20.73	1
1.4M	16QAM	1	0	20.94	20.95	20.93	1
		1	2	20.88	20.97	20.94	1
		1	5	20.74	20.98	20.74	1
		3	0	20.73	20.91	20.72	1
		3	1	20.78	20.72	20.72	1
		3	3	20.57	20.68	20.61	1
		6	0	19.75	19.82	19.70	2
1.4M	64QAM	1	0	19.62	19.79	19.69	2
		1	2	19.60	19.74	19.60	2
		1	5	19.50	19.75	19.60	2
		3	0	19.56	19.71	19.59	2
		3	1	19.63	19.71	19.65	2
		3	3	19.50	19.74	19.48	2
		6	0	18.54	18.70	18.50	3
1.4M	256QAM	1	0	16.78	16.86	16.66	5
		1	2	16.73	16.85	16.69	5
		1	5	16.57	16.68	16.62	5
		3	0	16.66	16.68	16.67	5
		3	1	16.60	16.69	16.57	5
		3	3	16.51	16.66	16.43	5
		6	0	16.54	16.63	16.56	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	22.19	22.15	22.11	0
		1	50	22.18	22.14	22.10	0
		1	99	22.15	22.11	22.07	0
		50	0	21.16	21.15	21.12	1
		50	25	21.17	21.13	21.14	1
		50	50	21.12	21.08	21.04	1
		100	0	21.13	21.09	21.05	1
20M	16QAM	1	0	21.19	21.15	21.11	1
		1	50	21.16	21.12	21.08	1
		1	99	21.11	21.07	21.03	1
		50	0	20.05	20.01	19.97	2
		50	25	20.02	19.98	19.94	2
		50	50	19.91	19.87	19.83	2
		100	0	20.07	20.03	19.99	2
20M	64QAM	1	0	20.15	20.11	20.07	2
		1	50	20.09	20.05	20.01	2
		1	99	20.07	20.03	19.99	2
		50	0	19.18	19.14	19.11	3
		50	25	19.15	19.11	19.09	3
		50	50	19.13	19.09	19.05	3
		100	0	19.16	19.12	19.08	3
20M	256QAM	1	0	17.16	17.18	17.14	5
		1	50	17.19	17.15	17.11	5
		1	99	17.17	17.13	17.09	5
		50	0	17.10	17.06	17.02	5
		50	25	17.07	17.04	16.99	5
		50	50	17.06	17.02	16.98	5
		100	0	17.15	17.11	17.07	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	22.14	22.06	22.09	0
		1	37	22.13	22.11	22.04	0
		1	74	22.09	22.11	22.05	0
		36	0	21.14	21.08	21.12	1
		36	19	21.17	21.06	21.08	1
		36	39	21.07	21.03	21.03	1
		75	0	21.07	20.99	20.95	1
15M	16QAM	1	0	21.15	21.15	21.01	1
		1	37	21.16	21.07	21.05	1
		1	74	21.07	21.05	20.95	1
		36	0	19.99	20.00	19.92	2
		36	19	19.96	19.90	19.84	2
		36	39	19.90	19.84	19.74	2
		75	0	20.02	19.98	19.93	2
15M	64QAM	1	0	20.05	20.10	20.07	2
		1	37	20.00	20.01	19.92	2
		1	74	20.02	19.94	19.92	2
		36	0	19.15	19.09	19.03	3
		36	19	19.11	19.05	19.07	3
		36	39	19.03	19.01	18.95	3
		75	0	19.16	19.03	19.02	3
15M	256QAM	1	0	17.11	17.15	17.08	5
		1	37	17.18	17.11	17.11	5
		1	74	17.08	17.10	17.05	5
		36	0	17.06	17.06	16.95	5
		36	19	17.06	16.99	16.94	5
		36	39	17.03	17.00	16.91	5
		75	0	17.13	17.08	17.00	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 0)							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	22.15	22.05	22.09	0
		1	24	22.15	22.09	22.05	0
		1	49	22.10	22.07	22.07	0
		25	0	21.09	21.07	21.05	1
		25	12	21.16	21.04	21.07	1
		25	25	21.02	21.06	21.00	1
		50	0	21.11	21.03	20.96	1
10M	16QAM	1	0	21.11	21.07	21.11	1
		1	24	21.16	21.07	21.08	1
		1	49	21.10	20.97	21.02	1
		25	0	20.05	20.00	19.90	2
		25	12	19.94	19.95	19.85	2
		25	25	19.84	19.85	19.81	2
		50	0	20.01	19.93	19.98	2
10M	64QAM	1	0	20.11	20.07	19.97	2
		1	24	20.07	20.02	19.93	2
		1	49	20.01	20.03	19.97	2
		25	0	19.13	19.09	19.03	3
		25	12	19.10	19.05	19.04	3
		25	25	19.11	19.00	18.99	3
		50	0	19.07	19.04	19.04	3
10M	256QAM	1	0	17.12	17.16	17.06	5
		1	24	17.16	17.11	17.07	5
		1	49	17.11	17.08	17.00	5
		25	0	17.04	16.97	17.01	5
		25	12	17.06	16.95	16.93	5
		25	25	17.03	17.01	16.88	5
		50	0	17.11	17.02	16.97	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	22.09	22.11	22.10	0
		1	12	22.11	22.13	22.05	0
		1	24	22.11	22.08	22.04	0
		12	0	21.12	21.09	21.05	1
		12	6	21.17	21.08	21.14	1
		12	13	21.11	21.08	21.00	1
		25	0	21.10	21.01	21.04	1
5M	16QAM	1	0	21.12	21.15	21.09	1
		1	12	21.12	21.07	21.04	1
		1	24	21.01	21.04	20.94	1
		12	0	20.04	20.00	19.96	2
		12	6	20.01	19.92	19.91	2
		12	13	19.88	19.85	19.76	2
		25	0	20.05	20.00	19.98	2
5M	64QAM	1	0	20.05	20.04	20.07	2
		1	12	20.06	20.00	19.95	2
		1	24	20.02	19.96	19.89	2
		12	0	19.13	19.04	19.11	3
		12	6	19.08	19.08	19.01	3
		12	13	19.09	19.04	19.04	3
		25	0	19.11	19.06	19.03	3
5M	256QAM	1	0	17.16	17.09	17.07	5
		1	12	17.19	17.12	17.08	5
		1	24	17.12	17.07	17.07	5
		12	0	17.10	17.00	17.01	5
		12	6	17.05	16.99	16.94	5
		12	13	16.97	16.93	16.90	5
		25	0	17.13	17.10	17.04	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 0)							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	22.17	22.08	22.07	0
		1	7	22.18	22.08	22.07	0
		1	14	22.13	22.01	22.06	0
		8	0	21.05	21.14	21.10	1
		8	3	21.15	21.13	21.10	1
		8	7	21.02	21.03	20.94	1
		15	0	21.12	21.06	21.03	1
3M	16QAM	1	0	21.10	21.06	21.02	1
		1	7	21.13	21.06	21.02	1
		1	14	21.02	21.05	21.00	1
		8	0	20.04	19.94	19.91	2
		8	3	19.99	19.97	19.88	2
		8	7	19.84	19.78	19.80	2
		15	0	20.02	20.01	19.89	2
3M	64QAM	1	0	20.11	20.01	20.07	2
		1	7	20.00	19.96	19.96	2
		1	14	19.97	19.94	19.97	2
		8	0	19.17	19.14	19.04	3
		8	3	19.14	19.04	19.00	3
		8	7	19.06	18.99	18.98	3
		15	0	19.11	19.08	19.05	3
3M	256QAM	1	0	17.13	17.15	17.09	5
		1	7	17.19	17.05	17.10	5
		1	14	17.16	17.11	17.04	5
		8	0	17.02	17.02	17.02	5
		8	3	17.05	17.01	16.93	5
		8	7	16.98	16.99	16.96	5
		15	0	17.10	17.02	16.97	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	22.17	22.11	22.04	0
		1	2	22.17	22.07	22.06	0
		1	5	22.15	22.02	22.05	0
		3	0	21.07	21.10	21.03	0
		3	1	21.15	21.03	21.07	0
		3	3	21.10	21.01	20.99	0
		6	0	21.08	21.00	20.96	1
1.4M	16QAM	1	0	21.13	21.15	21.08	1
		1	2	21.06	21.10	21.01	1
		1	5	21.04	21.05	21.02	1
		3	0	20.02	19.98	19.97	1
		3	1	19.99	19.97	19.93	1
		3	3	19.86	19.86	19.77	1
		6	0	19.99	20.02	19.98	2
1.4M	64QAM	1	0	20.14	20.01	19.97	2
		1	2	20.09	20.04	19.94	2
		1	5	20.04	20.01	19.97	2
		3	0	19.17	19.14	19.05	2
		3	1	19.11	19.04	19.05	2
		3	3	19.03	19.01	19.04	2
		6	0	19.10	19.05	19.04	3
1.4M	256QAM	1	0	17.16	17.10	17.04	5
		1	2	17.17	17.15	17.01	5
		1	5	17.17	17.06	17.04	5
		3	0	17.04	17.06	17.00	5
		3	1	17.06	16.94	16.93	5
		3	3	16.98	17.02	16.91	5
		6	0	17.06	17.04	17.01	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.42	23.47	23.36	0
		1	50	23.33	23.38	23.27	0
		1	99	23.29	23.34	23.23	0
		50	0	22.59	22.64	22.53	1
		50	25	22.52	22.57	22.46	1
		50	50	22.44	22.49	22.38	1
		100	0	22.48	22.53	22.42	1
20M	16QAM	1	0	22.65	22.70	22.59	1
		1	50	22.61	22.66	22.55	1
		1	99	22.53	22.58	22.47	1
		50	0	21.61	21.66	21.55	2
		50	25	21.54	21.59	21.48	2
		50	50	21.47	21.52	21.41	2
		100	0	21.48	21.53	21.42	2
20M	64QAM	1	0	21.65	21.70	21.59	2
		1	50	21.59	21.64	21.53	2
		1	99	21.57	21.62	21.51	2
		50	0	20.56	20.61	20.50	3
		50	25	20.52	20.57	20.46	3
		50	50	20.46	20.51	20.40	3
		100	0	20.53	20.58	20.47	3
20M	256QAM	1	0	18.69	18.74	18.63	5
		1	50	18.63	18.68	18.57	5
		1	99	18.57	18.62	18.51	5
		50	0	18.61	18.66	18.55	5
		50	25	18.56	18.61	18.50	5
		50	50	18.47	18.52	18.41	5
		100	0	18.53	18.58	18.47	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	23.37	23.38	23.30	0
		1	37	23.33	23.31	23.25	0
		1	74	23.23	23.33	23.20	0
		36	0	22.49	22.56	22.43	1
		36	19	22.52	22.55	22.43	1
		36	39	22.40	22.45	22.33	1
		75	0	22.39	22.46	22.38	1
15M	16QAM	1	0	22.63	22.70	22.58	1
		1	37	22.61	22.63	22.47	1
		1	74	22.47	22.51	22.41	1
		36	0	21.53	21.65	21.50	2
		36	19	21.53	21.58	21.47	2
		36	39	21.45	21.45	21.40	2
		75	0	21.42	21.50	21.36	2
15M	64QAM	1	0	21.58	21.67	21.57	2
		1	37	21.55	21.59	21.45	2
		1	74	21.55	21.60	21.48	2
		36	0	20.51	20.59	20.50	3
		36	19	20.43	20.57	20.37	3
		36	39	20.37	20.43	20.34	3
		75	0	20.52	20.50	20.46	3
15M	256QAM	1	0	18.65	18.66	18.58	5
		1	37	18.63	18.60	18.55	5
		1	74	18.48	18.55	18.43	5
		36	0	18.53	18.64	18.49	5
		36	19	18.46	18.58	18.50	5
		36	39	18.42	18.52	18.33	5
		75	0	18.52	18.49	18.42	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 1)							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	23.32	23.31	23.35	0
		1	24	23.20	23.15	23.11	0
		1	49	23.20	23.19	23.04	0
		25	0	22.57	22.58	22.40	1
		25	12	22.50	22.40	22.45	1
		25	25	22.29	22.28	22.26	1
		50	0	22.35	22.45	22.37	1
10M	16QAM	1	0	22.55	22.50	22.53	1
		1	24	22.61	22.53	22.49	1
		1	49	22.40	22.54	22.29	1
		25	0	21.44	21.53	21.50	2
		25	12	21.50	21.46	21.46	2
		25	25	21.29	21.36	21.28	2
		50	0	21.40	21.37	21.24	2
10M	64QAM	1	0	21.51	21.57	21.41	2
		1	24	21.51	21.58	21.37	2
		1	49	21.40	21.51	21.44	2
		25	0	20.45	20.44	20.38	3
		25	12	20.41	20.44	20.41	3
		25	25	20.26	20.44	20.23	3
		50	0	20.32	20.35	20.35	3
10M	256QAM	1	0	18.68	18.51	18.59	5
		1	24	18.50	18.58	18.46	5
		1	49	18.50	18.55	18.41	5
		25	0	18.55	18.50	18.38	5
		25	12	18.43	18.48	18.31	5
		25	25	18.34	18.33	18.31	5
		50	0	18.42	18.43	18.35	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	23.32	23.26	23.22	0
		1	12	23.19	23.28	22.93	0
		1	24	23.12	23.15	22.96	0
		12	0	22.57	22.46	22.41	1
		12	6	22.36	22.39	22.19	1
		12	13	22.42	22.35	22.14	1
		25	0	22.23	22.35	22.27	1
5M	16QAM	1	0	22.42	22.54	22.43	1
		1	12	22.53	22.61	22.33	1
		1	24	22.44	22.43	22.36	1
		12	0	21.38	21.47	21.43	2
		12	6	21.47	21.34	21.42	2
		12	13	21.30	21.45	21.33	2
		25	0	21.40	21.33	21.24	2
5M	64QAM	1	0	21.42	21.64	21.49	2
		1	12	21.44	21.52	21.42	2
		1	24	21.40	21.47	21.41	2
		12	0	20.40	20.51	20.26	3
		12	6	20.38	20.55	20.40	3
		12	13	20.46	20.31	20.26	3
		25	0	20.46	20.43	20.32	3
5M	256QAM	1	0	18.62	18.57	18.51	5
		1	12	18.44	18.57	18.44	5
		1	24	18.36	18.59	18.34	5
		12	0	18.52	18.55	18.41	5
		12	6	18.45	18.46	18.41	5
		12	13	18.36	18.52	18.39	5
		25	0	18.48	18.40	18.22	5

LTE Conducted Power (DSI 4)							
LTE Band 2 (Ant 1)							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.40	23.39	23.23	0
		1	7	23.28	23.23	23.18	0
		1	14	23.22	23.09	23.04	0
		8	0	22.47	22.50	22.34	1
		8	3	22.41	22.49	22.36	1
		8	7	22.30	22.37	22.27	1
		15	0	22.36	22.43	22.40	1
3M	16QAM	1	0	22.58	22.64	22.45	1
		1	7	22.48	22.59	22.47	1
		1	14	22.51	22.46	22.36	1
		8	0	21.54	21.47	21.42	2
		8	3	21.44	21.44	21.33	2
		8	7	21.38	21.40	21.24	2
		15	0	21.38	21.48	21.29	2
3M	64QAM	1	0	21.45	21.60	21.36	2
		1	7	21.53	21.57	21.51	2
		1	14	21.42	21.39	21.36	2
		8	0	20.43	20.49	20.36	3
		8	3	20.42	20.41	20.44	3
		8	7	20.40	20.42	20.20	3
		15	0	20.40	20.49	20.24	3
3M	256QAM	1	0	18.59	18.59	18.51	5
		1	7	18.59	18.45	18.54	5
		1	14	18.39	18.57	18.50	5
		8	0	18.51	18.51	18.55	5
		8	3	18.41	18.44	18.35	5
		8	7	18.34	18.47	18.29	5
		15	0	18.47	18.48	18.28	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	23.35	23.31	23.17	0
		1	2	23.17	23.30	23.12	0
		1	5	23.16	23.25	23.15	0
		3	0	23.38	23.44	23.37	0
		3	1	23.42	23.42	23.22	0
		3	3	23.29	23.27	23.17	0
		6	0	22.41	22.34	22.34	1
1.4M	16QAM	1	0	22.61	22.59	22.42	1
		1	2	22.48	22.53	22.45	1
		1	5	22.35	22.45	22.39	1
		3	0	22.50	22.61	22.37	1
		3	1	22.34	22.49	22.25	1
		3	3	22.28	22.46	22.26	1
		6	0	21.36	21.44	21.33	2
1.4M	64QAM	1	0	21.58	21.55	21.40	2
		1	2	21.48	21.45	21.31	2
		1	5	21.33	21.49	21.44	2
		3	0	21.44	21.51	21.33	2
		3	1	21.44	21.45	21.34	2
		3	3	21.25	21.42	21.23	2
		6	0	20.41	20.41	20.29	3
1.4M	256QAM	1	0	18.57	18.51	18.45	5
		1	2	18.55	18.61	18.43	5
		1	5	18.42	18.49	18.40	5
		3	0	18.46	18.56	18.42	5
		3	1	18.37	18.41	18.33	5
		3	3	18.40	18.30	18.26	5
		6	0	18.38	18.56	18.28	5

LTE Conducted Power (DSI 0)							
LTE Band 4 (Ant0/Ant1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.72	23.78	23.70	0
		1	50	23.59	23.65	23.57	0
		1	99	23.57	23.63	23.55	0
		50	0	22.76	22.82	22.74	1
		50	25	22.73	22.79	22.71	1
		50	50	22.68	22.74	22.66	1
		100	0	22.76	22.82	22.74	1
20M	16QAM	1	0	22.89	22.95	22.87	1
		1	50	22.86	22.92	22.84	1
		1	99	22.81	22.87	22.79	1
		50	0	21.82	21.88	21.80	2
		50	25	21.76	21.82	21.74	2
		50	50	21.72	21.78	21.70	2
		100	0	21.70	21.76	21.68	2
20M	64QAM	1	0	21.83	21.89	21.81	2
		1	50	21.80	21.86	21.78	2
		1	99	21.75	21.81	21.73	2
		50	0	20.82	20.88	20.80	3
		50	25	20.74	20.80	20.72	3
		50	50	20.66	20.72	20.64	3
		100	0	20.69	20.75	20.67	3
20M	256QAM	1	0	18.83	18.89	18.81	5
		1	50	18.78	18.84	18.76	5
		1	99	18.74	18.80	18.72	5
		50	0	18.72	18.78	18.70	5
		50	25	18.68	18.74	18.66	5
		50	50	18.64	18.70	18.62	5
		100	0	18.68	18.74	18.66	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.68	23.77	23.66	0
		1	37	23.51	23.61	23.55	0
		1	74	23.53	23.53	23.49	0
		36	0	22.76	22.73	22.64	1
		36	19	22.69	22.69	22.70	1
		36	39	22.59	22.68	22.58	1
		75	0	22.76	22.72	22.71	1
15M	16QAM	1	0	22.81	22.93	22.82	1
		1	37	22.84	22.87	22.76	1
		1	74	22.78	22.77	22.71	1
		36	0	21.80	21.81	21.71	2
		36	19	21.69	21.80	21.64	2
		36	39	21.62	21.75	21.63	2
		75	0	21.65	21.70	21.58	2
15M	64QAM	1	0	21.80	21.86	21.80	2
		1	37	21.77	21.81	21.69	2
		1	74	21.71	21.79	21.68	2
		36	0	20.72	20.85	20.74	3
		36	19	20.68	20.76	20.67	3
		36	39	20.60	20.65	20.64	3
		75	0	20.64	20.69	20.65	3
15M	256QAM	1	0	18.80	18.82	18.77	5
		1	37	18.70	18.79	18.75	5
		1	74	18.64	18.76	18.65	5
		36	0	18.70	18.70	18.70	5
		36	19	18.59	18.68	18.60	5
		36	39	18.59	18.66	18.62	5
		75	0	18.60	18.70	18.61	5

LTE Conducted Power (DSI 0)							
LTE Band 4 (Ant0/Ant1)							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	23.62	23.63	23.60	0
		1	24	23.43	23.51	23.52	0
		1	49	23.44	23.48	23.43	0
		25	0	22.61	22.74	22.51	1
		25	12	22.48	22.68	22.62	1
		25	25	22.57	22.57	22.58	1
		50	0	22.72	22.69	22.65	1
10M	16QAM	1	0	22.66	22.91	22.74	1
		1	24	22.75	22.80	22.73	1
		1	49	22.65	22.71	22.65	1
		25	0	21.75	21.67	21.76	2
		25	12	21.61	21.63	21.62	2
		25	25	21.57	21.61	21.49	2
		50	0	21.57	21.62	21.58	2
10M	64QAM	1	0	21.60	21.80	21.61	2
		1	24	21.72	21.67	21.72	2
		1	49	21.61	21.73	21.64	2
		25	0	20.75	20.84	20.66	3
		25	12	20.56	20.56	20.60	3
		25	25	20.51	20.68	20.47	3
		50	0	20.62	20.64	20.48	3
10M	256QAM	1	0	18.81	18.87	18.80	5
		1	24	18.69	18.74	18.71	5
		1	49	18.71	18.74	18.62	5
		25	0	18.70	18.69	18.64	5
		25	12	18.58	18.69	18.62	5
		25	25	18.55	18.70	18.59	5
		50	0	18.61	18.65	18.63	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.52	23.68	23.48	0
		1	12	23.49	23.47	23.41	0
		1	24	23.45	23.56	23.35	0
		12	0	22.70	22.63	22.51	1
		12	6	22.54	22.68	22.53	1
		12	13	22.58	22.65	22.56	1
		25	0	22.63	22.78	22.68	1
5M	16QAM	1	0	22.76	22.76	22.67	1
		1	12	22.77	22.92	22.69	1
		1	24	22.67	22.85	22.60	1
		12	0	21.78	21.86	21.69	2
		12	6	21.62	21.65	21.54	2
		12	13	21.64	21.61	21.50	2
		25	0	21.53	21.71	21.50	2
5M	64QAM	1	0	21.75	21.75	21.71	2
		1	12	21.70	21.82	21.59	2
		1	24	21.69	21.66	21.65	2
		12	0	20.67	20.77	20.60	3
		12	6	20.62	20.64	20.54	3
		12	13	20.60	20.63	20.42	3
		25	0	20.54	20.64	20.53	3
5M	256QAM	1	0	18.82	18.82	18.75	5
		1	12	18.77	18.77	18.69	5
		1	24	18.66	18.79	18.70	5
		12	0	18.70	18.73	18.63	5
		12	6	18.59	18.74	18.58	5
		12	13	18.63	18.61	18.54	5
		25	0	18.63	18.64	18.62	5

LTE Conducted Power (DSI 0)							
LTE Band 4 (Ant0/Ant1)							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	23.55	23.56	23.54	0
		1	7	23.39	23.50	23.40	0
		1	14	23.47	23.47	23.33	0
		8	0	22.63	22.63	22.66	1
		8	3	22.69	22.64	22.66	1
		8	7	22.51	22.60	22.53	1
		15	0	22.64	22.68	22.67	1
3M	16QAM	1	0	22.87	22.77	22.75	1
		1	7	22.78	22.74	22.78	1
		1	14	22.72	22.77	22.68	1
		8	0	21.68	21.78	21.79	2
		8	3	21.61	21.65	21.52	2
		8	7	21.58	21.58	21.61	2
		15	0	21.59	21.67	21.53	2
3M	64QAM	1	0	21.64	21.79	21.79	2
		1	7	21.61	21.69	21.71	2
		1	14	21.68	21.73	21.56	2
		8	0	20.71	20.67	20.66	3
		8	3	20.67	20.68	20.60	3
		8	7	20.49	20.69	20.51	3
		15	0	20.67	20.65	20.54	3
3M	256QAM	1	0	18.78	18.85	18.79	5
		1	7	18.69	18.78	18.72	5
		1	14	18.69	18.78	18.71	5
		8	0	18.62	18.75	18.63	5
		8	3	18.58	18.65	18.56	5
		8	7	18.58	18.64	18.62	5
		15	0	18.61	18.68	18.61	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	23.62	23.73	23.60	0
		1	2	23.50	23.60	23.40	0
		1	5	23.34	23.44	23.47	0
		3	0	23.60	23.74	23.65	0
		3	1	23.64	23.61	23.59	0
		3	3	23.54	23.63	23.57	0
		6	0	22.66	22.73	22.61	1
1.4M	16QAM	1	0	22.81	22.78	22.86	1
		1	2	22.71	22.87	22.69	1
		1	5	22.59	22.77	22.55	1
		3	0	22.71	22.85	22.60	1
		3	1	22.71	22.68	22.57	1
		3	3	22.48	22.69	22.47	1
		6	0	21.54	21.60	21.49	2
1.4M	64QAM	1	0	21.74	21.82	21.75	2
		1	2	21.72	21.78	21.59	2
		1	5	21.55	21.60	21.54	2
		3	0	21.70	21.81	21.76	2
		3	1	21.58	21.65	21.64	2
		3	3	21.54	21.61	21.39	2
		6	0	20.54	20.72	20.57	3
1.4M	256QAM	1	0	18.64	18.71	18.74	5
		1	2	18.59	18.69	18.66	5
		1	5	18.71	18.66	18.57	5
		3	0	18.54	18.69	18.56	5
		3	1	18.59	18.62	18.54	5
		3	3	18.45	18.60	18.54	5
		6	0	18.57	18.67	18.63	5

LTE Conducted Power (DSI 1)							
LTE Band 4 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	22.21	22.22	22.17	0
		1	50	22.12	22.13	22.08	0
		1	99	22.10	22.11	22.06	0
		50	0	21.30	21.32	21.26	1
		50	25	21.28	21.28	21.24	1
		50	50	21.20	21.21	21.16	1
		100	0	21.30	21.30	21.26	1
20M	16QAM	1	0	21.54	21.53	21.50	1
		1	50	21.46	21.43	21.42	1
		1	99	21.38	21.35	21.34	1
		50	0	20.33	20.28	20.29	2
		50	25	20.28	20.22	20.24	2
		50	50	20.17	20.13	20.13	2
		100	0	20.24	20.20	20.20	2
20M	64QAM	1	0	20.26	20.20	20.22	2
		1	50	20.22	20.17	20.18	2
		1	99	20.20	20.20	20.16	2
		50	0	19.30	19.26	19.26	3
		50	25	19.26	19.23	19.22	3
		50	50	19.24	19.21	19.20	3
		100	0	19.27	19.26	19.23	3
20M	256QAM	1	0	17.32	17.27	17.28	5
		1	50	17.27	17.27	17.23	5
		1	99	17.24	17.24	17.20	5
		50	0	17.26	17.21	17.22	5
		50	25	17.21	17.21	17.17	5
		50	50	17.17	17.14	17.13	5
		100	0	17.22	17.19	17.18	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	22.14	22.21	22.11	0
		1	37	22.10	22.04	22.04	0
		1	74	22.02	22.03	22.03	0
		36	0	21.28	21.20	21.16	1
		36	19	21.19	21.28	21.18	1
		36	39	21.20	21.16	21.16	1
		75	0	21.25	21.24	21.21	1
15M	16QAM	1	0	21.48	21.45	21.47	1
		1	37	21.46	21.38	21.41	1
		1	74	21.28	21.24	21.27	1
		36	0	20.25	20.17	20.27	2
		36	19	20.21	20.25	20.21	2
		36	39	20.14	20.14	20.08	2
		75	0	20.24	20.19	20.20	2
15M	64QAM	1	0	20.22	20.14	20.17	2
		1	37	20.12	20.19	20.18	2
		1	74	20.14	20.10	20.14	2
		36	0	19.24	19.22	19.21	3
		36	19	19.16	19.18	19.18	3
		36	39	19.18	19.18	19.18	3
		75	0	19.21	19.20	19.19	3
15M	256QAM	1	0	17.23	17.25	17.26	5
		1	37	17.25	17.20	17.15	5
		1	74	17.21	17.18	17.11	5
		36	0	17.22	17.20	17.13	5
		36	19	17.16	17.18	17.11	5
		36	39	17.15	17.09	17.07	5
		75	0	17.15	17.14	17.18	5

LTE Conducted Power (DSI 1)							
LTE Band 4 (Ant 0)							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	22.02	22.17	22.13	0
		1	24	22.03	21.99	21.97	0
		1	49	21.96	21.90	21.91	0
		25	0	21.19	21.18	21.13	1
		25	12	21.05	21.20	21.02	1
		25	25	21.10	20.99	20.99	1
		50	0	21.13	21.06	21.10	1
10M	16QAM	1	0	21.41	21.41	21.38	1
		1	24	21.24	21.26	21.26	1
		1	49	21.18	21.26	21.21	1
		25	0	20.21	20.16	20.19	2
		25	12	20.15	20.18	20.09	2
		25	25	20.11	19.90	19.96	2
		50	0	20.14	20.03	20.12	2
10M	64QAM	1	0	20.19	20.00	20.15	2
		1	24	20.08	20.10	20.08	2
		1	49	20.11	20.10	20.07	2
		25	0	19.24	19.27	19.03	3
		25	12	19.14	19.18	19.07	3
		25	25	19.07	19.12	19.03	3
		50	0	19.14	19.14	19.06	3
10M	256QAM	1	0	17.13	17.15	17.23	5
		1	24	17.11	17.12	17.09	5
		1	49	17.06	17.15	17.10	5
		25	0	17.14	17.17	17.03	5
		25	12	17.02	16.93	17.03	5
		25	25	17.07	16.94	16.96	5
		50	0	17.15	17.13	17.15	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	22.08	22.04	21.98	0
		1	12	21.91	21.96	21.96	0
		1	24	21.98	21.82	21.84	0
		12	0	21.20	21.15	21.07	1
		12	6	21.25	21.04	20.99	1
		12	13	21.17	21.17	20.99	1
		25	0	21.05	21.10	21.20	1
5M	16QAM	1	0	21.40	21.46	21.36	1
		1	12	21.34	21.35	21.20	1
		1	24	21.19	21.28	21.23	1
		12	0	20.31	20.24	20.15	2
		12	6	20.23	20.14	20.07	2
		12	13	20.14	19.92	19.98	2
		25	0	20.18	20.12	20.13	2
5M	64QAM	1	0	20.13	20.12	20.17	2
		1	12	20.01	20.10	19.95	2
		1	24	20.00	20.10	20.03	2
		12	0	19.18	19.27	19.12	3
		12	6	19.15	19.15	19.08	3
		12	13	19.16	19.03	18.97	3
		25	0	19.13	19.07	19.05	3
5M	256QAM	1	0	17.18	17.11	17.23	5
		1	12	17.14	17.12	17.08	5
		1	24	17.08	17.15	17.19	5
		12	0	17.10	17.04	17.16	5
		12	6	17.09	17.09	17.10	5
		12	13	16.99	16.94	17.03	5
		25	0	17.07	17.13	17.07	5

LTE Conducted Power (DSI 1)							
LTE Band 4 (Ant 0)							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	21.98	22.06	22.03	0
		1	7	21.98	22.07	21.87	0
		1	14	21.90	22.05	21.92	0
		8	0	21.13	21.12	21.12	1
		8	3	21.11	21.09	21.08	1
		8	7	20.98	21.03	21.08	1
		15	0	21.08	21.11	21.12	1
3M	16QAM	1	0	21.47	21.39	21.32	1
		1	7	21.35	21.35	21.37	1
		1	14	21.26	21.21	21.25	1
		8	0	20.17	20.13	20.17	2
		8	3	20.13	20.21	20.13	2
		8	7	20.12	19.99	20.08	2
		15	0	20.20	20.12	20.12	2
3M	64QAM	1	0	20.13	20.04	20.16	2
		1	7	20.12	20.07	19.98	2
		1	14	20.10	20.10	20.10	2
		8	0	19.26	19.12	19.18	3
		8	3	19.19	19.12	19.11	3
		8	7	19.08	19.00	19.13	3
		15	0	19.08	19.03	19.15	3
3M	256QAM	1	0	17.15	17.23	17.21	5
		1	7	17.10	17.08	17.02	5
		1	14	17.10	17.16	17.07	5
		8	0	17.06	17.13	17.07	5
		8	3	17.11	17.02	17.07	5
		8	7	17.06	17.08	16.90	5
		15	0	17.14	17.11	17.16	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	22.11	22.14	21.94	0
		1	2	21.96	21.97	21.95	0
		1	5	21.92	22.01	21.99	0
		3	0	22.17	22.11	22.19	0
		3	1	22.19	22.05	22.15	0
		3	3	22.07	22.01	22.11	0
		6	0	21.12	21.11	21.17	1
1.4M	16QAM	1	0	21.34	21.38	21.25	1
		1	2	21.27	21.19	21.22	1
		1	5	21.34	21.24	21.19	1
		3	0	21.25	21.11	21.12	1
		3	1	21.12	21.11	21.14	1
		3	3	21.01	20.93	20.98	1
		6	0	20.10	20.13	20.09	2
1.4M	64QAM	1	0	20.11	20.05	20.13	2
		1	2	20.03	20.20	20.00	2
		1	5	19.98	20.03	19.99	2
		3	0	19.21	19.07	19.19	2
		3	1	19.18	19.18	19.03	2
		3	3	19.15	19.08	19.12	2
		6	0	19.23	19.17	19.10	3
1.4M	256QAM	1	0	17.18	17.15	17.10	5
		1	2	17.16	17.06	17.10	5
		1	5	17.10	17.10	17.06	5
		3	0	17.18	17.06	17.07	5
		3	1	17.11	17.10	16.99	5
		3	3	16.97	16.93	16.99	5
		6	0	17.13	17.03	17.06	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.72	23.78	23.70	0
		1	50	23.59	23.65	23.57	0
		1	99	23.57	23.63	23.55	0
		50	0	22.76	22.82	22.74	1
		50	25	22.73	22.79	22.71	1
		50	50	22.68	22.74	22.66	1
		100	0	22.76	22.82	22.74	1
20M	16QAM	1	0	22.89	22.95	22.87	1
		1	50	22.86	22.92	22.84	1
		1	99	22.81	22.87	22.79	1
		50	0	21.82	21.88	21.80	2
		50	25	21.76	21.82	21.74	2
		50	50	21.72	21.78	21.70	2
		100	0	21.70	21.76	21.68	2
20M	64QAM	1	0	21.83	21.89	21.81	2
		1	50	21.80	21.86	21.78	2
		1	99	21.75	21.81	21.73	2
		50	0	20.82	20.88	20.80	3
		50	25	20.74	20.80	20.72	3
		50	50	20.66	20.72	20.64	3
		100	0	20.69	20.75	20.67	3
20M	256QAM	1	0	18.83	18.89	18.81	5
		1	50	18.78	18.84	18.76	5
		1	99	18.74	18.80	18.72	5
		50	0	18.72	18.78	18.70	5
		50	25	18.68	18.74	18.66	5
		50	50	18.64	18.70	18.62	5
		100	0	18.68	18.74	18.66	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.68	23.77	23.66	0
		1	37	23.51	23.61	23.55	0
		1	74	23.53	23.53	23.49	0
		36	0	22.76	22.73	22.64	1
		36	19	22.69	22.69	22.70	1
		36	39	22.59	22.68	22.58	1
		75	0	22.76	22.72	22.71	1
15M	16QAM	1	0	22.81	22.93	22.82	1
		1	37	22.84	22.87	22.76	1
		1	74	22.78	22.77	22.71	1
		36	0	21.80	21.81	21.71	2
		36	19	21.69	21.80	21.64	2
		36	39	21.62	21.75	21.63	2
		75	0	21.65	21.70	21.58	2
15M	64QAM	1	0	21.80	21.86	21.80	2
		1	37	21.77	21.81	21.69	2
		1	74	21.71	21.79	21.68	2
		36	0	20.72	20.85	20.74	3
		36	19	20.68	20.76	20.67	3
		36	39	20.60	20.65	20.64	3
		75	0	20.64	20.69	20.65	3
15M	256QAM	1	0	18.80	18.82	18.77	5
		1	37	18.70	18.79	18.75	5
		1	74	18.64	18.76	18.65	5
		36	0	18.70	18.70	18.70	5
		36	19	18.59	18.68	18.60	5
		36	39	18.59	18.66	18.62	5
		75	0	18.60	18.70	18.61	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 0)							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	23.62	23.63	23.60	0
		1	24	23.43	23.51	23.52	0
		1	49	23.44	23.48	23.43	0
		25	0	22.61	22.74	22.51	1
		25	12	22.48	22.68	22.62	1
		25	25	22.57	22.57	22.58	1
		50	0	22.72	22.69	22.65	1
10M	16QAM	1	0	22.66	22.91	22.74	1
		1	24	22.75	22.80	22.73	1
		1	49	22.65	22.71	22.65	1
		25	0	21.75	21.67	21.76	2
		25	12	21.61	21.63	21.62	2
		25	25	21.57	21.61	21.49	2
		50	0	21.57	21.62	21.58	2
10M	64QAM	1	0	21.60	21.80	21.61	2
		1	24	21.72	21.67	21.72	2
		1	49	21.61	21.73	21.64	2
		25	0	20.75	20.84	20.66	3
		25	12	20.56	20.56	20.60	3
		25	25	20.51	20.68	20.47	3
		50	0	20.62	20.64	20.48	3
10M	256QAM	1	0	18.81	18.87	18.80	5
		1	24	18.69	18.74	18.71	5
		1	49	18.71	18.74	18.62	5
		25	0	18.70	18.69	18.64	5
		25	12	18.58	18.69	18.62	5
		25	25	18.55	18.70	18.59	5
		50	0	18.61	18.65	18.63	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.52	23.68	23.48	0
		1	12	23.49	23.47	23.41	0
		1	24	23.45	23.56	23.35	0
		12	0	22.70	22.63	22.51	1
		12	6	22.54	22.68	22.53	1
		12	13	22.58	22.65	22.56	1
		25	0	22.63	22.78	22.68	1
5M	16QAM	1	0	22.76	22.76	22.67	1
		1	12	22.77	22.92	22.69	1
		1	24	22.67	22.85	22.60	1
		12	0	21.78	21.86	21.69	2
		12	6	21.62	21.65	21.54	2
		12	13	21.64	21.61	21.50	2
		25	0	21.53	21.71	21.50	2
5M	64QAM	1	0	21.75	21.75	21.71	2
		1	12	21.70	21.82	21.59	2
		1	24	21.69	21.66	21.65	2
		12	0	20.67	20.77	20.60	3
		12	6	20.62	20.64	20.54	3
		12	13	20.60	20.63	20.42	3
		25	0	20.54	20.64	20.53	3
5M	256QAM	1	0	18.82	18.82	18.75	5
		1	12	18.77	18.77	18.69	5
		1	24	18.66	18.79	18.70	5
		12	0	18.70	18.73	18.63	5
		12	6	18.59	18.74	18.58	5
		12	13	18.63	18.61	18.54	5
		25	0	18.63	18.64	18.62	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 0)							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	23.55	23.56	23.54	0
		1	7	23.39	23.50	23.40	0
		1	14	23.47	23.47	23.33	0
		8	0	22.63	22.63	22.66	1
		8	3	22.69	22.64	22.66	1
		8	7	22.51	22.60	22.53	1
		15	0	22.64	22.68	22.67	1
3M	16QAM	1	0	22.87	22.77	22.75	1
		1	7	22.78	22.74	22.78	1
		1	14	22.72	22.77	22.68	1
		8	0	21.68	21.78	21.79	2
		8	3	21.61	21.65	21.52	2
		8	7	21.58	21.58	21.61	2
		15	0	21.59	21.67	21.53	2
3M	64QAM	1	0	21.64	21.79	21.79	2
		1	7	21.61	21.69	21.71	2
		1	14	21.68	21.73	21.56	2
		8	0	20.71	20.67	20.66	3
		8	3	20.67	20.68	20.60	3
		8	7	20.49	20.69	20.51	3
		15	0	20.67	20.65	20.54	3
3M	256QAM	1	0	18.78	18.85	18.79	5
		1	7	18.69	18.78	18.72	5
		1	14	18.69	18.78	18.71	5
		8	0	18.62	18.75	18.63	5
		8	3	18.58	18.65	18.56	5
		8	7	18.58	18.64	18.62	5
		15	0	18.61	18.68	18.61	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	23.62	23.73	23.60	0
		1	2	23.50	23.60	23.40	0
		1	5	23.34	23.44	23.47	0
		3	0	23.60	23.74	23.65	0
		3	1	23.64	23.61	23.59	0
		3	3	23.54	23.63	23.57	0
		6	0	22.66	22.73	22.61	1
1.4M	16QAM	1	0	22.81	22.78	22.86	1
		1	2	22.71	22.87	22.69	1
		1	5	22.59	22.77	22.55	1
		3	0	22.71	22.85	22.60	1
		3	1	22.71	22.68	22.57	1
		3	3	22.48	22.69	22.47	1
		6	0	21.54	21.60	21.49	2
1.4M	64QAM	1	0	21.74	21.82	21.75	2
		1	2	21.72	21.78	21.59	2
		1	5	21.55	21.60	21.54	2
		3	0	21.70	21.81	21.76	2
		3	1	21.58	21.65	21.64	2
		3	3	21.54	21.61	21.39	2
		6	0	20.54	20.72	20.57	3
1.4M	256QAM	1	0	18.64	18.71	18.74	5
		1	2	18.59	18.69	18.66	5
		1	5	18.71	18.66	18.57	5
		3	0	18.54	18.69	18.56	5
		3	1	18.59	18.62	18.54	5
		3	3	18.45	18.60	18.54	5
		6	0	18.57	18.67	18.63	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	23.72	23.78	23.70	0
		1	50	23.59	23.65	23.57	0
		1	99	23.57	23.63	23.55	0
		50	0	22.76	22.82	22.74	1
		50	25	22.73	22.79	22.71	1
		50	50	22.68	22.74	22.66	1
		100	0	22.76	22.82	22.74	1
20M	16QAM	1	0	22.89	22.95	22.87	1
		1	50	22.86	22.92	22.84	1
		1	99	22.81	22.87	22.79	1
		50	0	21.82	21.88	21.80	2
		50	25	21.76	21.82	21.74	2
		50	50	21.72	21.78	21.70	2
		100	0	21.70	21.76	21.68	2
20M	64QAM	1	0	21.83	21.89	21.81	2
		1	50	21.80	21.86	21.78	2
		1	99	21.75	21.81	21.73	2
		50	0	20.82	20.88	20.80	3
		50	25	20.74	20.80	20.72	3
		50	50	20.66	20.72	20.64	3
		100	0	20.69	20.75	20.67	3
20M	256QAM	1	0	18.83	18.89	18.81	5
		1	50	18.78	18.84	18.76	5
		1	99	18.74	18.80	18.72	5
		50	0	18.72	18.78	18.70	5
		50	25	18.68	18.74	18.66	5
		50	50	18.64	18.70	18.62	5
		100	0	18.68	18.74	18.66	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	23.68	23.77	23.66	0
		1	37	23.51	23.61	23.55	0
		1	74	23.53	23.53	23.49	0
		36	0	22.76	22.73	22.64	1
		36	19	22.69	22.69	22.70	1
		36	39	22.59	22.68	22.58	1
		75	0	22.76	22.72	22.71	1
15M	16QAM	1	0	22.81	22.93	22.82	1
		1	37	22.84	22.87	22.76	1
		1	74	22.78	22.77	22.71	1
		36	0	21.80	21.81	21.71	2
		36	19	21.69	21.80	21.64	2
		36	39	21.62	21.75	21.63	2
		75	0	21.65	21.70	21.58	2
15M	64QAM	1	0	21.80	21.86	21.80	2
		1	37	21.77	21.81	21.69	2
		1	74	21.71	21.79	21.68	2
		36	0	20.72	20.85	20.74	3
		36	19	20.68	20.76	20.67	3
		36	39	20.60	20.65	20.64	3
		75	0	20.64	20.69	20.65	3
15M	256QAM	1	0	18.80	18.82	18.77	5
		1	37	18.70	18.79	18.75	5
		1	74	18.64	18.76	18.65	5
		36	0	18.70	18.70	18.70	5
		36	19	18.59	18.68	18.60	5
		36	39	18.59	18.66	18.62	5
		75	0	18.60	18.70	18.61	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 1)							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	23.62	23.63	23.60	0
		1	24	23.43	23.51	23.52	0
		1	49	23.44	23.48	23.43	0
		25	0	22.61	22.74	22.51	1
		25	12	22.48	22.68	22.62	1
		25	25	22.57	22.57	22.58	1
		50	0	22.72	22.69	22.65	1
10M	16QAM	1	0	22.66	22.91	22.74	1
		1	24	22.75	22.80	22.73	1
		1	49	22.65	22.71	22.65	1
		25	0	21.75	21.67	21.76	2
		25	12	21.61	21.63	21.62	2
		25	25	21.57	21.61	21.49	2
		50	0	21.57	21.62	21.58	2
10M	64QAM	1	0	21.60	21.80	21.61	2
		1	24	21.72	21.67	21.72	2
		1	49	21.61	21.73	21.64	2
		25	0	20.75	20.84	20.66	3
		25	12	20.56	20.56	20.60	3
		25	25	20.51	20.68	20.47	3
		50	0	20.62	20.64	20.48	3
10M	256QAM	1	0	18.81	18.87	18.80	5
		1	24	18.69	18.74	18.71	5
		1	49	18.71	18.74	18.62	5
		25	0	18.70	18.69	18.64	5
		25	12	18.58	18.69	18.62	5
		25	25	18.55	18.70	18.59	5
		50	0	18.61	18.65	18.63	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	23.52	23.68	23.48	0
		1	12	23.49	23.47	23.41	0
		1	24	23.45	23.56	23.35	0
		12	0	22.70	22.63	22.51	1
		12	6	22.54	22.68	22.53	1
		12	13	22.58	22.65	22.56	1
		25	0	22.63	22.78	22.68	1
5M	16QAM	1	0	22.76	22.76	22.67	1
		1	12	22.77	22.92	22.69	1
		1	24	22.67	22.85	22.60	1
		12	0	21.78	21.86	21.69	2
		12	6	21.62	21.65	21.54	2
		12	13	21.64	21.61	21.50	2
		25	0	21.53	21.71	21.50	2
5M	64QAM	1	0	21.75	21.75	21.71	2
		1	12	21.70	21.82	21.59	2
		1	24	21.69	21.66	21.65	2
		12	0	20.67	20.77	20.60	3
		12	6	20.62	20.64	20.54	3
		12	13	20.60	20.63	20.42	3
		25	0	20.54	20.64	20.53	3
5M	256QAM	1	0	18.82	18.82	18.75	5
		1	12	18.77	18.77	18.69	5
		1	24	18.66	18.79	18.70	5
		12	0	18.70	18.73	18.63	5
		12	6	18.59	18.74	18.58	5
		12	13	18.63	18.61	18.54	5
		25	0	18.63	18.64	18.62	5

LTE Conducted Power (DSI 4)							
LTE Band 4 (Ant 1)							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	23.55	23.56	23.54	0
		1	7	23.39	23.50	23.40	0
		1	14	23.47	23.47	23.33	0
		8	0	22.63	22.63	22.66	1
		8	3	22.69	22.64	22.66	1
		8	7	22.51	22.60	22.53	1
		15	0	22.64	22.68	22.67	1
3M	16QAM	1	0	22.87	22.77	22.75	1
		1	7	22.78	22.74	22.78	1
		1	14	22.72	22.77	22.68	1
		8	0	21.68	21.78	21.79	2
		8	3	21.61	21.65	21.52	2
		8	7	21.58	21.58	21.61	2
		15	0	21.59	21.67	21.53	2
3M	64QAM	1	0	21.64	21.79	21.79	2
		1	7	21.61	21.69	21.71	2
		1	14	21.68	21.73	21.56	2
		8	0	20.71	20.67	20.66	3
		8	3	20.67	20.68	20.60	3
		8	7	20.49	20.69	20.51	3
		15	0	20.67	20.65	20.54	3
3M	256QAM	1	0	18.78	18.85	18.79	5
		1	7	18.69	18.78	18.72	5
		1	14	18.69	18.78	18.71	5
		8	0	18.62	18.75	18.63	5
		8	3	18.58	18.65	18.56	5
		8	7	18.58	18.64	18.62	5
		15	0	18.61	18.68	18.61	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	23.62	23.73	23.60	0
		1	2	23.50	23.60	23.40	0
		1	5	23.34	23.44	23.47	0
		3	0	23.60	23.74	23.65	0
		3	1	23.64	23.61	23.59	0
		3	3	23.54	23.63	23.57	0
		6	0	22.66	22.73	22.61	1
1.4M	16QAM	1	0	22.81	22.78	22.86	1
		1	2	22.71	22.87	22.69	1
		1	5	22.59	22.77	22.55	1
		3	0	22.71	22.85	22.60	1
		3	1	22.71	22.68	22.57	1
		3	3	22.48	22.69	22.47	1
		6	0	21.54	21.60	21.49	2
1.4M	64QAM	1	0	21.74	21.82	21.75	2
		1	2	21.72	21.78	21.59	2
		1	5	21.55	21.60	21.54	2
		3	0	21.70	21.81	21.76	2
		3	1	21.58	21.65	21.64	2
		3	3	21.54	21.61	21.39	2
		6	0	20.54	20.72	20.57	3
1.4M	256QAM	1	0	18.64	18.71	18.74	5
		1	2	18.59	18.69	18.66	5
		1	5	18.71	18.66	18.57	5
		3	0	18.54	18.69	18.56	5
		3	1	18.59	18.62	18.54	5
		3	3	18.45	18.60	18.54	5
		6	0	18.57	18.67	18.63	5

LTE Conducted Power (DSI 0&4)							
LTE Band 5 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	23.93	23.96	23.89	0
		1	24	23.83	23.86	23.79	0
		1	49	23.77	23.80	23.73	0
		25	0	22.92	22.95	22.88	1
		25	12	22.90	22.93	22.86	1
		25	25	22.87	22.90	22.83	1
		50	0	22.89	22.92	22.85	1
10M	16QAM	1	0	22.95	22.98	22.91	1
		1	24	22.93	22.96	22.89	1
		1	49	22.89	22.92	22.85	1
		25	0	21.95	21.98	21.91	2
		25	12	21.93	21.96	21.89	2
		25	25	21.90	21.93	21.86	2
		50	0	21.94	21.97	21.90	2
10M	64QAM	1	0	21.71	21.74	21.67	2
		1	24	21.69	21.72	21.65	2
		1	49	21.68	21.71	21.64	2
		25	0	20.81	20.84	20.77	3
		25	12	20.77	20.80	20.73	3
		25	25	20.86	20.89	20.82	3
		50	0	20.82	20.85	20.78	3
10M	256QAM	1	0	18.95	18.98	18.91	5
		1	24	18.81	18.84	18.77	5
		1	49	18.87	18.90	18.83	5
		25	0	18.83	18.86	18.79	5
		25	12	18.80	18.83	18.76	5
		25	25	18.77	18.80	18.73	5
		50	0	18.88	18.91	18.84	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	23.74	23.81	23.65	0
		1	12	23.78	23.77	23.64	0
		1	24	23.63	23.70	23.44	0
		12	0	22.71	22.80	22.72	1
		12	6	22.73	22.75	22.53	1
		12	13	22.67	22.74	22.64	1
		25	0	22.80	22.85	22.55	1
5M	16QAM	1	0	22.82	22.88	22.73	1
		1	12	22.83	22.85	22.78	1
		1	24	22.74	22.77	22.70	1
		12	0	21.78	21.95	21.74	2
		12	6	21.72	21.75	21.82	2
		12	13	21.83	21.86	21.72	2
		25	0	21.72	21.83	21.67	2
5M	64QAM	1	0	21.57	21.51	21.53	2
		1	12	21.53	21.54	21.58	2
		1	24	21.60	21.61	21.59	2
		12	0	20.74	20.69	20.73	3
		12	6	20.61	20.64	20.61	3
		12	13	20.78	20.70	20.72	3
		25	0	20.67	20.77	20.66	3
5M	256QAM	1	0	18.88	18.96	18.90	5
		1	12	18.80	18.81	18.75	5
		1	24	18.84	18.84	18.80	5
		12	0	18.75	18.76	18.75	5
		12	6	18.72	18.80	18.74	5
		12	13	18.71	18.77	18.68	5
		25	0	18.84	18.90	18.77	5

LTE Conducted Power (DSI 0&4)							
LTE Band 5 (Ant 0)							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	23.90	23.86	23.77	0
		1	7	23.61	23.68	23.58	0
		1	14	23.61	23.70	23.59	0
		8	0	22.79	22.90	22.72	1
		8	3	22.78	22.87	22.74	1
		8	7	22.76	22.77	22.63	1
		15	0	22.72	22.74	22.69	1
3M	16QAM	1	0	22.83	22.84	22.75	1
		1	7	22.82	22.82	22.71	1
		1	14	22.69	22.69	22.71	1
		8	0	21.78	21.83	21.71	2
		8	3	21.80	21.93	21.77	2
		8	7	21.77	21.72	21.74	2
		15	0	21.86	21.75	21.80	2
3M	64QAM	1	0	21.65	21.69	21.54	2
		1	7	21.48	21.58	21.45	2
		1	14	21.57	21.51	21.55	2
		8	0	20.71	20.77	20.64	3
		8	3	20.57	20.68	20.60	3
		8	7	20.71	20.72	20.75	3
		15	0	20.62	20.74	20.63	3
3M	256QAM	1	0	18.83	18.85	18.75	5
		1	7	18.70	18.78	18.66	5
		1	14	18.66	18.83	18.68	5
		8	0	18.70	18.76	18.69	5
		8	3	18.64	18.82	18.66	5
		8	7	18.70	18.65	18.61	5
		15	0	18.87	18.78	18.70	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	23.84	23.91	23.80	0
		1	2	23.80	23.71	23.67	0
		1	5	23.59	23.59	23.59	0
		3	0	23.80	23.82	23.86	0
		3	1	23.76	23.76	23.76	0
		3	3	23.80	23.84	23.73	0
		6	0	22.68	22.86	22.73	1
1.4M	16QAM	1	0	22.77	22.84	22.72	1
		1	2	22.89	22.90	22.76	1
		1	5	22.69	22.73	22.68	1
		3	0	22.77	22.84	22.73	1
		3	1	22.70	22.78	22.74	1
		3	3	22.80	22.85	22.64	1
		6	0	21.71	21.86	21.77	2
1.4M	64QAM	1	0	21.57	21.53	21.60	2
		1	2	21.52	21.56	21.46	2
		1	5	21.54	21.61	21.55	2
		3	0	21.71	21.64	21.73	2
		3	1	21.63	21.77	21.62	2
		3	3	21.68	21.75	21.79	2
		6	0	20.65	20.68	20.70	3
1.4M	256QAM	1	0	18.78	18.85	18.79	5
		1	2	18.71	18.68	18.63	5
		1	5	18.80	18.81	18.73	5
		3	0	18.70	18.62	18.68	5
		3	1	18.69	18.65	18.71	5
		3	3	18.60	18.73	18.57	5
		6	0	18.65	18.88	18.84	5

LTE Conducted Power (DSI 0&4)							
LTE Band 7 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	23.67	23.87	24.02	0
		1	50	23.63	23.83	23.98	0
		1	99	23.60	23.80	23.95	0
		50	0	22.73	22.93	23.08	1
		50	25	22.70	22.90	23.05	1
		50	50	22.62	22.82	22.97	1
		100	0	22.79	22.99	23.14	1
20M	16QAM	1	0	22.67	22.87	23.02	1
		1	50	22.61	22.81	22.96	1
		1	99	22.57	22.77	22.92	1
		50	0	21.83	22.03	22.18	2
		50	25	21.80	22.00	22.15	2
		50	50	21.77	21.97	22.12	2
		100	0	21.80	22.00	22.15	2
20M	64QAM	1	0	21.74	21.94	22.09	2
		1	50	21.70	21.90	22.05	2
		1	99	21.65	21.85	22.00	2
		50	0	20.83	21.03	21.18	3
		50	25	20.77	20.97	21.12	3
		50	50	20.68	20.88	21.03	3
		100	0	20.71	20.91	21.06	3
20M	256QAM	1	0	18.32	18.85	18.94	5
		1	50	18.19	18.72	18.81	5
		1	99	18.09	18.62	18.71	5
		50	0	17.94	18.47	18.56	5
		50	25	17.87	18.40	18.49	5
		50	50	17.82	18.35	18.44	5
		100	0	17.90	18.43	18.52	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	23.63	23.87	24.00	0
		1	37	23.61	23.79	23.95	0
		1	74	23.56	23.70	23.86	0
		36	0	22.69	22.84	23.07	1
		36	19	22.65	22.80	22.98	1
		36	39	22.58	22.74	22.94	1
		75	0	22.78	22.96	23.14	1
15M	16QAM	1	0	22.64	22.81	22.95	1
		1	37	22.61	22.78	22.96	1
		1	74	22.53	22.74	22.85	1
		36	0	21.77	22.03	22.16	2
		36	19	21.73	21.94	22.11	2
		36	39	21.70	21.90	22.08	2
		75	0	21.75	22.00	22.06	2
15M	64QAM	1	0	21.74	21.89	22.01	2
		1	37	21.68	21.89	22.00	2
		1	74	21.62	21.83	21.92	2
		36	0	20.82	20.94	21.16	3
		36	19	20.74	20.97	21.03	3
		36	39	20.58	20.78	20.96	3
		75	0	20.66	20.91	21.03	3
15M	256QAM	1	0	18.25	18.79	18.86	5
		1	37	18.15	18.63	18.76	5
		1	74	18.03	18.60	18.64	5
		36	0	17.90	18.47	18.56	5
		36	19	17.86	18.36	18.49	5
		36	39	17.79	18.31	18.40	5
		75	0	17.80	18.42	18.45	5

LTE Conducted Power (DSI 0&4)							
LTE Band 7 (Ant 0)							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	23.49	23.76	23.87	0
		1	24	23.55	23.72	23.95	0
		1	49	23.35	23.79	23.90	0
		25	0	22.69	22.80	22.94	1
		25	12	22.61	22.83	22.95	1
		25	25	22.49	22.68	22.92	1
		50	0	22.58	22.89	23.01	1
10M	16QAM	1	0	22.58	22.69	22.86	1
		1	24	22.37	22.74	22.80	1
		1	49	22.56	22.72	22.77	1
		25	0	21.60	21.92	21.93	2
		25	12	21.64	21.83	22.06	2
		25	25	21.66	21.84	22.03	2
		50	0	21.69	21.79	21.95	2
10M	64QAM	1	0	21.69	21.79	22.00	2
		1	24	21.51	21.84	22.02	2
		1	49	21.45	21.83	21.98	2
		25	0	20.65	20.88	21.08	3
		25	12	20.66	20.76	21.07	3
		25	25	20.52	20.76	20.98	3
		50	0	20.56	20.70	20.98	3
10M	256QAM	1	0	18.21	18.64	18.75	5
		1	24	18.07	18.51	18.81	5
		1	49	17.96	18.47	18.70	5
		25	0	17.90	18.34	18.43	5
		25	12	17.74	18.29	18.38	5
		25	25	17.78	18.20	18.31	5
		50	0	17.71	18.26	18.50	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	23.42	23.76	23.85	0
		1	12	23.51	23.69	23.91	0
		1	24	23.47	23.71	23.75	0
		12	0	22.67	22.75	22.80	1
		12	6	22.55	22.68	22.80	1
		12	13	22.54	22.69	22.69	1
		25	0	22.75	22.91	22.90	1
5M	16QAM	1	0	22.50	22.79	22.93	1
		1	12	22.53	22.72	22.90	1
		1	24	22.38	22.69	22.79	1
		12	0	21.63	21.82	22.11	2
		12	6	21.75	21.86	21.99	2
		12	13	21.60	21.84	21.91	2
		25	0	21.71	21.83	22.02	2
5M	64QAM	1	0	21.56	21.70	21.91	2
		1	12	21.67	21.73	21.94	2
		1	24	21.51	21.74	21.93	2
		12	0	20.68	20.90	20.98	3
		12	6	20.72	20.81	21.03	3
		12	13	20.57	20.75	20.93	3
		25	0	20.54	20.83	20.85	3
5M	256QAM	1	0	18.16	18.78	18.84	5
		1	12	18.03	18.53	18.72	5
		1	24	17.93	18.52	18.71	5
		12	0	17.87	18.37	18.54	5
		12	6	17.69	18.21	18.32	5
		12	13	17.79	18.16	18.32	5
		25	0	17.80	18.30	18.49	5

LTE Conducted Power (DSI 0&4)							
LTE Band 12 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	23.92	23.98	23.84	0
		1	24	23.83	23.84	23.80	0
		1	49	23.76	23.81	23.67	0
		25	0	22.79	22.85	22.69	1
		25	12	22.78	22.79	22.77	1
		25	25	22.66	22.72	22.61	1
		50	0	22.74	22.81	22.73	1
10M	16QAM	1	0	22.80	22.80	22.70	1
		1	24	22.66	22.75	22.61	1
		1	49	22.65	22.72	22.60	1
		25	0	21.79	21.87	21.73	2
		25	12	21.79	21.83	21.75	2
		25	25	21.70	21.78	21.69	2
		50	0	21.71	21.75	21.63	2
10M	64QAM	1	0	21.76	21.84	21.76	2
		1	24	21.72	21.81	21.66	2
		1	49	21.70	21.74	21.68	2
		25	0	20.75	20.85	20.71	3
		25	12	20.75	20.83	20.66	3
		25	25	20.71	20.80	20.65	3
		50	0	20.78	20.82	20.76	3
10M	256QAM	1	0	18.47	18.58	18.46	5
		1	24	18.34	18.45	18.33	5
		1	49	18.30	18.41	18.29	5
		25	0	18.26	18.37	18.25	5
		25	12	18.24	18.35	18.23	5
		25	25	18.15	18.26	18.14	5
		50	0	18.17	18.28	18.16	5
BW	MCS Index	Channel		18.19	18.3	18.18	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	23.83	23.94	23.78	0
		1	12	23.75	23.76	23.77	0
		1	24	23.74	23.80	23.60	0
		12	0	22.79	22.75	22.62	1
		12	6	22.74	22.77	22.71	1
		12	13	22.62	22.65	22.56	1
		25	0	22.70	22.71	22.67	1
5M	16QAM	1	0	22.71	22.73	22.66	1
		1	12	22.60	22.75	22.53	1
		1	24	22.64	22.67	22.56	1
		12	0	21.77	21.82	21.70	2
		12	6	21.77	21.73	21.70	2
		12	13	21.63	21.75	21.64	2
		25	0	21.62	21.70	21.56	2
5M	64QAM	1	0	21.75	21.81	21.69	2
		1	12	21.62	21.73	21.58	2
		1	24	21.64	21.70	21.61	2
		12	0	20.75	20.84	20.62	3
		12	6	20.70	20.73	20.64	3
		12	13	20.62	20.78	20.56	3
		25	0	20.71	20.77	20.71	3
5M	256QAM	1	0	18.32	18.44	18.38	5
		1	12	18.20	18.29	18.15	5
		1	24	18.28	18.28	18.12	5
		12	0	18.17	18.16	18.14	5
		12	6	18.15	18.27	18.19	5
		12	13	18.04	18.07	17.99	5
		25	0	18.12	18.21	17.97	5

LTE Conducted Power (DSI 0&4)							
LTE Band 12 (Ant 0)							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	23.86	23.86	23.66	0
		1	7	23.76	23.74	23.67	0
		1	14	23.65	23.73	23.56	0
		8	0	22.59	22.75	22.49	1
		8	3	22.60	22.67	22.70	1
		8	7	22.50	22.54	22.47	1
		15	0	22.74	22.62	22.66	1
3M	16QAM	1	0	22.71	22.78	22.48	1
		1	7	22.52	22.73	22.48	1
		1	14	22.57	22.55	22.51	1
		8	0	21.73	21.75	21.68	2
		8	3	21.65	21.66	21.61	2
		8	7	21.52	21.58	21.63	2
		15	0	21.59	21.65	21.55	2
3M	64QAM	1	0	21.62	21.69	21.66	2
		1	7	21.51	21.73	21.44	2
		1	14	21.54	21.63	21.55	2
		8	0	20.64	20.76	20.61	3
		8	3	20.65	20.68	20.49	3
		8	7	20.58	20.74	20.43	3
		15	0	20.74	20.74	20.64	3
3M	256QAM	1	0	18.31	18.44	18.25	5
		1	7	18.15	18.31	18.12	5
		1	14	18.15	18.24	18.25	5
		8	0	18.22	18.27	18.19	5
		8	3	18.06	18.22	18.08	5
		8	7	17.98	18.06	17.98	5
		15	0	18.16	18.16	17.94	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	23.87	23.86	23.84	0
		1	2	23.78	23.73	23.65	0
		1	5	23.60	23.72	23.65	0
		3	0	23.67	23.70	23.57	0
		3	1	23.64	23.65	23.57	0
		3	3	23.56	23.67	23.57	0
		6	0	22.68	22.67	22.54	1
1.4M	16QAM	1	0	22.68	22.73	22.64	1
		1	2	22.53	22.63	22.45	1
		1	5	22.54	22.61	22.56	1
		3	0	22.63	22.77	22.61	1
		3	1	22.71	22.75	22.66	1
		3	3	22.56	22.69	22.59	1
		6	0	21.63	21.69	21.40	2
1.4M	64QAM	1	0	21.65	21.64	21.58	2
		1	2	21.60	21.69	21.44	2
		1	5	21.55	21.53	21.47	2
		3	0	21.55	21.75	21.55	2
		3	1	21.55	21.67	21.52	2
		3	3	21.53	21.66	21.47	2
		6	0	20.57	20.66	20.68	3
1.4M	256QAM	1	0	18.28	18.38	18.26	5
		1	2	18.20	18.33	18.16	5
		1	5	18.19	18.23	18.13	5
		3	0	18.04	18.30	18.03	5
		3	1	18.17	18.27	18.05	5
		3	3	18.06	18.16	17.90	5
		6	0	18.09	18.13	18.05	5

LTE Conducted Power (DSI 0&4)							
LTE Band 13 (Ant 0)							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		23.06		0
		1	24		23.79		0
		1	49		23.13		0
		25	0		21.95		1
		25	12		22.41		1
		25	25		21.87		1
		50	0		22.18		1
10M	16QAM	1	0		22.82		1
		1	24		22.88		1
		1	49		22.00		1
		25	0		21.18		2
		25	12		21.54		2
		25	25		21.15		2
		50	0		21.05		2
10M	64QAM	1	0		22.52		2
		1	24		22.67		2
		1	49		21.85		2
		25	0		21.03		3
		25	12		21.39		3
		25	25		21.00		3
		50	0		20.90		3
10M	256QAM	1	0		18.56		5
		1	24		19.07		5
		1	49		18.84		5
		25	0		18.72		5
		25	12		18.78		5
		25	25		18.75		5
		50	0		18.78		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	22.80	22.99	22.79	0
		1	12	23.41	23.69	23.63	0
		1	24	22.78	23.08	22.89	0
		12	0	21.78	21.92	21.78	1
		12	6	22.18	22.31	22.15	1
		12	13	21.74	21.78	21.71	1
		25	0	21.94	22.15	22.06	1
5M	16QAM	1	0	22.62	22.78	22.72	1
		1	12	22.54	22.81	22.74	1
		1	24	21.74	21.90	21.75	1
		12	0	20.82	21.09	21.03	2
		12	6	21.22	21.50	21.30	2
		12	13	20.96	21.10	20.99	2
		25	0	20.79	20.96	20.79	2
5M	64QAM	1	0	22.52	22.64	22.52	2
		1	12	22.46	22.67	22.56	2
		1	24	21.49	21.76	21.56	2
		12	0	21.08	21.23	21.06	3
		12	6	21.15	21.36	21.18	3
		12	13	20.83	20.96	20.81	3
		25	0	20.62	20.82	20.65	3
5M	256QAM	1	0	18.23	18.50	18.44	5
		1	12	18.85	18.98	18.91	5
		1	24	18.52	18.82	18.64	5
		12	0	18.39	18.69	18.56	5
		12	6	18.66	18.78	18.66	5
		12	13	18.55	18.65	18.58	5
		25	0	18.48	18.77	18.70	5

LTE Conducted Power (DSI 0)								
LTE Band 48 (Ant 1)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	23.16	23.12	23.55	23.82	0
		1	50	23.05	23.07	23.50	23.81	0
		1	99	22.98	23.00	23.01	23.77	0
		50	0	22.28	22.30	22.28	22.98	1
		50	25	22.18	22.25	22.21	22.96	1
		50	50	22.10	22.11	22.14	22.95	1
		100	0	22.19	22.19	22.15	22.90	1
20M	16QAM	1	0	22.08	22.39	22.34	22.91	1
		1	50	22.02	22.35	22.33	22.88	1
		1	99	21.93	22.27	22.21	22.86	1
		50	0	21.23	21.28	21.32	21.98	2
		50	25	21.19	21.21	21.22	21.99	2
		50	50	21.08	21.17	21.21	21.97	2
		100	0	21.15	21.18	21.19	21.91	2
20M	64QAM	1	0	21.05	21.29	21.35	21.23	2
		1	50	20.97	21.28	21.25	21.22	2
		1	99	20.96	21.28	21.28	21.27	2
		50	0	20.27	20.29	20.20	20.70	3
		50	25	20.25	20.23	20.18	20.75	3
		50	50	20.02	20.18	20.18	20.68	3
		100	0	20.13	20.23	20.17	20.78	3
20M	256QAM	1	0	18.42	18.50	18.55	18.60	5
		1	50	18.49	18.55	18.64	18.64	5
		1	99	18.53	18.55	18.62	18.71	5
		50	0	18.64	18.74	18.80	18.80	5
		50	25	18.78	18.80	18.82	18.92	5
		50	50	18.76	18.85	18.85	18.95	5
		100	0	18.53	18.58	18.65	18.71	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	23.06	23.03	23.48	23.75	0
		1	37	22.96	22.99	23.45	23.72	0
		1	74	22.89	22.96	23.01	23.76	0
		36	0	22.25	22.27	22.20	22.97	1
		36	19	22.11	22.20	22.12	22.92	1
		36	39	22.01	22.07	22.06	22.86	1
		75	0	22.13	22.18	22.15	22.88	1
15M	16QAM	1	0	22.07	22.02	22.53	22.74	1
		1	37	21.95	21.98	22.44	22.77	1
		1	74	21.88	21.92	21.96	22.70	1
		36	0	21.26	21.22	21.21	21.89	2
		36	19	21.18	21.25	21.14	21.87	2
		36	39	21.10	21.02	21.14	21.95	2
		75	0	21.18	21.16	21.13	21.84	2
15M	64QAM	1	0	21.08	21.06	21.48	21.79	2
		1	37	20.95	21.01	21.43	21.72	2
		1	74	20.89	20.95	20.95	21.75	2
		36	0	20.18	20.20	20.24	20.92	3
		36	19	20.12	20.22	20.17	20.95	3
		36	39	20.00	20.08	20.14	20.94	3
		75	0	20.16	20.15	20.07	20.88	3
15M	256QAM	1	0	18.33	18.45	18.51	18.57	5
		1	37	18.42	18.55	18.61	18.63	5
		1	74	18.48	18.51	18.59	18.63	5
		36	0	18.57	18.71	18.79	18.80	5
		36	19	18.78	18.71	18.81	18.86	5
		36	39	18.75	18.85	18.77	18.89	5
		75	0	18.49	18.49	18.62	18.68	5

LTE Conducted Power (DSI 0)								
LTE Band 48 (Ant 1)								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	23.03	23.03	23.41	23.78	0
		1	24	22.94	23.00	23.38	23.73	0
		1	49	22.92	22.83	22.85	23.64	0
		25	0	22.13	22.23	22.25	22.86	1
		25	12	22.00	22.13	22.13	22.79	1
		25	25	22.05	22.07	22.08	22.87	1
		50	0	22.15	22.04	21.96	22.74	1
10M	16QAM	1	0	22.03	22.05	22.49	22.75	1
		1	24	21.95	21.97	22.42	22.68	1
		1	49	21.85	21.85	21.88	22.64	1
		25	0	21.20	21.20	21.27	21.95	2
		25	12	21.03	21.13	21.09	21.83	2
		25	25	21.09	21.06	21.05	21.88	2
		50	0	21.13	21.06	20.98	21.76	2
10M	64QAM	1	0	21.08	20.98	21.39	21.72	2
		1	24	20.92	21.05	21.39	21.73	2
		1	49	20.87	20.91	20.89	21.64	2
		25	0	20.14	20.21	20.22	20.87	3
		25	12	20.00	20.09	20.15	20.82	3
		25	25	20.08	20.06	20.10	20.86	3
		50	0	20.14	20.09	20.03	20.73	3
10M	256QAM	1	0	17.98	18.28	18.34	18.79	5
		1	24	17.93	18.25	18.22	18.74	5
		1	49	17.80	18.13	18.18	18.76	5
		25	0	18.17	18.25	18.30	18.95	5
		25	12	18.17	18.13	18.11	18.97	5
		25	25	18.00	18.07	18.08	18.85	5
		50	0	18.07	18.09	18.15	18.79	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	23.05	23.00	23.41	23.71	0
		1	12	22.90	22.97	23.44	23.69	0
		1	24	22.87	22.88	22.93	23.67	0
		12	0	22.12	22.23	22.24	22.88	1
		12	6	22.02	22.13	22.07	22.93	1
		12	13	21.92	22.05	22.10	22.89	1
		25	0	22.08	22.11	22.01	22.87	1
5M	16QAM	1	0	22.02	22.00	22.47	22.70	1
		1	12	21.91	21.89	22.42	22.69	1
		1	24	21.85	21.94	21.90	22.60	1
		12	0	21.21	21.19	21.20	21.97	2
		12	6	21.02	21.19	21.06	21.85	2
		12	13	20.93	21.11	21.08	21.84	2
		25	0	21.08	21.09	21.05	21.87	2
5M	64QAM	1	0	21.09	20.93	21.50	21.71	2
		1	12	20.89	20.95	21.42	21.65	2
		1	24	20.84	20.95	20.88	21.70	2
		12	0	20.11	20.25	20.21	20.97	3
		12	6	19.99	20.10	20.03	20.92	3
		12	13	19.93	20.04	20.00	20.86	3
		25	0	20.14	20.10	20.04	20.82	3
5M	256QAM	1	0	17.93	18.32	18.26	18.91	5
		1	12	17.90	18.18	18.27	18.82	5
		1	24	17.81	18.17	18.20	18.75	5
		12	0	18.13	18.26	18.23	18.86	5
		12	6	18.15	18.12	18.18	18.93	5
		12	13	17.90	18.10	18.09	18.94	5
		25	0	18.12	18.09	18.02	18.82	5

LTE Conducted Power (DSI 2)								
LTE Band 48 (Ant 1)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	20.91	21.28	21.32	21.97	0
		1	50	20.79	21.16	21.20	21.84	0
		1	99	20.78	21.15	21.19	21.83	0
		50	0	20.15	20.52	20.56	21.20	1
		50	25	20.04	20.41	20.45	21.09	1
		50	50	19.99	20.36	20.40	21.04	1
		100	0	20.02	20.39	20.43	21.07	1
20M	16QAM	1	0	19.95	20.32	20.36	21.00	1
		1	50	19.92	20.29	20.33	20.97	1
		1	99	19.88	20.25	20.29	20.93	1
		50	0	19.04	19.41	19.45	20.09	2
		50	25	19.02	19.39	19.43	20.07	2
		50	50	18.99	19.36	19.40	20.04	2
		100	0	19.04	19.41	19.45	20.09	2
20M	64QAM	1	0	19.01	19.38	19.42	20.06	2
		1	50	18.98	19.35	19.39	20.03	2
		1	99	18.95	19.32	19.36	20.00	2
		50	0	18.04	18.41	18.45	19.09	3
		50	25	18.00	18.37	18.41	19.05	3
		50	50	17.97	18.34	18.38	19.02	3
		100	0	17.98	18.35	18.39	19.03	3
20M	256QAM	1	0	15.95	16.32	16.36	17.00	5
		1	50	15.91	16.28	16.32	16.96	5
		1	99	15.87	16.24	16.28	16.92	5
		50	0	15.88	16.25	16.29	16.93	5
		50	25	15.86	16.23	16.27	16.91	5
		50	50	15.80	16.17	16.21	16.85	5
		100	0	15.84	16.21	16.25	16.89	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	20.85	21.23	21.22	21.88	0
		1	37	20.72	21.15	21.16	21.81	0
		1	74	20.78	21.15	21.10	21.80	0
		36	0	20.11	20.52	20.53	21.20	1
		36	19	20.04	20.34	20.35	21.06	1
		36	39	19.89	20.35	20.30	21.03	1
		75	0	20.01	20.33	20.35	21.04	1
15M	16QAM	1	0	19.91	20.27	20.32	20.91	1
		1	37	19.76	20.07	20.10	20.74	1
		1	74	19.71	20.15	20.13	20.74	1
		36	0	19.08	19.45	19.47	20.14	2
		36	19	18.99	19.40	19.41	20.07	2
		36	39	18.98	19.33	19.31	19.99	2
		75	0	19.01	19.39	19.35	20.02	2
15M	64QAM	1	0	18.83	19.23	19.23	19.93	2
		1	37	18.74	19.07	19.13	19.77	2
		1	74	18.76	19.10	19.09	19.78	2
		36	0	18.15	18.45	18.49	19.13	3
		36	19	17.96	18.35	18.38	19.03	3
		36	39	17.89	18.29	18.37	19.01	3
		75	0	17.99	18.35	18.37	19.03	3
15M	256QAM	1	0	15.90	16.20	16.23	16.92	5
		1	37	15.79	16.14	16.10	16.80	5
		1	74	15.74	16.14	16.09	16.79	5
		36	0	16.08	16.52	16.49	17.19	5
		36	19	15.98	16.39	16.37	17.07	5
		36	39	15.92	16.28	16.37	16.97	5
		75	0	16.02	16.35	16.34	17.07	5

LTE Conducted Power (DSI 2)								
LTE Band 48 (Ant 1)								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	20.81	21.14	21.18	21.95	0
		1	24	20.76	21.12	21.06	21.78	0
		1	49	20.74	21.08	21.11	21.71	0
		25	0	20.12	20.43	20.41	21.18	1
		25	12	19.92	20.33	20.32	21.00	1
		25	25	19.92	20.30	20.36	20.97	1
		50	0	19.86	20.30	20.43	21.03	1
10M	16QAM	1	0	19.83	20.16	20.22	20.90	1
		1	24	19.77	20.05	20.00	20.71	1
		1	49	19.74	20.05	20.15	20.68	1
		25	0	19.05	19.47	19.40	20.12	2
		25	12	18.99	19.32	19.36	20.05	2
		25	25	18.88	19.31	19.36	19.98	2
		50	0	18.85	19.30	19.35	19.97	2
10M	64QAM	1	0	18.85	19.18	19.18	19.85	2
		1	24	18.75	19.05	19.08	19.74	2
		1	49	18.72	19.06	19.15	19.72	2
		25	0	18.05	18.40	18.38	19.14	3
		25	12	18.01	18.28	18.27	19.01	3
		25	25	17.95	18.25	18.33	18.98	3
		50	0	17.85	18.27	18.37	18.98	3
10M	256QAM	1	0	15.83	16.15	16.16	16.81	5
		1	24	15.76	16.10	16.08	16.68	5
		1	49	15.72	15.99	16.18	16.78	5
		25	0	16.03	16.44	16.45	17.03	5
		25	12	15.87	16.31	16.38	16.93	5
		25	25	15.83	16.30	16.35	16.98	5
		50	0	15.94	16.24	16.37	16.96	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	20.88	21.15	21.29	21.96	0
		1	12	20.75	21.11	21.13	21.65	0
		1	24	20.71	21.08	21.10	21.69	0
		12	0	20.12	20.40	20.51	21.07	1
		12	6	20.03	20.26	20.36	21.04	1
		12	13	19.96	20.21	20.32	20.97	1
		25	0	19.98	20.31	20.38	20.94	1
5M	16QAM	1	0	19.89	20.19	20.29	20.95	1
		1	12	19.74	20.08	20.18	20.73	1
		1	24	19.71	20.03	20.11	20.67	1
		12	0	19.12	19.48	19.55	20.06	2
		12	6	18.98	19.34	19.43	20.06	2
		12	13	18.87	19.25	19.25	20.02	2
		25	0	18.93	19.32	19.34	19.92	2
5M	64QAM	1	0	18.87	19.16	19.22	19.94	2
		1	12	18.78	19.11	19.09	19.66	2
		1	24	18.74	18.99	19.17	19.68	2
		12	0	18.12	18.40	18.49	19.14	3
		12	6	17.95	18.30	18.33	19.00	3
		12	13	17.88	18.27	18.35	19.01	3
		25	0	18.01	18.27	18.33	19.02	3
5M	256QAM	1	0	15.80	16.24	16.26	16.87	5
		1	12	15.72	16.06	16.14	16.80	5
		1	24	15.74	16.05	16.05	16.78	5
		12	0	16.11	16.52	16.53	17.03	5
		12	6	15.90	16.28	16.37	16.98	5
		12	13	15.92	16.25	16.29	16.90	5
		25	0	15.90	16.30	16.29	16.96	5

LTE Conducted Power (DSI 4)								
LTE Band 48 (Ant 1)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequency (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	23.43	23.51	23.45	23.38	0
		1	50	23.38	23.46	23.40	23.33	0
		1	99	23.35	23.43	23.37	23.30	0
		50	0	22.26	22.34	22.28	22.21	1
		50	25	22.09	22.17	22.11	22.04	1
		50	50	22.04	22.12	22.06	21.99	1
		100	0	22.21	22.29	22.23	22.16	1
20M	16QAM	1	0	22.32	22.45	22.39	22.37	1
		1	50	22.31	22.39	22.33	22.26	1
		1	99	22.25	22.33	22.27	22.21	1
		50	0	21.50	21.58	21.52	21.45	2
		50	25	21.33	21.41	21.35	21.28	2
		50	50	21.30	21.38	21.43	21.25	2
		100	0	21.39	21.47	21.41	21.34	2
20M	64QAM	1	0	21.36	21.44	21.38	21.31	2
		1	50	21.33	21.41	21.35	21.28	2
		1	99	21.29	21.37	21.31	21.24	2
		50	0	20.16	20.24	20.18	20.11	3
		50	25	20.05	20.13	20.07	20.00	3
		50	50	20.01	20.09	20.03	20.05	3
		100	0	20.08	20.16	20.10	20.03	3
20M	256QAM	1	0	18.57	18.65	18.59	18.52	5
		1	50	18.46	18.53	18.48	18.41	5
		1	99	18.43	18.51	18.45	18.38	5
		50	0	18.40	18.48	18.42	18.35	5
		50	25	18.34	18.42	18.36	18.29	5
		50	50	18.26	18.34	18.28	18.21	5
		100	0	18.34	18.42	18.36	18.29	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	23.43	23.50	23.36	23.35	0
		1	37	23.32	23.42	23.36	23.31	0
		1	74	23.26	23.37	23.31	23.28	0
		36	0	22.17	22.26	22.20	22.13	1
		36	19	22.05	22.17	22.08	22.03	1
		36	39	21.99	22.05	21.98	21.91	1
		75	0	22.11	22.19	22.21	22.09	1
15M	16QAM	1	0	22.32	22.38	22.31	22.29	1
		1	37	22.27	22.39	22.26	22.17	1
		1	74	22.21	22.28	22.23	22.15	1
		36	0	21.46	21.53	21.45	21.42	2
		36	19	21.33	21.40	21.28	21.18	2
		36	39	21.26	21.28	21.35	21.16	2
		75	0	21.32	21.47	21.37	21.32	2
15M	64QAM	1	0	21.27	21.40	21.37	21.27	2
		1	37	21.24	21.33	21.32	21.22	2
		1	74	21.26	21.28	21.23	21.14	2
		36	0	20.06	20.20	20.12	20.01	3
		36	19	19.97	20.09	20.05	19.95	3
		36	39	19.95	20.09	19.94	20.04	3
		75	0	20.08	20.13	20.02	19.97	3
15M	256QAM	1	0	18.48	18.63	18.51	18.44	5
		1	37	18.37	18.44	18.48	18.35	5
		1	74	18.38	18.42	18.40	18.37	5
		36	0	18.39	18.40	18.41	18.28	5
		36	19	18.28	18.38	18.32	18.27	5
		36	39	18.25	18.29	18.27	18.11	5
		75	0	18.30	18.36	18.27	18.26	5

LTE Conducted Power (DSI 4)								
LTE Band 48 (Ant 1)								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	23.34	23.42	23.39	23.17	0
		1	24	23.36	23.40	23.33	23.26	0
		1	49	23.27	23.42	23.36	23.29	0
		25	0	22.23	22.24	22.26	22.17	1
		25	12	22.04	22.08	22.07	21.97	1
		25	25	22.01	22.06	22.04	21.99	1
		50	0	22.17	22.21	22.23	22.14	1
10M	16QAM	1	0	22.27	22.36	22.36	22.32	1
		1	24	22.26	22.31	22.26	22.17	1
		1	49	22.24	22.30	22.24	22.18	1
		25	0	21.42	21.50	21.47	21.44	2
		25	12	21.31	21.34	21.25	21.19	2
		25	25	21.26	21.36	21.37	21.23	2
		50	0	21.29	21.41	21.33	21.33	2
10M	64QAM	1	0	21.28	21.44	21.35	21.29	2
		1	24	21.24	21.36	21.26	21.20	2
		1	49	21.26	21.33	21.28	21.16	2
		25	0	20.14	20.15	20.16	20.10	3
		25	12	19.99	20.03	20.07	19.93	3
		25	25	19.98	20.05	19.97	19.98	3
		50	0	20.02	20.06	20.00	19.95	3
10M	256QAM	1	0	18.51	18.55	18.59	18.50	5
		1	24	18.38	18.48	18.44	18.39	5
		1	49	18.38	18.47	18.43	18.36	5
		25	0	18.33	18.39	18.34	18.35	5
		25	12	18.34	18.35	18.33	18.20	5
		25	25	18.24	18.31	18.24	18.16	5
		50	0	18.28	18.41	18.31	18.29	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	23.35	23.44	23.39	23.30	0
		1	12	23.35	23.38	23.37	23.27	0
		1	24	23.29	23.40	23.29	23.21	0
		12	0	22.19	22.24	22.20	22.20	1
		12	6	22.01	22.16	22.04	21.94	1
		12	13	21.96	22.02	22.06	21.95	1
		25	0	22.19	22.19	22.22	22.09	1
5M	16QAM	1	0	22.29	22.42	22.30	22.29	1
		1	12	22.25	22.39	22.33	22.22	1
		1	24	22.16	22.23	22.23	22.18	1
		12	0	21.41	21.54	21.47	21.45	2
		12	6	21.30	21.41	21.25	21.25	2
		12	13	21.23	21.29	21.35	21.18	2
		25	0	21.34	21.47	21.35	21.34	2
5M	64QAM	1	0	21.34	21.38	21.28	21.30	2
		1	12	21.31	21.40	21.26	21.27	2
		1	24	21.29	21.29	21.25	21.20	2
		12	0	20.06	20.16	20.08	20.11	3
		12	6	20.01	20.07	19.97	19.99	3
		12	13	19.96	20.04	19.97	19.96	3
		25	0	20.05	20.12	20.10	20.01	3
5M	256QAM	1	0	18.49	18.58	18.56	18.51	5
		1	12	18.40	18.51	18.42	18.37	5
		1	24	18.38	18.49	18.36	18.35	5
		12	0	18.34	18.42	18.32	18.33	5
		12	6	18.32	18.33	18.32	18.29	5
		12	13	18.25	18.32	18.28	18.14	5
		25	0	18.32	18.38	18.30	18.21	5

LTE Conducted Power (DSI 0&4)							
LTE Band 66 (Ant 0/Ant 1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	23.85	23.80	23.79	0
		1	50	23.71	23.77	23.69	0
		1	99	23.31	23.68	23.59	0
		50	0	22.85	22.79	22.57	1
		50	25	22.46	22.82	22.75	1
		50	50	22.50	22.76	22.70	1
		100	0	22.54	22.82	22.76	1
20M	16QAM	1	0	22.70	22.98	22.92	1
		1	50	22.60	22.96	22.89	1
		1	99	22.59	22.90	22.81	1
		50	0	21.52	21.80	21.77	2
		50	25	21.45	21.75	21.71	2
		50	50	21.35	21.72	21.64	2
		100	0	21.58	21.84	21.84	2
20M	64QAM	1	0	21.04	21.33	21.33	2
		1	50	20.91	21.20	21.15	2
		1	99	20.92	21.18	21.14	2
		50	0	20.21	20.45	20.45	3
		50	25	19.98	20.25	20.24	3
		50	50	19.73	20.12	20.02	3
		100	0	19.81	20.18	20.08	3
20M	256QAM	1	0	18.70	18.99	18.90	5
		1	50	18.68	18.94	18.88	5
		1	99	18.72	18.92	18.92	5
		50	0	18.53	18.80	18.73	5
		50	25	18.48	18.78	18.68	5
		50	50	18.50	18.75	18.70	5
		100	0	18.56	18.80	18.76	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	23.78	23.73	23.77	0
		1	37	23.71	23.77	23.65	0
		1	74	23.27	23.66	23.57	0
		36	0	22.54	22.83	22.78	1
		36	19	22.38	22.76	22.75	1
		36	39	22.41	22.70	22.62	1
		75	0	22.47	22.77	22.66	1
15M	16QAM	1	0	22.65	22.89	22.89	1
		1	37	22.59	22.90	22.82	1
		1	74	22.56	22.85	22.71	1
		36	0	21.52	21.73	21.75	2
		36	19	21.41	21.66	21.66	2
		36	39	21.25	21.63	21.57	2
		75	0	21.53	21.84	21.82	2
15M	64QAM	1	0	21.03	21.33	21.23	2
		1	37	20.85	21.12	21.07	2
		1	74	20.88	21.10	21.11	2
		36	0	20.15	20.35	20.37	3
		36	19	19.92	20.23	20.23	3
		36	39	19.72	20.10	19.96	3
		75	0	19.81	20.15	20.03	3
15M	256QAM	1	0	18.62	18.89	18.82	5
		1	37	18.63	18.84	18.83	5
		1	74	18.71	18.84	18.83	5
		36	0	18.50	18.73	18.70	5
		36	19	18.46	18.72	18.64	5
		36	39	18.45	18.65	18.61	5
		75	0	18.47	18.76	18.76	5

LTE Conducted Power (DSI 0&4)							
LTE Band 66 (Ant 0/Ant 1)							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.75	23.64	23.62	0
		1	24	23.71	23.68	23.55	0
		1	49	23.14	23.63	23.50	0
		25	0	22.38	22.82	22.65	1
		25	12	22.37	22.69	22.61	1
		25	25	22.35	22.59	22.61	1
		50	0	22.42	22.61	22.65	1
10M	16QAM	1	0	22.68	22.87	22.76	1
		1	24	22.41	22.79	22.76	1
		1	49	22.52	22.82	22.66	1
		25	0	21.39	21.71	21.67	2
		25	12	21.24	21.55	21.59	2
		25	25	21.18	21.62	21.57	2
		50	0	21.41	21.72	21.71	2
10M	64QAM	1	0	20.93	21.31	21.28	2
		1	24	20.81	21.16	21.07	2
		1	49	20.86	20.99	21.07	2
		25	0	20.08	20.23	20.38	3
		25	12	19.76	20.10	20.07	3
		25	25	19.75	19.97	19.93	3
		50	0	19.72	20.05	19.95	3
10M	256QAM	1	0	18.52	18.87	18.83	5
		1	24	18.47	18.79	18.70	5
		1	49	18.59	18.87	18.75	5
		25	0	18.39	18.68	18.67	5
		25	12	18.45	18.72	18.51	5
		25	25	18.31	18.71	18.50	5
		50	0	18.50	18.68	18.55	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.74	23.58	23.56	0
		1	12	23.72	23.54	23.55	0
		1	24	23.21	23.56	23.30	0
		12	0	22.40	22.80	22.53	1
		12	6	22.34	22.81	22.56	1
		12	13	22.35	22.70	22.56	1
		25	0	22.36	22.74	22.57	1
5M	16QAM	1	0	22.50	22.94	22.84	1
		1	12	22.44	22.83	22.82	1
		1	24	22.42	22.68	22.70	1
		12	0	21.41	21.63	21.73	2
		12	6	21.34	21.74	21.59	2
		12	13	21.13	21.62	21.48	2
		25	0	21.39	21.77	21.72	2
5M	64QAM	1	0	21.03	21.12	21.13	2
		1	12	20.73	21.15	21.05	2
		1	24	20.74	21.03	21.00	2
		12	0	20.00	20.33	20.29	3
		12	6	19.88	20.02	20.09	3
		12	13	19.78	20.03	19.90	3
		25	0	19.79	20.17	19.92	3
5M	256QAM	1	0	18.55	18.96	18.79	5
		1	12	18.53	18.84	18.81	5
		1	24	18.50	18.82	18.79	5
		12	0	18.31	18.66	18.69	5
		12	6	18.37	18.61	18.62	5
		12	13	18.44	18.64	18.45	5
		25	0	18.39	18.69	18.67	5

LTE Conducted Power (DSI 0&4)							
LTE Band 66 (Ant 0/Ant 1)							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.72	23.71	23.62	0
		1	7	23.71	23.61	23.50	0
		1	14	23.14	23.53	23.41	0
		8	0	22.41	22.74	22.77	1
		8	3	22.39	22.65	22.62	1
		8	7	22.34	22.64	22.58	1
		15	0	22.49	22.65	22.70	1
3M	16QAM	1	0	22.58	22.84	22.68	1
		1	7	22.49	22.83	22.75	1
		1	14	22.49	22.80	22.65	1
		8	0	21.43	21.63	21.63	2
		8	3	21.33	21.57	21.68	2
		8	7	21.13	21.63	21.44	2
		15	0	21.36	21.69	21.66	2
3M	64QAM	1	0	20.90	21.17	21.24	2
		1	7	20.76	21.08	21.05	2
		1	14	20.74	21.15	21.07	2
		8	0	20.10	20.36	20.35	3
		8	3	19.73	20.15	20.15	3
		8	7	19.72	20.01	19.83	3
		15	0	19.71	20.14	19.88	3
3M	256QAM	1	0	18.61	18.88	18.77	5
		1	7	18.54	18.86	18.80	5
		1	14	18.59	18.78	18.74	5
		8	0	18.43	18.67	18.72	5
		8	3	18.32	18.64	18.58	5
		8	7	18.34	18.61	18.57	5
		15	0	18.47	18.75	18.73	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.68	23.74	23.69	0
		1	2	23.63	23.73	23.60	0
		1	5	23.10	23.60	23.53	0
		3	0	23.33	23.73	23.74	0
		3	1	23.29	23.74	23.67	0
		3	3	23.37	23.60	23.61	0
		6	0	22.41	22.77	22.64	1
1.4M	16QAM	1	0	22.64	22.88	22.74	1
		1	2	22.43	22.91	22.75	1
		1	5	22.59	22.77	22.68	1
		3	0	22.40	22.66	22.60	1
		3	1	22.35	22.69	22.60	1
		3	3	22.16	22.53	22.49	1
		6	0	21.40	21.75	21.80	2
1.4M	64QAM	1	0	20.86	21.20	21.12	2
		1	2	20.74	21.09	20.94	2
		1	5	20.86	21.02	21.12	2
		3	0	20.98	21.32	21.42	2
		3	1	20.91	21.16	21.17	2
		3	3	20.76	20.97	20.87	2
		6	0	19.73	20.07	19.96	3
1.4M	256QAM	1	0	18.57	18.93	18.78	5
		1	2	18.58	18.73	18.72	5
		1	5	18.54	18.74	18.77	5
		3	0	18.41	18.75	18.58	5
		3	1	18.35	18.54	18.68	5
		3	3	18.25	18.57	18.54	5
		6	0	18.51	18.72	18.58	5

LTE Conducted Power (DSI 1)							
LTE Band 66 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	22.31	22.21	22.07	0
		1	50	22.21	22.11	21.97	0
		1	99	22.18	22.08	21.94	0
		50	0	21.35	21.25	21.11	1
		50	25	21.32	21.22	21.08	1
		50	50	21.24	21.14	21.00	1
		100	0	21.33	21.23	21.09	1
20M	16QAM	1	0	21.59	21.49	21.35	1
		1	50	21.52	21.42	21.28	1
		1	99	21.48	21.38	21.24	1
		50	0	20.38	20.28	20.14	2
		50	25	20.34	20.24	20.10	2
		50	50	20.25	20.15	20.01	2
		100	0	20.36	20.26	20.12	2
20M	64QAM	1	0	20.32	20.22	20.08	2
		1	50	20.27	20.17	20.03	2
		1	99	20.25	20.15	20.01	2
		50	0	19.44	19.34	19.20	3
		50	25	19.41	19.31	19.17	3
		50	50	19.37	19.27	19.13	3
		100	0	19.39	19.29	19.15	3
20M	256QAM	1	0	17.52	17.42	17.28	5
		1	50	17.47	17.37	17.23	5
		1	99	17.44	17.34	17.20	5
		50	0	17.45	17.35	17.21	5
		50	25	17.41	17.31	17.17	5
		50	50	17.38	17.28	17.14	5
		100	0	17.39	17.29	17.15	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	22.21	22.14	22.01	0
		1	37	22.18	22.08	21.88	0
		1	74	22.14	22.01	21.88	0
		36	0	21.33	21.22	21.01	1
		36	19	21.26	21.22	21.03	1
		36	39	21.18	21.11	20.99	1
		75	0	21.32	21.14	21.03	1
15M	16QAM	1	0	21.59	21.47	21.29	1
		1	37	21.48	21.40	21.26	1
		1	74	21.39	21.28	21.17	1
		36	0	20.28	20.21	20.10	2
		36	19	20.28	20.18	20.09	2
		36	39	20.18	20.07	19.94	2
		75	0	20.29	20.23	20.07	2
15M	64QAM	1	0	20.32	20.14	19.98	2
		1	37	20.20	20.13	20.03	2
		1	74	20.16	20.10	19.93	2
		36	0	19.36	19.25	19.10	3
		36	19	19.39	19.30	19.16	3
		36	39	19.31	19.20	19.10	3
		75	0	19.29	19.25	19.08	3
15M	256QAM	1	0	17.44	17.38	17.26	5
		1	37	17.42	17.27	17.13	5
		1	74	17.36	17.24	17.20	5
		36	0	17.42	17.33	17.18	5
		36	19	17.41	17.29	17.12	5
		36	39	17.33	17.21	17.14	5
		75	0	17.36	17.25	17.10	5

LTE Conducted Power (DSI 1)							
LTE Band 66 (Ant 0)							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	22.21	22.11	22.00	0
		1	24	22.21	21.92	21.79	0
		1	49	22.00	21.93	21.91	0
		25	0	21.24	21.08	21.00	1
		25	12	21.18	21.20	20.97	1
		25	25	21.04	21.01	20.80	1
		50	0	21.26	21.21	21.09	1
10M	16QAM	1	0	21.40	21.28	21.12	1
		1	24	21.43	21.34	21.13	1
		1	49	21.33	21.31	21.20	1
		25	0	20.26	20.08	20.13	2
		25	12	20.22	20.10	19.94	2
		25	25	20.16	20.02	19.81	2
		50	0	20.18	20.05	19.91	2
10M	64QAM	1	0	20.22	20.07	19.95	2
		1	24	20.16	20.08	19.94	2
		1	49	20.08	19.94	19.82	2
		25	0	19.22	19.23	19.00	3
		25	12	19.29	19.19	19.05	3
		25	25	19.22	19.14	19.01	3
		50	0	19.30	19.22	19.06	3
10M	256QAM	1	0	17.45	17.30	17.20	5
		1	24	17.24	17.20	17.03	5
		1	49	17.43	17.30	16.96	5
		25	0	17.30	17.27	17.09	5
		25	12	17.41	17.14	17.06	5
		25	25	17.35	17.21	17.01	5
		50	0	17.31	17.20	16.97	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	22.18	22.13	21.79	0
		1	12	22.05	22.01	21.85	0
		1	24	22.05	21.98	21.63	0
		12	0	21.23	21.23	20.93	1
		12	6	21.19	21.04	20.90	1
		12	13	21.12	21.09	20.65	1
		25	0	21.23	21.08	20.85	1
5M	16QAM	1	0	21.41	21.33	21.32	1
		1	12	21.46	21.26	21.10	1
		1	24	21.35	21.33	21.19	1
		12	0	20.24	20.10	20.02	2
		12	6	20.19	20.11	20.07	2
		12	13	20.21	19.97	19.82	2
		25	0	20.23	20.10	20.05	2
5M	64QAM	1	0	20.20	20.17	19.97	2
		1	12	20.10	19.97	19.95	2
		1	24	20.20	19.97	19.89	2
		12	0	19.41	19.30	19.00	3
		12	6	19.25	19.23	18.97	3
		12	13	19.26	19.15	19.05	3
		25	0	19.20	19.18	19.08	3
5M	256QAM	1	0	17.39	17.33	17.13	5
		1	12	17.33	17.21	17.01	5
		1	24	17.25	17.25	17.01	5
		12	0	17.39	17.23	17.05	5
		12	6	17.32	17.26	16.92	5
		12	13	17.27	17.23	17.12	5
		25	0	17.29	17.20	17.04	5

LTE Conducted Power (DSI 1)							
LTE Band 66 (Ant 0)							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	22.17	22.12	21.92	0
		1	7	22.09	22.03	21.83	0
		1	14	22.17	21.98	21.78	0
		8	0	21.17	21.15	21.08	1
		8	3	21.24	21.07	20.98	1
		8	7	21.03	21.07	20.84	1
		15	0	21.15	21.13	21.02	1
3M	16QAM	1	0	21.52	21.49	21.15	1
		1	7	21.47	21.31	21.10	1
		1	14	21.23	21.32	21.01	1
		8	0	20.16	20.19	20.01	2
		8	3	20.24	20.11	19.93	2
		8	7	20.19	20.00	19.90	2
		15	0	20.20	20.11	20.02	2
3M	64QAM	1	0	20.14	20.05	19.95	2
		1	7	20.19	20.10	19.88	2
		1	14	20.23	19.99	19.92	2
		8	0	19.25	19.10	19.05	3
		8	3	19.22	19.29	19.01	3
		8	7	19.20	19.10	18.94	3
		15	0	19.31	19.18	19.13	3
3M	256QAM	1	0	17.29	17.34	17.11	5
		1	7	17.28	17.31	17.14	5
		1	14	17.39	17.16	17.03	5
		8	0	17.36	17.21	17.07	5
		8	3	17.22	17.12	17.02	5
		8	7	17.23	17.20	17.03	5
		15	0	17.31	17.25	17.08	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	22.18	22.08	21.93	0
		1	2	22.11	22.06	21.82	0
		1	5	22.12	21.99	21.80	0
		3	0	22.23	22.09	22.00	0
		3	1	22.22	22.05	21.91	0
		3	3	22.12	22.01	21.92	0
		6	0	21.32	21.03	21.01	1
1.4M	16QAM	1	0	21.55	21.28	21.24	1
		1	2	21.44	21.35	21.14	1
		1	5	21.38	21.36	21.05	1
		3	0	21.25	21.27	21.06	1
		3	1	21.12	21.20	21.00	1
		3	3	21.16	21.00	20.86	1
		6	0	20.16	20.16	19.92	2
1.4M	64QAM	1	0	20.14	20.10	19.96	2
		1	2	20.09	20.00	19.84	2
		1	5	20.13	19.99	19.92	2
		3	0	19.37	19.14	19.11	2
		3	1	19.22	19.21	19.03	2
		3	3	19.27	19.08	19.03	2
		6	0	19.28	19.29	19.01	3
1.4M	256QAM	1	0	17.36	17.22	17.21	5
		1	2	17.38	17.22	17.05	5
		1	5	17.34	17.23	17.04	5
		3	0	17.28	17.29	17.05	5
		3	1	17.34	17.21	17.00	5
		3	3	17.20	17.10	17.13	5
		6	0	17.26	17.20	16.92	5

LTE Conducted Power (DSI 0&4)							
LTE Band 71 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	24.18	24.15	24.10	0
		1	50	24.09	24.04	24.03	0
		1	99	24.02	23.98	23.95	0
		50	0	23.19	23.17	23.12	1
		50	25	23.17	23.09	23.08	1
		50	50	23.14	23.10	23.09	1
		100	0	23.18	23.09	23.06	1
20M	16QAM	1	0	23.18	23.13	23.10	1
		1	50	23.15	23.08	23.06	1
		1	99	23.12	23.04	22.96	1
		50	0	22.17	22.12	22.03	2
		50	25	22.14	22.06	22.06	2
		50	50	22.13	22.03	21.99	2
		100	0	22.15	22.07	22.01	2
20M	64QAM	1	0	22.18	22.18	22.15	2
		1	50	22.13	22.13	22.03	2
		1	99	22.18	22.11	22.08	2
		50	0	21.19	21.18	21.16	3
		50	25	21.17	21.16	21.07	3
		50	50	21.12	21.08	21.00	3
		100	0	21.16	21.12	21.02	3
20M	256QAM	1	0	19.18	19.08	19.02	5
		1	50	19.17	19.11	19.02	5
		1	99	19.15	19.15	19.13	5
		50	0	19.17	19.17	19.14	5
		50	25	19.15	19.12	19.03	5
		50	50	19.14	19.07	19.03	5
		100	0	19.16	19.15	19.15	5
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	24.15	24.08	24.09	0
		1	37	24.08	23.95	24.03	0
		1	74	23.99	23.89	23.87	0
		36	0	23.11	23.14	23.03	1
		36	19	23.07	23.09	23.00	1
		36	39	23.12	23.08	23.05	1
		75	0	23.13	22.99	22.98	1
15M	16QAM	1	0	23.08	23.13	23.09	1
		1	37	23.05	23.07	23.02	1
		1	74	23.09	23.04	22.90	1
		36	0	22.07	22.03	21.94	2
		36	19	22.11	21.96	22.03	2
		36	39	22.07	22.02	21.94	2
		75	0	22.09	22.02	21.93	2
15M	64QAM	1	0	22.08	22.14	22.10	2
		1	37	22.04	22.06	22.02	2
		1	74	22.12	22.04	22.01	2
		36	0	21.15	21.15	21.06	3
		36	19	21.14	21.15	20.97	3
		36	39	21.07	21.05	20.91	3
		75	0	21.11	21.12	21.01	3
15M	256QAM	1	0	19.13	19.08	18.99	5
		1	37	19.15	19.06	19.02	5
		1	74	19.08	19.14	19.12	5
		36	0	19.08	19.07	19.12	5
		36	19	19.14	19.07	18.99	5
		36	39	19.11	19.07	18.99	5
		75	0	19.15	19.07	19.13	5

LTE Conducted Power (DSI 0&4)							
LTE Band 71 (Ant 0)							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	QPSK	1	0	24.00	24.06	23.99	0
		1	24	23.91	23.81	23.95	0
		1	49	23.99	23.91	23.80	0
		25	0	23.07	23.12	22.98	1
		25	12	23.10	22.97	22.97	1
		25	25	23.00	22.89	22.90	1
		50	0	23.11	23.00	22.93	1
10M	16QAM	1	0	23.11	23.02	22.94	1
		1	24	23.03	23.01	23.01	1
		1	49	22.91	22.93	22.88	1
		25	0	22.00	22.07	21.89	2
		25	12	22.06	21.97	21.88	2
		25	25	21.99	21.92	21.85	2
		50	0	22.06	21.89	21.97	2
10M	64QAM	1	0	22.18	22.07	22.01	2
		1	24	21.98	22.02	21.93	2
		1	49	22.05	21.93	22.00	2
		25	0	21.08	21.12	21.04	3
		25	12	21.00	21.01	21.04	3
		25	25	21.01	20.86	20.88	3
		50	0	21.00	21.08	20.80	3
10M	256QAM	1	0	19.03	19.02	19.00	5
		1	24	19.09	18.90	18.97	5
		1	49	19.05	19.09	18.98	5
		25	0	18.95	19.08	19.00	5
		25	12	19.03	18.93	18.88	5
		25	25	18.97	18.93	18.80	5
		50	0	19.06	19.03	18.97	5
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	24.01	24.01	23.92	0
		1	12	24.01	23.90	23.87	0
		1	24	23.82	23.87	23.79	0
		12	0	23.08	22.96	22.95	1
		12	6	23.04	22.90	22.87	1
		12	13	22.98	23.02	22.79	1
		25	0	23.00	22.97	22.74	1
5M	16QAM	1	0	23.09	23.10	22.96	1
		1	12	23.03	22.94	22.93	1
		1	24	22.90	22.97	22.91	1
		12	0	22.04	21.93	21.92	2
		12	6	22.03	21.89	21.88	2
		12	13	22.06	21.87	21.92	2
		25	0	22.03	22.01	21.94	2
5M	64QAM	1	0	22.07	22.01	22.10	2
		1	12	21.95	21.89	21.95	2
		1	24	21.97	21.94	22.01	2
		12	0	21.08	21.12	21.02	3
		12	6	21.09	21.02	20.83	3
		12	13	21.05	20.93	20.93	3
		25	0	21.10	20.95	20.82	3
5M	256QAM	1	0	19.06	19.04	18.98	5
		1	12	19.04	18.94	18.93	5
		1	24	18.99	18.95	19.09	5
		12	0	19.03	19.07	18.98	5
		12	6	19.08	18.90	18.97	5
		12	13	19.05	18.92	18.96	5
		25	0	19.09	18.92	19.00	5

NR Conducted Power (DSI 0)							
NR Band 2 (Ant 0/Ant 1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.35	22.91	23.09	0
20M	DFT-S QPSK	1	1	23.48	22.95	23.29	0
		1	53	23.11	22.89	22.88	0
		1	104	22.83	22.71	22.70	0
		50	0	22.14	21.95	21.90	1
		50	28	23.46	22.87	22.90	0
		50	56	22.10	21.85	21.88	1
		100	0	22.12	21.97	21.84	1
20M	DFT-S 16QAM	1	1	22.18	21.96	21.96	1
20M	DFT-S 64QAM	1	1	20.58	20.36	20.25	2.5
20M	DFT-S 256QAM	1	1	18.55	18.33	18.29	4.5
20M	CP QPSK	1	1	21.88	21.67	21.67	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.30	22.87	22.99	0
15M	DFT-S QPSK	1	1	23.34	22.94	23.28	0
		1	40	23.08	22.87	22.78	0
		1	77	22.80	22.85	22.70	0
		36	0	22.09	21.91	21.82	1
		36	22	23.19	22.86	22.85	0
		36	43	22.07	21.77	21.88	1
		75	0	22.02	21.95	21.78	1
15M	DFT-S 16QAM	1	1	22.16	21.90	21.89	1
15M	DFT-S 64QAM	1	1	20.53	20.36	20.21	2.5
15M	DFT-S 256QAM	1	1	18.50	18.24	18.27	4.5
15M	CP QPSK	1	1	21.80	21.63	21.57	1.5

NR Conducted Power (DSI 0)							
NR Band 2 (Ant 0/Ant 1)							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	23.25	22.82	22.99	0
10M	DFT-S QPSK	1	1	23.32	22.86	23.24	0
		1	26	23.08	22.84	22.82	0
		1	50	22.78	22.83	22.70	0
		25	0	22.04	21.91	21.81	1
		25	14	23.18	22.75	22.86	0
		25	27	22.07	21.85	21.85	1
		50	0	22.02	21.89	21.83	1
10M	DFT-S 16QAM	1	1	22.10	21.89	21.95	1
10M	DFT-S 64QAM	1	1	20.48	20.32	20.22	2.5
10M	DFT-S 256QAM	1	1	18.54	18.33	18.22	4.5
10M	CP QPSK	1	1	21.87	21.60	21.58	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.28	22.81	23.08	0
5M	DFT-S QPSK	1	1	23.34	22.85	23.27	0
		1	13	23.11	22.81	22.78	0
		1	23	22.83	22.70	22.70	0
		12	0	22.07	21.92	21.82	1
		12	7	23.19	22.84	22.86	0
		12	13	22.01	21.79	21.88	1
		25	0	22.02	21.90	21.74	1
5M	DFT-S 16QAM	1	1	22.09	21.96	21.96	1
5M	DFT-S 64QAM	1	1	20.51	20.28	20.25	2.5
5M	DFT-S 256QAM	1	1	18.51	18.30	18.21	4.5
5M	CP QPSK	1	1	21.86	21.66	21.59	1.5

NR Conducted Power (DSI 1)							
NR Band 2 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	22.55	22.35	22.44	0
20M	DFT-S QPSK	1	1	22.62	22.45	22.42	0
		1	53	22.53	22.31	22.29	0
		1	104	22.49	22.34	22.29	0
		50	0	21.52	21.36	21.43	1
		50	28	22.40	22.23	22.29	0
		50	56	21.70	21.45	21.47	1
		100	0	21.62	21.43	21.46	1
20M	DFT-S 16QAM	1	1	21.46	21.24	21.33	1
20M	DFT-S 64QAM	1	1	19.95	19.68	19.77	2.5
20M	DFT-S 256QAM	1	1	17.48	17.28	17.37	4.5
20M	CP QPSK	1	1	21.10	20.96	20.99	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	22.54	22.29	22.39	0
15M	DFT-S QPSK	1	1	22.53	22.41	22.36	0
		1	40	22.44	22.29	22.19	0
		1	77	22.48	22.26	22.24	0
		36	0	21.45	21.29	21.39	1
		36	22	22.33	22.15	22.23	0
		36	43	21.68	21.38	21.47	1
		75	0	21.59	21.41	21.36	1
15M	DFT-S 16QAM	1	1	21.36	21.18	21.27	1
15M	DFT-S 64QAM	1	1	19.94	19.58	19.73	2.5
15M	DFT-S 256QAM	1	1	17.40	17.27	17.28	4.5
15M	CP QPSK	1	1	21.08	20.95	20.98	1.5

NR Conducted Power (DSI 1)							
NR Band 2 (Ant 0)							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	22.55	22.25	22.40	0
10M	DFT-S QPSK	1	1	22.61	22.41	22.35	0
		1	26	22.51	22.27	22.19	0
		1	50	22.49	22.26	22.26	0
		25	0	21.42	21.28	21.42	1
		25	14	22.35	22.17	22.20	0
		25	27	21.66	21.39	21.43	1
		50	0	21.56	21.37	21.40	1
10M	DFT-S 16QAM	1	1	21.37	21.18	21.32	1
10M	DFT-S 64QAM	1	1	19.93	19.60	19.67	2.5
10M	DFT-S 256QAM	1	1	17.39	17.25	17.37	4.5
10M	CP QPSK	1	1	21.06	20.91	20.97	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	22.50	22.32	22.43	0
5M	DFT-S QPSK	1	1	22.53	22.39	22.37	0
		1	13	22.45	22.21	22.19	0
		1	23	22.39	22.32	22.26	0
		12	0	21.48	21.36	21.37	1
		12	7	22.33	22.13	22.28	0
		12	13	21.60	21.41	21.43	1
		25	0	21.59	21.42	21.40	1
5M	DFT-S 16QAM	1	1	21.44	21.14	21.30	1
5M	DFT-S 64QAM	1	1	19.87	19.60	19.75	2.5
5M	DFT-S 256QAM	1	1	17.43	17.22	17.28	4.5
5M	CP QPSK	1	1	21.03	20.95	20.96	1.5

NR Conducted Power (DSI 4)							
NR Band 2 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	22.59	22.42	22.44	0
20M	DFT-S QPSK	1	1	22.63	22.46	22.48	0
		1	53	22.54	22.37	22.39	0
		1	104	22.53	22.36	22.38	0
		50	0	21.62	21.45	21.47	1
		50	28	22.49	22.32	22.34	0
		50	56	21.71	21.54	21.56	1
		100	0	21.64	21.47	21.49	1
20M	DFT-S 16QAM	1	1	21.49	21.32	21.34	1
20M	DFT-S 64QAM	1	1	19.95	19.78	19.80	2.5
20M	DFT-S 256QAM	1	1	17.54	17.37	17.39	4.5
20M	CP QPSK	1	1	21.15	20.98	21.00	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	22.57	22.40	22.37	0
15M	DFT-S QPSK	1	1	22.57	22.39	22.40	0
		1	40	22.47	22.28	22.30	0
		1	77	22.48	22.32	22.30	0
		36	0	21.59	21.44	21.46	1
		36	22	22.44	22.23	22.32	0
		36	43	21.71	21.49	21.49	1
		75	0	21.59	21.40	21.41	1
15M	DFT-S 16QAM	1	1	21.40	21.28	21.27	1
15M	DFT-S 64QAM	1	1	19.92	19.78	19.78	2.5
15M	DFT-S 256QAM	1	1	17.53	17.37	17.35	4.5
15M	CP QPSK	1	1	21.10	20.94	20.92	1.5

NR Conducted Power (DSI 4)							
NR Band 2 (Ant 0)							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	22.51	22.40	22.42	0
10M	DFT-S QPSK	1	1	22.57	22.39	22.48	0
		1	26	22.54	22.30	22.34	0
		1	50	22.51	22.26	22.38	0
		25	0	21.52	21.42	21.47	1
		25	14	22.49	22.32	22.26	0
		25	27	21.66	21.49	21.56	1
		50	0	21.64	21.43	21.39	1
10M	DFT-S 16QAM	1	1	21.41	21.32	21.27	1
10M	DFT-S 64QAM	1	1	19.92	19.78	19.70	2.5
10M	DFT-S 256QAM	1	1	17.51	17.31	17.35	4.5
10M	CP QPSK	1	1	21.06	20.91	20.99	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	22.52	22.42	22.39	0
5M	DFT-S QPSK	1	1	22.58	22.42	22.47	0
		1	13	22.44	22.28	22.38	0
		1	23	22.49	22.35	22.30	0
		12	0	21.56	21.40	21.38	1
		12	7	22.44	22.30	22.32	0
		12	13	21.71	21.53	21.46	1
		25	0	21.54	21.40	21.49	1
5M	DFT-S 16QAM	1	1	21.48	21.32	21.32	1
5M	DFT-S 64QAM	1	1	19.91	19.72	19.71	2.5
5M	DFT-S 256QAM	1	1	17.50	17.37	17.38	4.5
5M	CP QPSK	1	1	21.07	20.97	20.91	1.5

NR Conducted Power (DSI 4)							
NR Band 2 (Ant 1)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		372000	376000	380000	
		Frequency (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.35	22.91	23.09	0
20M	DFT-S QPSK	1	1	23.48	22.95	23.29	0
		1	53	23.11	22.89	22.88	0
		1	104	22.83	22.71	22.70	0
		50	0	22.14	21.95	21.90	1
		50	28	23.46	22.87	22.90	0
		50	56	22.10	21.85	21.88	1
		100	0	22.12	21.97	21.84	1
20M	DFT-S 16QAM	1	1	22.18	21.96	21.96	1
20M	DFT-S 64QAM	1	1	20.58	20.36	20.25	2.5
20M	DFT-S 256QAM	1	1	18.55	18.33	18.29	4.5
20M	CP QPSK	1	1	21.88	21.67	21.67	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.30	22.87	22.99	0
15M	DFT-S QPSK	1	1	23.34	22.94	23.28	0
		1	40	23.08	22.87	22.78	0
		1	77	22.80	22.85	22.70	0
		36	0	22.09	21.91	21.82	1
		36	22	23.19	22.86	22.85	0
		36	43	22.07	21.77	21.88	1
		75	0	22.02	21.95	21.78	1
15M	DFT-S 16QAM	1	1	22.16	21.90	21.89	1
15M	DFT-S 64QAM	1	1	20.53	20.36	20.21	2.5
15M	DFT-S 256QAM	1	1	18.50	18.24	18.27	4.5
15M	CP QPSK	1	1	21.80	21.63	21.57	1.5

NR Conducted Power (DSI 4)							
NR Band 2 (Ant 1)							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	23.25	22.82	22.99	0
10M	DFT-S QPSK	1	1	23.32	22.86	23.24	0
		1	26	23.08	22.84	22.82	0
		1	50	22.78	22.83	22.70	0
		25	0	22.04	21.91	21.81	1
		25	14	23.18	22.75	22.86	0
		25	27	22.07	21.85	21.85	1
		50	0	22.02	21.89	21.83	1
10M	DFT-S 16QAM	1	1	22.10	21.89	21.95	1
10M	DFT-S 64QAM	1	1	20.48	20.32	20.22	2.5
10M	DFT-S 256QAM	1	1	18.54	18.33	18.22	4.5
10M	CP QPSK	1	1	21.87	21.60	21.58	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.28	22.81	23.08	0
5M	DFT-S QPSK	1	1	23.34	22.85	23.27	0
		1	13	23.11	22.81	22.78	0
		1	23	22.83	22.70	22.70	0
		12	0	22.07	21.92	21.82	1
		12	7	23.19	22.84	22.86	0
		12	13	22.01	21.79	21.88	1
		25	0	22.02	21.90	21.74	1
5M	DFT-S 16QAM	1	1	22.09	21.96	21.96	1
5M	DFT-S 64QAM	1	1	20.51	20.28	20.25	2.5
5M	DFT-S 256QAM	1	1	18.51	18.30	18.21	4.5
5M	CP QPSK	1	1	21.86	21.66	21.59	1.5

NR Conducted Power (DSI 0&4)							
NR Band 5 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	23.79	23.84	23.80	0
20M	DFT-S QPSK	1	1	23.75	23.86	23.89	0
		1	53	23.39	23.53	23.59	0
		1	104	23.29	23.41	23.42	0
		50	0	22.55	22.63	22.77	1
		50	28	23.54	23.64	23.65	0
		50	56	22.45	22.59	22.54	1
		100	0	22.60	22.67	22.70	1
20M	DFT-S 16QAM	1	1	22.58	22.62	22.73	1
20M	DFT-S 64QAM	1	1	20.93	21.06	21.07	2.5
20M	DFT-S 256QAM	1	1	18.61	18.78	18.81	4.5
20M	CP QPSK	1	1	22.01	22.13	22.23	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	23.74	23.77	23.78	0
15M	DFT-S QPSK	1	1	23.75	23.81	23.85	0
		1	40	23.37	23.52	23.54	0
		1	77	23.27	23.31	23.41	0
		36	0	22.54	22.54	22.69	1
		36	22	23.50	23.61	23.56	0
		36	43	22.38	22.49	22.46	1
		75	0	22.57	22.66	22.62	1
15M	DFT-S 16QAM	1	1	22.58	22.53	22.71	1
15M	DFT-S 64QAM	1	1	20.90	21.02	21.04	2.5
15M	DFT-S 256QAM	1	1	18.56	18.69	18.79	4.5
15M	CP QPSK	1	1	21.99	22.08	22.14	1.5

NR Conducted Power (DSI 0&4)							
NR Band 5 (Ant 0)							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	23.72	23.77	23.71	0
10M	DFT-S QPSK	1	1	23.75	23.86	23.88	0
		1	26	23.31	23.51	23.50	0
		1	50	23.21	23.40	23.34	0
		25	0	22.50	22.61	22.75	1
		25	14	23.46	23.60	23.64	0
		25	27	22.39	22.58	22.52	1
		50	0	22.58	22.58	22.68	1
10M	DFT-S 16QAM	1	1	22.58	22.58	22.73	1
10M	DFT-S 64QAM	1	1	20.90	20.96	21.02	2.5
10M	DFT-S 256QAM	1	1	18.54	18.78	18.71	4.5
10M	CP QPSK	1	1	21.98	22.10	22.15	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	23.72	23.78	23.70	0
5M	DFT-S QPSK	1	1	23.66	23.85	23.88	0
		1	13	23.39	23.43	23.58	0
		1	23	23.22	23.41	23.40	0
		12	0	22.48	22.60	22.70	1
		12	7	23.46	23.59	23.62	0
		12	13	22.39	22.57	22.52	1
		25	0	22.50	22.60	22.62	1
5M	DFT-S 16QAM	1	1	22.58	22.59	22.69	1
5M	DFT-S 64QAM	1	1	20.91	21.03	21.04	2.5
5M	DFT-S 256QAM	1	1	18.61	18.78	18.80	4.5
5M	CP QPSK	1	1	21.96	22.13	22.14	1.5

NR Conducted Power (DSI 0&4)							
NR Band 66 (Ant 0/Ant 1)							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	23.71	23.54	23.79	0
20M	DFT-S QPSK	1	1	23.75	23.65	23.89	0
		1	53	23.66	23.56	23.81	0
		1	104	23.51	23.43	23.70	0
		50	0	22.79	22.62	22.86	1
		50	28	23.53	23.35	23.61	0
		50	56	22.59	22.47	22.70	1
		100	0	22.69	22.64	22.82	1
20M	DFT-S 16QAM	1	1	22.77	22.68	22.93	1
20M	DFT-S 64QAM	1	1	21.65	21.63	21.75	2.5
20M	DFT-S 256QAM	1	1	18.44	18.41	18.57	4.5
20M	CP QPSK	1	1	22.42	22.32	22.51	1.5
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	23.71	23.49	23.69	0
15M	DFT-S QPSK	1	1	23.71	23.59	23.83	0
		1	40	23.62	23.50	23.72	0
		1	77	23.51	23.40	23.65	0
		36	0	22.72	22.53	22.77	1
		36	22	23.44	23.29	23.55	0
		36	43	22.56	22.39	22.61	1
		75	0	22.64	22.62	22.80	1
15M	DFT-S 16QAM	1	1	22.68	22.67	22.85	1
15M	DFT-S 64QAM	1	1	21.56	21.59	21.67	2.5
15M	DFT-S 256QAM	1	1	18.41	18.33	18.52	4.5
15M	CP QPSK	1	1	22.39	22.22	22.48	1.5

NR Conducted Power (DSI 0&4)							
NR Band 66 (Ant 0/Ant 1)							
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	23.64	23.53	23.74	0
10M	DFT-S QPSK	1	1	23.71	23.63	23.79	0
		1	26	23.59	23.54	23.75	0
		1	50	23.50	23.37	23.60	0
		25	0	22.73	22.56	22.85	1
		25	14	23.48	23.28	23.51	0
		25	27	22.49	22.44	22.69	1
		50	0	22.61	22.60	22.78	1
10M	DFT-S 16QAM	1	1	22.73	22.64	22.87	1
10M	DFT-S 64QAM	1	1	21.65	21.63	21.68	2.5
10M	DFT-S 256QAM	1	1	18.41	18.39	18.49	4.5
10M	CP QPSK	1	1	22.32	22.31	22.43	1.5
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	23.61	23.45	23.71	0
5M	DFT-S QPSK	1	1	23.75	23.64	23.76	0
		1	13	23.64	23.54	23.71	0
		1	23	23.51	23.37	23.68	0
		12	0	22.70	22.60	22.84	1
		12	7	23.51	23.28	23.59	0
		12	13	22.59	22.37	22.62	1
		25	0	22.65	22.58	22.74	1
5M	DFT-S 16QAM	1	1	22.74	22.67	22.86	1
5M	DFT-S 64QAM	1	1	21.63	21.61	21.74	2.5
5M	DFT-S 256QAM	1	1	18.36	18.32	18.49	4.5
5M	CP QPSK	1	1	22.32	22.22	22.48	1.5

NR Conducted Power (DSI 0&4)							
NR Band 71 (Ant 0)							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequency (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	22.73	22.43	22.34	0
20M	DFT-S QPSK	1	1	22.77	22.47	22.38	0
		1	53	22.43	22.31	22.25	0
		1	104	22.38	22.29	22.23	0
		50	0	21.57	21.39	21.25	1
		50	28	22.58	22.33	22.29	0
		50	56	21.45	21.32	21.28	1
		100	0	21.56	21.41	21.29	1
20M	DFT-S 16QAM	1	1	21.67	21.37	21.28	1
20M	DFT-S 64QAM	1	1	20.37	20.07	19.98	2.5
20M	DFT-S 256QAM	1	1	18.48	18.18	18.09	4.5
20M	CP QPSK	1	1	21.40	21.10	21.01	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	22.70	22.36	22.33	0
15M	DFT-S QPSK	1	1	22.67	22.47	22.38	0
		1	40	22.37	22.30	22.21	0
		1	77	22.36	22.22	22.16	0
		36	0	21.54	21.31	21.23	1
		36	22	22.56	22.32	22.19	0
		36	43	21.36	21.26	21.22	1
		75	0	21.46	21.39	21.29	1
15M	DFT-S 16QAM	1	1	21.66	21.33	21.23	1
15M	DFT-S 64QAM	1	1	20.29	19.99	19.95	2.5
15M	DFT-S 256QAM	1	1	18.47	18.08	18.04	4.5
15M	CP QPSK	1	1	21.37	21.08	21.00	1.5

NR Conducted Power (DSI 0&4)							
NR Band 71 (Ant 0)							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	22.66	22.33	22.28	0
10M	DFT-S QPSK	1	1	22.67	22.37	22.28	0
		1	26	22.42	22.24	22.19	0
		1	50	22.38	22.29	22.21	0
		25	0	21.53	21.35	21.19	1
		25	14	22.48	22.30	22.26	0
		25	27	21.35	21.32	21.24	1
		50	0	21.51	21.40	21.25	1
10M	DFT-S 16QAM	1	1	21.61	21.29	21.22	1
10M	DFT-S 64QAM	1	1	20.37	20.00	19.90	2.5
10M	DFT-S 256QAM	1	1	18.42	18.12	18.08	4.5
10M	CP QPSK	1	1	21.34	21.01	20.97	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	22.69	22.42	22.29	0
5M	DFT-S QPSK	1	1	22.74	22.43	22.35	0
		1	13	22.40	22.26	22.23	0
		1	23	22.32	22.25	22.23	0
		12	0	21.52	21.34	21.20	1
		12	7	22.53	22.32	22.26	0
		12	13	21.45	21.24	21.28	1
		25	0	21.52	21.38	21.24	1
5M	DFT-S 16QAM	1	1	21.64	21.35	21.26	1
5M	DFT-S 64QAM	1	1	20.33	20.00	19.96	2.5
5M	DFT-S 256QAM	1	1	18.38	18.08	18.09	4.5
5M	CP QPSK	1	1	21.39	21.09	20.92	1.5

WLAN Conducted Power (Full)			
WLAN2.4GHz			
Mode	Channel	Frequency	SISO Avg. Power
802.11b	1	2412	14.82
	6	2437	14.81
	11	2462	14.82
Bluetooth			
Mode	Channel	Frequency	SISO Avg. Power
BR / EDR	0	2402	10.77
	39	2441	11.3
	78	2480	10.45
LE	0	2402	9.18
	19	2440	9.26
	39	2480	8.75
WLAN 5.2GHz			
Mode	Channel	Frequency	SISO Avg. Power
802.11ac VHT80	42	5210	14.27
WLAN 5.3GHz			
Mode	Channel	Frequency	SISO Avg. Power
802.11ac VHT80	58	5290	14.28
WLAN 5.6GHz			
Mode	Channel	Frequency	SISO Avg. Power
802.11ac VHT80	106	5530	14.33
	122	5610	14.34
	138	5690	14.37
WLAN 5.8GHz			
Mode	Channel	Frequency	SISO Avg. Power
802.11ac VHT80	155	5775	14.14

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 0)

Configuure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	24.70	23.93	12.86
					1	49						1	0			24.70	23.77	23.18
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	24.70	23.96	12.72
					1	49						1	0			24.70	23.80	23.23
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	24.70	23.89	12.81
					1	49						1	0			24.70	23.73	23.11
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	24.70	23.75	12.82
					1	49						1	0			24.70	23.14	23.10
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	24.70	23.64	12.86
					1	49						1	0			24.70	23.63	23.14
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	24.70	23.62	12.81
					1	49						1	0			24.70	23.50	23.17
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	24.70	23.85	12.80
					1	99						1	0			24.70	23.31	23.15
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	24.70	23.80	12.82
					1	99						1	0			24.70	23.68	23.14
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	24.70	23.79	12.79
					1	99						1	0			24.70	23.59	23.10
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	12.00	23.16	11.46
					1	99						1	0			12.00	22.98	11.64
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	36.34.9	12.00	23.12	11.53
					1	99						1	0			12.00	23.00	11.36
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	12.00	23.82	11.58
					1	99						1	0			12.00	22.98	11.40
Inter Band	2A-5A	2	20	QPSK	1	0	18700	1860	5	10	QPSK	1	49	20525	836.5	24.70	23.42	22.94
					1	99						1	0			24.70	23.29	23.03
		2	20	QPSK	1	0	18900	1880	5	10	QPSK	1	49	20525	836.5	24.70	23.47	23.08
					1	99						1	0			24.70	23.34	22.89
		2	20	QPSK	1	0	19100	1900	5	10	QPSK	1	49	20525	836.5	24.70	23.36	22.93
					1	99						1	0			24.70	23.23	23.06
	2A-13A	2	20	QPSK	1	0	18700	1860	13	10	QPSK	1	49	23230	782	24.70	23.42	23.08
					1	99						1	0			24.70	23.29	23.27
		2	20	QPSK	1	0	18900	1880	13	10	QPSK	1	49	23230	782	24.70	23.47	23.46
					1	99						1	0			24.70	23.34	23.31
		2	20	QPSK	1	0	19100	1900	13	10	QPSK	1	49	23230	782	24.70	23.36	23.30
					1	99						1	0			24.70	23.23	23.22
	4A-5A	4	20	QPSK	1	0	20050	1860	5	10	QPSK	1	49	20525	836.5	24.70	23.72	22.95
					1	99						1	0			24.70	23.57	23.37
		4	20	QPSK	1	0	20175	1880	5	10	QPSK	1	49	20525	836.5	24.70	23.78	22.83
					1	99						1	0			24.70	23.63	23.29
		4	20	QPSK	1	0	20300	1900	5	10	QPSK	1	49	20525	836.5	24.70	23.70	22.67
					1	99						1	0			24.70	23.55	23.19

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 0)																		
Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximu m Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Inter Band	5A-66A	5	10	QPSK	1	0	20450	829	66	20	QPSK	1	99	132322	1745	24.70	23.93	22.74
					1	49						1	0			24.70	23.77	23.24
		5	10	QPSK	1	0	20525	836.5	66	20	QPSK	1	99	132322	1745	24.70	23.96	22.79
					1	49						1	0			24.70	23.80	23.25
		5	10	QPSK	1	0	20600	844	66	20	QPSK	1	99	132322	1745	24.70	23.89	22.66
					1	49						1	0			24.70	23.73	23.45

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 1&2&3)

Configure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	24.70	23.93	12.86
					1	49						1	0			24.70	23.77	23.18
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	24.70	23.96	12.72
					1	49						1	0			24.70	23.80	23.23
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	24.70	23.89	12.81
					1	49						1	0			24.70	23.73	23.11
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	22.70	22.21	11.81
					1	49						1	0			22.70	22.00	21.97
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	22.70	22.11	11.70
					1	49						1	0			22.70	21.93	21.92
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	22.70	22.00	11.59
					1	49						1	0			22.70	21.91	21.91
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	22.70	22.35	12.80
					1	99						1	0			22.70	22.31	22.13
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	22.70	21.75	12.82
					1	99						1	0			22.70	22.18	22.14
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	22.70	22.29	12.79
					1	99						1	0			22.70	22.29	22.09
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	12.00	20.91	11.46
					1	99						1	0			12.00	20.78	11.64
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	12.00	21.28	11.53
					1	99						1	0			12.00	21.15	11.36
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	12.00	21.32	11.58
					1	99						1	0			12.00	21.19	11.40
Inter Band	2A-5A	2	20	QPSK	1	0	18700	1860	5	10	QPSK	1	49	20525	836.5	22.70	21.89	21.88
					1	99						1	0			22.70	21.72	21.70
		2	20	QPSK	1	0	18900	1880	5	10	QPSK	1	49	20525	836.5	22.70	21.78	21.75
					1	99						1	0			22.70	21.61	21.59
		2	20	QPSK	1	0	19100	1900	5	10	QPSK	1	49	20525	836.5	22.70	21.77	21.74
					1	99						1	0			22.70	21.60	21.56
	2A-13A	2	20	QPSK	1	0	18700	1860	13	10	QPSK	1	49	23230	782	24.70	23.42	23.20
					1	99						1	0			24.70	23.29	23.19
		2	20	QPSK	1	0	18900	1880	13	10	QPSK	1	49	23230	782	24.70	23.47	23.37
					1	99						1	0			24.70	23.34	23.28
		2	20	QPSK	1	0	19100	1900	13	10	QPSK	1	49	23230	782	24.70	22.64	22.60
					1	99						1	0			24.70	22.57	22.57
	4A-5A	4	20	QPSK	1	0	18700	1860	5	10	QPSK	1	49	20525	836.5	22.70	22.21	22.20
					1	99						1	0			22.70	22.10	22.08
		4	20	QPSK	1	0	18900	1880	5	10	QPSK	1	49	20525	836.5	22.70	22.12	22.01
					1	99						1	0			22.70	22.01	21.91
		4	20	QPSK	1	0	19100	1900	5	10	QPSK	1	49	20525	836.5	22.70	22.17	22.16
					1	99						1	0			22.70	22.06	21.98

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 1&2&3)

Configure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Inter Band	5A-66A	5	10	QPSK	1	0	20450	829	66	20	QPSK	1	99	132322	1745	24.70	23.93	22.74
					1	49						1	0			24.70	23.77	23.24
		5	10	QPSK	1	0	20525	836.5	66	20	QPSK	1	99	132322	1745	24.70	23.96	22.79
					1	49						1	0			24.70	23.80	23.25
		5	10	QPSK	1	0	20600	844	66	20	QPSK	1	99	132322	1745	24.70	23.89	22.66
					1	49						1	0			24.70	23.73	23.45

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 4)

Configure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	24.70	23.93	12.86
					1	49						1	0			24.70	23.77	23.18
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	24.70	23.96	12.72
					1	49						1	0			24.70	23.80	23.23
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	24.70	23.89	12.81
					1	49						1	0			24.70	23.73	23.11
	66B	66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132121	1724.9	24.70	23.75	12.82
					1	49						1	0			24.70	23.14	23.10
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132472	1760	24.70	23.64	12.86
					1	49						1	0			24.70	23.63	23.14
		66	10	QPSK	1	0	132523	1765.1	66	10	QPSK	1	49	132622	1775	24.70	23.62	12.81
					1	49						1	0			24.70	23.50	23.17
	66C	66	20	QPSK	1	0	132072	1720	66	20	QPSK	1	99	132270	1739.8	24.70	23.85	12.80
					1	99						1	0			24.70	23.31	23.15
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	24.70	23.80	12.82
					1	99						1	0			24.70	23.68	23.14
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	24.70	23.79	12.79
					1	99						1	0			24.70	23.59	23.10
	48C	48	20	QPSK	1	0	55340	3560	48	20	QPSK	1	99	55538	3579.8	23.70	12.00	11.46
					1	99						1	0			23.70	12.00	11.64
		48	20	QPSK	1	0	55891	3615.1	48	20	QPSK	1	99	56089	3634.9	23.70	12.00	11.53
					1	99						1	0			23.70	12.00	11.36
		48	20	QPSK	1	0	56442	3670.2	48	20	QPSK	1	99	56640	3690	23.70	12.00	11.58
					1	99						1	0			23.70	12.00	11.40
Inter Band	2A-5A	2	20	QPSK	1	0	18700	1860	5	10	QPSK	1	49	20525	836.5	22.20	22.19	21.99
					1	99						1	0			22.20	22.15	22.14
		2	20	QPSK	1	0	18900	1880	5	10	QPSK	1	49	20525	836.5	22.20	22.15	21.91
					1	99						1	0			22.20	22.11	22.03
		2	20	QPSK	1	0	19100	1900	5	10	QPSK	1	49	20525	836.5	22.20	22.11	21.77
					1	99						1	0			22.20	22.07	22.04
	2A-13A	2	20	QPSK	1	0	18700	1860	13	10	QPSK	1	49	23230	782	24.70	23.42	23.20
					1	99						1	0			24.70	23.29	23.28
		2	20	QPSK	1	0	18900	1880	13	10	QPSK	1	49	23230	782	24.70	23.47	23.37
					1	99						1	0			24.70	23.34	23.28
		2	20	QPSK	1	0	19100	1900	13	10	QPSK	1	49	23230	782	24.70	23.36	23.35
					1	99						1	0			24.70	23.23	23.22
	4A-5A	4	20	QPSK	1	0	18700	1860	5	10	QPSK	1	49	20525	836.5	24.70	23.72	22.95
					1	99						1	0			24.70	23.57	23.37
		4	20	QPSK	1	0	18900	1880	5	10	QPSK	1	49	20525	836.5	24.70	23.78	22.83
					1	99						1	0			24.70	23.63	23.29
		4	20	QPSK	1	0	19100	1900	5	10	QPSK	1	49	20525	836.5	24.70	23.70	22.67
					1	99						1	0			24.70	23.55	23.19

Uplink Carrier Aggregation Scenarios Conducted Power (DSI 4)																		
Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximu m Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Inter Band	5A-66A	5	10	QPSK	1	0	20450	829	66	20	QPSK	1	99	132322	1745	24.70	23.93	22.74
					1	49						1	0			24.70	23.77	23.24
		5	10	QPSK	1	0	20525	836.5	66	20	QPSK	1	99	132322	1745	24.70	23.96	22.79
					1	49						1	0			24.70	23.80	23.25
		5	10	QPSK	1	0	20600	844	66	20	QPSK	1	99	132322	1745	24.70	23.89	22.66
					1	49						1	0			24.70	23.73	23.45

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 0)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
																								Total
Intra Band	CA_48E	48	20	55780	3603	1	0	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	24.70	23.12	22.28
Inter Band	CA_2A-4A-13A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	13	10	5230	751					24.70	23.42	22.72
	CA_2A-4A-71A	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	71	20	68761	634.5					24.70	23.42	22.73
	CA_2A-48A-66A	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	66	20	67036	2170					24.70	23.42	22.75
	CA_2A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	71	20	68761	634.5					24.70	23.42	22.82
	CA_2A-13A-48A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55340	3560					24.70	23.42	22.77
	CA_2A-13A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170					24.70	23.42	22.75
	CA_4A-48C	4	20	20300	1745	1	0	2300	2145	48	20	56210	3647	48	20	56012	3627.2					24.70	23.70	22.98
	CA_5A-48A-66A	5	10	20525	836.5	1	0	2525	881.50	48	20	55340	3560	66	20	67036	2170					24.70	23.96	22.75
	CA_5A-48C	5	10	20525	836.5	1	0	2525	881.50	48	20	56210	3647	48	20	56012	3627.2					24.70	23.96	22.96
	CA_5A-66A-66A	5	10	20450	829	1	0	2450	874	66	20	67036	2170	66	20	66786	2145					24.70	23.96	22.73
	CA_13A-48A-66A	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	20	67036	2170					24.70	23.06	22.83
	CA_13A-48A-48A	13	10	23230	782	1	0	5230	751	48	20	56210	3647	48	20	56640	3690					24.70	23.06	22.77
	CA_2A-2A-4A-4A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2300	2145	4	20	2175	2132.5	24.70	23.42	22.75
	CA_2A-48A-48C	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	24.70	23.42	22.71
	CA_2A-66A-66B	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	10	66837	2150.1	66	10	66936	2160	24.70	23.42	22.72
	CA_2A-2A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	66	20	66786	2145	24.70	23.42	22.63
	CA_2A-48D	2	20	18700	1860	1	0	700	1940	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	24.70	23.42	22.65
	CA_2A-66A-66C	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	24.70	23.42	22.68
	CA_2A-2A-66B	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	10	66837	2150.1	66	10	66936	2160	24.70	23.42	22.78
	CA_2A-2A-66C	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	66786	2145	66	20	66588	2125.2	24.70	23.42	22.67
	CA_2A-66D	2	20	18700	1860	1	0	700	1940	66	20	66688	2135.2	66	20	66886	2155	66	20	67084	2174.8	24.70	23.42	22.72
	CA_2A-66A-66A-66A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66536	2120	24.70	23.42	22.77
	CA_4A-4A-5B	4	20	20300	1745	1	0	2300	2145	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	24.70	23.70	22.98
	CA_4A-48D	4	20	20300	1745	1	0	2300	2145	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	24.70	23.70	23.03
	CA_5A-5A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	24.70	23.93	23.15
	CA_5A-48D	5	10	20525	836.5	1	0	2525	881.50	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	24.70	23.96	23.21
	CA_5A-5A-66B	5	10	20525	836.5	1	0	2525	881.50	5	10	2450	874	66	10	66786	2145	66	10	66687	2135.1	24.70	23.96	23.17
	CA_5B-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66786	2145	24.70	23.93	23.08
	CA_5A-5A-66C	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66838	2150.2	24.70	23.93	22.95
	CA_5B-66B	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	10	66786	2145	66	10	66687	2135.1	24.70	23.93	22.88
	CA_5B-66C	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66838	2150.2	24.70	23.93	22.90
	CA_13A-66A-66B	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	10	66786	2145	66	10	66687	2135.1	24.70	23.06	22.71
	CA_13A-66A-66C	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	24.70	23.06	22.64
	CA_13A-48A-48C	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	24.70	23.06	22.68
	CA_13A-48D	13	10	23230	782	1	0	5230	751	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	24.70	23.06	22.65

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 0)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
Inter Band	CA_48A-48A-66A-66A	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66786	2145	24.70	23.55	22.35
	CA_48A-48A-66B	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	24.70	23.55	22.48
	CA_48A-48A-66C	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66838	2150.2	24.70	23.55	22.33
	CA_48A-48C-66A	48	20	56210	3647	1	0	56210	3647	48	20	56442	3670.2	48	20	56640	3690	66	20	67036	2170	24.70	23.55	22.47
	CA_48C-66A-66A	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66786	2145	24.70	23.16	22.58
	CA_48C-66B	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	10	66786	2145	66	10	66687	2135.1	24.70	23.16	22.36
	CA_48C-66C	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66838	2150.2	24.70	23.16	22.27
	CA_48D-66A	48	20	55792	3605.2	1	0	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	66	20	67036	2170	24.70	23.12	22.14
	CA_2A-4A-4A-5A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	4	20	2175	2132.5	5	10	2450	874	24.70	23.42	22.18
	CA_2A-2A-4A-5A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2175	2132.5	5	10	2450	874	24.70	23.42	22.28
	CA_2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	24.70	23.42	22.31
	CA_2A-2A-5A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	5	10	2450	874	66	20	67036	2170	24.70	23.42	22.25
	CA_2A-4A-5B	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	24.70	23.42	22.20
	CA_2A-2A-13A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	13	10	5230	751	66	20	67036	2170	24.70	23.42	22.36
	CA_2A-5B-66A	2	20	18700	1860	1	0	700	1940	5	10	2450	874	5	10	2549	883.9	66	20	67036	2170	24.70	23.42	22.38
	CA_2A-13A-48C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	24.70	23.42	22.41
	CA_2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170	66	20	66786	2145	24.70	23.42	22.33
	CA_2A-66A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	71	20	68761	634.5	24.70	23.42	22.37
	CA_2A-66C-71A	2	20	18700	1860	1	0	700	1940	66	20	66786	2145	66	20	66588	2125.2	71	20	68761	634.5	24.70	23.42	22.36
	CA_2A-5A-66B	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	10	67086	2175	66	10	66987	2165.1	24.70	23.42	22.33
	CA_2A-5A-66C	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	66786	2145	66	20	66588	2125.2	24.70	23.42	22.28
	CA_2A-13A-66B	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	10	67086	2175	66	10	66987	2165.1	24.70	23.42	22.35
	CA_2A-13A-66C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	66786	2145	66	20	66588	2125.2	24.70	23.42	22.41
	CA_2A-48C-66A	2	20	18700	1860	1	0	700	1940	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	24.70	23.42	22.33
	CA_2A-2A-66A-71A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	71	20	68761	634.5	24.70	23.42	22.32
	CA_13A-48C-66A	13	10	23230	782	1	0	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	24.70	23.06	22.29
	CA_13A-48A-66B	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	24.70	23.06	22.66
	CA_13A-48A-66C	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	20	66786	2145	66	20	66588	2125.2	24.70	23.06	22.65

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 1&2&3)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
																								Total
Intra Band Contiguous	CA_48E	48	20	55780	3603	1	0	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	22.70	21.28	20.58
Inter Band	CA_2A-4A-13A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	13	10	5230	751					22.70	21.89	21.19
	CA_2A-4A-71A	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	71	20	68761	634.5					22.70	21.89	21.17
	CA_2A-48A-66A	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	66	20	67036	2170					22.70	21.89	21.04
	CA_2A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	71	20	68761	634.5					22.70	21.89	21.12
	CA_2A-13A-48A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55340	3560					22.70	21.89	21.03
	CA_2A-13A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170					22.70	21.89	21.06
	CA_4A-48C	4	20	20300	1745	1	0	2300	2145	48	20	56210	3647	48	20	56012	3627.2					22.70	22.17	21.47
	CA_5A-48A-66A	5	10	20525	836.5	1	0	2525	881.50	48	20	55340	3560	66	20	67036	2170					24.70	23.96	23.20
	CA_5A-48C	5	10	20525	836.5	1	0	2525	881.50	48	20	56210	3647	48	20	56012	3627.2					24.70	23.96	23.09
	CA_5A-66A-66A	5	10	20450	829	1	0	2450	874	66	20	67036	2170	66	20	66786	2145					24.70	23.96	23.23
	CA_13A-48A-66A	13	10	23230	782	1	24	5230	751	48	20	55340	3560	66	20	67036	2170					24.70	23.79	22.98
	CA_13A-48A-48A	13	10	23230	782	1	24	5230	751	48	20	56210	3647	48	20	56640	3690					24.70	23.79	23.00
	CA_2A-2A-4A-4A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2300	2145	4	20	2175	2132.5	22.70	21.89	21.16
	CA_2A-48A-48C	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	22.70	21.89	21.01
	CA_2A-66A-66B	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	10	66837	2150.1	66	10	66936	2160	22.70	21.89	21.04
	CA_2A-2A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	66	20	66786	2145	22.70	21.89	21.00
	CA_2A-48D	2	20	18700	1860	1	0	700	1940	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	22.70	21.89	21.17
	CA_2A-66A-66C	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	22.70	21.89	21.16
	CA_2A-2A-66B	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	10	66837	2150.1	66	10	66936	2160	22.70	21.89	21.10
	CA_2A-2A-66C	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	66786	2145	66	20	66588	2125.2	22.70	21.89	21.04
	CA_2A-66D	2	20	18700	1860	1	0	700	1940	66	20	66688	2135.2	66	20	66886	2155	66	20	67084	2174.8	22.70	21.89	21.19
	CA_2A-66A-66A-66A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66536	2120	22.70	21.89	21.09
	CA_4A-4A-5B	4	20	20300	1745	1	0	2300	2145	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	22.70	22.17	21.37
	CA_4A-48D	4	20	20300	1745	1	0	2300	2145	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	22.70	22.17	21.33
	CA_5A-5A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	24.70	23.96	23.13
	CA_5A-48D	5	10	20525	836.5	1	0	2525	881.50	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	24.70	23.96	23.11
	CA_5A-5A-66B	5	10	20525	836.5	1	0	2525	881.50	5	10	2450	874	66	10	66786	2145	66	10	66687	2135.1	24.70	23.96	23.19
	CA_5B-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66786	2145	24.70	23.96	23.25
	CA_5A-5A-66C	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66838	2150.2	24.70	23.96	23.21
	CA_5B-66B	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	10	66786	2145	66	10	66687	2135.1	24.70	23.96	23.14
	CA_5B-66C	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66838	2150.2	24.70	23.96	23.07
	CA_13A-66A-66B	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	10	66786	2145	66	10	66687	2135.1	24.70	23.79	22.93
	CA_13A-66A-66C	13	10	23230	782	1	0	5230	751	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	24.70	23.79	22.94
	CA_13A-48A-48C	13	10	23230	782	1	0	5230	751	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	24.70	23.79	22.99
	CA_13A-48D	13	10	23230	782	1	0	5230	751	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	24.70	23.79	23.05

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 1&2&3)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
Inter Band	CA_48A-48A-66A-66A	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66786	2145	22.70	21.28	20.42
	CA_48A-48A-66B	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	22.70	21.28	20.38
	CA_48A-48A-66C	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66838	2150.2	22.70	21.28	20.45
	CA_48A-48C-66A	48	20	56210	3647	1	0	56210	3647	48	20	56442	3670.2	48	20	56640	3690	66	20	67036	2170	22.70	21.28	20.46
	CA_48C-66A-66A	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66786	2145	22.70	21.28	20.43
	CA_48C-66B	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	10	66786	2145	66	10	66687	2135.1	22.70	21.28	20.51
	CA_48C-66C	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66838	2150.2	22.70	21.28	20.40
	CA_48D-66A	48	20	55792	3605.2	1	0	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	66	20	67036	2170	22.70	21.28	20.38
	CA_2A-4A-4A-5A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	4	20	2175	2132.5	5	10	2450	874	22.70	21.89	21.17
	CA_2A-2A-4A-5A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2175	2132.5	5	10	2450	874	22.70	21.89	21.03
	CA_2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	22.70	21.89	21.17
	CA_2A-2A-5A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	5	10	2450	874	66	20	67036	2170	22.70	21.89	21.08
	CA_2A-4A-5B	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	22.70	21.89	21.15
	CA_2A-2A-13A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	13	10	5230	751	66	20	67036	2170	22.70	21.89	21.07
	CA_2A-5B-66A	2	20	18700	1860	1	0	700	1940	5	10	2450	874	5	10	2549	883.9	66	20	67036	2170	22.70	21.89	21.03
	CA_2A-13A-48C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	22.70	21.89	21.18
	CA_2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170	66	20	66786	2145	22.70	21.89	21.03
	CA_2A-66A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	71	20	68761	634.5	22.70	21.89	21.12
	CA_2A-66C-71A	2	20	18700	1860	1	0	700	1940	66	20	66786	2145	66	20	66588	2125.2	71	20	68761	634.5	22.70	21.89	21.14
	CA_2A-5A-66B	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	10	67086	2175	66	10	66987	2165.1	22.70	21.89	21.09
	CA_2A-5A-66C	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	66786	2145	66	20	66588	2125.2	22.70	21.89	21.10
	CA_2A-13A-66B	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	10	67086	2175	66	10	66987	2165.1	22.70	21.89	21.16
	CA_2A-13A-66C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	66786	2145	66	20	66588	2125.2	22.70	21.89	21.02
	CA_2A-48C-66A	2	20	18700	1860	1	0	700	1940	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	22.70	21.89	21.01
	CA_2A-2A-66A-71A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	71	20	68761	634.5	22.70	21.89	21.14
	CA_13A-48C-66A	13	10	23230	782	1	0	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	24.70	23.79	22.93
	CA_13A-48A-66B	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	24.70	23.79	23.02
	CA_13A-48A-66C	13	10	23230	782	1	0	5230	751	48	20	55340	3560	66	20	66786	2145	66	20	66588	2125.2	24.70	23.79	22.99

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 4)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
																								Total
Intra Band Contiguous	CA_48E	48	20	55780	3603	1	0	55780	3603	48	20	55968	3622.8	48	20	56166	3642.6	48	20	56364	3662.4	23.70	23.51	22.75
Inter Band	CA_2A-4A-13A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	13	10	5230	751					22.20	22.19	21.39
	CA_2A-4A-71A	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	71	20	68761	634.5					22.20	22.19	21.42
	CA_2A-48A-66A	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	66	20	67036	2170					22.20	22.19	21.41
	CA_2A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	71	20	68761	634.5					22.20	22.19	21.35
	CA_2A-13A-48A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55340	3560					22.20	22.19	21.37
	CA_2A-13A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170					22.20	22.19	21.48
	CA_4A-48C	4	20	20300	1745	1	0	2300	2145	48	20	56210	3647	48	20	56012	3627.2					24.70	23.70	23.00
	CA_5A-48A-66A	5	10	20525	836.5	1	0	2525	881.50	48	20	55340	3560	66	20	67036	2170					24.70	23.96	23.11
	CA_5A-48C	5	10	20525	836.5	1	0	2525	881.50	48	20	56210	3647	48	20	56012	3627.2					24.70	23.96	23.19
	CA_5A-66A-66A	5	10	20450	829	1	0	2450	874	66	20	67036	2170	66	20	66786	2145					24.70	23.96	23.19
	CA_13A-48A-66A	13	10	23230	782	1	24	5230	751	48	20	55340	3560	66	20	67036	2170					24.70	23.79	23.06
	CA_13A-48A-48A	13	10	23230	782	1	24	5230	751	48	20	56210	3647	48	20	56640	3690					24.70	23.79	23.21
	CA_2A-2A-4A-4A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2300	2145	4	20	2175	2132.5	22.20	22.19	21.39
	CA_2A-48A-48C	2	20	18700	1860	1	0	700	1940	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	22.20	22.19	21.45
	CA_2A-66A-66B	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	10	66837	2150.1	66	10	66936	2160	22.20	22.19	21.49
	CA_2A-2A-66A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	66	20	66786	2145	22.20	22.19	21.29
	CA_2A-48D	2	20	18700	1860	1	0	700	1940	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	22.20	22.19	21.33
	CA_2A-66A-66C	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	22.20	22.19	21.47
	CA_2A-2A-66B	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	10	66837	2150.1	66	10	66936	2160	22.20	22.19	21.30
	CA_2A-2A-66C	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	66786	2145	66	20	66588	2125.2	22.20	22.19	21.30
	CA_2A-66D	2	20	18700	1860	1	0	700	1940	66	20	66688	2135.2	66	20	66886	2155	66	20	67084	2174.8	22.20	22.19	21.34
	CA_2A-66A-66A-66A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	66	20	66536	2120	22.20	22.19	21.37
	CA_4A-4A-5B	4	20	20300	1745	1	0	2300	2145	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	24.70	23.70	22.96
	CA_4A-48D	4	20	20300	1745	1	0	2300	2145	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	24.70	23.70	22.86
	CA_5A-5A-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	24.70	23.96	23.17
	CA_5A-48D	5	10	20525	836.5	1	0	2525	881.50	48	20	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	24.70	23.96	23.09
	CA_5A-5A-66B	5	10	20525	836.5	1	0	2525	881.50	5	10	2450	874	66	10	66786	2145	66	10	66687	2135.1	24.70	23.96	23.09
	CA_5B-66A-66A	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66786	2145	24.70	23.96	23.13
	CA_5A-5A-66C	5	10	20450	829	1	0	2450	874	5	10	2600	889	66	20	67036	2170	66	20	66838	2150.2	24.70	23.96	23.08
	CA_5B-66B	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	10	66786	2145	66	10	66687	2135.1	24.70	23.96	23.25
	CA_5B-66C	5	10	20450	829	1	0	2450	874	5	10	2549	883.9	66	20	67036	2170	66	20	66838	2150.2	24.70	23.96	23.19
	CA_13A-66A-66B	13	10	23230	782	1	24	5230	751	66	20	67036	2170	66	10	66786	2145	66	10	66687	2135.1	24.70	23.79	22.97
	CA_13A-66A-66C	13	10	23230	782	1	24	5230	751	66	20	67036	2170	66	20	66786	2145	66	20	66588	2125.2	24.70	23.79	23.00
	CA_13A-48A-48C	13	10	23230	782	1	24	5230	751	48	20	55340	3560	48	20	55891	3615.1	48	20	56089	3634.9	24.70	23.79	22.96
	CA_13A-48D	13	10	23230	782	1	24	5230	751	48	20	56244	3650.4	48	20	56442	3670.2	48	20	56640	3690	24.70	23.79	22.93

Downlink Carrier Aggregation Scenarios Conducted Power (DSI 4)																								
Configure	Combination	PCC								SCC1				SCC2				SCC3				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active
																								Total
Inter Band	CA_48A-48A-66A-66A	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66786	2145	23.70	23.51	22.65
	CA_48A-48A-66B	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	23.70	23.51	22.74
	CA_48A-48A-66C	48	20	56210	3647	1	0	56210	3647	48	20	55340	3560	66	20	67036	2170	66	20	66838	2150.2	23.70	23.51	22.68
	CA_48A-48C-66A	48	20	56210	3647	1	0	56210	3647	48	20	56442	3670.2	48	20	56640	3690	66	20	67036	2170	23.70	23.51	22.73
	CA_48C-66A-66A	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66786	2145	23.70	23.51	22.62
	CA_48C-66B	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	10	66786	2145	66	10	66687	2135.1	23.70	23.51	22.78
	CA_48C-66C	48	20	55340	3560	1	0	55340	3560	48	20	55538	3579.8	66	20	67036	2170	66	20	66838	2150.2	23.70	23.51	22.76
	CA_48D-66A	48	20	55792	3605.2	1	0	55792	3605.2	48	20	55990	3625	48	20	56188	3644.8	66	20	67036	2170	23.70	23.51	22.64
	CA_2A-4A-4A-5A	2	20	18700	1860	1	0	700	1940	4	20	2300	2145	4	20	2175	2132.5	5	10	2450	874	22.20	22.19	21.44
	CA_2A-2A-4A-5A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	4	20	2175	2132.5	5	10	2450	874	22.20	22.19	21.32
	CA_2A-5A-66A-66A	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	67036	2170	66	20	66786	2145	22.20	22.19	21.30
	CA_2A-2A-5A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	5	10	2450	874	66	20	67036	2170	22.20	22.19	21.39
	CA_2A-4A-5B	2	20	18700	1860	1	0	700	1940	4	20	2175	2132.5	5	10	2450	874	5	10	2549	883.9	22.20	22.19	21.35
	CA_2A-2A-13A-66A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	13	10	5230	751	66	20	67036	2170	22.20	22.19	21.42
	CA_2A-5B-66A	2	20	18700	1860	1	0	700	1940	5	10	2450	874	5	10	2549	883.9	66	20	67036	2170	22.20	22.19	21.31
	CA_2A-13A-48C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	22.20	22.19	21.40
	CA_2A-13A-66A-66A	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	67036	2170	66	20	66786	2145	22.20	22.19	21.46
	CA_2A-66A-66A-71A	2	20	18700	1860	1	0	700	1940	66	20	67036	2170	66	20	66786	2145	71	20	68761	634.5	22.20	22.19	21.40
	CA_2A-66C-71A	2	20	18700	1860	1	0	700	1940	66	20	66786	2145	66	20	66588	2125.2	71	20	68761	634.5	22.20	22.19	21.36
	CA_2A-5A-66B	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	10	67086	2175	66	10	66987	2165.1	22.20	22.19	21.42
	CA_2A-5A-66C	2	20	18700	1860	1	0	700	1940	5	10	2600	889	66	20	66786	2145	66	20	66588	2125.2	22.20	22.19	21.30
	CA_2A-13A-66B	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	10	67086	2175	66	10	66987	2165.1	22.20	22.19	21.42
	CA_2A-13A-66C	2	20	18700	1860	1	0	700	1940	13	10	5230	751	66	20	66786	2145	66	20	66588	2125.2	22.20	22.19	21.37
	CA_2A-48C-66A	2	20	18700	1860	1	0	700	1940	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	22.20	22.19	21.49
	CA_2A-2A-66A-71A	2	20	18700	1860	1	0	700	1940	2	20	900	1960	66	20	67036	2170	71	20	68761	634.5	22.20	22.19	21.29
	CA_13A-48C-66A	13	10	23230	782	1	24	5230	751	48	20	55891	3615.1	48	20	56089	3634.9	66	20	67036	2170	24.70	23.79	22.93
	CA_13A-48A-66B	13	10	23230	782	1	24	5230	751	48	20	55340	3560	66	10	66786	2145	66	10	66687	2135.1	24.70	23.79	23.02
	CA_13A-48A-66C	13	10	23230	782	1	24	5230	751	48	20	55340	3560	66	20	66786	2145	66	20	66588	2125.2	24.70	23.79	22.99