



Date: 2026-07-14




Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	50.89	6.43	57.32	74.00	16.68	Peak
2	5350.000	38.15	6.43	44.58	54.00	9.42	Average
3	5351.820	56.36	6.43	62.79	74.00	11.21	Peak
4	5351.820	38.83	6.43	45.26	54.00	8.74	Average

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5139.000	52.70	5.79	58.49	74.00	15.51	Peak
2	5139.000	40.10	5.79	45.89	54.00	8.11	Average
3	5150.000	50.06	5.83	55.89	74.00	18.11	Peak
4	5150.000	40.28	5.83	46.11	54.00	7.89	Average
5	5350.000	51.94	6.43	58.37	74.00	15.63	Peak
6	5350.000	38.35	6.43	44.78	54.00	9.22	Average
7	5351.340	55.50	6.43	61.93	74.00	12.07	Peak
8	5351.340	39.48	6.43	45.91	54.00	8.09	Average

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5144.760	49.39	5.81	55.20	74.00	18.80	Peak
2	5144.760	36.77	5.81	42.58	54.00	11.42	Average
3	5150.000	48.07	5.83	53.90	74.00	20.10	Peak
4	5150.000	36.64	5.83	42.47	54.00	11.53	Average
5	5350.000	48.13	6.43	54.56	74.00	19.44	Peak
6	5350.000	37.26	6.43	43.69	54.00	10.31	Average
7	5356.560	51.11	6.43	57.54	74.00	16.46	Peak
8	5356.560	37.42	6.43	43.85	54.00	10.15	Average

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Horizontal
Note: 5G WiFi ax160 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5127.420	61.71	5.74	67.45	74.00	6.55	Peak
2	5127.420	40.01	5.74	45.75	54.00	8.25	Average
3	5150.000	48.17	5.83	54.00	74.00	20.00	Peak
4	5150.000	37.81	5.83	43.64	54.00	10.36	Average
5	5350.000	49.03	6.43	55.46	74.00	18.54	Peak
6	5350.000	36.68	6.43	43.11	54.00	10.89	Average
7	5398.380	57.25	6.45	63.70	74.00	10.30	Peak
8	5398.380	39.12	6.45	45.57	54.00	8.43	Average

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz; AV trace RBW:1MHz; VBW:5kHz
Polarization: Vertical
Note: 5G WiFi ax160 Middle Channel 5250MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5127.360	57.12	5.74	62.86	74.00	11.14	Peak
2	5127.360	41.95	5.74	47.69	54.00	6.31	Average
3	5150.000	47.20	5.83	53.03	74.00	20.97	Peak
4	5150.000	37.40	5.83	43.23	54.00	10.77	Average
5	5350.020	46.37	6.43	52.80	74.00	21.20	Peak
6	5350.020	36.58	6.43	43.01	54.00	10.99	Average
7	5398.860	52.72	6.45	59.17	74.00	14.83	Peak
8	5398.860	38.84	6.45	45.29	54.00	8.71	Average

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5745MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	46.26	6.83	53.09	68.20	15.11	Peak
2	5700.000	49.45	6.81	56.26	105.20	48.94	Peak
3	5720.000	50.58	6.83	57.41	110.80	53.39	Peak
4	5725.000	54.69	6.83	61.52	122.20	60.68	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: vertical
Note: 5G WiFi a Low Channel 5745MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	44.82	6.83	51.65	68.20	16.55	Peak
2	5700.000	45.65	6.81	52.46	105.20	52.74	Peak
3	5720.000	45.90	6.83	52.73	110.80	58.07	Peak
4	5725.000	48.58	6.83	55.41	122.20	66.79	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi a High Channel 5825MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	55.66	6.92	62.58	122.20	59.62	Peak
2	5855.000	51.71	6.94	58.65	110.80	52.15	Peak
3	5875.000	50.92	7.02	57.94	105.20	47.26	Peak
4	5925.000	48.47	7.17	55.64	68.20	12.56	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi a High Channel 5825MHz Chain 0 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	48.56	6.92	55.48	122.20	66.72	Peak
2	5855.000	48.44	6.94	55.38	110.80	55.42	Peak
3	5875.000	47.78	7.02	54.80	105.20	50.40	Peak
4	5925.000	47.78	7.17	54.95	68.20	13.25	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi a Low Channel 5745MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	46.63	6.83	53.46	68.20	14.74	Peak
2	5700.000	49.59	6.81	56.40	105.20	48.80	Peak
3	5720.000	49.43	6.83	56.26	110.80	54.54	Peak
4	5725.000	55.51	6.83	62.34	122.20	59.86	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi a Low Channel 5745MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	45.09	6.83	51.92	68.20	16.28	Peak
2	5700.000	46.76	6.81	53.57	105.20	51.63	Peak
3	5720.000	45.29	6.83	52.12	110.80	58.68	Peak
4	5725.000	46.89	6.83	53.72	122.20	68.48	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi a High Channel 5825MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	51.46	6.92	58.38	122.20	63.82	Peak
2	5855.000	52.24	6.94	59.18	110.80	51.62	Peak
3	5875.000	50.16	7.02	57.18	105.20	48.02	Peak
4	5925.000	50.30	7.17	57.47	68.20	10.73	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi a High Channel 5825MHz Chain 1 Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	48.42	6.92	55.34	122.20	66.86	Peak
2	5855.000	48.29	6.94	55.23	110.80	55.57	Peak
3	5875.000	47.69	7.02	54.71	105.20	50.49	Peak
4	5925.000	48.17	7.17	55.34	68.20	12.86	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ac20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	46.95	6.83	53.78	68.20	14.42	Peak
2	5700.000	50.72	6.81	57.53	105.20	47.67	Peak
3	5720.000	52.40	6.83	59.23	110.80	51.57	Peak
4	5725.000	54.87	6.83	61.70	122.20	60.50	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ac20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	45.02	6.83	51.85	68.20	16.35	Peak
2	5700.000	45.49	6.81	52.30	105.20	52.90	Peak
3	5720.000	45.49	6.83	52.32	110.80	58.48	Peak
4	5725.000	47.96	6.83	54.79	122.20	67.41	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ac20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	55.32	6.92	62.24	122.20	59.96	Peak
2	5855.000	55.60	6.94	62.54	110.80	48.26	Peak
3	5875.000	51.53	7.02	58.55	105.20	46.65	Peak
4	5925.000	50.20	7.17	57.37	68.20	10.83	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ac20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	49.65	6.92	56.57	122.20	65.63	Peak
2	5855.000	50.18	6.94	57.12	110.80	53.68	Peak
3	5875.000	48.10	7.02	55.12	105.20	50.08	Peak
4	5925.000	48.31	7.17	55.48	68.20	12.72	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ac40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	49.60	6.83	56.43	68.20	11.77	Peak
2	5700.000	49.66	6.81	56.47	105.20	48.73	Peak
3	5720.000	52.28	6.83	59.11	110.80	51.69	Peak
4	5725.000	52.88	6.83	59.71	122.20	62.49	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ac40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	46.29	6.83	53.12	68.20	15.08	Peak
2	5700.000	46.55	6.81	53.36	105.20	51.84	Peak
3	5720.000	46.18	6.83	53.01	110.80	57.79	Peak
4	5725.000	46.59	6.83	53.42	122.20	68.78	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ac40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	52.61	6.92	59.53	122.20	62.67	Peak
2	5855.000	51.66	6.94	58.60	110.80	52.20	Peak
3	5875.000	51.79	7.02	58.81	105.20	46.39	Peak
4	5925.000	50.01	7.17	57.18	68.20	11.02	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ac40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	47.93	6.92	54.85	122.20	67.35	Peak
2	5855.000	48.82	6.94	55.76	110.80	55.04	Peak
3	5875.000	48.25	7.02	55.27	105.20	49.93	Peak
4	5925.000	48.81	7.17	55.98	68.20	12.22	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	50.97	6.83	57.80	68.20	10.40	Peak
2	5700.000	55.52	6.81	62.33	105.20	42.87	Peak
3	5720.000	56.43	6.83	63.26	110.80	47.54	Peak
4	5725.000	56.27	6.83	63.10	122.20	59.10	Peak
5	5850.000	52.15	6.92	59.07	122.20	63.13	Peak
6	5855.000	53.73	6.94	60.67	110.80	50.13	Peak
7	5875.000	49.69	7.02	56.71	105.20	48.49	Peak
8	5925.000	48.89	7.17	56.06	68.20	12.14	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	46.82	6.83	53.65	68.20	14.55	Peak
2	5700.000	46.09	6.81	52.90	105.20	52.30	Peak
3	5720.000	46.72	6.83	53.55	110.80	57.25	Peak
4	5725.000	47.30	6.83	54.13	122.20	68.07	Peak
5	5850.000	46.99	6.92	53.91	122.20	68.29	Peak
6	5855.000	46.64	6.94	53.58	110.80	57.22	Peak
7	5875.000	46.08	7.02	53.10	105.20	52.10	Peak
8	5925.000	46.08	7.17	53.25	68.20	14.95	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	50.21	6.83	57.04	68.20	11.16	Peak
2	5700.000	53.42	6.81	60.23	105.20	44.97	Peak
3	5720.000	57.15	6.83	63.98	110.80	46.82	Peak
4	5725.000	58.89	6.83	65.72	122.20	56.48	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	47.68	6.83	54.51	68.20	13.69	Peak
2	5700.000	48.50	6.81	55.31	105.20	49.89	Peak
3	5720.000	50.05	6.83	56.88	110.80	53.92	Peak
4	5725.000	52.87	6.83	59.70	122.20	62.50	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	54.33	6.92	61.25	122.20	60.95	Peak
2	5855.000	53.53	6.94	60.47	110.80	50.33	Peak
3	5875.000	52.18	7.02	59.20	105.20	46.00	Peak
4	5925.000	48.32	7.17	55.49	68.20	12.71	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	49.59	6.92	56.51	122.20	65.69	Peak
2	5855.000	48.08	6.94	55.02	110.80	55.78	Peak
3	5875.000	46.95	7.02	53.97	105.20	51.23	Peak
4	5925.000	45.15	7.17	52.32	68.20	15.88	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	52.15	6.83	58.98	68.20	9.22	Peak
2	5700.000	51.08	6.81	57.89	105.20	47.31	Peak
3	5720.000	59.31	6.83	66.14	110.80	44.66	Peak
4	5725.000	57.78	6.83	64.61	122.20	57.59	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	47.53	6.83	54.36	68.20	13.84	Peak
2	5700.000	48.02	6.81	54.83	105.20	50.37	Peak
3	5720.000	48.52	6.83	55.35	110.80	55.45	Peak
4	5725.000	48.97	6.83	55.80	122.20	66.40	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	51.77	6.92	58.69	122.20	63.51	Peak
2	5855.000	51.50	6.94	58.44	110.80	52.36	Peak
3	5875.000	51.87	7.02	58.89	105.20	46.31	Peak
4	5925.000	49.85	7.17	57.02	68.20	11.18	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.000	47.84	6.92	54.76	122.20	67.44	Peak
2	5855.000	48.92	6.94	55.86	110.80	54.94	Peak
3	5875.000	48.28	7.02	55.30	105.20	49.90	Peak
4	5925.000	48.23	7.17	55.40	68.20	12.80	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Horizontal
Note: 5G WiFi ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	48.32	6.83	55.15	68.20	13.05	Peak
2	5700.000	52.10	6.81	58.91	105.20	46.29	Peak
3	5720.000	49.55	6.83	56.38	110.80	54.42	Peak
4	5725.000	49.98	6.83	56.81	122.20	65.39	Peak
5	5850.000	49.03	6.92	55.95	122.20	66.25	Peak
6	5855.000	48.92	6.94	55.86	110.80	54.94	Peak
7	5875.000	48.24	7.02	55.26	105.20	49.94	Peak
8	5925.000	47.50	7.17	54.67	68.20	13.53	Peak

Project No: 2603U28676E-RF
Tester: Peter Rong
Condition: PK trace RBW:1MHz; VBW:3MHz
Polarization: Vertical
Note: 5G WiFi ax80 Middle Channel 5775MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5650.000	45.97	6.83	52.80	68.20	15.40	Peak
2	5700.000	46.19	6.81	53.00	105.20	52.20	Peak
3	5720.000	45.75	6.83	52.58	110.80	58.22	Peak
4	5725.000	45.85	6.83	52.68	122.20	69.52	Peak
5	5850.000	45.84	6.92	52.76	122.20	69.44	Peak
6	5855.000	45.81	6.94	52.75	110.80	58.05	Peak
7	5875.000	46.10	7.02	53.12	105.20	52.08	Peak
8	5925.000	44.99	7.17	52.16	68.20	16.04	Peak

4.3 RF Conducted Data

Please refer to Annex "2603U28676E-RF-00B_Appendix A" for detail test data.

5. EUT PHOTOGRAPHS

Please refer to the attachment 2603U28676E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and
2603U28676E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2603U28676E-RF-00B-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====