


APPENDIX E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.19	17.00
CH40	5200	30.49	17.20
CH48	5240	25.45	17.00

TX CH36




Date: 5.DEC.2017 18:50:18

TX CH40



Date: 5.DEC.2017 18:51:11

TX CH48




Date: 5.DEC.2017 18:51:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	34.65	18.20
CH40	5200	39.00	19.10
CH48	5240	25.90	17.90

TX CH36




Date: 5.DEC.2017 18:56:44

TX CH40



Date: 5.DEC.2017 18:59:25

TX CH48




Date: 5.DEC.2017 19:03:12

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.30	36.80
CH46	5230	78.79	38.40

TX CH38



Date: 5.DEC.2017 19:28:58

TX CH46




Date: 5.DEC.2017 19:29:47

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.50	16.40	>=500
CH157	5785	16.55	16.40	>=500
CH165	5825	16.55	16.50	>=500

TX CH 149




Date: 5.DEC.2017 18:53:02

TX CH 157



Date: 5.DEC.2017 18:54:19

TX CH 165




Date: 5.DEC.2017 18:55:11

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.80	17.60	>=500
CH157	5785	17.70	17.60	>=500
CH165	5825	17.70	17.60	>=500

TX CH 149




Date: 5.DEC.2017 19:04:09

TX CH 157



Date: 5.DEC.2017 19:06:01

TX CH 165




Date: 5.DEC.2017 19:06:58

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.20	≥ 500
CH159	5795	36.60	36.20	≥ 500

TX CH 151



Date: 5.DEC.2017 19:30:58

TX CH 159




Date: 5.DEC.2017 19:32:04

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	34.60	18.30
CH40	5200	35.10	18.30
CH48	5240	28.19	18.00

TX CH36




Date: 5.DEC.2017 19:23:01

TX CH40



Date: 5.DEC.2017 19:23:49

TX CH48




Date: 5.DEC.2017 19:24:39

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	47.70	37.00
CH46	5230	78.99	38.60

TX CH38



Date: 5.DEC.2017 19:56:08


TX CH46



Date: 5.DEC.2017 19:56:56

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.80	76.00




Date: 5.DEC.2017 20:00:15

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.80	17.60	>=500
CH157	5785	17.75	17.60	>=500
CH165	5825	17.70	17.60	>=500

TX CH 149




Date: 5.DEC.2017 19:25:34

TX CH 157



Date: 5.DEC.2017 19:26:34

TX CH 165




Date: 5.DEC.2017 19:27:32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.20	≥ 500
CH159	5795	36.60	36.20	≥ 500

TX CH 151



Date: 5.DEC.2017 19:57:59

TX CH 159




Date: 5.DEC.2017 19:58:57

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.20	75.60	>=500

TX CH 155



Date: 5.DEC.2017 20:01:23

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.13	0.00	22.13	30.00	1.00
CH40	5200	23.52	0.00	23.52	30.00	1.00
CH48	5240	22.82	0.00	22.82	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.24	0.00	24.24	30.00	1.00
CH40	5200	23.75	0.00	23.75	30.00	1.00
CH48	5240	23.16	0.00	23.16	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.86	0.00	22.86	30.00	1.00
CH40	5200	23.08	0.00	23.08	30.00	1.00
CH48	5240	21.44	0.00	21.44	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	26.61	30.00	1.00
CH40	5200	26.44	30.00	1.00
CH48	5240	25.39	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.76	0.00	19.76	30.00	1.00
CH46	5230	24.29	0.00	24.29	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.50	0.00	18.50	30.00	1.00
CH46	5230	22.55	0.00	22.55	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.19	30.00	1.00
CH46	5230	26.52	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.65	0.00	17.65	30.00	1.00
CH157	5785	18.46	0.00	18.46	30.00	1.00
CH165	5825	16.36	0.00	16.36	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.78	0.00	17.78	30.00	1.00
CH157	5785	18.04	0.00	18.04	30.00	1.00
CH165	5825	15.27	0.00	15.27	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	20.73	30.00	1.00
CH157	5785	21.27	30.00	1.00
CH165	5825	18.86	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.87	0.00	16.87	30.00	1.00
CH157	5785	18.39	0.00	18.39	30.00	1.00
CH165	5825	16.86	0.00	16.86	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.77	0.00	18.77	30.00	1.00
CH159	5795	19.73	0.00	19.73	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.93	0.00	18.93	30.00	1.00
CH159	5795	18.79	0.00	18.79	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.86	30.00	1.00
CH159	5795	22.30	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.83	0.00	22.83	30.00	1.00
CH40	5200	23.31	0.00	23.31	30.00	1.00
CH48	5240	22.52	0.00	22.52	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.85	0.00	21.85	30.00	1.00
CH40	5200	21.88	0.00	21.88	30.00	1.00
CH48	5240	21.96	0.00	21.96	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	25.38	30.00	1.00
CH40	5200	25.66	30.00	1.00
CH48	5240	25.26	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.62	0.00	19.62	30.00	1.00
CH46	5230	24.14	0.00	24.14	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.39	0.00	18.39	30.00	1.00
CH46	5230	22.67	0.00	22.67	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.06	30.00	1.00
CH46	5230	26.48	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	18.45	0.00	18.45	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.91	0.00	16.91	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	20.76	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.21	0.00	17.21	30.00	1.00
CH157	5785	18.32	0.00	18.32	30.00	1.00
CH165	5825	16.35	0.00	16.35	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.64	0.00	17.64	30.00	1.00
CH157	5785	17.78	0.00	17.78	30.00	1.00
CH165	5825	14.54	0.00	14.54	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	20.44	30.00	1.00
CH157	5785	21.07	30.00	1.00
CH165	5825	18.55	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.84	0.00	18.84	30.00	1.00
CH159	5795	19.92	0.00	19.92	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.10	0.00	19.10	30.00	1.00
CH159	5795	19.06	0.00	19.06	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.98	30.00	1.00
CH159	5795	22.52	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.75	0.00	20.75	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.27	0.00	20.27	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	23.53	30.00	1.00

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.49	0.00	12.49	17.00
CH40	5200	13.59	0.00	13.59	17.00
CH48	5240	12.97	0.00	12.97	17.00




Date: 5.DEC.2017 18:50:26

CH40



Date: 5.DEC.2017 18:51:19


CH48



Date: 5.DEC.2017 18:52:02


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.17	0.00	13.17	17.00
CH40	5200	14.37	0.00	14.37	17.00
CH48	5240	12.78	0.00	12.78	17.00




Date: 5.DEC.2017 18:56:53

CH40



Date: 5.DEC.2017 18:59:34


CH48



Date: 5.DEC.2017 19:03:21


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.66	0.00	11.66	17.00
CH40	5200	12.04	0.00	12.04	17.00
CH48	5240	11.14	0.00	11.14	17.00




Date: 5.DEC.2017 19:08:43

CH40



Date: 5.DEC.2017 19:09:52

CH48



Date: 5.DEC.2017 19:10:48


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.49	17.00
CH40	5200	16.37	17.00
CH48	5240	15.05	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.94	0.00	6.94	17.00
CH46	5230	11.42	0.00	11.42	17.00

CH38



Date: 5.DEC.2017 19:29:10

CH46




Date: 5.DEC.2017 19:29:59

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.45	0.00	5.45	17.00
CH46	5230	9.22	0.00	9.22	17.00

CH38



Date: 5.DEC.2017 19:34:01

CH46



Date: 5.DEC.2017 19:35:18


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.27	17.00
CH46	5230	13.47	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.39	0.00	3.39	30.00
CH157	5785	4.51	0.00	4.51	30.00
CH165	5825	3.15	0.00	3.15	30.00

TX CH149




Date: 5.DEC.2017 18:52:36

TX CH157



Date: 5.DEC.2017 18:54:28


TX CH165



Date: 5.DEC.2017 18:55:19


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.73	0.00	3.73	30.00
CH157	5785	4.62	0.00	4.62	30.00
CH165	5825	2.77	0.00	2.77	30.00




Date: 5.DEC.2017 19:04:18

TX CH157



Date: 5.DEC.2017 19:06:10

TX CH165




Date: 5.DEC.2017 19:07:07

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.63	0.00	4.63	30.00
CH157	5785	4.61	0.00	4.61	30.00
CH165	5825	1.63	0.00	1.63	30.00

TX CH149




Date: 5.DEC.2017 19:11:56

TX CH157



Date: 5.DEC.2017 19:13:29

TX CH165



Date: 5.DEC.2017 19:14:34


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.21	30.00
CH157	5785	7.63	30.00
CH165	5825	5.25	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.25	0.00	2.25	30.00
CH159	5795	3.17	0.00	3.17	30.00

TX CH151



Date: 5.DEC.2017 19:31:10

TX CH159




Date: 5.DEC.2017 19:32:15

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.63	0.00	2.63	30.00
CH159	5795	2.65	0.00	2.65	30.00

TX CH151



Date: 5.DEC.2017 19:36:54

TX CH159




Date: 5.DEC.2017 19:38:01

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.45	30.00
CH159	5795	5.93	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.27	0.00	13.27	17.00
CH40	5200	13.66	0.00	13.66	17.00
CH48	5240	12.87	0.00	12.87	17.00




Date: 5.DEC.2017 19:23:09

CH40



Date: 5.DEC.2017 19:23:57


CH48



Date: 5.DEC.2017 19:24:48


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.11	0.00	12.11	17.00
CH40	5200	12.16	0.00	12.16	17.00
CH48	5240	11.39	0.00	11.39	17.00




Date: 5.DEC.2017 19:16:25

CH40



Date: 5.DEC.2017 19:17:40

CH48



Date: 5.DEC.2017 19:18:35


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.74	17.00
CH40	5200	15.98	17.00
CH48	5240	15.20	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.48	0.00	7.48	17.00
CH46	5230	11.56	0.00	11.56	17.00

CH38



Date: 5.DEC.2017 19:56:20

CH46




Date: 5.DEC.2017 19:57:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.01	0.00	5.01	17.00
CH46	5230	9.06	0.00	9.06	17.00

CH38



Date: 5.DEC.2017 19:40:10

CH46




Date: 5.DEC.2017 19:41:40

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.43	17.00
CH46	5230	13.50	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.07	0.00	4.07	17.00



Date: 5.DEC.2017 20:00:26

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.95	0.00	1.95	17.00



Date: 5.DEC.2017 20:03:15


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	6.15	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.75	0.00	3.75	30.00
CH157	5785	3.57	0.00	3.57	30.00
CH165	5825	2.73	0.00	2.73	30.00

TX CH149




Date: 5.DEC.2017 19:25:42

TX CH157



Date: 5.DEC.2017 19:26:43

TX CH165




Date: 5.DEC.2017 19:27:41

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.52	0.00	4.52	30.00
CH157	5785	4.65	0.00	4.65	30.00
CH165	5825	1.58	0.00	1.58	30.00

TX CH149




Date: 5.DEC.2017 19:19:40

TX CH157



Date: 5.DEC.2017 19:20:46

TX CH165



Date: 5.DEC.2017 19:21:44


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.16	30.00
CH157	5785	7.15	30.00
CH165	5825	5.20	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.57	0.00	-2.57	30.00
CH159	5795	3.22	0.00	3.22	30.00

TX CH151



Date: 5.DEC.2017 19:58:11

TX CH159




Date: 5.DEC.2017 19:59:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.51	0.00	2.51	30.00
CH159	5795	2.67	0.00	2.67	30.00

TX CH151



Date: 5.DEC.2017 19:42:44

TX CH159



Date: 5.DEC.2017 19:43:51


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.68	30.00
CH159	5795	5.96	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.85	0.00	2.85	30.00


TX CH155



Date: 5.DEC.2017 20:01:34

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.36	0.00	2.36	30.00



Date: 5.DEC.2017 20:04:43

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.62	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0028
120	5180.0024
108	5180.0032
Max. Deviation (MHz)	0.0032
Max. Deviation (ppm)	0.6178

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0048
5	5180.0124
15	5180.0164
25	5180.0188
35	5180.0192
45	5180.0196
50	5180.0192
Max. Deviation (MHz)	0.0196
Max. Deviation (ppm)	3.7838

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0140
120	5745.0100
108	5745.0100
Max. Deviation (MHz)	0.0140
Max. Deviation (ppm)	2.4369

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0120
5	5745.0096
15	5745.0104
25	5745.0104
35	5745.0108
45	5745.0116
50	5745.0120
Max. Deviation (MHz)	0.0120
Max. Deviation (ppm)	2.0888