





-26dB Bandwidth NVNT ac20 5180MHz Ant5



-26dB Bandwidth NVNT ac20 5200MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant5



-26dB Bandwidth NVNT ac40 5190MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant5



-26dB Bandwidth NVNT ac80 5210MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac160 5250MHz Ant5



-26dB Bandwidth NVNT ax20 5180MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5200MHz Ant5



-26dB Bandwidth NVNT ax20 5240MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5190MHz Ant5



-26dB Bandwidth NVNT ax40 5230MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax80 5210MHz Ant5



-26dB Bandwidth NVNT ax160 5250MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




-26dB Bandwidth NVNT be20 5180MHz Ant5




-26dB Bandwidth NVNT be20 5200MHz Ant5





-26dB Bandwidth NVNT be20 5240MHz Ant5



-26dB Bandwidth NVNT be40 5190MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT be40 5230MHz Ant5



-26dB Bandwidth NVNT be80 5210MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5180	Ant1	14.08	0.15	14.23	29.51	Pass
NVNT	a	5200	Ant1	14.01	0.18	14.19	29.51	Pass
NVNT	a	5240	Ant1	14.73	0.15	14.88	29.51	Pass
NVNT	n20	5180	Ant1	14.35	0.16	14.51	29.51	Pass
NVNT	n20	5200	Ant1	14.43	0.2	14.63	29.51	Pass
NVNT	n20	5240	Ant1	14.67	0.17	14.84	29.51	Pass
NVNT	n40	5190	Ant1	14.12	0.33	14.45	29.51	Pass
NVNT	n40	5230	Ant1	14.84	0.4	15.24	29.51	Pass
NVNT	ac20	5180	Ant1	14.41	0.65	15.06	29.51	Pass
NVNT	ac20	5200	Ant1	14.53	0.75	15.28	29.51	Pass
NVNT	ac20	5240	Ant1	14.69	0.65	15.34	29.51	Pass
NVNT	ac40	5190	Ant1	12.82	1.09	13.91	29.51	Pass
NVNT	ac40	5230	Ant1	14.61	0.93	15.54	29.51	Pass
NVNT	ac80	5210	Ant1	12.86	1.65	14.51	29.51	Pass
NVNT	ac160	5250	Ant1	7.6	0.84	8.44	23.51	Pass
NVNT	ax20	5180	Ant1	14.01	0.58	14.59	29.51	Pass
NVNT	ax20	5200	Ant1	14.15	0.58	14.73	29.51	Pass
NVNT	ax20	5240	Ant1	14.8	0.58	15.38	29.51	Pass
NVNT	ax40	5190	Ant1	13.41	0.58	13.99	29.51	Pass
NVNT	ax40	5230	Ant1	14.34	0.56	14.90	29.51	Pass
NVNT	ax80	5210	Ant1	14.13	0.71	14.84	29.51	Pass
NVNT	ax160	5250	Ant1	8.56	0.84	9.40	23.51	Pass
NVNT	be20	5180	Ant1	14.04	0.58	14.62	29.51	Pass
NVNT	be20	5200	Ant1	14.22	0.56	14.78	29.51	Pass
NVNT	be20	5240	Ant1	14.86	0.56	15.42	29.51	Pass
NVNT	be40	5190	Ant1	13.43	0.56	13.99	29.51	Pass
NVNT	be40	5230	Ant1	14.23	0.56	14.79	29.51	Pass
NVNT	be80	5210	Ant1	14.07	0.69	14.76	29.51	Pass
NVNT	be160	5250	Ant1	8.51	0.58	9.09	23.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5180	Ant2	14.39	0.18	14.57	29.51	Pass
NVNT	a	5200	Ant2	14.1	0.15	14.25	29.51	Pass
NVNT	a	5240	Ant2	14.67	0.15	14.82	29.51	Pass
NVNT	n20	5180	Ant2	14.27	0.16	14.43	29.51	Pass
NVNT	n20	5200	Ant2	14.1	0.2	14.30	29.51	Pass
NVNT	n20	5240	Ant2	14.57	0.2	14.77	29.51	Pass
NVNT	n40	5190	Ant2	14.31	0.11	14.42	29.51	Pass
NVNT	n40	5230	Ant2	14.75	0.14	14.89	29.51	Pass
NVNT	ac20	5180	Ant2	14.04	0.65	14.69	29.51	Pass
NVNT	ac20	5200	Ant2	14.32	0.21	14.53	29.51	Pass
NVNT	ac20	5240	Ant2	14.22	0.25	14.47	29.51	Pass
NVNT	ac40	5190	Ant2	14.32	0.22	14.54	29.51	Pass
NVNT	ac40	5230	Ant2	14.11	0.26	14.37	29.51	Pass
NVNT	ac80	5210	Ant2	13.58	0.4	13.98	29.51	Pass
NVNT	ac160	5250	Ant2	7.3	0.6	7.90	23.51	Pass
NVNT	ax20	5180	Ant2	14.16	0.25	14.41	29.51	Pass
NVNT	ax20	5200	Ant2	14.41	0.3	14.71	29.51	Pass
NVNT	ax20	5240	Ant2	14.85	0.25	15.10	29.51	Pass
NVNT	ax40	5190	Ant2	13.4	0.3	13.70	29.51	Pass
NVNT	ax40	5230	Ant2	14.27	0.25	14.52	29.51	Pass
NVNT	ax80	5210	Ant2	13.93	0.84	14.77	29.51	Pass
NVNT	ax160	5250	Ant2	8.74	0.71	9.45	23.51	Pass
NVNT	be20	5180	Ant2	14.24	0.79	15.03	29.51	Pass
NVNT	be20	5200	Ant2	14.48	0.58	15.06	29.51	Pass
NVNT	be20	5240	Ant2	14.86	0.58	15.44	29.51	Pass
NVNT	be40	5190	Ant2	13.85	0.3	14.15	29.51	Pass
NVNT	be40	5230	Ant2	14.33	0.35	14.68	29.51	Pass
NVNT	be80	5210	Ant2	13.31	0.36	13.67	29.51	Pass
NVNT	be160	5250	Ant2	8.72	0.58	9.30	23.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5180	Ant3	14.76	0.18	14.94	29.51	Pass
NVNT	a	5200	Ant3	14.45	0.15	14.60	29.51	Pass
NVNT	a	5240	Ant3	14.78	0.18	14.96	29.51	Pass
NVNT	n20	5180	Ant3	14.29	0.2	14.49	29.51	Pass
NVNT	n20	5200	Ant3	14.06	0.2	14.26	29.51	Pass
NVNT	n20	5240	Ant3	14.38	0.16	14.54	29.51	Pass
NVNT	n40	5190	Ant3	13.34	0.11	13.45	29.51	Pass
NVNT	n40	5230	Ant3	14.24	0.14	14.38	29.51	Pass
NVNT	ac20	5180	Ant3	14.04	0.21	14.25	29.51	Pass
NVNT	ac20	5200	Ant3	14.24	0.21	14.45	29.51	Pass
NVNT	ac20	5240	Ant3	14.03	0.21	14.24	29.51	Pass
NVNT	ac40	5190	Ant3	14.23	0.22	14.45	29.51	Pass
NVNT	ac40	5230	Ant3	14.51	0.22	14.73	29.51	Pass
NVNT	ac80	5210	Ant3	13.7	0.33	14.03	29.51	Pass
NVNT	ac160	5250	Ant3	8.46	0.6	9.06	23.51	Pass
NVNT	ax20	5180	Ant3	14.13	0.58	14.71	29.51	Pass
NVNT	ax20	5200	Ant3	14.4	0.71	15.11	29.51	Pass
NVNT	ax20	5240	Ant3	14.23	0.58	14.81	29.51	Pass
NVNT	ax40	5190	Ant3	12.57	0.3	12.87	29.51	Pass
NVNT	ax40	5230	Ant3	14.74	0.25	14.99	29.51	Pass
NVNT	ax80	5210	Ant3	13.53	0.43	13.96	29.51	Pass
NVNT	ax160	5250	Ant3	8.38	0.71	9.09	23.51	Pass
NVNT	be20	5180	Ant3	14.22	0.56	14.78	29.51	Pass
NVNT	be20	5200	Ant3	14.06	0.69	14.75	29.51	Pass
NVNT	be20	5240	Ant3	14.29	0.56	14.85	29.51	Pass
NVNT	be40	5190	Ant3	14.53	0.25	14.78	29.51	Pass
NVNT	be40	5230	Ant3	14.66	0.25	14.91	29.51	Pass
NVNT	be80	5210	Ant3	12.46	0.71	13.17	29.51	Pass
NVNT	be160	5250	Ant3	9.26	0.71	9.97	23.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5180	Ant4	13.75	0.18	13.93	29.51	Pass
NVNT	a	5200	Ant4	13.74	0.18	13.92	29.51	Pass
NVNT	a	5240	Ant4	14.94	0.15	15.09	29.51	Pass
NVNT	n20	5180	Ant4	12.81	0.2	13.01	29.51	Pass
NVNT	n20	5200	Ant4	12.8	0.16	12.96	29.51	Pass
NVNT	n20	5240	Ant4	13.99	0.16	14.15	29.51	Pass
NVNT	n40	5190	Ant4	14.03	0.33	14.36	29.51	Pass
NVNT	n40	5230	Ant4	13.13	0.4	13.53	29.51	Pass
NVNT	ac20	5180	Ant4	12.48	0.75	13.23	29.51	Pass
NVNT	ac20	5200	Ant4	12.12	0.65	12.77	29.51	Pass
NVNT	ac20	5240	Ant4	13.84	0.55	14.39	29.51	Pass
NVNT	ac40	5190	Ant4	14.02	0.2	14.22	29.51	Pass
NVNT	ac40	5230	Ant4	12.56	0.2	12.76	29.51	Pass
NVNT	ac80	5210	Ant4	13.72	0.34	14.06	29.51	Pass
NVNT	ac160	5250	Ant4	8.28	0.71	8.99	23.51	Pass
NVNT	ax20	5180	Ant4	12.23	0.69	12.92	29.51	Pass
NVNT	ax20	5200	Ant4	12.23	0.71	12.94	29.51	Pass
NVNT	ax20	5240	Ant4	13.45	0.58	14.03	29.51	Pass
NVNT	ax40	5190	Ant4	14.11	0.69	14.80	29.51	Pass
NVNT	ax40	5230	Ant4	11.76	0.69	12.45	29.51	Pass
NVNT	ax80	5210	Ant4	14.06	0.43	14.49	29.51	Pass
NVNT	ax160	5250	Ant4	8.69	0.6	9.29	23.51	Pass
NVNT	be20	5180	Ant4	12.2	0.26	12.46	29.51	Pass
NVNT	be20	5200	Ant4	11.88	0.31	12.19	29.51	Pass
NVNT	be20	5240	Ant4	13.48	0.25	13.73	29.51	Pass
NVNT	be40	5190	Ant4	14.15	0.49	14.64	29.51	Pass
NVNT	be40	5230	Ant4	11.27	0.42	11.69	29.51	Pass
NVNT	be80	5210	Ant4	13.46	0.36	13.82	29.51	Pass
NVNT	be160	5250	Ant4	8.73	0.69	9.42	23.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5180	Ant5	14.52	0.18	14.70	29.51	Pass
NVNT	a	5200	Ant5	14.56	0.15	14.71	29.51	Pass
NVNT	a	5240	Ant5	14.61	0.18	14.79	29.51	Pass
NVNT	n20	5180	Ant5	14.2	0.2	14.40	29.51	Pass
NVNT	n20	5200	Ant5	13.96	0.2	14.16	29.51	Pass
NVNT	n20	5240	Ant5	14.43	0.16	14.59	29.51	Pass
NVNT	n40	5190	Ant5	13.85	0.33	14.18	29.51	Pass
NVNT	n40	5230	Ant5	14.68	0.4	15.08	29.51	Pass
NVNT	ac20	5180	Ant5	14.02	0.65	14.67	29.51	Pass
NVNT	ac20	5200	Ant5	12.97	0.65	13.62	29.51	Pass
NVNT	ac20	5240	Ant5	13.46	0.55	14.01	29.51	Pass
NVNT	ac40	5190	Ant5	13.22	0.23	13.45	29.51	Pass
NVNT	ac40	5230	Ant5	14.29	0.2	14.49	29.51	Pass
NVNT	ac80	5210	Ant5	13.74	0.34	14.08	29.51	Pass
NVNT	ac160	5250	Ant5	8.53	0.6	9.13	23.51	Pass
NVNT	ax20	5180	Ant5	14.18	0.58	14.76	29.51	Pass
NVNT	ax20	5200	Ant5	14.08	0.71	14.79	29.51	Pass
NVNT	ax20	5240	Ant5	14.39	0.69	15.08	29.51	Pass
NVNT	ax40	5190	Ant5	14.49	0.58	15.07	29.51	Pass
NVNT	ax40	5230	Ant5	14.78	0.56	15.34	29.51	Pass
NVNT	ax80	5210	Ant5	14	0.37	14.37	29.51	Pass
NVNT	ax160	5250	Ant5	8.43	0.6	9.03	23.51	Pass
NVNT	be20	5180	Ant5	14.16	0.69	14.85	29.51	Pass
NVNT	be20	5200	Ant5	14.5	0.67	15.17	29.51	Pass
NVNT	be20	5240	Ant5	14.84	0.67	15.51	29.51	Pass
NVNT	be40	5190	Ant5	14.45	0.56	15.01	29.51	Pass
NVNT	be40	5230	Ant5	14.83	0.67	15.50	29.51	Pass
NVNT	be80	5210	Ant5	13.94	0.69	14.63	29.51	Pass
NVNT	be160	5250	Ant5	8.34	0.69	9.03	23.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)						Limit (dBm)	Verdict
			Ant1	Ant2	Ant3	Ant4	Ant5	Ant1+Ant2+Ant3+Ant4+Ant5		
NVNT	n20	5180	14.51	14.43	14.49	13.01	14.4	21.19	22.44	Pass
NVNT	n20	5200	14.63	14.3	14.26	12.96	14.16	21.09	22.44	Pass
NVNT	n20	5240	14.84	14.77	14.54	14.15	14.59	21.57	22.44	Pass
NVNT	n40	5190	14.45	14.42	14.45	14.36	14.18	21.18	22.44	Pass
NVNT	n40	5230	15.24	14.89	14.38	13.53	15.08	21.66	22.44	Pass
NVNT	ac20	5180	15.06	14.69	14.25	13.23	14.67	21.41	22.44	Pass
NVNT	ac20	5200	15.28	14.53	14.45	12.77	13.62	21.20	22.44	Pass
NVNT	ac20	5240	15.34	14.47	14.24	14.39	14.01	21.50	22.44	Pass
NVNT	ac40	5190	13.91	14.54	13.45	14.22	13.45	21.12	22.44	Pass
NVNT	ac40	5230	15.54	14.37	14.73	12.76	14.49	21.46	22.44	Pass
NVNT	ac80	5210	14.51	13.98	14.03	14.06	14.08	21.13	22.44	Pass
NVNT	ac160	5250	8.44	7.9	9.06	8.99	9.13	15.72	16.44	Pass
NVNT	ax20	5180	14.59	14.41	14.71	12.92	14.76	21.32	22.44	Pass
NVNT	ax20	5200	14.73	14.71	15.11	12.94	14.79	21.51	22.44	Pass
NVNT	ax20	5240	15.38	15.1	14.81	14.03	15.08	21.89	22.44	Pass
NVNT	ax40	5190	13.99	13.7	12.87	14.8	15.07	21.15	22.44	Pass
NVNT	ax40	5230	14.9	14.52	14.99	12.45	15.34	21.54	22.44	Pass
NVNT	ax80	5210	14.84	14.77	13.96	14.49	14.37	21.49	22.44	Pass
NVNT	ax160	5250	9.4	9.45	9.09	9.29	9.03	16.24	16.44	Pass
NVNT	be20	5180	14.62	15.03	14.78	12.46	14.85	21.43	22.44	Pass
NVNT	be20	5200	14.78	15.06	14.75	12.19	15.17	21.51	22.44	Pass
NVNT	be20	5240	15.42	15.44	14.85	13.73	15.51	22.03	22.44	Pass
NVNT	be40	5190	13.99	14.15	14.78	14.64	15.01	21.52	22.44	Pass
NVNT	be40	5230	14.79	14.68	14.91	11.69	15.5	21.48	22.44	Pass
NVNT	be80	5210	14.76	13.67	13.17	13.82	14.63	21.04	22.44	Pass
NVNT	be160	5250	9.09	9.3	9.97	9.42	9.03	16.36	16.44	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	0.89	0.15	1.04	16.51	Pass
NVNT	a	5200	Ant1	0.58	0.18	0.76	16.51	Pass
NVNT	a	5240	Ant1	1.23	0.15	1.38	16.51	Pass
NVNT	n20	5180	Ant1	-2.52	0.16	-2.36	16.51	Pass
NVNT	n20	5200	Ant1	-1.61	0.2	-1.41	16.51	Pass
NVNT	n20	5240	Ant1	-0.75	0.17	-0.58	16.51	Pass
NVNT	n40	5190	Ant1	-4.1	0.33	-3.77	16.51	Pass
NVNT	n40	5230	Ant1	-3.54	0.4	-3.14	16.51	Pass
NVNT	ac20	5180	Ant1	-1.99	0.65	-1.34	16.51	Pass
NVNT	ac20	5200	Ant1	-1.82	0.75	-1.07	16.51	Pass
NVNT	ac20	5240	Ant1	-1.22	0.65	-0.57	16.51	Pass
NVNT	ac40	5190	Ant1	-5.71	1.09	-4.62	16.51	Pass
NVNT	ac40	5230	Ant1	-5.16	0.93	-4.23	16.51	Pass
NVNT	ac80	5210	Ant1	-12.69	1.65	-11.04	16.51	Pass
NVNT	ac160	5250	Ant1	-15.05	0.84	-14.21	10.51	Pass
NVNT	ax20	5180	Ant1	-3.83	0.58	-3.25	16.51	Pass
NVNT	ax20	5200	Ant1	-4.11	0.58	-3.53	16.51	Pass
NVNT	ax20	5240	Ant1	-3.29	0.58	-2.71	16.51	Pass
NVNT	ax40	5190	Ant1	-7.41	0.58	-6.83	16.51	Pass
NVNT	ax40	5230	Ant1	-6.54	0.56	-5.98	16.51	Pass
NVNT	ax80	5210	Ant1	-9.72	0.71	-9.01	16.51	Pass
NVNT	ax160	5250	Ant1	-13.44	0.84	-12.6	10.51	Pass
NVNT	be20	5180	Ant1	-2.79	0.58	-2.21	16.51	Pass
NVNT	be20	5200	Ant1	-1.66	0.56	-1.1	16.51	Pass
NVNT	be20	5240	Ant1	-0.83	0.56	-0.27	16.51	Pass
NVNT	be40	5190	Ant1	-5.16	0.56	-4.6	16.51	Pass
NVNT	be40	5230	Ant1	-3.38	0.56	-2.82	16.51	Pass
NVNT	be80	5210	Ant1	-8.7	0.69	-8.01	16.51	Pass
NVNT	be160	5250	Ant1	-13.42	0.58	-12.84	10.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	-1.74	0.18	-1.56	16.51	Pass
NVNT	a	5200	Ant2	-1.57	0.15	-1.42	16.51	Pass
NVNT	a	5240	Ant2	-1.28	0.15	-1.13	16.51	Pass
NVNT	n20	5180	Ant2	-3.43	0.16	-3.27	16.51	Pass
NVNT	n20	5200	Ant2	-3.47	0.2	-3.27	16.51	Pass
NVNT	n20	5240	Ant2	-2.99	0.2	-2.79	16.51	Pass
NVNT	n40	5190	Ant2	-1.74	0.11	-1.63	16.51	Pass
NVNT	n40	5230	Ant2	-0.96	0.14	-0.82	16.51	Pass
NVNT	ac20	5180	Ant2	-3.53	0.29	-3.24	16.51	Pass
NVNT	ac20	5200	Ant2	-3.37	0.21	-3.16	16.51	Pass
NVNT	ac20	5240	Ant2	-2.83	0.25	-2.58	16.51	Pass
NVNT	ac40	5190	Ant2	-3.81	0.22	-3.59	16.51	Pass
NVNT	ac40	5230	Ant2	-2.75	0.26	-2.49	16.51	Pass
NVNT	ac80	5210	Ant2	-9.47	0.4	-9.07	16.51	Pass
NVNT	ac160	5250	Ant2	-10.89	0.6	-10.29	10.51	Pass
NVNT	ax20	5180	Ant2	-1.96	0.25	-1.71	16.51	Pass
NVNT	ax20	5200	Ant2	-1.54	0.3	-1.24	16.51	Pass
NVNT	ax20	5240	Ant2	-0.97	0.25	-0.72	16.51	Pass
NVNT	ax40	5190	Ant2	-6.42	0.3	-6.12	16.51	Pass
NVNT	ax40	5230	Ant2	-5.56	0.25	-5.31	16.51	Pass
NVNT	ax80	5210	Ant2	-8.03	0.37	-7.66	16.51	Pass
NVNT	ax160	5250	Ant2	-12.78	0.71	-12.07	10.51	Pass
NVNT	be20	5180	Ant2	-1.99	0.79	-1.2	16.51	Pass
NVNT	be20	5200	Ant2	-1.71	0.58	-1.13	16.51	Pass
NVNT	be20	5240	Ant2	-1.32	0.58	-0.74	16.51	Pass
NVNT	be40	5190	Ant2	-4.34	0.3	-4.04	16.51	Pass
NVNT	be40	5230	Ant2	-5.8	0.35	-5.45	16.51	Pass
NVNT	be80	5210	Ant2	-9.08	0.36	-8.72	16.51	Pass
NVNT	be160	5250	Ant2	-12.63	0.58	-12.05	10.51	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant3	-1.81	0.18	-1.63	16.51	Pass
NVNT	a	5200	Ant3	-1.54	0.15	-1.39	16.51	Pass
NVNT	a	5240	Ant3	-0.54	0.18	-0.36	16.51	Pass
NVNT	n20	5180	Ant3	-3.94	0.2	-3.74	16.51	Pass
NVNT	n20	5200	Ant3	-3.45	0.2	-3.24	16.51	Pass
NVNT	n20	5240	Ant3	-2.64	0.16	-2.48	16.51	Pass
NVNT	n40	5190	Ant3	-5.99	0.11	-5.88	16.51	Pass
NVNT	n40	5230	Ant3	-4.81	0.14	-4.67	16.51	Pass
NVNT	ac20	5180	Ant3	-3.91	0.21	-3.7	16.51	Pass
NVNT	ac20	5200	Ant3	-3.24	0.21	-3.03	16.51	Pass
NVNT	ac20	5240	Ant3	-2.19	0.21	-1.98	16.51	Pass
NVNT	ac40	5190	Ant3	-6.01	0.22	-5.79	16.51	Pass
NVNT	ac40	5230	Ant3	-4.92	0.22	-4.7	16.51	Pass
NVNT	ac80	5210	Ant3	-8.91	0.33	-8.58	16.51	Pass
NVNT	ac160	5250	Ant3	-13.3	0.6	-12.7	10.51	Pass
NVNT	ax20	5180	Ant3	-4.25	0.58	-3.67	16.51	Pass
NVNT	ax20	5200	Ant3	-3.59	0.71	-2.88	16.51	Pass
NVNT	ax20	5240	Ant3	-2.43	0.58	-1.85	16.51	Pass
NVNT	ax40	5190	Ant3	-5.69	0.3	-5.39	16.51	Pass
NVNT	ax40	5230	Ant3	-4.68	0.25	-4.43	16.51	Pass
NVNT	ax80	5210	Ant3	-8.59	0.43	-8.16	16.51	Pass
NVNT	ax160	5250	Ant3	-13.08	0.71	-12.37	10.51	Pass
NVNT	be20	5180	Ant3	-4.29	0.56	-3.73	16.51	Pass
NVNT	be20	5200	Ant3	-3.61	0.69	-2.92	16.51	Pass
NVNT	be20	5240	Ant3	-2.49	0.56	-1.93	16.51	Pass
NVNT	be40	5190	Ant3	-5.82	0.25	-5.57	16.51	Pass
NVNT	be40	5230	Ant3	-4.89	0.25	-4.64	16.51	Pass
NVNT	be80	5210	Ant3	-8.82	0.71	-8.11	16.51	Pass
NVNT	be160	5250	Ant3	-13.17	0.71	-12.46	10.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant4	-2.15	0.18	-1.97	16.51	Pass
NVNT	a	5200	Ant4	-1.54	0.18	-1.36	16.51	Pass
NVNT	a	5240	Ant4	-0.98	0.15	-0.83	16.51	Pass
NVNT	n20	5180	Ant4	-4.07	0.2	-3.87	16.51	Pass
NVNT	n20	5200	Ant4	-3.38	0.16	-3.22	16.51	Pass
NVNT	n20	5240	Ant4	-2.36	0.16	-2.2	16.51	Pass
NVNT	n40	5190	Ant4	-6.22	0.33	-5.89	16.51	Pass
NVNT	n40	5230	Ant4	-5.12	0.4	-4.72	16.51	Pass
NVNT	ac20	5180	Ant4	-4.18	0.75	-3.43	16.51	Pass
NVNT	ac20	5200	Ant4	-3.63	0.65	-2.98	16.51	Pass
NVNT	ac20	5240	Ant4	-2.68	0.55	-2.13	16.51	Pass
NVNT	ac40	5190	Ant4	-6.11	0.2	-5.91	16.51	Pass
NVNT	ac40	5230	Ant4	-5.04	0.2	-4.84	16.51	Pass
NVNT	ac80	5210	Ant4	-8.9	0.34	-8.56	16.51	Pass
NVNT	ac160	5250	Ant4	-12.29	0.71	-11.58	10.51	Pass
NVNT	ax20	5180	Ant4	-4.31	0.69	-3.62	16.51	Pass
NVNT	ax20	5200	Ant4	-3.33	0.71	-2.62	16.51	Pass
NVNT	ax20	5240	Ant4	-2.68	0.58	-2.1	16.51	Pass
NVNT	ax40	5190	Ant4	-6.31	0.69	-5.62	16.51	Pass
NVNT	ax40	5230	Ant4	-5.39	0.69	-4.7	16.51	Pass
NVNT	ax80	5210	Ant4	-8.87	0.43	-8.44	16.51	Pass
NVNT	ax160	5250	Ant4	-11.95	0.6	-11.35	10.51	Pass
NVNT	be20	5180	Ant4	-3.92	0.26	-3.66	16.51	Pass
NVNT	be20	5200	Ant4	-3.21	0.31	-2.9	16.51	Pass
NVNT	be20	5240	Ant4	-2.23	0.25	-1.98	16.51	Pass
NVNT	be40	5190	Ant4	-6.1	0.49	-5.61	16.51	Pass
NVNT	be40	5230	Ant4	-5.04	0.42	-4.62	16.51	Pass
NVNT	be80	5210	Ant4	-8.97	0.36	-8.61	16.51	Pass
NVNT	be160	5250	Ant4	-12.12	0.69	-11.43	10.51	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant5	-2.61	0.18	-2.43	16.43	Pass
NVNT	a	5200	Ant5	-1.65	0.15	-1.5	16.43	Pass
NVNT	a	5240	Ant5	-0.63	0.18	-0.45	16.43	Pass
NVNT	n20	5180	Ant5	-4.78	0.2	-4.58	16.43	Pass
NVNT	n20	5200	Ant5	-3.77	0.2	-3.57	16.43	Pass
NVNT	n20	5240	Ant5	-2.86	0.16	-2.7	16.43	Pass
NVNT	n40	5190	Ant5	-6.54	0.33	-6.21	16.43	Pass
NVNT	n40	5230	Ant5	-5.68	0.4	-5.28	16.43	Pass
NVNT	ac20	5180	Ant5	-4.88	0.65	-4.23	16.43	Pass
NVNT	ac20	5200	Ant5	-4.22	0.65	-3.57	16.43	Pass
NVNT	ac20	5240	Ant5	-2.53	0.55	-1.98	16.43	Pass
NVNT	ac40	5190	Ant5	-6.81	0.23	-6.58	16.43	Pass
NVNT	ac40	5230	Ant5	-5.74	0.2	-5.54	16.43	Pass
NVNT	ac80	5210	Ant5	-9.53	0.34	-9.19	16.43	Pass
NVNT	ac160	5250	Ant5	-13.04	0.6	-12.44	10.43	Pass
NVNT	ax20	5180	Ant5	-6.09	0.58	-5.51	16.43	Pass
NVNT	ax20	5200	Ant5	-4.5	0.71	-3.79	16.43	Pass
NVNT	ax20	5240	Ant5	-3.09	0.69	-2.4	16.43	Pass
NVNT	ax40	5190	Ant5	-7.28	0.58	-6.7	16.43	Pass
NVNT	ax40	5230	Ant5	-5.86	0.56	-5.3	16.43	Pass
NVNT	ax80	5210	Ant5	-8.86	0.37	-8.49	16.43	Pass
NVNT	ax160	5250	Ant5	-12.99	0.6	-12.39	10.43	Pass
NVNT	be20	5180	Ant5	-5.83	0.69	-5.14	16.43	Pass
NVNT	be20	5200	Ant5	-4.78	0.67	-4.11	16.43	Pass
NVNT	be20	5240	Ant5	-3.15	0.67	-2.48	16.43	Pass
NVNT	be40	5190	Ant5	-7.37	0.56	-6.81	16.43	Pass
NVNT	be40	5230	Ant5	-5.76	0.67	-5.09	16.43	Pass
NVNT	be80	5210	Ant5	-9.33	0.69	-8.64	16.43	Pass
NVNT	be160	5250	Ant5	-12.68	0.69	-11.99	10.43	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




MIMO


Condition	Mode	Frequency (MHz)				Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant3	Ant4	Ant5	Ant1+Ant2+Ant3+Ant4+Ant5		
NVNT	n20	5180	-2.36	-3.27	-3.74	-3.87	-4.58	3.49	9.44	Pass
NVNT	n20	5200	-1.41	-3.27	-3.24	-3.22	-3.57	4.12	9.44	Pass
NVNT	n20	5240	-0.58	-2.79	-2.48	-2.2	-2.7	4.92	9.44	Pass
NVNT	n40	5190	-3.77	-1.63	-5.88	-5.89	-6.21	2.70	9.44	Pass
NVNT	n40	5230	-3.14	-0.82	-4.67	-4.72	-5.28	3.59	9.44	Pass
NVNT	ac20	5180	-1.34	-3.24	-3.7	-3.43	-4.23	3.92	9.44	Pass
NVNT	ac20	5200	-1.07	-3.16	-3.03	-2.98	-3.57	4.32	9.44	Pass
NVNT	ac20	5240	-0.57	-2.58	-1.98	-2.13	-1.98	5.20	9.44	Pass
NVNT	ac40	5190	-4.62	-3.59	-5.79	-5.91	-6.58	1.83	9.44	Pass
NVNT	ac40	5230	-4.23	-2.49	-4.7	-4.84	-5.54	2.76	9.44	Pass
NVNT	ac80	5210	-11.04	-9.07	-8.58	-8.56	-9.19	-2.21	9.44	Pass
NVNT	ac160	5250	-14.21	-10.29	-12.7	-11.58	-12.44	-5.06	3.44	Pass
NVNT	ax20	5180	-3.25	-1.71	-3.67	-3.62	-5.51	3.60	9.44	Pass
NVNT	ax20	5200	-3.53	-1.24	-2.88	-2.62	-3.79	4.27	9.44	Pass
NVNT	ax20	5240	-2.71	-0.72	-1.85	-2.1	-2.4	5.09	9.44	Pass
NVNT	ax40	5190	-6.83	-6.12	-5.39	-5.62	-6.7	0.90	9.44	Pass
NVNT	ax40	5230	-5.98	-5.31	-4.43	-4.7	-5.3	1.88	9.44	Pass
NVNT	ax80	5210	-9.01	-7.66	-8.16	-8.44	-8.49	-1.34	9.44	Pass
NVNT	ax160	5250	-12.6	-12.07	-12.37	-11.35	-12.39	-5.14	3.44	Pass
NVNT	be20	5180	-2.21	-1.2	-3.73	-3.66	-5.14	4.01	9.44	Pass
NVNT	be20	5200	-1.1	-1.13	-2.92	-2.9	-4.11	4.71	9.44	Pass
NVNT	be20	5240	-0.27	-0.74	-1.93	-1.98	-2.48	5.59	9.44	Pass
NVNT	be40	5190	-4.6	-4.04	-5.57	-5.61	-6.81	1.77	9.44	Pass
NVNT	be40	5230	-2.82	-5.45	-4.64	-4.62	-5.09	2.57	9.44	Pass
NVNT	be80	5210	-8.01	-8.72	-8.11	-8.61	-8.64	-1.42	9.44	Pass
NVNT	be160	5250	-12.84	-12.05	-12.46	-11.43	-11.99	-5.14	3.44	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1









PSD NVNT a 5240MHz Ant1







PSD NVNT n20 5180MHz Ant1























PSD NVNT ac160 5250MHz Ant1






PSD NVNT ax20 5180MHz Ant1
















PSD NVNT be20 5180MHz Ant1





PSD NVNT be20 5200MHz Ant1













PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2









PSD NVNT a 5240MHz Ant2




PSD NVNT n20 5180MHz Ant2











PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2








PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2








PSD NVNT ac160 5250MHz Ant2




PSD NVNT ax20 5180MHz Ant2








PSD NVNT ax20 5200MHz Ant2




PSD NVNT ax20 5240MHz Ant2








PSD NVNT ax80 5210MHz Ant2




PSD NVNT ax160 5250MHz Ant2









PSD NVNT be20 5180MHz Ant2





PSD NVNT be20 5200MHz Ant2













PSD NVNT a 5180MHz Ant3




PSD NVNT a 5200MHz Ant3









PSD NVNT a 5240MHz Ant3




PSD NVNT n20 5180MHz Ant3














PSD NVNT ac20 5180MHz Ant3




PSD NVNT ac20 5200MHz Ant3










PSD NVNT ac160 5250MHz Ant3



PSD NVNT ax20 5180MHz Ant3






Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity








PSD NVNT ax40 5190MHz Ant3




PSD NVNT ax40 5230MHz Ant3








PSD NVNT be20 5180MHz Ant3




PSD NVNT be20 5200MHz Ant3








PSD NVNT be20 5240MHz Ant3




PSD NVNT be40 5190MHz Ant3











PSD NVNT a 5180MHz Ant4




PSD NVNT a 5200MHz Ant4









PSD NVNT a 5240MHz Ant4




PSD NVNT n20 5180MHz Ant4














PSD NVNT ac20 5180MHz Ant4




PSD NVNT ac20 5200MHz Ant4














PSD NVNT ac160 5250MHz Ant4




PSD NVNT ax20 5180MHz Ant4











PSD NVNT ax80 5210MHz Ant4




PSD NVNT ax160 5250MHz Ant4





PSD NVNT be20 5180MHz Ant4



PSD NVNT be20 5200MHz Ant4

