



4-18GHz_Vertical_Peak_802.11n-HT20_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n20-2437

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4874.000	-7.68	58.81	51.13	74.00	-22.87	Peak
2 17940.500	12.95	48.13	61.08	74.00	-12.92	Peak


4-18GHz_Vertical_Average_802.11n-HT20_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-n20-2437

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17987.750	13.19	34.14	47.33	54.00	-6.67 Average


1-4GHz_Horizontal_802.11n-HT40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n40-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3978.625	-8.27	48.18	39.91	74.00	-34.09	Peak


1-4GHz_Vertical_802.11n-HT40_2437MHz



Condition : Vertical
 Project No. : 2601P03324E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-n40-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3933.625	-8.47	48.13	39.66	74.00	-34.34	Peak


4-18GHz_Horizontal_Peak_802.11n-HT40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n40-2437

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4874.000	-7.68	55.05	47.37	74.00	-26.63	Peak
2 17979.000	13.15	49.43	62.58	74.00	-11.42	Peak


4-18GHz_Horizontal_Average_802.11n-HT40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-n40-2437

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.000	13.18	33.95	47.13	54.00	-6.87	Average


4-18GHz_Vertical_Peak_802.11n-HT40_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n40-2437

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4874.000	-7.68	55.89	48.21	74.00	-25.79	Peak
2 17977.250	13.14	48.58	61.72	74.00	-12.28	Peak


4-18GHz_Vertical_Average_802.11n-HT40_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-n40-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.750	13.19	34.19	47.38	54.00	-6.62	Average


1-4GHz_Horizontal_802.11ax-HE20_2437MHz



Condition : Horizontal
 Project No. : 2601P03324E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-ax20-2437

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3716.875	-8.58	48.97	40.39	74.00	-33.61	Peak


1-4GHz_Vertical_802.11ax-HE20_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax20-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3892.750	-8.86	48.28	39.42	74.00	-34.58 Peak


4-18GHz_Horizontal_Peak_802.11ax-HE20_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax20-2437

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 4874.000	-7.68	58.17	50.49	74.00	-23.51 Peak
2 17917.750	12.84	49.24	62.08	74.00	-11.92 Peak


4-18GHz_Horizontal_Average_802.11ax-HE20_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-ax20-2437

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17972.000	13.12	33.98	47.10	54.00	-6.90	Average


4-18GHz_Vertical_Peak_802.11ax-HE20_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax20-2437

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4874.000	-7.68	59.03	51.35	74.00	-22.65	Peak
2 17998.630	13.25	48.68	61.93	74.00	-12.07	Peak


4-18GHz_Vertical_Average_802.11ax-HE20_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-ax20-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17977.250	13.14	34.32	47.46	54.00	-6.54	Average


1-4GHz_Horizontal_802.11ax-HE40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax40-2437

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 3991.375	-8.25	48.17	39.92	74.00	-34.08 Peak


1-4GHz_Vertical_802.11ax-HE40_2437MHz



Condition : Vertical
 Project No. : 2601P03324E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-ax40-2437

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3567.625	-9.07	49.05	39.98	74.00	-34.02	Peak


4-18GHz_Horizontal_Peak_802.11ax-HE40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax40-2437

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 4874.000	-7.68	55.19	47.51	74.00	-26.49 Peak
2 17916.000	12.83	48.68	61.51	74.00	-12.49 Peak


4-18GHz_Horizontal_Average_802.11ax-HE40_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-ax40-2437

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17972.000	13.12	34.04	47.16	54.00	-6.84	Average


4-18GHz_Vertical_Peak_802.11ax-HE40_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax40-2437

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4874.000	-7.68	56.02	48.34	74.00	-25.66	Peak
2 17958.000	13.05	49.66	62.71	74.00	-11.29	Peak

4-18GHz_Vertical_Average_802.11ax-HE40_2437MHz




Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-ax40-2437

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17975.500	13.14	34.19	47.33	54.00	-6.67	Average

18-25GHz (Only Listed with the worst harmonic margin test plot)


18-25GHz_Horizontal_802.11b_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2437

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 19423.630	17.32	40.11	57.43	74.00	-16.57	Peak


18-25GHz_Horizontal_Average_802.11b_2437MHz



Condition : Horizontal
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-b-2437

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 19407.880	17.32	27.13	44.45	54.00	-9.55 Average


18-25GHz_Vertical_802.11b_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2437

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 19827.880	17.75	39.59	57.34	74.00	-16.66 Peak

18-25GHz_Vertical_Average_802.11b_2437MHz



Condition : Vertical
Project No. : 2601P03324E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-b-2437

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 19435.880	17.33	27.09	44.42	54.00	-9.58 Average

6dB Emission Bandwidth**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass


Environmental Conditions:

Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:


Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11b	2412	10.130	≥ 0.5	Pass
	2437	10.170	≥ 0.5	Pass
	2462	10.130	≥ 0.5	Pass
802.11g	2412	16.336	≥ 0.5	Pass
	2437	16.016	≥ 0.5	Pass
	2462	16.056	≥ 0.5	Pass
802.11n20	2412	17.417	≥ 0.5	Pass
	2437	17.257	≥ 0.5	Pass
	2462	17.377	≥ 0.5	Pass
802.11n40	2422	36.036	≥ 0.5	Pass
	2437	36.356	≥ 0.5	Pass
	2452	36.276	≥ 0.5	Pass
802.11ax20_RU_FULL	2412	18.899	≥ 0.5	Pass
	2437	17.858	≥ 0.5	Pass
	2462	18.779	≥ 0.5	Pass
802.11ax40_RU_FULL	2422	37.798	≥ 0.5	Pass
	2437	37.638	≥ 0.5	Pass
	2452	37.878	≥ 0.5	Pass

802.11b_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:53:25

802.11b_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:55:19

802.11b_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:57:11

802.11g_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:00:06

802.11g_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:02:12

802.11g_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:03:51

802.11n20_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:06:27

802.11n20_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:08:25

802.11n20_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:10:32

802.11n40_2422MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:13:52

802.11n40_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:15:44

802.11n40_2452MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:18:35

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:22:28

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:24:24

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:25:56

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:28:34

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:31:27

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:33:16

99% Occupied Bandwidth**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	N/A


Environmental Conditions:

Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11b	2412	14.240
	2437	14.280
	2462	14.280
802.11g	2412	16.520
	2437	16.560
	2462	16.560
802.11n20	2412	17.720
	2437	17.720
	2462	17.760
802.11n40	2422	36.960
	2437	36.880
	2452	36.880
802.11ax20_RU_FULL	2412	19.040
	2437	18.960
	2462	18.960
802.11ax40_RU_FULL	2422	38
	2437	37.840
	2452	37.840

802.11b_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:53:47

802.11b_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:55:38

802.11b_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:57:32

802.11g_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:00:29

802.11g_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:02:33

802.11g_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:04:13

802.11n20_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:06:51

802.11n20_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:08:46

802.11n20_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:10:54

802.11n40_2422MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:14:04

802.11n40_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:15:58

802.11n40_2452MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:18:46

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:22:51

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:24:45

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:26:21

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:28:45

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:31:38

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:33:27

Maximum Conducted Output Power**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:

Mode	Test Frequency (MHz)	Peak Output Power(dBm)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11b	2412	21.03	17.84	30	Pass
	2437	21.21	18.05	30	Pass
	2462	21.54	18.43	30	Pass
802.11g	2412	23.75	16.40	30	Pass
	2437	23.86	16.42	30	Pass
	2462	23.87	16.52	30	Pass
802.11n20	2412	23.68	16.26	30	Pass
	2437	23.71	16.26	30	Pass
	2462	23.76	16.41	30	Pass
802.11n40	2422	22.56	15.24	30	Pass
	2437	22.61	15.30	30	Pass
	2452	22.30	15.03	30	Pass
802.11ax20_RU_FULL	2412	24.19	16.25	30	Pass
	2437	24.14	16.20	30	Pass
	2462	24.18	16.25	30	Pass
802.11ax40_RU_FULL	2422	23.10	15.16	30	Pass
	2437	23.11	15.16	30	Pass
	2452	22.89	14.95	30	Pass

Power Spectral Density**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass


Environmental Conditions:

Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:


Mode	Test Frequency (MHz)	Result (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
802.11b	2412	-5.03	8	Pass
	2437	-5.60	8	Pass
	2462	-5.30	8	Pass
802.11g	2412	-7.10	8	Pass
	2437	-7.96	8	Pass
	2462	-8.67	8	Pass
802.11n20	2412	-8.13	8	Pass
	2437	-7.87	8	Pass
	2462	-8.53	8	Pass
802.11n40	2422	-12.60	8	Pass
	2437	-11.97	8	Pass
	2452	-13.14	8	Pass
802.11ax20_RU_FULL	2412	-9.13	8	Pass
	2437	-9.27	8	Pass
	2462	-10.04	8	Pass
802.11ax40_RU_FULL	2422	-13.59	8	Pass
	2437	-13.66	8	Pass
	2452	-13.61	8	Pass

802.11b_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:54:31

802.11b_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:56:10

802.11b_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:58:23

802.11g_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:01:14

802.11g_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:02:58

802.11g_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:04:58

802.11n20_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:07:35

802.11n20_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:09:31

802.11n20_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:11:52

802.11n40_2422MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:14:59

802.11n40_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:15:03

802.11n40_2452MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:19:49

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:23:36

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:25:08

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:27:14

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:29:38

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:32:16

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:34:19

100 kHz Bandwidth of Frequency Band Edge**Test Information:**


Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:


802.11b_2412MHz




802.11b_2462MHz




802.11g_2412MHz




802.11g_2462MHz




802.11n20_2412MHz



802.11n20_2462MHz




802.11n40_2422MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:14:43

802.11n40_2452MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:19:32

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:23:25

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:27:03

802.11ax40_2422MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:29:21

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:34:02

Duty Cycle**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	N/A

Environmental Conditions:


Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11b	2437	8.403	8.514	98.70	/	/	0.010
802.11g	2437	1.386	1.482	93.52	0.29	722	1.0
802.11n20	2437	5.078	5.368	94.60	0.24	197	0.2
802.11n40	2437	4.886	5.176	94.40	0.25	205	0.3
802.11ax20_RU_FULL	2437	3.859	4.148	93.03	0.31	259	0.3
802.11ax40_RU_FULL	2437	3.855	4.144	93.03	0.31	259	0.3


Duty Cycle = Ton/(Ton+Toff)*100%

802.11b_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:45:18

802.11g_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:46:51

802.11n20_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:48:04

802.11n40_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:49:34

802.11ax20_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:51:06

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 14:51:58


Conducted Spurious Emission**Test Information:**

Sample No.:	3G4H-2	Test Date:	2026/03/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.5	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

802.11b_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:51:05

802.11b_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:51:49

802.11b_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:53:14

802.11g_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:54:25

802.11g_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:55:13

802.11g_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:56:11

802.11n20_2412MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:57:26

802.11n20_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:58:08

802.11n20_2462MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:58:49

802.11n40_2422MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 15:59:50

802.11n40_2437MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:00:32

802.11n40_2452MHz




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:01:09

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:03:51

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:04:41

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:05:19

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:09:57

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:07:07

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2601P03324E-RF Tester:Cheeb Huang
Date: 2.MAR.2026 16:08:34

RF EXPOSURE EVALUATION

MPE-Based Exemption

Applicable Standard

According to subpart 15.247 (i) and subpart 2.1091 systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to RF energy level in excess of the communication guidelines.

According to KDB 447498 D04 v01 Interim General RF Exposure Guidance

MPE-Based Exemption:

General frequency and separation-distance dependent MPE-based effective radiated power(ERP) thresholds are in Table B.1 [Table 1 of § 1.1307(b)(3)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

Table 1 to § 1.1307(b)(3)(i)(C) - Single RF Sources Subject to Routine Environmental Evaluation

RF Source frequency (MHz)	Threshold ERP (watts)
0.3-1.34	$1,920 R^2$.
1.34-30	$3,450 R^2/f^2$.
30-300	$3.83 R^2$.
300-1,500	$0.0128 R^2f$.
1,500-100,000	$19.2R^2$.

R is the minimum separation distance in meters

f = frequency in MHz

For multiple RF sources: Multiple RF sources are exempt if:

in the case of fixed RF sources operating in the same time-averaging period, or of multiple mobile or portable RF sources within a device operating in the same time averaging period, if the sum of the fractional contributions to the applicable thresholds is less than or equal to 1 as indicated in the following equation:

$$\sum_{i=1}^a \frac{P_i}{P_{th,i}} + \sum_{j=1}^b \frac{ERP_j}{ERP_{th,j}} + \sum_{k=1}^c \frac{Evaluated_k}{Exposure Limit_k} \leq 1$$

Result

Mode	Frequency (MHz)	Tune up conducted power [#] (dBm)	Antenna Gain#		ERP		Evaluation Distance (m)	ERP Limit (W)
			(dBi)	(dBd)	(dBm)	(W)		
2.4G Wi-Fi	2412-2462	25	2.71	0.56	25.56	0.360	0.2	0.768

Note: The tune up conducted power and antenna gain was declared by the applicant.

To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 20cm from nearby persons.

Result: Compliant

EUT PHOTOGRAPHS

Please refer to the attachment 2601P03324E-RF-EXP External photo and 2601P03324E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601P03324E-RF-00A-TSP Test Setup photo.

***** **END OF REPORT** *****