



## Right Band edge\_Vertical\_802.11ax-HE20



Condition : Vertical  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak  
Note : 2.4GWiFi-ax20-2462

| Freq Factor |        | Read  |        | Limit  | Over   | Remark |
|-------------|--------|-------|--------|--------|--------|--------|
|             |        | Level | Level  | Line   | Limit  |        |
| MHz         | dB/m   | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 2483.500  | -10.93 | 62.93 | 52.00  | 74.00  | -22.00 | Peak   |
| 2 2483.909  | -10.93 | 64.91 | 53.98  | 74.00  | -20.02 | Peak   |


## Left Band edge\_Horizontal\_802.11ax-HE40



Condition : Horizontal  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak  
Note : 2.4GWiFi-ax40-2422

| Freq Factor |        | Read  |        | Limit  | Over   | Remark |
|-------------|--------|-------|--------|--------|--------|--------|
|             |        | Level | Level  | Line   | Limit  |        |
| MHz         | dB/m   | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 2389.000  | -10.96 | 71.79 | 60.83  | 74.00  | -13.17 | Peak   |
| 2 2390.000  | -10.97 | 68.19 | 57.22  | 74.00  | -16.78 | Peak   |


## Left Band edge\_Horizontal\_Average\_802.11ax-HE40



Condition : Horizontal  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Average reading:RBW:1MHz VBW:300Hz Detector:Peak  
Note : 2.4GWiFi-ax40-2422

| Freq Factor |          | Read Level |        | Limit Line | Over Limit | Remark         |
|-------------|----------|------------|--------|------------|------------|----------------|
| MHz         | dB/m     | dBuV       | dBuV/m | dBuV/m     | dB         |                |
| 1           | 2389.640 | -10.96     | 50.87  | 39.91      | 54.00      | -14.09 Average |
| 2           | 2390.000 | -10.97     | 50.77  | 39.80      | 54.00      | -14.20 Average |


## Left Band edge\_Vertical\_802.11ax-HE40



Condition : Vertical  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak  
Note : 2.4GWiFi-ax40-2422

| Freq Factor |        | Read  | Limit  | Over   | Remark      |
|-------------|--------|-------|--------|--------|-------------|
|             |        | Level | Level  | Line   |             |
| MHz         | dB/m   | dBuV  | dBuV/m | dBuV/m | dB          |
| 1 2389.500  | -10.96 | 76.73 | 65.77  | 74.00  | -8.23 Peak  |
| 2 2390.000  | -10.97 | 74.61 | 63.64  | 74.00  | -10.36 Peak |


## Left Band edge\_Vertical\_Average\_802.11ax-HE40



Condition : Vertical  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Average reading:RBW:1MHz VBW:300Hz Detector:Peak  
Note : 2.4GWiFi-ax40-2422

| Freq Factor |        | Read Level |        | Limit Line | Over Limit | Remark  |
|-------------|--------|------------|--------|------------|------------|---------|
| MHz         | dB/m   | dBuV       | dBuV/m | dBuV/m     | dB         |         |
| 1 2389.900  | -10.97 | 52.88      | 41.91  | 54.00      | -12.09     | Average |
| 2 2390.000  | -10.97 | 52.55      | 41.58  | 54.00      | -12.42     | Average |


## Right Band edge\_Horizontal\_802.11ax-HE40



Condition : Horizontal  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak  
Note : 2.4GWiFi-ax40-2452

| Freq Factor |          | Read Level |        | Limit  | Over  | Remark      |
|-------------|----------|------------|--------|--------|-------|-------------|
| MHz         | dB/m     | dBuV       | dBuV/m | dBuV/m | dB    |             |
| 1           | 2483.500 | -10.93     | 72.91  | 61.98  | 74.00 | -12.02 Peak |
| 2           | 2483.631 | -10.93     | 77.69  | 66.76  | 74.00 | -7.24 Peak  |


## Right Band edge\_Horizontal\_Average\_802.11ax-HE40



Condition : Horizontal  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Average reading:RBW:1MHz VBW:300Hz Detector:Peak  
Note : 2.4GWiFi-ax40-2452

|   | Freq Factor |        | Read  |        | Limit  | Over   | Remark  |
|---|-------------|--------|-------|--------|--------|--------|---------|
|   |             |        | Level | Level  | Line   | Limit  |         |
|   | MHz         | dB/m   | dBuV  | dBuV/m | dBuV/m | dB     |         |
| 1 | 2483.500    | -10.93 | 53.16 | 42.23  | 54.00  | -11.77 | Average |
| 2 | 2483.755    | -10.93 | 53.27 | 42.34  | 54.00  | -11.66 | Average |


## Right Band edge\_Vertical\_802.11ax-HE40



Condition : Vertical  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak  
Note : 2.4GWiFi-ax40-2452

| Freq Factor |          | Read   |        | Limit  | Over  | Remark      |
|-------------|----------|--------|--------|--------|-------|-------------|
| MHz         | dB/m     | Level  | Level  | Line   | Limit |             |
|             |          | dBuV   | dBuV/m | dBuV/m | dB    |             |
| 1           | 2483.500 | -10.93 | 72.93  | 62.00  | 74.00 | -12.00 Peak |
| 2           | 2483.856 | -10.93 | 77.71  | 66.78  | 74.00 | -7.22 Peak  |

## Right Band edge\_Vertical\_Average\_802.11ax-HE40



Condition : Vertical  
Project No. : 2601S26098E-RF  
Tester : Zenos Qiao  
Spectrum setting: Average reading:RBW:1MHz VBW:300Hz Detector:Peak  
Note : 2.4GWiFi-ax40-2452

|   | Freq Factor |        | Read  |        | Limit  | Over   | Remark  |
|---|-------------|--------|-------|--------|--------|--------|---------|
|   |             |        | Level | Level  | Line   | Limit  |         |
|   | MHz         | dB/m   | dBuV  | dBuV/m | dBuV/m | dB     |         |
| 1 | 2483.500    | -10.93 | 53.59 | 42.66  | 54.00  | -11.34 | Average |
| 2 | 2484.486    | -10.93 | 53.81 | 42.88  | 54.00  | -11.12 | Average |

**6dB Emission Bandwidth****Test Information:**


|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/05/15~2026/06/03 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | Pass                  |

**Environmental Conditions:**

|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|


| Mode               | Test Frequency (MHz) | Result (MHz)  | Limit (MHz) | Verdict |
|--------------------|----------------------|---------------|-------------|---------|
| 802.11b            | 2412                 | 10.170        | $\geq 0.5$  | Pass    |
|                    | 2437                 | 10.170        | $\geq 0.5$  | Pass    |
|                    | 2462                 | 10.130        | $\geq 0.5$  | Pass    |
| 802.11g            | 2412                 | 16.056        | $\geq 0.5$  | Pass    |
|                    | 2437                 | 16.096        | $\geq 0.5$  | Pass    |
|                    | 2462                 | 16.056        | $\geq 0.5$  | Pass    |
| 802.11n20          | 2412                 | 17.257        | $\geq 0.5$  | Pass    |
|                    | 2437                 | 17.297        | $\geq 0.5$  | Pass    |
|                    | 2462                 | 17.417        | $\geq 0.5$  | Pass    |
| 802.11n40          | 2422                 | 36.436        | $\geq 0.5$  | Pass    |
|                    | 2437                 | 36.597        | $\geq 0.5$  | Pass    |
|                    | 2452                 | 36.517        | $\geq 0.5$  | Pass    |
| 802.11ax20_RU_FULL | 2412                 | 18.859        | $\geq 0.5$  | Pass    |
|                    | 2437                 | 18.739        | $\geq 0.5$  | Pass    |
|                    | 2462                 | 18.579        | $\geq 0.5$  | Pass    |
| 802.11ax40_RU_FULL | 2422                 | <b>37.878</b> | $\geq 0.5$  | Pass    |
|                    | 2437                 | <b>37.878</b> | $\geq 0.5$  | Pass    |
|                    | 2452                 | 37.638        | $\geq 0.5$  | Pass    |

## 802.11b\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:12:08

## 802.11b\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:19:12

## 802.11b\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:20:37

## 802.11g\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:37:37

## 802.11g\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:38:56

## 802.11g\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:39:58

## 802.11n20\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:41:13

## 802.11n20\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:42:55

## 802.11n20\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:44:06

## 802.11n40\_2422MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:44:42

## 802.11n40\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:45:25

## 802.11n40\_2452MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:45:47

## 802.11ax20\_2412MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:48:15

## 802.11ax20\_2437MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:49:07

## 802.11ax20\_2462MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:50:14

## 802.11ax40\_2422MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:51:29

## 802.11ax40\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:51:51

## 802.11ax40\_2452MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 14:52:11

**99% Occupied Bandwidth****Test Information:**


|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/05/15~2026/06/03 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | N/A                   |

**Environmental Conditions:**

|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|


| Mode               | Test Frequency (MHz) | 99% OBW (MHz) |
|--------------------|----------------------|---------------|
| 802.11b            | 2412                 | 14.240        |
|                    | 2437                 | 14.240        |
|                    | 2462                 | 14.200        |
| 802.11g            | 2412                 | 16.520        |
|                    | 2437                 | 16.560        |
|                    | 2462                 | 16.600        |
| 802.11n20          | 2412                 | 17.800        |
|                    | 2437                 | 17.760        |
|                    | 2462                 | 17.800        |
| 802.11n40          | 2422                 | 36.880        |
|                    | 2437                 | 36.880        |
|                    | 2452                 | 36.960        |
| 802.11ax20_RU_FULL | 2412                 | 19            |
|                    | 2437                 | 18.960        |
|                    | 2462                 | 18.960        |
| 802.11ax40_RU_FULL | 2422                 | 37.920        |
|                    | 2437                 | 37.920        |
|                    | 2452                 | <b>38</b>     |

802.11b\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:12:20

802.11b\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:19:22

802.11b\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 3.JUN.2026 00:20:48

802.11g\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:00:03

802.11g\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:00:38

802.11g\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:01:07

## 802.11n20\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:01:39

## 802.11n20\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:02:07

## 802.11n20\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:02:50

## 802.11n40\_2422MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:03:10

## 802.11n40\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:03:38

## 802.11n40\_2452MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:04:14

802.11ax20\_2412MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:04:59

802.11ax20\_2437MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:05:47

802.11ax20\_2462MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:06:16

802.11ax40\_2422MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:06:32

802.11ax40\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:06:48

802.11ax40\_2452MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:07:35

**Maximum Conducted Output Power****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/05/15~2026/06/03 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | Pass                  |

**Environmental Conditions:**

|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|

| Mode               | Test Frequency (MHz) | Peak Output Power(dBm) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|--------------------|----------------------|------------------------|---------------------------|-------------|---------|
| 802.11b            | 2412                 | 19.01                  | 15.84                     | 30          | Pass    |
|                    | 2437                 | 19.48                  | 16.03                     | 30          | Pass    |
|                    | 2462                 | 19.69                  | 15.99                     | 30          | Pass    |
| 802.11g            | 2412                 | 23.53                  | 16.24                     | 30          | Pass    |
|                    | 2437                 | 23.65                  | 16.32                     | 30          | Pass    |
|                    | 2462                 | 23.59                  | 16.40                     | 30          | Pass    |
| 802.11n20          | 2412                 | 23.49                  | 16.04                     | 30          | Pass    |
|                    | 2437                 | 23.50                  | 16.12                     | 30          | Pass    |
|                    | 2462                 | 23.49                  | 16.19                     | 30          | Pass    |
| 802.11n40          | 2422                 | 22.13                  | 14.73                     | 30          | Pass    |
|                    | 2437                 | 22.42                  | 15.08                     | 30          | Pass    |
|                    | 2452                 | 22.11                  | 14.68                     | 30          | Pass    |
| 802.11ax20_RU_FULL | 2412                 | 23.95                  | 16.00                     | 30          | Pass    |
|                    | 2437                 | <b>24.24</b>           | 16.26                     | 30          | Pass    |
|                    | 2462                 | 23.97                  | 15.99                     | 30          | Pass    |
| 802.11ax40_RU_FULL | 2422                 | 22.69                  | 14.93                     | 30          | Pass    |
|                    | 2437                 | 23.04                  | 15.06                     | 30          | Pass    |
|                    | 2452                 | 22.75                  | 14.66                     | 30          | Pass    |

**Power Spectral Density****Test Information:**


|             |            |              |              |
|-------------|------------|--------------|--------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/06/09   |
| Test Site:  | RF         | Test Mode:   | Transmitting |
| Tester:     | Barry Feng | Test Result: | Pass         |

**Environmental Conditions:**

|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|


| Mode               | Test Frequency (MHz) | Result (dBm/3kHz) | Limit (dBm/3kHz) | Verdict |
|--------------------|----------------------|-------------------|------------------|---------|
| 802.11b            | 2412                 | -5.00             | 8                | Pass    |
|                    | 2437                 | <b>-4.68</b>      | 8                | Pass    |
|                    | 2462                 | -4.98             | 8                | Pass    |
| 802.11g            | 2412                 | -6.32             | 8                | Pass    |
|                    | 2437                 | -6.54             | 8                | Pass    |
|                    | 2462                 | -5.89             | 8                | Pass    |
| 802.11n20          | 2412                 | -6.17             | 8                | Pass    |
|                    | 2437                 | -5.54             | 8                | Pass    |
|                    | 2462                 | -6.30             | 8                | Pass    |
| 802.11n40          | 2422                 | -9.56             | 8                | Pass    |
|                    | 2437                 | -8.85             | 8                | Pass    |
|                    | 2452                 | -8.91             | 8                | Pass    |
| 802.11ax20_RU_FULL | 2412                 | -7.12             | 8                | Pass    |
|                    | 2437                 | -7.57             | 8                | Pass    |
|                    | 2462                 | -5.89             | 8                | Pass    |
| 802.11ax40_RU_FULL | 2422                 | -9.96             | 8                | Pass    |
|                    | 2437                 | -9.48             | 8                | Pass    |
|                    | 2452                 | -10.36            | 8                | Pass    |

802.11b\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 11:03:53

802.11b\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 11:05:53

802.11b\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 11:07:10

802.11g\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:26:05

802.11g\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:27:11

802.11g\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:28:22

## 802.11n20\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:30:15

## 802.11n20\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:33:22

## 802.11n20\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:34:32

## 802.11n40\_2422MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:39:58

## 802.11n40\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:42:55

## 802.11n40\_2452MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:45:06

802.11ax20\_2412MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:47:05

802.11ax20\_2437MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:48:23

802.11ax20\_2462MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:49:41

802.11ax40\_2422MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:52:00

802.11ax40\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:54:38

802.11ax40\_2452MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 9 JUN.2026 10:57:03


**100 kHz Bandwidth of Frequency Band Edge****Test Information:**

|             |            |              |              |
|-------------|------------|--------------|--------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/06/04   |
| Test Site:  | RF         | Test Mode:   | Transmitting |
| Tester:     | Barry Feng | Test Result: | Pass         |

**Environmental Conditions:**


|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|

802.11b\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:28:14

802.11b\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:28:48

802.11g\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:29:41

802.11g\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:30:03

802.11n20\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:32:55

802.11n20\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:31:27

## 802.11n40\_2422MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:33:31

## 802.11n40\_2452MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:33:54

## 802.11ax20\_2412MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:34:48

## 802.11ax20\_2462MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:35:22

## 802.11ax40\_2422MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:36:25

## 802.11ax40\_2452MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 4.JUN.2026 17:36:51

**Duty Cycle****Test Information:**

|             |            |              |                       |
|-------------|------------|--------------|-----------------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/05/15-2026/06/05 |
| Test Site:  | RF         | Test Mode:   | Transmitting          |
| Tester:     | Barry Feng | Test Result: | N/A                   |


**Environmental Conditions:**

|                      |           |                              |       |                        |       |
|----------------------|-----------|------------------------------|-------|------------------------|-------|
| Temperature:<br>(°C) | 24.0-25.0 | Relative<br>Humidity:<br>(%) | 45-48 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|-----------|------------------------------|-------|------------------------|-------|

| Mode               | Test Frequency (MHz) | Ton (ms)     | Ton+Toff (ms) | Duty Cycle (%) | Duty Cycle Factor(dB) | 1/Ton (Hz) | VBW Setting (kHz) |
|--------------------|----------------------|--------------|---------------|----------------|-----------------------|------------|-------------------|
| 802.11b            | 2437                 | <b>8.391</b> | 8.493         | 98.80          | /                     | /          | 0.010             |
| 802.11g            | 2437                 | 1.386        | 1.561         | 88.79          | 0.52                  | 722        | 1                 |
| 802.11n20          | 2437                 | 5.081        | 5.371         | 94.60          | 0.24                  | 197        | 0.2               |
| 802.11n40          | 2437                 | 4.886        | 5.173         | 94.45          | 0.25                  | 205        | 0.3               |
| 802.11ax20_RU_FULL | 2437                 | 3.864        | 4.153         | 93.04          | 0.31                  | 259        | 0.3               |
| 802.11ax40_RU_FULL | 2437                 | 3.860        | 4.149         | 93.03          | 0.31                  | 259        | 0.3               |


**Duty Cycle = Ton/(Ton+Toff)\*100%**

## 802.11b\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 16:16:44

## 802.11g\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 16:27:02

## 802.11n20\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:11:23

## 802.11n40\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:12:44

## 802.11ax20\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:14:47

## 802.11ax40\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 15.MAY.2026 15:15:53


**Conducted Spurious Emission****Test Information:**

|             |            |              |              |
|-------------|------------|--------------|--------------|
| Sample No.: | 3KL9-2     | Test Date:   | 2026/06/05   |
| Test Site:  | RF         | Test Mode:   | Transmitting |
| Tester:     | Barry Feng | Test Result: | Pass         |

**Environmental Conditions:**


|                      |    |                              |    |                        |       |
|----------------------|----|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 24 | Relative<br>Humidity:<br>(%) | 45 | ATM Pressure:<br>(kPa) | 100.8 |
|----------------------|----|------------------------------|----|------------------------|-------|

802.11b\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:12:21

802.11b\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:14:30

802.11b\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:24:58

802.11g\_2412MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:27:26

802.11g\_2437MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:29:40

802.11g\_2462MHz




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:31:47


## 802.11n20\_2412MHz




## 802.11n20\_2437MHz




## 802.11n20\_2462MHz




## 802.11n40\_2422MHz




## 802.11n40\_2437MHz



## 802.11n40\_2452MHz




## 802.11ax20\_2412MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:53:34

## 802.11ax20\_2437MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:56:58

## 802.11ax20\_2462MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 14:59:27

## 802.11ax40\_2422MHz\_RU\_FULL




ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 15:01:57

## 802.11ax40\_2437MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 15:04:14

## 802.11ax40\_2452MHz\_RU\_FULL



ProjectNo.:2601S26098E-RF Tester:Barry Feng  
Date: 5.JUN.2026 15:06:50

## **EUT PHOTOGRAPHS**

---

Please refer to the attachment 2601S26098E-RF-EXP External photo and 2601S26098E-RF-INP Internal photo.

## TEST SETUP PHOTOGRAPHS

---

Please refer to the attachment 2601S26098E-RF-TSP Test Setup photo.

\*\*\*\*\* **END OF REPORT** \*\*\*\*\*