



7-18GHz_Horizontal_Peak_5GWiFi_B2_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	58.58	61.15	74.00	-12.85 Peak
2 17917.500	9.18	49.75	58.93	74.00	-15.07 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_ANT1_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	46.31	48.88	54.00	-5.12	Average
2 17989.000	9.51	37.41	46.92	54.00	-7.08	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	62.60	65.17	74.00	-8.83 Peak
2 17932.630	9.25	48.57	57.82	74.00	-16.18 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	49.74	52.31	54.00	-1.69	Average
2 17960.130	9.38	37.59	46.97	54.00	-7.03	Average


1-7GHz_Horizontal_5GWiFi_B2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6472.000	-1.18	49.10	47.92	68.20	-20.28	Peak


1-7GHz_Vertical_5GWiFi_B2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6753.250	-1.44	49.96	48.52	68.20	-19.68 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	60.35	62.92	74.00	-11.08 Peak
2 18000.000	9.56	50.67	60.23	74.00	-13.77 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	48.25	50.82	54.00	-3.18	Average
2 18000.000	9.56	37.34	46.90	54.00	-7.10	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	63.22	65.79	74.00	-8.21 Peak
2 17983.500	9.48	49.76	59.24	74.00	-14.76 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_A_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	50.05	52.62	54.00	-1.38	Average
2 17986.250	9.49	37.68	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_5GWiFi_B2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1	6945.250	-0.96	50.06	49.10	68.20 -19.10 Peak


1-7GHz_Vertical_5GWiFi_B2_AC20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

1	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6534.250	-1.23	49.44	48.21	68.20	-19.99	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10520.000	2.13	61.98	64.11	68.20	-4.09	Peak
2 17975.250	9.45	49.26	58.71	74.00	-15.29	Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	9.50	37.45	46.95	54.00	-7.05	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AC20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	64.72	66.85	68.20	-1.35 Peak
2 17909.250	9.13	50.07	59.20	74.00	-14.80 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AC20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AC20_5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17957.380	9.36	37.62	46.98	54.00	-7.02	Average


1-7GHz_Horizontal_5GWiFi_B2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read	Limit	Over	Remark
Level	Level	Line	Limit	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6448.000	-1.17	49.24	48.07	68.20 -20.13 Peak


1-7GHz_Vertical_5GWiFi_B2_AC40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6478.000	-1.18	49.55	48.37	68.20	-19.83	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	54.53	56.68	68.20	-11.52 Peak
2 17965.630	9.40	49.19	58.59	74.00	-15.41 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17979.380	9.47	37.31	46.78	54.00	-7.22 Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AC40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10540.000	2.15	58.23	60.38	68.20	-7.82	Peak
2 17892.750	8.95	49.06	58.01	74.00	-15.99	Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AC40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AC40_5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 18000.000	9.56	37.35	46.91	54.00	-7.09	Average


1-7GHz_Horizontal_5GWiFi_B2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6985.750	-1.13	49.67	48.54	68.20	-19.66 Peak


1-7GHz_Vertical_5GWiFi_B2_AC80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6598.000	-1.36	49.81	48.45	68.20	-19.75 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	54.04	56.22	68.20	-11.98 Peak
2 17982.130	9.47	49.01	58.48	74.00	-15.52 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17978.000	9.46	37.61	47.07	54.00	-6.93 Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AC80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	54.33	56.51	68.20	-11.69 Peak
2 17961.500	9.38	50.28	59.66	74.00	-14.34 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AC80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AC80_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.68	47.19	54.00	-6.81	Average


1-7GHz_Horizontal_5GWiFi_B2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6455.500	-1.17	49.04	47.87	68.20	-20.33 Peak


1-7GHz_Vertical_5GWiFi_B2_AC160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6490.000	-1.19	49.63	48.44	68.20	-19.76 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	54.14	56.26	68.20	-11.94 Peak
2 17954.630	9.35	49.27	58.62	74.00	-15.38 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17960.130	9.38	38.42	47.80	54.00	-6.20	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AC160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	53.96	56.08	68.20	-12.12 Peak
2 17989.000	9.51	48.25	57.76	74.00	-16.24 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AC160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi_B2_AC160_5250

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.95	47.50	54.00	-6.50	Average


1-7GHz_Horizontal_5GWiFi_B2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1	6854.500	-1.35	51.45	50.10	68.20 -18.10 Peak


1-7GHz_Vertical_5GWiFi_B2_AX20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6802.750	-1.66	49.86	48.20	68.20 -20.00 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	59.50	61.63	68.20	-6.57 Peak
2 17993.130	9.53	48.31	57.84	74.00	-16.16 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.45	47.00	54.00	-7.00	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AX20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	64.47	66.60	68.20	-1.60 Peak
2 17964.250	9.40	48.81	58.21	74.00	-15.79 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AX20_5260MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B2_AX20_5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17973.880	9.44	37.69	47.13	54.00	-6.87	Average


1-7GHz_Horizontal_5GWiFi_B2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6489.250	-1.20	50.21	49.01	68.20	-19.19 Peak


1-7GHz_Vertical_5GWiFi_B2_AX40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6955.750	-0.94	49.50	48.56	68.20	-19.64 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	55.42	57.57	68.20	-10.63 Peak
2 17884.500	8.80	48.69	57.49	74.00	-16.51 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17964.250	9.40	37.29	46.69	54.00	-7.31	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AX40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	58.77	60.92	68.20	-7.28 Peak
2 17909.250	9.13	49.28	58.41	74.00	-15.59 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AX40_5270MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B2_AX40_5270

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17958.750	9.37	37.53	46.90	54.00	-7.10	Average


1-7GHz_Horizontal_5GWiFi_B2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6455.500	-1.17	49.87	48.70	68.20	-19.50	Peak


1-7GHz_Vertical_5GWiFi_B2_AX80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6652.750	-1.19	49.53	48.34	68.20	-19.86	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	54.41	56.59	68.20	-11.61 Peak
2 17901.000	9.10	48.64	57.74	74.00	-16.26 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.58	47.13	54.00	-6.87	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AX80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10580.000	2.18	54.69	56.87	68.20	-11.33	Peak
2 17993.130	9.53	50.01	59.54	74.00	-14.46	Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AX80_5290MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B2_AX80_5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	37.65	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_5GWiFi_B2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.000	-1.17	50.20	49.03	68.20	-19.17	Peak


1-7GHz_Vertical_5GWiFi_B2_AX160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6427.750	-1.20	50.23	49.03	68.20	-19.17 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	53.88	56.00	68.20	-12.20 Peak
2 17956.000	9.36	49.26	58.62	74.00	-15.38 Peak


7-18GHz_Horizontal_Average_5GWiFi_B2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	9.55	38.30	47.85	54.00	-6.15	Average


7-18GHz_Vertical_Peak_5GWiFi_B2_AX160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	53.91	56.03	68.20	-12.17 Peak
2 17946.380	9.31	49.82	59.13	74.00	-14.87 Peak


7-18GHz_Vertical_Average_5GWiFi_B2_AX160_5250MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi_B2_AX160_5250

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	38.22	47.75	54.00	-6.25	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
1	6573.250	-1.30	49.52	48.22	68.20 -19.98 Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6295.750	-1.74	50.05	48.31	68.20	-19.89 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	60.66	64.12	74.00	-9.88 Peak
2 17976.630	9.46	48.87	58.33	74.00	-15.67 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	47.25	50.71	54.00	-3.29	Average
2 17989.000	9.51	37.54	47.05	54.00	-6.95	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	64.86	68.32	74.00	-5.68 Peak
2 17891.380	8.93	49.65	58.58	74.00	-15.42 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	50.09	53.55	54.00	-0.45	Average
2 17987.630	9.50	37.53	47.03	54.00	-6.97	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT1_5745MHz



Condition : Horizontal
 Project No. : 2501A12615E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6583.750	-1.32	48.87	47.55	68.20	-20.65	Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT1_5745MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6445.750	-1.16	49.72	48.56	68.20	-19.64	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT1_5745MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
1	3.64	58.04	61.68	74.00	-12.32 Peak
2	9.12	49.38	58.50	74.00	-15.50 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT1_5745MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	45.42	49.06	54.00	-4.94	Average
2 17962.880	9.39	37.53	46.92	54.00	-7.08	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT1_5745MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	62.66	66.30	74.00	-7.70	Peak
2 17976.630	9.46	48.48	57.94	74.00	-16.06	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT1_5745MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT1_5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	49.76	53.40	54.00	-0.60	Average
2 17998.630	9.55	37.51	47.06	54.00	-6.94	Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
Level	Level	Line	Limit	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6460.000	-1.18	50.02	48.84	68.20 -19.36 Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6402.250	-1.20	49.32	48.12	68.20	-20.08	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	58.51	61.97	74.00	-12.03 Peak
2 17942.250	9.30	48.74	58.04	74.00	-15.96 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	45.80	49.26	54.00	-4.74 Average
2 18000.000	9.56	37.10	46.66	54.00	-7.34 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	63.29	66.75	74.00	-7.25 Peak
2 17960.130	9.38	48.32	57.70	74.00	-16.30 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_ANT2_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	49.83	53.29	54.00	-0.71	Average
2 17995.880	9.54	37.28	46.82	54.00	-7.18	Average


1-7GHz_Horizontal_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
 Project No. : 2501A12615E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_B4_AC20_5825

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6445.750	-1.16	49.62	48.46	68.20	-19.74	Peak


1-7GHz_Vertical_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6474.250	-1.19	48.96	47.77	68.20	-20.43 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	59.91	63.37	74.00	-10.63 Peak
2 17958.750	9.37	48.65	58.02	74.00	-15.98 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	46.97	50.43	54.00	-3.57	Average
2 17969.750	9.42	37.30	46.72	54.00	-7.28	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	64.90	68.36	74.00	-5.64 Peak
2 17909.250	9.13	48.89	58.02	74.00	-15.98 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC20_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	49.70	53.16	54.00	-0.84	Average
2 17953.250	9.34	37.51	46.85	54.00	-7.15	Average


1-7GHz_Horizontal_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.750	-1.18	48.75	47.57	68.20	-20.63	Peak


1-7GHz_Vertical_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6522.250	-1.23	49.59	48.36	68.20	-19.84	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	57.87	61.50	74.00	-12.50 Peak
2 17982.130	9.47	48.20	57.67	74.00	-16.33 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	45.12	48.75	54.00	-5.25 Average
2 17998.630	9.55	37.14	46.69	54.00	-7.31 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	62.49	66.12	74.00	-7.88	Peak
2 17978.000	9.46	49.26	58.72	74.00	-15.28	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	49.08	52.71	54.00	-1.29	Average
2 17997.250	9.55	37.42	46.97	54.00	-7.03	Average


1-7GHz_Horizontal_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6499.000	-1.20	49.20	48.00	68.20	-20.20 Peak


1-7GHz_Vertical_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6682.000	-1.40	49.12	47.72	68.20	-20.48 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	56.75	60.19	74.00	-13.81 Peak
2 17927.130	9.22	49.22	58.44	74.00	-15.56 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	44.78	48.22	54.00	-5.78	Average
2 17998.630	9.55	37.61	47.16	54.00	-6.84	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	61.94	65.38	74.00	-8.62 Peak
2 17928.500	9.23	48.68	57.91	74.00	-16.09 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	49.68	53.12	54.00	-0.88	Average
2 17980.750	9.48	37.22	46.70	54.00	-7.30	Average


1-7GHz_Horizontal_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.000	-1.18	49.40	48.22	68.20	-19.98 Peak


1-7GHz_Vertical_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6472.750	-1.18	49.29	48.11	68.20	-20.09 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	59.21	62.67	74.00	-11.33 Peak
2 17938.130	9.28	48.68	57.96	74.00	-16.04 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	46.09	49.55	54.00	-4.45	Average
2 17989.000	9.51	37.30	46.81	54.00	-7.19	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	63.20	66.66	74.00	-7.34 Peak
2 17995.880	9.54	48.29	57.83	74.00	-16.17 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX20_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	49.55	53.01	54.00	-0.99	Average
2 17997.250	9.55	37.19	46.74	54.00	-7.26	Average


1-7GHz_Horizontal_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6459.250	-1.18	49.78	48.60	68.20	-19.60	Peak


1-7GHz_Vertical_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6452.500	-1.18	49.27	48.09	68.20	-20.11 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.24	60.46	63.70	74.00	-10.30 Peak
2 17935.380	9.27	48.89	58.16	74.00	-15.84 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.24	45.85	49.09	54.00	-4.91	Average
2 17973.880	9.44	37.21	46.65	54.00	-7.35	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.24	62.77	66.01	74.00	-7.99 Peak
2 17987.630	9.50	48.66	58.16	74.00	-15.84 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi_B4_AX40_5795

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.24	49.96	53.20	54.00	-0.80	Average
2 17997.250	9.55	37.22	46.77	54.00	-7.23	Average


1-7GHz_Horizontal_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6762.250	-1.48	50.05	48.57	68.20 -19.63 Peak


1-7GHz_Vertical_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6542.500	-1.24	49.53	48.29	68.20	-19.91	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	57.04	60.48	74.00	-13.52 Peak
2 17973.880	9.44	49.30	58.74	74.00	-15.26 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	45.31	48.75	54.00	-5.25	Average
2 17990.380	9.51	37.30	46.81	54.00	-7.19	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	60.98	64.42	74.00	-9.58 Peak
2 17995.880	9.54	48.49	58.03	74.00	-15.97 Peak

7-18GHz_Vertical_Average_5GWiFi_B4_AX80_5775MHz




Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	49.15	52.59	54.00	-1.41	Average
2 17983.500	9.48	37.32	46.80	54.00	-7.20	Average

18-40GHz (Only Listed with the worst harmonic margin test plot)


18-40GHz_Horizontal_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39942.250	23.82	36.53	60.35	83.50	-23.15	Peak

18-40GHz_Vertical_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501A12615E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_ANT0_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 38842.250	23.96	36.50	60.46	83.50	-23.04	Peak

Emission Bandwidth**Test Information:**

Sample No.:	3F25-1	Test Date:	2026/03/13~2026/03/19
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.9-23.4	Relative Humidity: (%)	49-51	ATM Pressure: (kPa)	101.1-101.3
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Data:
26dB Emission Bandwidth
5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	25.194
		5200	25.249
		5240	19.970
	Chain 1	5180	22.634
		5200	25.014
		5240	19.870
	Chain 2	5180	27.467
		5200	26.671
		5240	26.491
802.11ac20	Chain 0	5180	24.572
		5200	26.785
		5240	20.594
	Chain 1	5180	23.545
		5200	24.309
		5240	20.090
	Chain 2	5180	25.500
		5200	23.971
		5240	20.190
802.11ac40	Chain 0	5190	44.344
		5230	40.340
	Chain 1	5190	41.341
		5230	40.140
	Chain 2	5190	43.744
		5230	40.040
802.11ac80	Chain 0	5210	96.697
	Chain 1	5210	95.496
	Chain 2	5210	92.092
802.11ax20_RU_Full	Chain 0	5180	22.655
		5200	23.428
		5240	19.920
	Chain 1	5180	22.145
		5200	24.520
		5240	19.970
	Chain 2	5180	23.948
		5200	23.677
		5240	19.920
802.11ax40_RU_Full	Chain 0	5190	42.042
		5230	39.540
	Chain 1	5190	42.342
		5230	39.640
	Chain 2	5190	46.446
		5230	39.640
802.11ax80_RU_Full	Chain 0	5210	80.881
	Chain 1	5210	82.282
	Chain 2	5210	86.086

5250-5350MHz


Mode	Antenna	Test Frequency(MHz)	Result(MHz)
802.11a	Chain 0	5260	20.641
		5280	20.492
		5320	24.309
	Chain 1	5260	20.493
		5280	19.920
		5320	23.386
	Chain 2	5260	19.920
		5280	19.820
		5320	23.904
802.11ac20	Chain 0	5260	21.779
		5280	21.257
		5320	25.172
	Chain 1	5260	20.799
		5280	20.899
		5320	24.958
	Chain 2	5260	20.952
		5280	20.952
		5320	24.862
802.11ac40	Chain 0	5270	40.240
		5310	44.044
	Chain 1	5270	40.140
		5310	40.741
	Chain 2	5270	39.840
		5310	41.141
802.11ac80	Chain 0	5290	95.095
	Chain 1	5290	89.890
	Chain 2	5290	82.282
802.11ac160	Chain 0	5250	162.963
	Chain 1	5250	166.166
	Chain 2	5250	166.166
802.11ax20_RU_Full	Chain 0	5260	21.660
		5280	22.245
		5320	23.821
	Chain 1	5260	21.616
		5280	21.496
		5320	23.434
	Chain 2	5260	21.189
		5280	21.830
		5320	22.766
802.11ax40_RU_Full	Chain 0	5270	39.740
		5310	42.843
	Chain 1	5270	39.740
		5310	45.445
	Chain 2	5270	39.640
		5310	39.740
802.11ax80_RU_Full	Chain 0	5290	82.683
	Chain 1	5290	80.481
	Chain 2	5290	80.881
802.11ax160_RU_FULL	Chain 0	5250	166.166
	Chain 1	5250	164.164
	Chain 2	5250	163.363

6dB Emission Bandwidth**5725-5850MHz**


Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.466	0.5	Pass
		5785	15.666	0.5	Pass
		5825	15.415	0.5	Pass
	Chain 1	5745	15.766	0.5	Pass
		5785	15.766	0.5	Pass
		5825	15.415	0.5	Pass
	Chain 2	5745	15.415	0.5	Pass
		5785	15.466	0.5	Pass
		5825	15.466	0.5	Pass
802.11ac20	Chain 0	5745	15.466	0.5	Pass
		5785	15.466	0.5	Pass
		5825	16.416	0.5	Pass
	Chain 1	5745	16.366	0.5	Pass
		5785	17.267	0.5	Pass
		5825	16.617	0.5	Pass
	Chain 2	5745	16.667	0.5	Pass
		5785	16.767	0.5	Pass
		5825	16.416	0.5	Pass
802.11ac40	Chain 0	5755	35.235	0.5	Pass
		5795	35.235	0.5	Pass
	Chain 1	5755	35.235	0.5	Pass
		5795	35.235	0.5	Pass
	Chain 2	5755	35.235	0.5	Pass
		5795	35.235	0.5	Pass
802.11ac80	Chain 0	5775	74.274	0.5	Pass
	Chain 1	5775	74.274	0.5	Pass
	Chain 2	5775	74.274	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	16.817	0.5	Pass
		5785	17.718	0.5	Pass
		5825	18.469	0.5	Pass
	Chain 1	5745	17.918	0.5	Pass
		5785	17.367	0.5	Pass
		5825	17.518	0.5	Pass
	Chain 2	5745	17.868	0.5	Pass
		5785	18.218	0.5	Pass
		5825	17.317	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	35.235	0.5	Pass
		5795	35.235	0.5	Pass
	Chain 1	5755	35.135	0.5	Pass
		5795	35.235	0.5	Pass
	Chain 2	5755	35.235	0.5	Pass
		5795	35.135	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	74.274	0.5	Pass
	Chain 1	5775	75.476	0.5	Pass
	Chain 2	5775	74.274	0.5	Pass

5150-5250MHz


802.11a_5180MHz_Chain 0




802.11a_5200MHz_Chain 0




802.11a_5240MHz_Chain 0




802.11a_5180MHz_Chain 1




802.11a_5200MHz_Chain 1



802.11a_5240MHz_Chain 1




802.11a_5180MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 21:18:57

802.11a_5200MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 21:22:05

802.11a_5240MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 21:23:59

802.11ac20_5180MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:43:32

802.11ac20_5200MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:46:11

802.11ac20_5240MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:48:26

802.11ac20_5180MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:35:59

802.11ac20_5200MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:38:26

802.11ac20_5240MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:40:27

802.11ac20_5180MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:16:47

802.11ac20_5200MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:22:46

802.11ac20_5240MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 22:25:55

802.11ac40_5190MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:52:08

802.11ac40_5230MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:54:41

802.11ac40_5190MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:57:46

802.11ac40_5230MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 22:59:40

802.11ac40_5190MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 23:02:02

802.11ac40_5230MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaater Liang
Date: 13.MAR.2026 23:04:02

802.11ac80_5210MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:12:17

802.11ac80_5210MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:10:27

802.11ac80_5210MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:08:22

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:15:47

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:21:14

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:23:48

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:35:41

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:38:16

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:40:18

802.11ax20_5180MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:51:03

802.11ax20_5200MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:53:25

802.11ax20_5240MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:55:26

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:27:00

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:29:04

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:42:38

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:44:26

802.11ax40_5190MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 13.MAR.2026 23:58:31

802.11ax40_5230MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 00:01:33

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 13.MAR.2026 23:31:58


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 13.MAR.2026 23:47:43


5250-5350MHz

802.11ax80_5210MHz_RU_Full_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 14.MAR.2026 00:13:18

802.11a_5260MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 14.MAR.2026 15:48:22

802.11a_5280MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 14.MAR.2026 15:50:26

802.11a_5320MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaster Liang
Date: 14.MAR.2026 19:29:45

802.11a_5260MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 15:53:23

802.11a_5280MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 15:55:25

802.11a_5320MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 19:04:18

802.11a_5260MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 15:39:38

802.11a_5280MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 15:43:08

802.11a_5320MHz_Chain 2




ProjectNo.:2501A12615E-RF Tester:Kungfumaaster Liang
Date: 14.MAR.2026 19:36:00

802.11ac20_5260MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:40:08

802.11ac20_5280MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:42:09

802.11ac20_5320MHz_Chain 0




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:44:14

802.11ac20_5260MHz_Chain 1




ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:47:41

802.11ac20_5280MHz_Chain 1



ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:49:49

802.11ac20_5320MHz_Chain 1



ProjectNo.:2501A12615E-RF Tester:Kungfumaister Liang
Date: 14.MAR.2026 13:52:04