


Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1487.09	13.33	33.72	47.05	74.00	26.95	PASS	Vertical	PK
2	2828.49	17.42	33.88	51.30	74.00	22.70	PASS	Vertical	PK
3	3909.17	21.14	31.87	53.01	74.00	20.99	PASS	Vertical	PK
4	4992.49	24.67	32.91	57.58	74.00	16.42	PASS	Vertical	PK
5	11997.6	3.36	52.80	56.16	74.00	17.84	PASS	Vertical	PK
6	15898.1	10.12	51.67	61.79	74.00	12.21	PASS	Vertical	PK
7	5003.28	24.78	10.49	35.27	54.00	18.73	PASS	Vertical	AV
8	11868.4	3.09	41.08	44.17	54.00	9.83	PASS	Vertical	AV
9	15898.6	10.12	39.60	49.72	54.00	4.28	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19071.0	-26.20	61.87	35.67	74.00	38.33	PASS	Horizontal	PK
2	22562.1	-25.02	59.79	34.77	74.00	39.23	PASS	Horizontal	PK
3	25977.5	-20.89	56.85	35.96	68.20	32.24	PASS	Horizontal	PK
4	28812.1	-21.47	57.32	35.85	68.20	32.35	PASS	Horizontal	PK
5	31703.0	-19.77	53.37	33.60	74.00	40.40	PASS	Horizontal	PK
6	36439.3	-16.53	49.17	32.64	74.00	41.36	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19695.8	-25.42	61.07	35.65	74.00	38.35	PASS	Vertical	PK
2	21814.0	-25.55	60.15	34.60	68.20	33.60	PASS	Vertical	PK
3	25161.7	-21.25	55.82	34.57	68.20	33.63	PASS	Vertical	PK
4	28221.6	-21.32	57.16	35.84	68.20	32.36	PASS	Vertical	PK
5	32340.1	-18.42	53.36	34.94	68.20	33.26	PASS	Vertical	PK
6	35270.6	-15.96	49.00	33.04	68.20	35.16	PASS	Vertical	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1482.03	13.19	33.54	46.73	74.00	27.27	PASS	Horizontal	PK
2	2819.03	17.26	34.88	52.14	74.00	21.86	PASS	Horizontal	PK
3	4119.28	21.77	31.21	52.98	74.00	21.02	PASS	Horizontal	PK
4	5002.18	24.75	33.15	57.90	74.00	16.10	PASS	Horizontal	PK
5	11960.8	2.83	52.81	55.64	74.00	18.36	PASS	Horizontal	PK
6	15898.6	10.12	50.98	61.10	74.00	12.90	PASS	Horizontal	PK
7	5008.78	24.90	10.54	35.44	54.00	18.56	PASS	Horizontal	AV
8	11851.3	3.11	41.12	44.23	54.00	9.77	PASS	Horizontal	AV
9	15897.2	10.11	39.83	49.94	54.00	4.06	PASS	Horizontal	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1544.08	13.65	32.93	46.58	74.00	27.42	PASS	Vertical	PK
2	2848.07	17.53	33.89	51.42	74.00	22.58	PASS	Vertical	PK
3	3950.09	21.50	31.52	53.02	74.00	20.98	PASS	Vertical	PK
4	4980.83	24.63	32.87	57.50	74.00	16.50	PASS	Vertical	PK
5	11911.6	2.97	53.23	56.20	74.00	17.80	PASS	Vertical	PK
6	15888.0	10.03	50.91	60.94	74.00	13.06	PASS	Vertical	PK
7	5006.58	24.85	10.62	35.47	54.00	18.53	PASS	Vertical	AV
8	11844.0	3.01	41.12	44.13	54.00	9.87	PASS	Vertical	AV
9	15889.4	10.04	39.85	49.89	54.00	4.11	PASS	Vertical	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19474.9	-25.61	59.89	34.28	74.00	39.72	PASS	Horizontal	PK
2	21913.5	-25.69	59.91	34.22	68.20	33.98	PASS	Horizontal	PK
3	25241.8	-21.12	56.36	35.24	68.20	32.96	PASS	Horizontal	PK
4	29170.2	-21.46	56.12	34.66	68.20	33.54	PASS	Horizontal	PK
5	33917.1	-17.86	51.03	33.17	68.20	35.03	PASS	Horizontal	PK
6	37512.1	-15.28	48.48	33.20	68.20	35.00	PASS	Horizontal	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19202.1	-26.06	61.59	35.53	74.00	38.47	PASS	Vertical	PK
2	22166.0	-25.47	60.28	34.81	74.00	39.19	PASS	Vertical	PK
3	26106.0	-21.14	56.82	35.68	68.20	32.52	PASS	Vertical	PK
4	29488.8	-21.00	55.92	34.92	68.20	33.28	PASS	Vertical	PK
5	32590.9	-18.90	53.12	34.22	68.20	33.98	PASS	Vertical	PK
6	36297.6	-16.73	49.28	32.55	68.20	35.65	PASS	Vertical	PK

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.72	13.66	33.46	47.12	74.00	26.88	PASS	Horizontal	PK
2	2838.61	17.74	33.30	51.04	74.00	22.96	PASS	Horizontal	PK
3	3946.13	21.55	31.74	53.29	74.00	20.71	PASS	Horizontal	PK
4	5014.72	24.87	33.11	57.98	74.00	16.02	PASS	Horizontal	PK
5	11838.5	2.90	52.82	55.72	74.00	18.28	PASS	Horizontal	PK
6	15915.1	10.05	51.98	62.03	74.00	11.97	PASS	Horizontal	PK
7	5010.10	24.93	10.46	35.39	54.00	18.61	PASS	Horizontal	AV
8	11819.1	2.57	41.80	44.37	54.00	9.63	PASS	Horizontal	AV
9	15900.9	10.12	39.66	49.78	54.00	4.22	PASS	Horizontal	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1378.63	12.71	33.74	46.45	74.00	27.55	PASS	Vertical	PK
2	2800.11	17.28	34.12	51.40	74.00	22.60	PASS	Vertical	PK
3	4061.42	21.61	31.85	53.46	74.00	20.54	PASS	Vertical	PK
4	5007.68	24.88	32.42	57.30	74.00	16.70	PASS	Vertical	PK
5	11819.6	2.57	53.29	55.86	74.00	18.14	PASS	Vertical	PK
6	15905.9	10.10	51.10	61.20	74.00	12.80	PASS	Vertical	PK
7	5014.94	24.87	10.50	35.37	54.00	18.63	PASS	Vertical	AV
8	11835.2	2.85	41.32	44.17	54.00	9.83	PASS	Vertical	AV
9	15893.1	10.07	39.61	49.68	54.00	4.32	PASS	Vertical	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19041.0	-26.23	61.02	34.79	74.00	39.21	PASS	Horizontal	PK
2	21865.1	-25.62	59.76	34.14	68.20	34.06	PASS	Horizontal	PK
3	25114.2	-21.51	56.84	35.33	68.20	32.87	PASS	Horizontal	PK
4	29184.3	-21.46	56.59	35.13	68.20	33.07	PASS	Horizontal	PK
5	32350.7	-18.35	53.22	34.87	68.20	33.33	PASS	Horizontal	PK
6	36561.7	-15.94	48.91	32.97	68.20	35.23	PASS	Horizontal	PK

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19203.8	-26.05	60.14	34.09	74.00	39.91	PASS	Vertical	PK
2	21389.8	-25.87	60.30	34.43	74.00	39.57	PASS	Vertical	PK
3	23887.4	-22.16	58.49	36.33	74.00	37.67	PASS	Vertical	PK
4	27447.1	-21.62	57.65	36.03	68.20	32.17	PASS	Vertical	PK
5	32473.9	-18.36	53.76	35.40	68.20	32.80	PASS	Vertical	PK
6	36830.1	-16.93	49.05	32.12	68.20	36.08	PASS	Vertical	PK

U-NII-2A:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.70	13.62	33.44	47.06	74.00	26.94	PASS	Horizontal	PK
2	2796.37	17.29	34.06	51.35	74.00	22.65	PASS	Horizontal	PK
3	3950.09	21.50	31.03	52.53	74.00	21.47	PASS	Horizontal	PK
4	5005.26	24.82	32.55	57.37	74.00	16.63	PASS	Horizontal	PK
5	11865.6	3.09	52.38	55.47	74.00	18.53	PASS	Horizontal	PK
6	15889.4	10.04	51.48	61.52	74.00	12.48	PASS	Horizontal	PK
7	5018.02	24.83	10.17	35.00	54.00	19.00	PASS	Horizontal	AV
8	11848.1	3.08	41.20	44.28	54.00	9.72	PASS	Horizontal	AV
9	15891.2	10.06	39.32	49.38	54.00	4.62	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1548.26	13.66	33.28	46.94	74.00	27.06	PASS	Vertical	PK
2	2811.55	17.37	33.25	50.62	74.00	23.38	PASS	Vertical	PK
3	3951.63	21.50	31.39	52.89	74.00	21.11	PASS	Vertical	PK
4	5009.00	24.91	32.46	57.37	74.00	16.63	PASS	Vertical	PK
5	11841.2	2.95	52.67	55.62	74.00	18.38	PASS	Vertical	PK
6	15887.5	10.03	51.90	61.93	74.00	12.07	PASS	Vertical	PK
7	5009.22	24.91	10.21	35.12	54.00	18.88	PASS	Vertical	AV
8	11843.1	2.99	41.23	44.22	54.00	9.78	PASS	Vertical	AV
9	15901.3	10.12	39.39	49.51	54.00	4.49	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18963.6	-26.27	61.72	35.45	74.00	38.55	PASS	Horizontal	PK
2	22393.1	-25.11	59.67	34.56	74.00	39.44	PASS	Horizontal	PK
3	25117.7	-21.50	57.45	35.95	68.20	32.25	PASS	Horizontal	PK
4	29000.4	-21.30	56.57	35.27	68.20	32.93	PASS	Horizontal	PK
5	32579.5	-18.84	54.12	35.28	68.20	32.92	PASS	Horizontal	PK
6	36266.0	-16.74	49.92	33.18	68.20	35.02	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19309.4	-25.82	61.11	35.29	74.00	38.71	PASS	Vertical	PK
2	22107.1	-25.59	59.82	34.23	74.00	39.77	PASS	Vertical	PK
3	25495.2	-21.09	56.20	35.11	68.20	33.09	PASS	Vertical	PK
4	28300.8	-21.40	57.31	35.91	68.20	32.29	PASS	Vertical	PK
5	31485.6	-19.68	55.36	35.68	74.00	38.32	PASS	Vertical	PK
6	35531.1	-16.13	49.80	33.67	68.20	34.53	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1536.82	13.61	33.24	46.85	74.00	27.15	PASS	Horizontal	PK
2	2819.25	17.25	33.35	50.60	74.00	23.40	PASS	Horizontal	PK
3	3958.23	21.50	31.86	53.36	74.00	20.64	PASS	Horizontal	PK
4	5009.66	24.92	32.04	56.96	74.00	17.04	PASS	Horizontal	PK
5	11839.4	2.92	53.41	56.33	74.00	17.67	PASS	Horizontal	PK
6	15892.6	10.07	50.85	60.92	74.00	13.08	PASS	Horizontal	PK
7	5009.88	24.93	10.22	35.15	54.00	18.85	PASS	Horizontal	AV
8	11851.3	3.11	41.18	44.29	54.00	9.71	PASS	Horizontal	AV
9	15902.7	10.11	39.42	49.53	54.00	4.47	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1522.08	13.45	33.52	46.97	74.00	27.03	PASS	Vertical	PK
2	2815.51	17.31	33.93	51.24	74.00	22.76	PASS	Vertical	PK
3	3949.65	21.51	31.91	53.42	74.00	20.58	PASS	Vertical	PK
4	4997.33	24.69	33.00	57.69	74.00	16.31	PASS	Vertical	PK
5	11796.6	2.24	53.25	55.49	74.00	18.51	PASS	Vertical	PK
6	15885.2	10.01	50.95	60.96	74.00	13.04	PASS	Vertical	PK
7	5014.06	24.88	10.24	35.12	54.00	18.88	PASS	Vertical	AV
8	11848.1	3.08	41.20	44.28	54.00	9.72	PASS	Vertical	AV
9	15896.3	10.10	39.28	49.38	54.00	4.62	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19519.8	-25.61	60.83	35.22	74.00	38.78	PASS	Horizontal	PK
2	23451.8	-23.43	57.24	33.81	68.20	34.39	PASS	Horizontal	PK
3	26890.9	-21.68	57.74	36.06	68.20	32.14	PASS	Horizontal	PK
4	32186.1	-19.41	53.67	34.26	68.20	33.94	PASS	Horizontal	PK
5	35514.4	-16.13	49.73	33.60	68.20	34.60	PASS	Horizontal	PK
6	38452.8	-13.64	47.26	33.62	68.20	34.58	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18918.7	-26.28	61.53	35.25	74.00	38.75	PASS	Vertical	PK
2	21281.6	-25.80	60.34	34.54	74.00	39.46	PASS	Vertical	PK
3	23898.8	-22.14	57.53	35.39	74.00	38.61	PASS	Vertical	PK
4	27694.4	-21.33	56.48	35.15	68.20	33.05	PASS	Vertical	PK
5	31600.0	-19.63	54.14	34.51	74.00	39.49	PASS	Vertical	PK
6	35112.2	-15.98	50.81	34.83	68.20	33.37	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1555.30	13.69	32.93	46.62	74.00	27.38	PASS	Horizontal	PK
2	2841.03	17.76	34.06	51.82	74.00	22.18	PASS	Horizontal	PK
3	3942.61	21.59	31.98	53.57	74.00	20.43	PASS	Horizontal	PK
4	5029.46	24.94	32.59	57.53	74.00	16.47	PASS	Horizontal	PK
5	11966.3	2.91	53.16	56.07	74.00	17.93	PASS	Horizontal	PK
6	15900.9	10.12	51.00	61.12	74.00	12.88	PASS	Horizontal	PK
7	5036.06	24.96	10.20	35.16	54.00	18.84	PASS	Horizontal	AV
8	11817.3	2.53	41.78	44.31	54.00	9.69	PASS	Horizontal	AV
9	15890.8	10.05	39.54	49.59	54.00	4.41	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1536.82	13.61	33.72	47.33	74.00	26.67	PASS	Vertical	PK
2	2838.61	17.74	32.79	50.53	74.00	23.47	PASS	Vertical	PK
3	3994.75	21.45	32.31	53.76	74.00	20.24	PASS	Vertical	PK
4	5003.50	24.78	33.10	57.88	74.00	16.12	PASS	Vertical	PK
5	11936.4	2.77	53.92	56.69	74.00	17.31	PASS	Vertical	PK
6	15899.5	10.13	51.02	61.15	74.00	12.85	PASS	Vertical	PK
7	5010.10	24.93	10.20	35.13	54.00	18.87	PASS	Vertical	AV
8	11852.3	3.11	41.19	44.30	54.00	9.70	PASS	Vertical	AV
9	15897.2	10.11	39.36	49.47	54.00	4.53	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19769.7	-25.29	60.40	35.11	74.00	38.89	PASS	Horizontal	PK
2	21647.7	-25.69	60.11	34.42	68.20	33.78	PASS	Horizontal	PK
3	27873.9	-21.11	57.25	36.14	68.20	32.06	PASS	Horizontal	PK
4	32165.9	-19.53	54.15	34.62	68.20	33.58	PASS	Horizontal	PK
5	36277.4	-16.73	50.14	33.41	68.20	34.79	PASS	Horizontal	PK
6	38761.7	-13.38	47.09	33.71	68.20	34.49	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19636.8	-25.52	60.56	35.04	74.00	38.96	PASS	Vertical	PK
2	21750.7	-25.58	61.22	35.64	68.20	32.56	PASS	Vertical	PK
3	24826.4	-21.99	56.83	34.84	68.20	33.36	PASS	Vertical	PK
4	27336.2	-21.73	57.14	35.41	68.20	32.79	PASS	Vertical	PK
5	30963.7	-19.39	55.05	35.66	68.20	32.54	PASS	Vertical	PK
6	36607.4	-15.80	49.05	33.25	68.20	34.95	PASS	Vertical	PK