


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18499.1	-26.70	62.82	36.12	74.00	37.88	PASS	Horizontal	PK
2	19638.1	-25.52	60.71	35.19	74.00	38.81	PASS	Horizontal	PK
3	20896.9	-25.82	61.89	36.07	74.00	37.93	PASS	Horizontal	PK
4	22166.5	-25.47	60.46	34.99	74.00	39.01	PASS	Horizontal	PK
5	23404.1	-23.55	58.93	35.38	74.00	38.62	PASS	Horizontal	PK
6	25025.0	-22.00	56.82	34.82	74.00	39.18	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18906.4	-26.28	63.03	36.75	74.00	37.25	PASS	Vertical	PK
2	20109.4	-25.11	61.27	36.16	74.00	37.84	PASS	Vertical	PK
3	21309.6	-25.82	61.04	35.22	74.00	38.78	PASS	Vertical	PK
4	22725.1	-25.03	59.13	34.10	74.00	39.90	PASS	Vertical	PK
5	24108.6	-22.32	57.69	35.37	74.00	38.63	PASS	Vertical	PK
6	25826.0	-20.83	56.80	35.97	74.00	38.03	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.10	13.48	41.57	55.05	74.00	18.95	PASS	Horizontal	PK
2	2881.99	17.45	37.83	55.28	74.00	18.72	PASS	Horizontal	PK
3	5000.13	-8.15	63.27	55.12	74.00	18.88	PASS	Horizontal	PK
4	9293.41	0.78	51.57	52.35	74.00	21.65	PASS	Horizontal	PK
5	13683.7	7.32	50.27	57.59	74.00	16.41	PASS	Horizontal	PK
6	16333.8	11.39	49.23	60.62	74.00	13.38	PASS	Horizontal	PK
7	1536.30	13.48	25.96	39.44	54.00	14.56	PASS	Horizontal	AV
8	2870.65	17.43	19.31	36.74	54.00	17.26	PASS	Horizontal	AV
9	4990.13	-8.12	46.85	38.73	54.00	15.27	PASS	Horizontal	AV
10	13742.7	7.18	39.89	47.07	54.00	6.93	PASS	Horizontal	AV
11	16277.8	10.73	38.13	48.86	54.00	5.14	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1536.83	13.48	43.31	56.79	74.00	17.21	PASS	Vertical	PK
2	2833.58	17.34	38.39	55.73	74.00	18.27	PASS	Vertical	PK
3	5000.13	-8.15	65.19	57.04	74.00	16.96	PASS	Vertical	PK
4	10246.4	1.95	50.40	52.35	74.00	21.65	PASS	Vertical	PK
5	13692.7	7.28	51.60	58.88	74.00	15.12	PASS	Vertical	PK
6	16348.8	11.57	48.92	60.49	74.00	13.51	PASS	Vertical	PK
7	1533.63	13.46	30.52	43.98	54.00	10.02	PASS	Vertical	AV
8	2834.25	17.36	19.46	36.82	54.00	17.18	PASS	Vertical	AV
9	5000.13	-8.15	47.26	39.11	54.00	14.89	PASS	Vertical	AV
10	13697.7	7.27	40.02	47.29	54.00	6.71	PASS	Vertical	AV
11	16422.8	10.43	38.52	48.95	54.00	5.05	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18633.4	-26.62	62.83	36.21	74.00	37.79	PASS	Horizontal	PK
2	19841.8	-25.10	60.89	35.79	74.00	38.21	PASS	Horizontal	PK
3	20770.7	-25.71	60.51	34.80	74.00	39.20	PASS	Horizontal	PK
4	22582.0	-25.01	59.90	34.89	74.00	39.11	PASS	Horizontal	PK
5	23672.7	-22.79	59.11	36.32	74.00	37.68	PASS	Horizontal	PK
6	25541.8	-20.92	57.24	36.32	74.00	37.68	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18574.6	-26.69	62.69	36.00	74.00	38.00	PASS	Vertical	PK
2	19619.4	-25.56	61.24	35.68	74.00	38.32	PASS	Vertical	PK
3	21129.4	-25.83	61.96	36.13	74.00	37.87	PASS	Vertical	PK
4	22618.0	-25.01	59.25	34.24	74.00	39.76	PASS	Vertical	PK
5	24356.2	-21.89	57.47	35.58	74.00	38.42	PASS	Vertical	PK
6	25581.6	-20.77	57.07	36.30	74.00	37.70	PASS	Vertical	PK

MIMO:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1512.56	13.29	42.23	55.52	74.00	18.48	PASS	Horizontal	PK
2	2979.19	17.88	36.22	54.10	74.00	19.90	PASS	Horizontal	PK
3	4988.13	-8.12	62.57	54.45	74.00	19.55	PASS	Horizontal	PK
4	8194.34	-1.38	52.62	51.24	74.00	22.76	PASS	Horizontal	PK
5	13723.7	7.21	50.92	58.13	74.00	15.87	PASS	Horizontal	PK
6	16417.8	10.33	50.45	60.78	74.00	13.22	PASS	Horizontal	PK
7	1516.96	13.29	29.55	42.84	54.00	11.16	PASS	Horizontal	AV
8	3000	-14.63	53.79	39.16	54.00	14.84	PASS	Horizontal	AV
9	4985.13	-8.11	46.17	38.06	54.00	15.94	PASS	Horizontal	AV
10	13683.7	7.32	39.92	47.24	54.00	6.76	PASS	Horizontal	AV
11	16339.8	11.46	37.61	49.07	54.00	4.93	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1538.96	13.49	44.60	58.09	74.00	15.91	PASS	Vertical	PK
2	2959.86	17.75	37.54	55.29	74.00	18.71	PASS	Vertical	PK
3	4977.13	-8.09	62.21	54.12	74.00	19.88	PASS	Vertical	PK
4	8513.36	-0.57	52.36	51.79	74.00	22.21	PASS	Vertical	PK
5	13672.7	7.36	50.91	58.27	74.00	15.73	PASS	Vertical	PK
6	16351.8	11.53	49.36	60.89	74.00	13.11	PASS	Vertical	PK
7	1529.63	13.45	32.40	45.85	54.00	8.15	PASS	Vertical	AV
8	2925.72	17.66	19.22	36.88	54.00	17.12	PASS	Vertical	AV
9	4983.13	-8.11	46.41	38.30	54.00	15.70	PASS	Vertical	AV
10	13719.7	7.22	40.21	47.43	54.00	6.57	PASS	Vertical	AV
11	16345.8	11.53	37.40	48.93	54.00	5.07	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18681.0	-26.53	63.68	37.15	74.00	36.85	PASS	Horizontal	PK
2	19977.5	-24.68	60.77	36.09	74.00	37.91	PASS	Horizontal	PK
3	21097.8	-25.88	61.73	35.85	74.00	38.15	PASS	Horizontal	PK
4	22667.3	-25.02	59.91	34.89	74.00	39.11	PASS	Horizontal	PK
5	24838.3	-22.00	58.77	36.77	74.00	37.23	PASS	Horizontal	PK
6	26029.4	-20.97	57.94	36.97	74.00	37.03	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18870.7	-26.28	61.87	35.59	74.00	38.41	PASS	Vertical	PK
2	20228.7	-25.51	61.66	36.15	74.00	37.85	PASS	Vertical	PK
3	21900.6	-25.67	60.15	34.48	74.00	39.52	PASS	Vertical	PK
4	23569.4	-23.13	58.93	35.80	74.00	38.20	PASS	Vertical	PK
5	25257.5	-21.16	57.33	36.17	74.00	37.83	PASS	Vertical	PK
6	26099.1	-21.13	57.34	36.21	74.00	37.79	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1514.83	13.30	42.81	56.11	74.00	17.89	PASS	Horizontal	PK
2	2903.59	17.74	37.48	55.22	74.00	18.78	PASS	Horizontal	PK
3	4998.13	-8.14	61.93	53.79	74.00	20.21	PASS	Horizontal	PK
4	8227.34	-1.16	51.93	50.77	74.00	23.23	PASS	Horizontal	PK
5	13684.7	7.31	52.46	59.77	74.00	14.23	PASS	Horizontal	PK
6	16333.8	11.39	49.55	60.94	74.00	13.06	PASS	Horizontal	PK
7	1520.96	13.31	29.79	43.10	54.00	10.90	PASS	Horizontal	AV
8	2884.25	17.49	19.38	36.87	54.00	17.13	PASS	Horizontal	AV
9	13692.7	7.28	39.71	46.99	54.00	7.01	PASS	Horizontal	AV
10	16327.8	11.31	38.01	49.32	54.00	4.68	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1548.43	13.48	44.11	57.59	74.00	16.41	PASS	Vertical	PK
2	2870.65	17.43	38.07	55.50	74.00	18.50	PASS	Vertical	PK
3	4977.13	-8.09	63.57	55.48	74.00	18.52	PASS	Vertical	PK
4	9625.44	1.30	50.72	52.02	74.00	21.98	PASS	Vertical	PK
5	13710.7	7.24	50.66	57.90	74.00	16.10	PASS	Vertical	PK
6	16344.8	11.52	49.28	60.80	74.00	13.20	PASS	Vertical	PK
7	1532.16	13.46	32.20	45.66	54.00	8.34	PASS	Vertical	AV
8	2901.99	17.73	19.38	37.11	54.00	16.89	PASS	Vertical	AV
9	4989.13	-8.12	46.38	38.26	54.00	15.74	PASS	Vertical	AV
10	13738.7	7.19	39.89	47.08	54.00	6.92	PASS	Vertical	AV
11	16341.8	11.48	38.03	49.51	54.00	4.49	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18527.7	-26.69	62.40	35.71	74.00	38.29	PASS	Horizontal	PK
2	19587.8	-25.59	61.42	35.83	74.00	38.17	PASS	Horizontal	PK
3	21227.4	-25.76	60.86	35.10	74.00	38.90	PASS	Horizontal	PK
4	22785.0	-25.05	59.25	34.20	74.00	39.80	PASS	Horizontal	PK
5	24103.2	-22.30	57.79	35.49	74.00	38.51	PASS	Horizontal	PK
6	25757.7	-20.80	57.25	36.45	74.00	37.55	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18901.3	-26.28	62.11	35.83	74.00	38.17	PASS	Vertical	PK
2	20006.4	-24.65	60.51	35.86	74.00	38.14	PASS	Vertical	PK
3	21714.3	-25.62	60.91	35.29	74.00	38.71	PASS	Vertical	PK
4	22926.1	-25.44	59.56	34.12	74.00	39.88	PASS	Vertical	PK
5	24081.1	-22.23	58.65	36.42	74.00	37.58	PASS	Vertical	PK
6	25905.3	-20.86	57.21	36.35	74.00	37.65	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1507.36	13.30	42.38	55.68	74.00	18.32	PASS	Horizontal	PK
2	2866.12	17.41	37.83	55.24	74.00	18.76	PASS	Horizontal	PK
3	4985.13	-8.11	62.57	54.46	74.00	19.54	PASS	Horizontal	PK
4	10212.4	1.63	51.06	52.69	74.00	21.31	PASS	Horizontal	PK
5	13652.7	7.43	50.78	58.21	74.00	15.79	PASS	Horizontal	PK
6	16344.8	11.52	49.48	61.00	74.00	13.00	PASS	Horizontal	PK
7	1511.76	13.29	29.10	42.39	54.00	11.61	PASS	Horizontal	AV
8	2841.85	17.48	19.65	37.13	54.00	16.87	PASS	Horizontal	AV
9	4987.13	-8.11	46.09	37.98	54.00	16.02	PASS	Horizontal	AV
10	13671.7	7.37	39.51	46.88	54.00	7.12	PASS	Horizontal	AV
11	16335.8	11.41	38.05	49.46	54.00	4.54	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1520.43	13.31	44.47	57.78	74.00	16.22	PASS	Vertical	PK
2	2982.13	17.88	37.41	55.29	74.00	18.71	PASS	Vertical	PK
3	4989.13	-8.12	62.76	54.64	74.00	19.36	PASS	Vertical	PK
4	10229.4	1.80	50.87	52.67	74.00	21.33	PASS	Vertical	PK
5	13698.7	7.26	51.03	58.29	74.00	15.71	PASS	Vertical	PK
6	16344.8	11.52	48.85	60.37	74.00	13.63	PASS	Vertical	PK
7	1533.90	13.46	31.60	45.06	54.00	8.94	PASS	Vertical	AV
8	3004.00	-14.61	56.08	41.47	54.00	12.53	PASS	Vertical	AV
9	4979.13	-8.09	46.42	38.33	54.00	15.67	PASS	Vertical	AV
10	13707.7	7.25	39.38	46.63	54.00	7.37	PASS	Vertical	AV
11	16431.8	10.62	38.51	49.13	54.00	4.87	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18634.4	-26.62	62.87	36.25	74.00	37.75	PASS	Horizontal	PK
2	19801.0	-25.23	61.58	36.35	74.00	37.65	PASS	Horizontal	PK
3	21099.9	-25.88	62.41	36.53	74.00	37.47	PASS	Horizontal	PK
4	22386.8	-25.12	60.22	35.10	74.00	38.90	PASS	Horizontal	PK
5	23844.1	-22.24	58.00	35.76	74.00	38.24	PASS	Horizontal	PK
6	25447.3	-21.27	57.06	35.79	74.00	38.21	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18504.5	-26.69	62.48	35.79	74.00	38.21	PASS	Vertical	PK
2	19732.0	-25.35	60.92	35.57	74.00	38.43	PASS	Vertical	PK
3	21587.4	-25.75	60.96	35.21	74.00	38.79	PASS	Vertical	PK
4	23704.0	-22.68	58.24	35.56	74.00	38.44	PASS	Vertical	PK
5	24997.4	-22.14	56.52	34.38	74.00	39.62	PASS	Vertical	PK
6	26054.9	-21.02	57.71	36.69	74.00	37.31	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1519.63	13.30	42.53	55.83	74.00	18.17	PASS	Horizontal	PK
2	2787.31	17.24	37.73	54.97	74.00	19.03	PASS	Horizontal	PK
3	4983.13	-8.11	62.31	54.20	74.00	19.80	PASS	Horizontal	PK
4	10252.4	1.98	50.34	52.32	74.00	21.68	PASS	Horizontal	PK
5	13671.7	7.37	50.45	57.82	74.00	16.18	PASS	Horizontal	PK
6	16474.8	11.47	49.70	61.17	74.00	12.83	PASS	Horizontal	PK
7	1511.90	13.29	29.83	43.12	54.00	10.88	PASS	Horizontal	AV
8	2795.31	17.27	20.04	37.31	54.00	16.69	PASS	Horizontal	AV
9	4984.13	-8.11	46.06	37.95	54.00	16.05	PASS	Horizontal	AV
10	13678.7	7.34	39.47	46.81	54.00	7.19	PASS	Horizontal	AV
11	16335.8	11.41	37.31	48.72	54.00	5.28	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.10	13.49	44.47	57.96	74.00	16.04	PASS	Vertical	PK
2	2889.05	17.58	37.17	54.75	74.00	19.25	PASS	Vertical	PK
3	4987.13	-8.11	63.33	55.22	74.00	18.78	PASS	Vertical	PK
4	10230.4	1.80	50.50	52.30	74.00	21.70	PASS	Vertical	PK
5	13675.7	7.35	50.89	58.24	74.00	15.76	PASS	Vertical	PK
6	16438.8	10.77	50.21	60.98	74.00	13.02	PASS	Vertical	PK
7	1534.43	13.47	31.67	45.14	54.00	8.86	PASS	Vertical	AV
8	2879.19	17.41	19.84	37.25	54.00	16.75	PASS	Vertical	AV
9	4986.13	-8.11	46.89	38.78	54.00	15.22	PASS	Vertical	AV
10	13710.7	7.24	39.82	47.06	54.00	6.94	PASS	Vertical	AV
11	16344.8	11.52	38.32	49.84	54.00	4.16	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18549.4	-26.69	62.60	35.91	74.00	38.09	PASS	Horizontal	PK
2	19609.2	-25.58	61.60	36.02	74.00	37.98	PASS	Horizontal	PK
3	20970.6	-25.95	60.43	34.48	74.00	39.52	PASS	Horizontal	PK
4	22856.4	-25.23	59.53	34.30	74.00	39.70	PASS	Horizontal	PK
5	24365.7	-21.84	57.73	35.89	74.00	38.11	PASS	Horizontal	PK
6	25871.9	-20.85	57.54	36.69	74.00	37.31	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18713.0	-26.46	62.69	36.23	74.00	37.77	PASS	Vertical	PK
2	20403.5	-25.49	61.11	35.62	74.00	38.38	PASS	Vertical	PK
3	21941.0	-25.73	61.11	35.38	74.00	38.62	PASS	Vertical	PK
4	23096.1	-25.00	59.19	34.19	74.00	39.81	PASS	Vertical	PK
5	24562.2	-21.83	58.14	36.31	74.00	37.69	PASS	Vertical	PK
6	25999.8	-20.90	57.60	36.70	74.00	37.30	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1511.10	13.29	41.99	55.28	74.00	18.72	PASS	Horizontal	PK
2	2854.25	17.32	37.36	54.68	74.00	19.32	PASS	Horizontal	PK
3	4977.13	-8.09	61.93	53.84	74.00	20.16	PASS	Horizontal	PK
4	10255.4	1.98	50.90	52.88	74.00	21.12	PASS	Horizontal	PK
5	13690.7	7.29	51.32	58.61	74.00	15.39	PASS	Horizontal	PK
6	16339.8	11.46	48.97	60.43	74.00	13.57	PASS	Horizontal	PK
7	1517.10	13.29	28.85	42.14	54.00	11.86	PASS	Horizontal	AV
8	2840.65	17.51	19.99	37.50	54.00	16.50	PASS	Horizontal	AV
9	13688.7	7.30	39.73	47.03	54.00	6.97	PASS	Horizontal	AV
10	16345.8	11.53	37.79	49.32	54.00	4.68	PASS	Horizontal	AV