


Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1547.60	13.66	33.36	47.02	74.00	26.98	PASS	Horizontal	PK
2	2824.53	17.34	34.38	51.72	74.00	22.28	PASS	Horizontal	PK
3	4055.26	21.61	31.70	53.31	74.00	20.69	PASS	Horizontal	PK
4	5017.58	24.84	32.92	57.76	74.00	16.24	PASS	Horizontal	PK
5	11841.7	2.97	52.81	55.78	74.00	18.22	PASS	Horizontal	PK
6	15902.7	10.11	50.91	61.02	74.00	12.98	PASS	Horizontal	PK
7	5013.84	24.88	10.38	35.26	54.00	18.74	PASS	Horizontal	AV
8	11843.1	2.99	41.16	44.15	54.00	9.85	PASS	Horizontal	AV
9	15898.1	10.12	39.44	49.56	54.00	4.44	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1479.17	13.13	33.58	46.71	74.00	27.29	PASS	Vertical	PK
2	2815.73	17.31	33.23	50.54	74.00	23.46	PASS	Vertical	PK
3	3963.51	21.40	32.08	53.48	74.00	20.52	PASS	Vertical	PK
4	5006.58	24.85	32.74	57.59	74.00	16.41	PASS	Vertical	PK
5	11825.6	2.69	52.98	55.67	74.00	18.33	PASS	Vertical	PK
6	15905.9	10.10	50.63	60.73	74.00	13.27	PASS	Vertical	PK
7	5006.58	24.85	10.40	35.25	54.00	18.75	PASS	Vertical	AV
8	11810.9	2.43	41.79	44.22	54.00	9.78	PASS	Vertical	AV
9	15896.3	10.10	39.43	49.53	54.00	4.47	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19168.6	-26.10	62.54	36.44	74.00	37.56	PASS	Horizontal	PK
2	21945.1	-25.73	59.88	34.15	68.20	34.05	PASS	Horizontal	PK
3	23252.9	-24.08	58.93	34.85	68.20	33.35	PASS	Horizontal	PK
4	26590.0	-21.11	56.52	35.41	68.20	32.79	PASS	Horizontal	PK
5	30258.8	-21.04	55.47	34.43	68.20	33.77	PASS	Horizontal	PK
6	35364.8	-16.05	49.33	33.28	68.20	34.92	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19528.6	-25.60	60.90	35.30	74.00	38.70	PASS	Vertical	PK
2	23125.3	-24.80	59.08	34.28	68.20	33.92	PASS	Vertical	PK
3	25834.9	-20.83	57.45	36.62	68.20	31.58	PASS	Vertical	PK
4	28803.3	-21.48	57.52	36.04	68.20	32.16	PASS	Vertical	PK
5	33438.4	-17.99	53.83	35.84	68.20	32.36	PASS	Vertical	PK
6	36616.2	-15.84	48.92	33.08	68.20	35.12	PASS	Vertical	PK

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1522.08	13.45	33.76	47.21	74.00	26.79	PASS	Horizontal	PK
2	2841.03	17.76	33.36	51.12	74.00	22.88	PASS	Horizontal	PK
3	3955.81	21.49	31.51	53.00	74.00	21.00	PASS	Horizontal	PK
4	5024.40	24.87	33.25	58.12	74.00	15.88	PASS	Horizontal	PK
5	11814.5	2.49	54.02	56.51	74.00	17.49	PASS	Horizontal	PK
6	15884.8	10.00	51.54	61.54	74.00	12.46	PASS	Horizontal	PK
7	5009.88	24.93	10.15	35.08	54.00	18.92	PASS	Horizontal	AV
8	11823.7	2.64	41.62	44.26	54.00	9.74	PASS	Horizontal	AV
9	15897.2	10.11	39.45	49.56	54.00	4.44	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.76	13.65	33.29	46.94	74.00	27.06	PASS	Vertical	PK
2	2843.89	17.66	33.50	51.16	74.00	22.84	PASS	Vertical	PK
3	3954.49	21.50	31.33	52.83	74.00	21.17	PASS	Vertical	PK
4	5006.36	24.84	32.15	56.99	74.00	17.01	PASS	Vertical	PK
5	11739.1	2.52	53.07	55.59	74.00	18.41	PASS	Vertical	PK
6	15911.9	10.06	51.38	61.44	74.00	12.56	PASS	Vertical	PK
7	5027.70	24.92	10.15	35.07	54.00	18.93	PASS	Vertical	AV
8	11838.0	2.90	41.30	44.20	54.00	9.80	PASS	Vertical	AV
9	15899.0	10.12	39.14	49.26	54.00	4.74	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18781.4	-26.33	61.71	35.38	74.00	38.62	PASS	Horizontal	PK
2	21479.6	-25.82	60.21	34.39	68.20	33.81	PASS	Horizontal	PK
3	26535.4	-21.13	56.87	35.74	68.20	32.46	PASS	Horizontal	PK
4	30211.3	-21.27	55.45	34.18	68.20	34.02	PASS	Horizontal	PK
5	34965.3	-16.17	49.99	33.82	68.20	34.38	PASS	Horizontal	PK
6	37659.9	-14.98	47.85	32.87	68.20	35.33	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19298.9	-25.84	60.36	34.52	74.00	39.48	PASS	Vertical	PK
2	21947.8	-25.74	60.40	34.66	68.20	33.54	PASS	Vertical	PK
3	25790.9	-20.81	57.16	36.35	68.20	31.85	PASS	Vertical	PK
4	29186.1	-21.46	56.31	34.85	68.20	33.35	PASS	Vertical	PK
5	33158.6	-18.34	53.29	34.95	68.20	33.25	PASS	Vertical	PK
6	37669.6	-15.01	48.93	33.92	68.20	34.28	PASS	Vertical	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1530.22	13.56	33.46	47.02	74.00	26.98	PASS	Horizontal	PK
2	2876.45	17.70	33.73	51.43	74.00	22.57	PASS	Horizontal	PK
3	4095.52	21.90	31.18	53.08	74.00	20.92	PASS	Horizontal	PK
4	5013.18	24.89	33.16	58.05	74.00	15.95	PASS	Horizontal	PK
5	11833.4	2.82	53.93	56.75	74.00	17.25	PASS	Horizontal	PK
6	15885.7	10.01	50.45	60.46	74.00	13.54	PASS	Horizontal	PK
7	5005.92	24.83	10.31	35.14	54.00	18.86	PASS	Horizontal	AV
8	11818.7	2.56	41.68	44.24	54.00	9.76	PASS	Horizontal	AV
9	15889.8	10.05	39.40	49.45	54.00	4.55	PASS	Horizontal	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1482.03	13.19	34.00	47.19	74.00	26.81	PASS	Vertical	PK
2	2812.21	17.36	33.72	51.08	74.00	22.92	PASS	Vertical	PK
3	4073.52	21.59	31.75	53.34	74.00	20.66	PASS	Vertical	PK
4	4988.97	24.66	33.14	57.80	74.00	16.20	PASS	Vertical	PK
5	11852.7	3.11	52.70	55.81	74.00	18.19	PASS	Vertical	PK
6	15895.8	10.10	50.81	60.91	74.00	13.09	PASS	Vertical	PK
7	5006.58	24.85	10.51	35.36	54.00	18.64	PASS	Vertical	AV
8	11839.4	2.92	41.30	44.22	54.00	9.78	PASS	Vertical	AV
9	15888.9	10.04	39.21	49.25	54.00	4.75	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19023.4	-26.25	61.10	34.85	74.00	39.15	PASS	Horizontal	PK
2	22388.7	-25.12	59.35	34.23	74.00	39.77	PASS	Horizontal	PK
3	25554.2	-20.88	56.04	35.16	68.20	33.04	PASS	Horizontal	PK
4	28708.2	-21.69	58.01	36.32	68.20	31.88	PASS	Horizontal	PK
5	32448.4	-18.25	53.89	35.64	68.20	32.56	PASS	Horizontal	PK
6	35756.4	-16.62	50.88	34.26	68.20	33.94	PASS	Horizontal	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19386.0	-25.65	60.27	34.62	74.00	39.38	PASS	Vertical	PK
2	21272.8	-25.80	60.82	35.02	74.00	38.98	PASS	Vertical	PK
3	24278.1	-22.27	56.56	34.29	68.20	33.91	PASS	Vertical	PK
4	28882.5	-21.41	56.83	35.42	68.20	32.78	PASS	Vertical	PK
5	34589.5	-16.15	49.72	33.57	68.20	34.63	PASS	Vertical	PK
6	37455.8	-15.56	47.92	32.36	68.20	35.84	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1515.92	13.45	33.28	46.73	74.00	27.27	PASS	Horizontal	PK
2	2828.71	17.41	34.95	52.36	74.00	21.64	PASS	Horizontal	PK
3	3915.99	21.11	32.29	53.40	74.00	20.60	PASS	Horizontal	PK
4	5035.18	25.35	32.08	57.43	74.00	16.57	PASS	Horizontal	PK
5	12007.3	3.43	52.14	55.57	74.00	18.43	PASS	Horizontal	PK
6	16348.5	10.97	50.15	61.12	68.20	7.08	PASS	Horizontal	PK
7	5004.16	25.07	10.42	35.49	54.00	18.51	PASS	Horizontal	AV
8	11989.3	3.23	40.92	44.15	54.00	9.85	PASS	Horizontal	AV
9	16536.6	11.01	39.82	50.83	54.00	3.17	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1522.08	13.50	34.00	47.50	74.00	26.50	PASS	Vertical	PK
2	2792.19	17.39	33.14	50.53	74.00	23.47	PASS	Vertical	PK
3	3954.71	21.57	31.30	52.87	74.00	21.13	PASS	Vertical	PK
4	5014.28	25.15	33.07	58.22	74.00	15.78	PASS	Vertical	PK
5	12038.6	3.61	51.90	55.51	74.00	18.49	PASS	Vertical	PK
6	15905.9	10.10	51.30	61.40	74.00	12.60	PASS	Vertical	PK
7	5010.10	25.20	10.26	35.46	54.00	18.54	PASS	Vertical	AV
8	11934.6	2.79	41.10	43.89	54.00	10.11	PASS	Vertical	AV
9	15898.1	10.12	39.49	49.61	54.00	4.39	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19027.8	-26.24	61.36	35.12	74.00	38.88	PASS	Horizontal	PK
2	20864.5	-25.76	60.67	34.91	74.00	39.09	PASS	Horizontal	PK
3	24044.0	-22.10	56.98	34.88	68.20	33.32	PASS	Horizontal	PK
4	28643.1	-21.84	56.53	34.69	68.20	33.51	PASS	Horizontal	PK
5	33468.3	-17.86	51.77	33.91	68.20	34.29	PASS	Horizontal	PK
6	37268.3	-16.11	48.64	32.53	68.20	35.67	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19087.7	-26.18	61.00	34.82	74.00	39.18	PASS	Vertical	PK
2	21909.1	-25.68	60.71	35.03	68.20	33.17	PASS	Vertical	PK
3	24396.9	-21.70	56.35	34.65	68.20	33.55	PASS	Vertical	PK
4	27768.3	-21.13	57.23	36.10	68.20	32.10	PASS	Vertical	PK
5	31416.1	-19.71	54.26	34.55	74.00	39.45	PASS	Vertical	PK
6	35436.1	-16.10	49.35	33.25	68.20	34.95	PASS	Vertical	PK

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1543.42	13.63	32.94	46.57	74.00	27.43	PASS	Horizontal	PK
2	2794.17	17.38	32.92	50.30	74.00	23.70	PASS	Horizontal	PK
3	3943.93	21.59	32.31	53.90	74.00	20.10	PASS	Horizontal	PK
4	5011.20	25.18	34.50	59.68	74.00	14.32	PASS	Horizontal	PK
5	11927.2	2.85	52.78	55.63	74.00	18.37	PASS	Horizontal	PK
6	15901.3	10.12	51.04	61.16	74.00	12.84	PASS	Horizontal	PK
7	5009.22	25.18	10.22	35.40	54.00	18.60	PASS	Horizontal	AV
8	11904.7	3.02	41.00	44.02	54.00	9.98	PASS	Horizontal	AV
9	15919.7	10.02	39.60	49.62	54.00	4.38	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1477.63	13.24	33.53	46.77	74.00	27.23	PASS	Vertical	PK
2	2815.51	17.39	33.77	51.16	74.00	22.84	PASS	Vertical	PK
3	3879.03	20.76	31.43	52.19	74.00	21.81	PASS	Vertical	PK
4	4993.59	24.94	33.01	57.95	74.00	16.05	PASS	Vertical	PK
5	11927.2	2.85	53.39	56.24	74.00	17.76	PASS	Vertical	PK
6	15892.1	10.06	51.46	61.52	74.00	12.48	PASS	Vertical	PK
7	5008.12	25.16	10.28	35.44	54.00	18.56	PASS	Vertical	AV
8	11981.5	3.13	40.85	43.98	54.00	10.02	PASS	Vertical	AV
9	15896.3	10.10	39.67	49.77	54.00	4.23	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19197.7	-26.06	61.21	35.15	74.00	38.85	PASS	Horizontal	PK
2	21025.5	-25.96	60.90	34.94	74.00	39.06	PASS	Horizontal	PK
3	24590.5	-21.86	56.92	35.06	68.20	33.14	PASS	Horizontal	PK
4	27362.6	-21.69	57.33	35.64	68.20	32.56	PASS	Horizontal	PK
5	30439.2	-20.38	54.74	34.36	68.20	33.84	PASS	Horizontal	PK
6	33125.1	-18.43	52.58	34.15	68.20	34.05	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20321.5	-25.49	60.38	34.89	74.00	39.11	PASS	Vertical	PK
2	22976.5	-25.60	58.19	32.59	74.00	41.41	PASS	Vertical	PK
3	25537.5	-20.94	56.51	35.57	68.20	32.63	PASS	Vertical	PK
4	28009.5	-21.21	56.53	35.32	68.20	32.88	PASS	Vertical	PK
5	32172.0	-19.50	53.92	34.42	68.20	33.78	PASS	Vertical	PK
6	36793.1	-16.85	49.23	32.38	68.20	35.82	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1575.76	13.67	33.45	47.12	74.00	26.88	PASS	Horizontal	PK
2	2703.52	17.22	33.87	51.09	74.00	22.91	PASS	Horizontal	PK
3	3953.61	21.57	32.02	53.59	74.00	20.41	PASS	Horizontal	PK
4	5008.78	25.18	32.86	58.04	74.00	15.96	PASS	Horizontal	PK
5	11931.4	2.82	53.81	56.63	74.00	17.37	PASS	Horizontal	PK
6	15902.7	10.11	51.58	61.69	74.00	12.31	PASS	Horizontal	PK
7	5006.58	25.12	10.16	35.28	54.00	18.72	PASS	Horizontal	AV
8	11984.3	3.16	40.80	43.96	54.00	10.04	PASS	Horizontal	AV
9	15894.0	10.08	39.47	49.55	54.00	4.45	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1572.24	13.65	33.25	46.90	74.00	27.10	PASS	Vertical	PK
2	2778.11	17.31	33.16	50.47	74.00	23.53	PASS	Vertical	PK
3	4104.98	21.80	31.26	53.06	74.00	20.94	PASS	Vertical	PK
4	5004.82	25.09	33.07	58.16	74.00	15.84	PASS	Vertical	PK
5	11981.1	3.12	52.48	55.60	74.00	18.40	PASS	Vertical	PK
6	15916.5	10.04	51.02	61.06	74.00	12.94	PASS	Vertical	PK
7	5010.76	25.19	10.56	35.75	54.00	18.25	PASS	Vertical	AV
8	11943.3	2.73	41.29	44.02	54.00	9.98	PASS	Vertical	AV
9	15904.1	10.10	39.44	49.54	54.00	4.46	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19756.5	-25.31	60.42	35.11	74.00	38.89	PASS	Horizontal	PK
2	22142.3	-25.51	59.53	34.02	74.00	39.98	PASS	Horizontal	PK
3	25770.7	-20.81	56.26	35.45	68.20	32.75	PASS	Horizontal	PK
4	29636.7	-20.67	55.23	34.56	68.20	33.64	PASS	Horizontal	PK
5	33618.8	-17.37	51.43	34.06	68.20	34.14	PASS	Horizontal	PK
6	38495.1	-13.75	46.10	32.35	68.20	35.85	PASS	Horizontal	PK