


Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19195.0	-26.06	61.11	35.05	74.00	38.95	PASS	Vertical	PK
2	21607.2	-25.73	60.39	34.66	68.20	33.54	PASS	Vertical	PK
3	25184.6	-21.12	56.37	35.25	68.20	32.95	PASS	Vertical	PK
4	29660.4	-20.71	55.91	35.20	68.20	33.00	PASS	Vertical	PK
5	34102.8	-17.63	51.08	33.45	68.20	34.75	PASS	Vertical	PK
6	37504.2	-15.32	47.86	32.54	68.20	35.66	PASS	Vertical	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.02	13.63	33.00	46.63	74.00	27.37	PASS	Horizontal	PK
2	2724.64	17.24	33.57	50.81	74.00	23.19	PASS	Horizontal	PK
3	3943.71	21.60	31.65	53.25	74.00	20.75	PASS	Horizontal	PK
4	5002.84	25.05	32.32	57.37	74.00	16.63	PASS	Horizontal	PK
5	11202.7	2.72	52.33	55.05	74.00	18.95	PASS	Horizontal	PK
6	15964.8	9.88	51.46	61.34	74.00	12.66	PASS	Horizontal	PK
7	5004.82	25.09	10.23	35.32	54.00	18.68	PASS	Horizontal	AV
8	11281.4	2.41	40.95	43.36	54.00	10.64	PASS	Horizontal	AV
9	15894.9	10.08	39.75	49.83	54.00	4.17	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1534.84	13.64	33.78	47.42	74.00	26.58	PASS	Vertical	PK
2	2825.63	17.37	33.70	51.07	74.00	22.93	PASS	Vertical	PK
3	3959.55	21.62	31.23	52.85	74.00	21.15	PASS	Vertical	PK
4	5013.40	25.16	32.17	57.33	74.00	16.67	PASS	Vertical	PK
5	11932.8	2.80	53.30	56.10	74.00	17.90	PASS	Vertical	PK
6	15905.9	10.10	51.11	61.21	74.00	12.79	PASS	Vertical	PK
7	5009.88	25.20	10.49	35.69	54.00	18.31	PASS	Vertical	AV
8	11955.8	2.75	41.32	44.07	54.00	9.93	PASS	Vertical	AV
9	15900.9	10.12	39.53	49.65	54.00	4.35	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19551.5	-25.60	60.92	35.32	74.00	38.68	PASS	Horizontal	PK
2	21630.1	-25.70	60.06	34.36	68.20	33.84	PASS	Horizontal	PK
3	24350.3	-21.92	57.13	35.21	68.20	32.99	PASS	Horizontal	PK
4	27781.5	-21.10	57.31	36.21	68.20	31.99	PASS	Horizontal	PK
5	31602.7	-19.63	54.38	34.75	74.00	39.25	PASS	Horizontal	PK
6	35550.5	-16.15	50.19	34.04	68.20	34.16	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19903.5	-24.91	59.66	34.75	74.00	39.25	PASS	Vertical	PK
2	22614.9	-25.00	58.68	33.68	74.00	40.32	PASS	Vertical	PK
3	26458.0	-21.15	56.57	35.42	68.20	32.78	PASS	Vertical	PK
4	29949.1	-21.04	55.70	34.66	68.20	33.54	PASS	Vertical	PK
5	33289.7	-18.19	52.30	34.11	68.20	34.09	PASS	Vertical	PK
6	36244.0	-16.74	49.71	32.97	68.20	35.23	PASS	Vertical	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1544.08	13.62	33.83	47.45	74.00	26.55	PASS	Horizontal	PK
2	2803.41	17.42	33.85	51.27	74.00	22.73	PASS	Horizontal	PK
3	4039.20	21.60	31.01	52.61	74.00	21.39	PASS	Horizontal	PK
4	5010.54	25.19	33.04	58.23	74.00	15.77	PASS	Horizontal	PK
5	12345.9	4.65	52.04	56.69	74.00	17.31	PASS	Horizontal	PK
6	15949.6	9.85	51.33	61.18	74.00	12.82	PASS	Horizontal	PK
7	5008.12	25.16	10.25	35.41	54.00	18.59	PASS	Horizontal	AV
8	12478.8	4.00	40.40	44.40	54.00	9.60	PASS	Horizontal	AV
9	15908.2	10.09	39.52	49.61	54.00	4.39	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.04	13.63	34.10	47.73	74.00	26.27	PASS	Vertical	PK
2	2822.99	17.35	34.29	51.64	74.00	22.36	PASS	Vertical	PK
3	3778.05	20.78	31.71	52.49	74.00	21.51	PASS	Vertical	PK
4	5008.12	25.16	33.32	58.48	74.00	15.52	PASS	Vertical	PK
5	11997.6	3.36	53.13	56.49	74.00	17.51	PASS	Vertical	PK
6	15892.6	10.07	50.67	60.74	74.00	13.26	PASS	Vertical	PK
7	5012.74	25.17	10.21	35.38	54.00	18.62	PASS	Vertical	AV
8	11960.8	2.83	41.11	43.94	54.00	10.06	PASS	Vertical	AV
9	15904.6	10.10	39.52	49.62	54.00	4.38	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19593.7	-25.59	60.91	35.32	74.00	38.68	PASS	Horizontal	PK
2	22490.8	-25.06	59.16	34.10	74.00	39.90	PASS	Horizontal	PK
3	25323.6	-21.29	56.42	35.13	68.20	33.07	PASS	Horizontal	PK
4	29503.8	-20.94	55.67	34.73	68.20	33.47	PASS	Horizontal	PK
5	32658.7	-18.88	53.67	34.79	68.20	33.41	PASS	Horizontal	PK
6	35794.3	-16.73	49.63	32.90	68.20	35.30	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18912.5	-26.28	61.92	35.64	74.00	38.36	PASS	Vertical	PK
2	21029.9	-25.96	60.55	34.59	74.00	39.41	PASS	Vertical	PK
3	24776.2	-21.95	56.60	34.65	68.20	33.55	PASS	Vertical	PK
4	29160.6	-21.44	56.55	35.11	68.20	33.09	PASS	Vertical	PK
5	33635.5	-17.41	52.16	34.75	68.20	33.45	PASS	Vertical	PK
6	37601.0	-14.84	47.30	32.46	68.20	35.74	PASS	Vertical	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1468.83	13.22	33.89	47.11	74.00	26.89	PASS	Horizontal	PK
2	2848.51	17.48	33.91	51.39	74.00	22.61	PASS	Horizontal	PK
3	4109.60	21.68	32.64	54.32	74.00	19.68	PASS	Horizontal	PK
4	5026.16	25.20	32.97	58.17	74.00	15.83	PASS	Horizontal	PK
5	11887.2	3.07	53.30	56.37	74.00	17.63	PASS	Horizontal	PK
6	15899.0	10.12	50.84	60.96	74.00	13.04	PASS	Horizontal	PK
7	4095.30	22.03	8.78	30.81	54.00	23.19	PASS	Horizontal	AV
8	5012.52	25.17	10.44	35.61	54.00	18.39	PASS	Horizontal	AV
9	11932.8	2.80	41.29	44.09	54.00	9.91	PASS	Horizontal	AV
10	15900.9	10.12	39.49	49.61	54.00	4.39	PASS	Horizontal	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1545.18	13.62	33.63	47.25	74.00	26.75	PASS	Vertical	PK
2	2824.97	17.36	33.50	50.86	74.00	23.14	PASS	Vertical	PK
3	3964.39	21.52	31.19	52.71	74.00	21.29	PASS	Vertical	PK
4	5026.82	25.22	32.32	57.54	74.00	16.46	PASS	Vertical	PK
5	11844.4	3.02	52.08	55.10	74.00	18.90	PASS	Vertical	PK
6	15932.2	9.95	51.03	60.98	74.00	13.02	PASS	Vertical	PK
7	5012.96	25.17	10.43	35.60	54.00	18.40	PASS	Vertical	AV
8	11936.0	2.78	41.11	43.89	54.00	10.11	PASS	Vertical	AV
9	15894.0	10.08	39.61	49.69	54.00	4.31	PASS	Vertical	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19496.9	-25.60	59.86	34.26	74.00	39.74	PASS	Horizontal	PK
2	21782.3	-25.54	60.47	34.93	68.20	33.27	PASS	Horizontal	PK
3	25217.1	-21.08	56.86	35.78	68.20	32.42	PASS	Horizontal	PK
4	28814.7	-21.47	57.11	35.64	68.20	32.56	PASS	Horizontal	PK
5	33148.9	-18.36	52.94	34.58	68.20	33.62	PASS	Horizontal	PK
6	37509.5	-15.30	48.05	32.75	68.20	35.45	PASS	Horizontal	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19765.3	-25.30	60.20	34.90	74.00	39.10	PASS	Vertical	PK
2	22566.5	-25.02	58.83	33.81	74.00	40.19	PASS	Vertical	PK
3	26268.8	-21.29	56.82	35.53	68.20	32.67	PASS	Vertical	PK
4	29638.4	-20.67	55.67	35.00	68.20	33.20	PASS	Vertical	PK
5	33577.5	-17.41	52.43	35.02	68.20	33.18	PASS	Vertical	PK
6	37478.6	-15.45	47.82	32.37	68.20	35.83	PASS	Vertical	PK

MIMO:
U-NII-1:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1598.64	13.89	33.69	47.58	74.00	26.42	PASS	Horizontal	PK
2	2855.99	17.50	33.61	51.11	74.00	22.89	PASS	Horizontal	PK
3	4050.20	21.62	31.46	53.08	74.00	20.92	PASS	Horizontal	PK
4	5002.62	24.77	32.56	57.33	74.00	16.67	PASS	Horizontal	PK
5	11880.8	3.08	53.27	56.35	74.00	17.65	PASS	Horizontal	PK
6	15894.0	10.08	51.11	61.19	74.00	12.81	PASS	Horizontal	PK
7	5003.94	24.79	10.52	35.31	54.00	18.69	PASS	Horizontal	AV
8	11848.1	3.08	41.28	44.36	54.00	9.64	PASS	Horizontal	AV
9	15894.9	10.08	39.95	50.03	54.00	3.97	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1517.46	13.41	33.65	47.06	74.00	26.94	PASS	Vertical	PK
2	2808.69	17.38	34.34	51.72	74.00	22.28	PASS	Vertical	PK
3	3942.83	21.59	31.53	53.12	74.00	20.88	PASS	Vertical	PK
4	5027.04	24.90	33.16	58.06	74.00	15.94	PASS	Vertical	PK
5	12022.0	3.51	51.89	55.40	74.00	18.60	PASS	Vertical	PK
6	15891.2	10.06	51.17	61.23	74.00	12.77	PASS	Vertical	PK
7	5025.72	24.88	10.34	35.22	54.00	18.78	PASS	Vertical	AV
8	11850.0	3.11	41.25	44.36	54.00	9.64	PASS	Vertical	AV
9	15897.7	10.11	39.85	49.96	54.00	4.04	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19627.1	-25.54	60.19	34.65	74.00	39.35	PASS	Horizontal	PK
2	22111.5	-25.58	59.26	33.68	74.00	40.32	PASS	Horizontal	PK
3	25281.4	-21.20	56.45	35.25	68.20	32.95	PASS	Horizontal	PK
4	27851.9	-21.09	57.30	36.21	68.20	31.99	PASS	Horizontal	PK
5	33441.0	-17.97	51.56	33.59	68.20	34.61	PASS	Horizontal	PK
6	37631.8	-14.91	46.99	32.08	68.20	36.12	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19007.6	-26.26	60.79	34.53	74.00	39.47	PASS	Vertical	PK
2	21173.4	-25.79	61.45	35.66	74.00	38.34	PASS	Vertical	PK
3	23988.6	-21.96	56.99	35.03	74.00	38.97	PASS	Vertical	PK
4	28123.0	-21.26	57.49	36.23	68.20	31.97	PASS	Vertical	PK
5	31611.5	-19.64	54.23	34.59	74.00	39.41	PASS	Vertical	PK
6	36270.4	-16.73	49.23	32.50	68.20	35.70	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1558.60	13.70	34.76	48.46	74.00	25.54	PASS	Horizontal	PK
2	2856.65	17.50	33.28	50.78	74.00	23.22	PASS	Horizontal	PK
3	3947.01	21.53	31.63	53.16	74.00	20.84	PASS	Horizontal	PK
4	5007.90	24.89	32.55	57.44	74.00	16.56	PASS	Horizontal	PK
5	11831.1	2.78	53.41	56.19	74.00	17.81	PASS	Horizontal	PK
6	15935.4	9.94	51.30	61.24	74.00	12.76	PASS	Horizontal	PK
7	5011.42	24.91	10.62	35.53	54.00	18.47	PASS	Horizontal	AV
8	11953.5	2.72	41.44	44.16	54.00	9.84	PASS	Horizontal	AV
9	15891.7	10.06	39.96	50.02	54.00	3.98	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1533.74	13.58	33.69	47.27	74.00	26.73	PASS	Vertical	PK
2	2851.37	17.47	34.06	51.53	74.00	22.47	PASS	Vertical	PK
3	3955.37	21.49	31.99	53.48	74.00	20.52	PASS	Vertical	PK
4	5027.04	24.90	33.56	58.46	74.00	15.54	PASS	Vertical	PK
5	11848.6	3.09	52.68	55.77	74.00	18.23	PASS	Vertical	PK
6	15961.1	9.88	51.65	61.53	74.00	12.47	PASS	Vertical	PK
7	5004.60	24.81	10.53	35.34	54.00	18.66	PASS	Vertical	AV
8	11854.6	3.10	41.30	44.40	54.00	9.60	PASS	Vertical	AV
9	15893.5	10.07	40.01	50.08	54.00	3.92	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19381.6	-25.66	60.75	35.09	74.00	38.91	PASS	Horizontal	PK
2	22651.8	-25.01	58.70	33.69	74.00	40.31	PASS	Horizontal	PK
3	25536.6	-20.94	56.32	35.38	68.20	32.82	PASS	Horizontal	PK
4	29080.5	-21.37	55.92	34.55	68.20	33.65	PASS	Horizontal	PK
5	32637.6	-18.90	53.68	34.78	68.20	33.42	PASS	Horizontal	PK
6	36295.0	-16.73	49.90	33.17	68.20	35.03	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19534.7	-25.60	60.59	34.99	74.00	39.01	PASS	Vertical	PK
2	21925.8	-25.70	59.14	33.44	68.20	34.76	PASS	Vertical	PK
3	25990.7	-20.89	57.39	36.50	68.20	31.70	PASS	Vertical	PK
4	31650.2	-19.70	54.05	34.35	74.00	39.65	PASS	Vertical	PK
5	35143.0	-15.96	49.73	33.77	68.20	34.43	PASS	Vertical	PK
6	38077.1	-14.68	46.83	32.15	68.20	36.05	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1553.32	13.67	33.19	46.86	74.00	27.14	PASS	Horizontal	PK
2	2818.37	17.27	34.22	51.49	74.00	22.51	PASS	Horizontal	PK
3	3936.23	21.59	31.21	52.80	74.00	21.20	PASS	Horizontal	PK
4	5036.28	24.96	32.88	57.84	74.00	16.16	PASS	Horizontal	PK
5	11926.8	2.85	52.77	55.62	74.00	18.38	PASS	Horizontal	PK
6	15906.4	10.10	51.66	61.76	74.00	12.24	PASS	Horizontal	PK
7	5001.96	24.74	10.50	35.24	54.00	18.76	PASS	Horizontal	AV
8	11845.4	3.03	41.21	44.24	54.00	9.76	PASS	Horizontal	AV
9	15896.7	10.11	39.75	49.86	54.00	4.14	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/15

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1533.52	13.58	33.89	47.47	74.00	26.53	PASS	Vertical	PK
2	2851.81	17.48	32.92	50.40	74.00	23.60	PASS	Vertical	PK
3	4080.78	21.70	32.01	53.71	74.00	20.29	PASS	Vertical	PK
4	5023.08	24.85	32.50	57.35	74.00	16.65	PASS	Vertical	PK
5	11885.4	3.07	52.74	55.81	74.00	18.19	PASS	Vertical	PK
6	15921.6	10.01	51.43	61.44	74.00	12.56	PASS	Vertical	PK
7	5008.12	24.89	10.21	35.10	54.00	18.90	PASS	Vertical	AV
8	11840.3	2.94	41.35	44.29	54.00	9.71	PASS	Vertical	AV
9	15893.1	10.07	39.95	50.02	54.00	3.98	PASS	Vertical	AV