


Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19903.5	-24.91	60.21	35.30	74.00	38.70	PASS	Horizontal	PK
2	23988.6	-21.96	57.24	35.28	74.00	38.72	PASS	Horizontal	PK
3	27426.0	-21.63	57.02	35.39	68.20	32.81	PASS	Horizontal	PK
4	31021.8	-19.40	54.93	35.53	68.20	32.67	PASS	Horizontal	PK
5	34146.0	-17.53	50.28	32.75	68.20	35.45	PASS	Horizontal	PK
6	37222.6	-16.20	48.20	32.00	68.20	36.20	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18913.4	-26.28	61.83	35.55	74.00	38.45	PASS	Vertical	PK
2	22088.6	-25.63	59.52	33.89	74.00	40.11	PASS	Vertical	PK
3	25979.2	-20.89	57.12	36.23	68.20	31.97	PASS	Vertical	PK
4	29736.1	-20.86	56.93	36.07	68.20	32.13	PASS	Vertical	PK
5	33479.8	-17.81	51.58	33.77	68.20	34.43	PASS	Vertical	PK
6	36509.7	-16.19	48.82	32.63	68.20	35.57	PASS	Vertical	PK

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.92	13.62	33.87	47.49	74.00	26.51	PASS	Horizontal	PK
2	2846.53	17.57	33.37	50.94	74.00	23.06	PASS	Horizontal	PK
3	3899.49	21.07	31.77	52.84	74.00	21.16	PASS	Horizontal	PK
4	5008.56	24.90	32.11	57.01	74.00	16.99	PASS	Horizontal	PK
5	11278.2	2.41	52.65	55.06	74.00	18.94	PASS	Horizontal	PK
6	15896.3	10.10	51.87	61.97	74.00	12.03	PASS	Horizontal	PK
7	5004.16	24.80	10.85	35.65	54.00	18.35	PASS	Horizontal	AV
8	11278.2	2.41	41.21	43.62	54.00	10.38	PASS	Horizontal	AV
9	15894.9	10.08	39.69	49.77	54.00	4.23	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1520.98	13.43	34.13	47.56	74.00	26.44	PASS	Vertical	PK
2	2812.65	17.35	33.48	50.83	74.00	23.17	PASS	Vertical	PK
3	3934.69	21.58	31.84	53.42	74.00	20.58	PASS	Vertical	PK
4	5013.62	24.89	32.61	57.50	74.00	16.50	PASS	Vertical	PK
5	11834.8	2.84	52.72	55.56	74.00	18.44	PASS	Vertical	PK
6	15939.1	9.91	51.30	61.21	74.00	12.79	PASS	Vertical	PK
7	5012.74	24.90	10.43	35.33	54.00	18.67	PASS	Vertical	AV
8	11834.3	2.83	41.31	44.14	54.00	9.86	PASS	Vertical	AV
9	15898.1	10.12	39.89	50.01	54.00	3.99	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18992.6	-26.27	61.13	34.86	74.00	39.14	PASS	Horizontal	PK
2	22101.8	-25.60	59.38	33.78	74.00	40.22	PASS	Horizontal	PK
3	25182.8	-21.13	57.02	35.89	68.20	32.31	PASS	Horizontal	PK
4	30302.8	-20.82	54.40	33.58	68.20	34.62	PASS	Horizontal	PK
5	34615.0	-16.12	49.94	33.82	68.20	34.38	PASS	Horizontal	PK
6	37725.1	-15.13	48.37	33.24	68.20	34.96	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19113.2	-26.15	61.02	34.87	74.00	39.13	PASS	Vertical	PK
2	21291.3	-25.81	59.88	34.07	74.00	39.93	PASS	Vertical	PK
3	24213.9	-22.57	58.54	35.97	68.20	32.23	PASS	Vertical	PK
4	27701.5	-21.30	56.78	35.48	68.20	32.72	PASS	Vertical	PK
5	33442.8	-17.96	52.41	34.45	68.20	33.75	PASS	Vertical	PK
6	37577.2	-14.95	48.20	33.25	68.20	34.95	PASS	Vertical	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1493.91	13.41	33.22	46.63	74.00	27.37	PASS	Horizontal	PK
2	2842.13	17.72	33.01	50.73	74.00	23.27	PASS	Horizontal	PK
3	3953.39	21.50	32.19	53.69	74.00	20.31	PASS	Horizontal	PK
4	5058.50	25.11	32.64	57.75	74.00	16.25	PASS	Horizontal	PK
5	11889.5	3.07	53.08	56.15	74.00	17.85	PASS	Horizontal	PK
6	15894.0	10.08	52.15	62.23	74.00	11.77	PASS	Horizontal	PK
7	5007.02	24.86	10.60	35.46	54.00	18.54	PASS	Horizontal	AV
8	11847.7	3.07	41.25	44.32	54.00	9.68	PASS	Horizontal	AV
9	15894.0	10.08	39.78	49.86	54.00	4.14	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1348.93	12.52	34.18	46.70	74.00	27.30	PASS	Vertical	PK
2	2709.90	17.25	33.10	50.35	74.00	23.65	PASS	Vertical	PK
3	4105.20	21.71	32.39	54.10	74.00	19.90	PASS	Vertical	PK
4	5033.64	24.96	32.68	57.64	74.00	16.36	PASS	Vertical	PK
5	11855.0	3.10	52.97	56.07	74.00	17.93	PASS	Vertical	PK
6	15887.5	10.03	51.22	61.25	74.00	12.75	PASS	Vertical	PK
7	4100.58	21.80	8.83	30.63	54.00	23.37	PASS	Vertical	AV
8	5014.94	24.87	10.32	35.19	54.00	18.81	PASS	Vertical	AV
9	11854.6	3.10	41.19	44.29	54.00	9.71	PASS	Vertical	AV
10	15894.9	10.08	40.09	50.17	54.00	3.83	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19050.7	-26.22	61.03	34.81	74.00	39.19	PASS	Horizontal	PK
2	21660.0	-25.68	60.57	34.89	68.20	33.31	PASS	Horizontal	PK
3	24578.2	-21.85	56.75	34.90	68.20	33.30	PASS	Horizontal	PK
4	27455.0	-21.62	56.49	34.87	68.20	33.33	PASS	Horizontal	PK
5	32161.5	-19.57	53.84	34.27	68.20	33.93	PASS	Horizontal	PK
6	35848.8	-16.87	50.38	33.51	68.20	34.69	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19577.0	-25.59	59.77	34.18	74.00	39.82	PASS	Vertical	PK
2	22051.6	-25.71	59.82	34.11	74.00	39.89	PASS	Vertical	PK
3	25302.5	-21.25	56.90	35.65	68.20	32.55	PASS	Vertical	PK
4	30420.8	-20.35	54.77	34.42	68.20	33.78	PASS	Vertical	PK
5	33129.5	-18.42	52.42	34.00	68.20	34.20	PASS	Vertical	PK
6	37531.5	-15.18	47.54	32.36	68.20	35.84	PASS	Vertical	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1516.58	13.41	33.28	46.69	74.00	27.31	PASS	Horizontal	PK
2	2798.35	17.29	34.76	52.05	74.00	21.95	PASS	Horizontal	PK
3	4045.80	21.62	31.76	53.38	74.00	20.62	PASS	Horizontal	PK
4	5039.14	24.97	33.48	58.45	74.00	15.55	PASS	Horizontal	PK
5	12001.8	3.40	53.49	56.89	74.00	17.11	PASS	Horizontal	PK
6	15910.5	10.07	51.64	61.71	74.00	12.29	PASS	Horizontal	PK
7	5008.12	24.89	10.40	35.29	54.00	18.71	PASS	Horizontal	AV
8	11833.9	2.83	41.35	44.18	54.00	9.82	PASS	Horizontal	AV
9	15899.0	10.12	39.98	50.10	54.00	3.90	PASS	Horizontal	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1540.12	13.64	33.33	46.97	74.00	27.03	PASS	Vertical	PK
2	2782.95	17.20	33.04	50.24	74.00	23.76	PASS	Vertical	PK
3	3943.71	21.58	31.27	52.85	74.00	21.15	PASS	Vertical	PK
4	4974.45	24.61	33.04	57.65	74.00	16.35	PASS	Vertical	PK
5	11904.7	3.02	53.79	56.81	74.00	17.19	PASS	Vertical	PK
6	15888.9	10.04	51.32	61.36	74.00	12.64	PASS	Vertical	PK
7	5007.02	24.86	10.59	35.45	54.00	18.55	PASS	Vertical	AV
8	11850.0	3.11	41.41	44.52	54.00	9.48	PASS	Vertical	AV
9	15892.1	10.06	39.93	49.99	54.00	4.01	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19269.0	-25.91	62.67	36.76	74.00	37.24	PASS	Horizontal	PK
2	22154.6	-25.50	59.97	34.47	74.00	39.53	PASS	Horizontal	PK
3	25698.5	-20.76	56.47	35.71	68.20	32.49	PASS	Horizontal	PK
4	29439.5	-21.17	55.86	34.69	68.20	33.51	PASS	Horizontal	PK
5	32598.0	-18.93	53.03	34.10	68.20	34.10	PASS	Horizontal	PK
6	35792.5	-16.73	50.67	33.94	68.20	34.26	PASS	Horizontal	PK

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/15


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19371.9	-25.69	60.76	35.07	74.00	38.93	PASS	Vertical	PK
2	22565.6	-25.02	58.92	33.90	74.00	40.10	PASS	Vertical	PK
3	28025.3	-21.21	57.10	35.89	68.20	32.31	PASS	Vertical	PK
4	30970.8	-19.38	54.56	35.18	68.20	33.02	PASS	Vertical	PK
5	35294.4	-15.98	49.89	33.91	68.20	34.29	PASS	Vertical	PK
6	37549.9	-15.10	47.83	32.73	68.20	35.47	PASS	Vertical	PK

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.54	13.65	33.25	46.90	74.00	27.10	PASS	Horizontal	PK
2	2782.73	17.20	34.03	51.23	74.00	22.77	PASS	Horizontal	PK
3	4066.48	21.57	30.96	52.53	74.00	21.47	PASS	Horizontal	PK
4	5007.46	24.87	33.76	58.63	74.00	15.37	PASS	Horizontal	PK
5	11942.0	2.74	52.99	55.73	74.00	18.27	PASS	Horizontal	PK
6	15907.8	10.09	51.79	61.88	74.00	12.12	PASS	Horizontal	PK
7	5029.90	24.95	10.24	35.19	54.00	18.81	PASS	Horizontal	AV
8	11882.6	3.08	41.36	44.44	54.00	9.56	PASS	Horizontal	AV
9	15888.5	10.04	39.70	49.74	54.00	4.26	PASS	Horizontal	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1574.00	13.68	33.55	47.23	74.00	26.77	PASS	Vertical	PK
2	2793.95	17.31	33.59	50.90	74.00	23.10	PASS	Vertical	PK
3	4064.28	21.58	31.10	52.68	74.00	21.32	PASS	Vertical	PK
4	5009.44	24.92	32.92	57.84	74.00	16.16	PASS	Vertical	PK
5	11870.7	3.09	53.00	56.09	74.00	17.91	PASS	Vertical	PK
6	15888.5	10.04	52.74	62.78	74.00	11.22	PASS	Vertical	PK
7	5018.02	24.83	10.48	35.31	54.00	18.69	PASS	Vertical	AV
8	11936.0	2.78	41.63	44.41	54.00	9.59	PASS	Vertical	AV
9	15888.9	10.04	39.80	49.84	54.00	4.16	PASS	Vertical	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19392.2	-25.64	59.67	34.03	74.00	39.97	PASS	Horizontal	PK
2	22024.4	-25.76	59.53	33.77	74.00	40.23	PASS	Horizontal	PK
3	24403.1	-21.68	57.17	35.49	68.20	32.71	PASS	Horizontal	PK
4	28394.9	-21.49	57.86	36.37	68.20	31.83	PASS	Horizontal	PK
5	32398.2	-18.04	52.46	34.42	68.20	33.78	PASS	Horizontal	PK
6	35545.2	-16.14	49.77	33.63	68.20	34.57	PASS	Horizontal	PK

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19964.2	-24.73	60.26	35.53	74.00	38.47	PASS	Vertical	PK
2	23244.1	-24.11	58.15	34.04	68.20	34.16	PASS	Vertical	PK
3	26483.5	-21.15	56.82	35.67	68.20	32.53	PASS	Vertical	PK
4	29873.4	-21.01	54.84	33.83	68.20	34.37	PASS	Vertical	PK
5	34117.8	-17.60	50.55	32.95	68.20	35.25	PASS	Vertical	PK
6	37627.4	-14.91	48.71	33.80	68.20	34.40	PASS	Vertical	PK

U-NII-2A:

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1570.26	13.65	33.01	46.66	74.00	27.34	PASS	Horizontal	PK
2	2839.71	17.77	33.22	50.99	74.00	23.01	PASS	Horizontal	PK
3	3979.35	21.31	31.63	52.94	74.00	21.06	PASS	Horizontal	PK
4	5023.08	24.85	32.38	57.23	74.00	16.77	PASS	Horizontal	PK
5	11860.1	3.10	53.22	56.32	74.00	17.68	PASS	Horizontal	PK
6	15919.3	10.02	51.10	61.12	74.00	12.88	PASS	Horizontal	PK
7	5017.58	24.84	10.46	35.30	54.00	18.70	PASS	Horizontal	AV
8	11846.3	3.05	41.32	44.37	54.00	9.63	PASS	Horizontal	AV
9	15890.3	10.05	39.51	49.56	54.00	4.44	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.68	13.67	33.15	46.82	74.00	27.18	PASS	Vertical	PK
2	2844.55	17.64	33.32	50.96	74.00	23.04	PASS	Vertical	PK
3	3955.37	21.49	32.22	53.71	74.00	20.29	PASS	Vertical	PK
4	5018.68	24.82	32.46	57.28	74.00	16.72	PASS	Vertical	PK
5	11842.1	2.98	52.94	55.92	74.00	18.08	PASS	Vertical	PK
6	15899.5	10.13	50.94	61.07	74.00	12.93	PASS	Vertical	PK
7	5004.38	24.80	10.44	35.24	54.00	18.76	PASS	Vertical	AV
8	11838.0	2.90	41.71	44.61	54.00	9.39	PASS	Vertical	AV
9	15896.7	10.11	39.51	49.62	54.00	4.38	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20236.1	-25.50	59.79	34.29	74.00	39.71	PASS	Horizontal	PK
2	22881.5	-25.31	59.11	33.80	74.00	40.20	PASS	Horizontal	PK
3	26246.8	-21.31	57.37	36.06	68.20	32.14	PASS	Horizontal	PK
4	30462.1	-20.41	55.52	35.11	68.20	33.09	PASS	Horizontal	PK
5	35123.7	-15.98	50.33	34.35	68.20	33.85	PASS	Horizontal	PK
6	38720.4	-13.53	47.67	34.14	68.20	34.06	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19828.7	-25.14	60.05	34.91	74.00	39.09	PASS	Vertical	PK
2	22711.7	-25.02	57.86	32.84	74.00	41.16	PASS	Vertical	PK
3	25289.3	-21.22	57.40	36.18	68.20	32.02	PASS	Vertical	PK
4	30395.2	-20.35	54.99	34.64	68.20	33.56	PASS	Vertical	PK
5	34133.6	-17.56	51.69	34.13	68.20	34.07	PASS	Vertical	PK
6	38587.5	-13.97	46.94	32.97	68.20	35.23	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1540.56	13.64	34.09	47.73	74.00	26.27	PASS	Horizontal	PK
2	2729.26	17.16	33.63	50.79	74.00	23.21	PASS	Horizontal	PK
3	4101.90	21.77	31.38	53.15	74.00	20.85	PASS	Horizontal	PK
4	4987.43	24.65	32.50	57.15	74.00	16.85	PASS	Horizontal	PK
5	11830.6	2.77	52.38	55.15	74.00	18.85	PASS	Horizontal	PK
6	15908.7	10.08	50.81	60.89	74.00	13.11	PASS	Horizontal	PK
7	5010.10	24.93	10.35	35.28	54.00	18.72	PASS	Horizontal	AV
8	11819.1	2.57	41.72	44.29	54.00	9.71	PASS	Horizontal	AV
9	15897.7	10.11	39.35	49.46	54.00	4.54	PASS	Horizontal	AV