


Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1564.76	13.67	33.02	46.69	74.00	27.31	PASS	Vertical	PK
2	2846.31	17.58	35.14	52.72	74.00	21.28	PASS	Vertical	PK
3	3914.23	21.13	31.75	52.88	74.00	21.12	PASS	Vertical	PK
4	5041.12	24.97	32.27	57.24	74.00	16.76	PASS	Vertical	PK
5	11808.1	2.37	53.15	55.52	74.00	18.48	PASS	Vertical	PK
6	15902.3	10.11	51.00	61.11	74.00	12.89	PASS	Vertical	PK
7	5005.48	24.83	10.44	35.27	54.00	18.73	PASS	Vertical	AV
8	11826.5	2.70	41.53	44.23	54.00	9.77	PASS	Vertical	AV
9	15896.3	10.10	39.50	49.60	54.00	4.40	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19231.1	-25.99	61.17	35.18	74.00	38.82	PASS	Horizontal	PK
2	22878.0	-25.29	58.46	33.17	74.00	40.83	PASS	Horizontal	PK
3	25846.3	-20.84	56.90	36.06	68.20	32.14	PASS	Horizontal	PK
4	29135.0	-21.43	56.74	35.31	68.20	32.89	PASS	Horizontal	PK
5	33074.1	-18.57	52.98	34.41	68.20	33.79	PASS	Horizontal	PK
6	38729.2	-13.50	46.75	33.25	68.20	34.95	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5280MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19797.9	-25.23	60.52	35.29	74.00	38.71	PASS	Vertical	PK
2	22671.2	-25.02	58.53	33.51	74.00	40.49	PASS	Vertical	PK
3	25801.5	-20.82	56.60	35.78	68.20	32.42	PASS	Vertical	PK
4	30813.3	-19.61	54.86	35.25	68.20	32.95	PASS	Vertical	PK
5	34141.6	-17.54	51.94	34.40	68.20	33.80	PASS	Vertical	PK
6	37470.7	-15.48	48.23	32.75	68.20	35.45	PASS	Vertical	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.46	13.64	34.33	47.97	74.00	26.03	PASS	Horizontal	PK
2	2826.51	17.37	33.49	50.86	74.00	23.14	PASS	Horizontal	PK
3	4086.72	21.90	31.19	53.09	74.00	20.91	PASS	Horizontal	PK
4	5035.84	24.96	33.20	58.16	74.00	15.84	PASS	Horizontal	PK
5	11677.9	2.86	52.79	55.65	74.00	18.35	PASS	Horizontal	PK
6	15909.6	10.08	50.62	60.70	74.00	13.30	PASS	Horizontal	PK
7	5010.98	24.92	10.09	35.01	54.00	18.99	PASS	Horizontal	AV
8	11834.3	2.83	41.55	44.38	54.00	9.62	PASS	Horizontal	AV
9	15890.3	10.05	39.48	49.53	54.00	4.47	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1538.14	13.63	33.24	46.87	74.00	27.13	PASS	Vertical	PK
2	2856.87	17.50	33.06	50.56	74.00	23.44	PASS	Vertical	PK
3	3953.83	21.50	32.03	53.53	74.00	20.47	PASS	Vertical	PK
4	5016.92	24.84	32.67	57.51	74.00	16.49	PASS	Vertical	PK
5	11842.6	2.99	53.20	56.19	74.00	17.81	PASS	Vertical	PK
6	15928.0	9.97	51.59	61.56	74.00	12.44	PASS	Vertical	PK
7	5011.42	24.91	10.14	35.05	54.00	18.95	PASS	Vertical	AV
8	11811.8	2.44	41.80	44.24	54.00	9.76	PASS	Vertical	AV
9	15889.4	10.04	39.57	49.61	54.00	4.39	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18848.3	-26.29	61.74	35.45	74.00	38.55	PASS	Horizontal	PK
2	23329.4	-23.81	58.54	34.73	68.20	33.47	PASS	Horizontal	PK
3	26963.1	-21.78	58.70	36.92	68.20	31.28	PASS	Horizontal	PK
4	31664.3	-19.72	55.24	35.52	74.00	38.48	PASS	Horizontal	PK
5	34066.8	-17.73	52.11	34.38	68.20	33.82	PASS	Horizontal	PK
6	37116.1	-16.65	49.08	32.43	68.20	35.77	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19605.1	-25.58	61.09	35.51	74.00	38.49	PASS	Vertical	PK
2	22604.3	-25.00	58.91	33.91	74.00	40.09	PASS	Vertical	PK
3	25687.9	-20.76	56.56	35.80	68.20	32.40	PASS	Vertical	PK
4	29494.1	-20.98	56.37	35.39	68.20	32.81	PASS	Vertical	PK
5	33440.2	-17.97	52.65	34.68	68.20	33.52	PASS	Vertical	PK
6	37670.5	-15.00	47.95	32.95	68.20	35.25	PASS	Vertical	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.28	13.66	32.82	46.48	74.00	27.52	PASS	Horizontal	PK
2	2802.31	17.30	33.62	50.92	74.00	23.08	PASS	Horizontal	PK
3	3955.81	21.49	31.52	53.01	74.00	20.99	PASS	Horizontal	PK
4	5004.38	24.80	32.29	57.09	74.00	16.91	PASS	Horizontal	PK
5	11888.6	3.07	52.72	55.79	74.00	18.21	PASS	Horizontal	PK
6	15949.6	9.85	51.74	61.59	74.00	12.41	PASS	Horizontal	PK
7	5007.02	24.86	10.53	35.39	54.00	18.61	PASS	Horizontal	AV
8	11855.9	3.10	41.10	44.20	54.00	9.80	PASS	Horizontal	AV
9	15902.3	10.11	39.56	49.67	54.00	4.33	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1574.22	13.68	34.17	47.85	74.00	26.15	PASS	Vertical	PK
2	2830.91	17.48	33.33	50.81	74.00	23.19	PASS	Vertical	PK
3	3952.51	21.50	31.64	53.14	74.00	20.86	PASS	Vertical	PK
4	5023.08	24.85	32.95	57.80	74.00	16.20	PASS	Vertical	PK
5	11851.3	3.11	53.00	56.11	74.00	17.89	PASS	Vertical	PK
6	15921.6	10.01	51.24	61.25	74.00	12.75	PASS	Vertical	PK
7	5007.02	24.86	10.29	35.15	54.00	18.85	PASS	Vertical	AV
8	11816.8	2.53	41.72	44.25	54.00	9.75	PASS	Vertical	AV
9	15905.9	10.10	39.35	49.45	54.00	4.55	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19034.9	-26.23	61.84	35.61	74.00	38.39	PASS	Horizontal	PK
2	21602.8	-25.74	60.87	35.13	68.20	33.07	PASS	Horizontal	PK
3	25020.0	-22.03	57.52	35.49	68.20	32.71	PASS	Horizontal	PK
4	28706.5	-21.69	57.40	35.71	68.20	32.49	PASS	Horizontal	PK
5	33079.4	-18.56	52.64	34.08	68.20	34.12	PASS	Horizontal	PK
6	36346.0	-16.73	50.35	33.62	68.20	34.58	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19332.3	-25.77	60.69	34.92	74.00	39.08	PASS	Vertical	PK
2	21547.4	-25.78	60.10	34.32	68.20	33.88	PASS	Vertical	PK
3	24567.7	-21.84	56.67	34.83	68.20	33.37	PASS	Vertical	PK
4	28223.3	-21.32	57.66	36.34	68.20	31.86	PASS	Vertical	PK
5	31706.5	-19.77	55.02	35.25	74.00	38.75	PASS	Vertical	PK
6	36310.0	-16.72	49.91	33.19	68.20	35.01	PASS	Vertical	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1511.30	13.39	33.65	47.04	74.00	26.96	PASS	Horizontal	PK
2	2821.45	17.27	33.49	50.76	74.00	23.24	PASS	Horizontal	PK
3	3988.59	21.49	31.42	52.91	74.00	21.09	PASS	Horizontal	PK
4	4992.71	24.67	33.28	57.95	74.00	16.05	PASS	Horizontal	PK
5	11836.6	2.87	52.83	55.70	74.00	18.30	PASS	Horizontal	PK
6	15889.4	10.04	51.53	61.57	74.00	12.43	PASS	Horizontal	PK
7	5016.48	24.84	10.35	35.19	54.00	18.81	PASS	Horizontal	AV
8	11848.6	3.09	41.17	44.26	54.00	9.74	PASS	Horizontal	AV
9	15894.9	10.08	39.55	49.63	54.00	4.37	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1514.38	13.40	33.53	46.93	74.00	27.07	PASS	Vertical	PK
2	2852.25	17.48	33.13	50.61	74.00	23.39	PASS	Vertical	PK
3	4109.16	21.64	31.68	53.32	74.00	20.68	PASS	Vertical	PK
4	5010.98	24.92	33.02	57.94	74.00	16.06	PASS	Vertical	PK
5	11855.9	3.10	53.60	56.70	74.00	17.30	PASS	Vertical	PK
6	15898.1	10.12	50.65	60.77	74.00	13.23	PASS	Vertical	PK
7	5009.22	24.91	10.31	35.22	54.00	18.78	PASS	Vertical	AV
8	11845.8	3.04	41.37	44.41	54.00	9.59	PASS	Vertical	AV
9	15894.0	10.08	39.45	49.53	54.00	4.47	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19971.2	-24.71	60.54	35.83	74.00	38.17	PASS	Horizontal	PK
2	22653.6	-25.02	59.44	34.42	74.00	39.58	PASS	Horizontal	PK
3	24655.7	-21.89	56.67	34.78	68.20	33.42	PASS	Horizontal	PK
4	28240.0	-21.34	57.35	36.01	68.20	32.19	PASS	Horizontal	PK
5	33273.8	-18.19	52.49	34.30	68.20	33.90	PASS	Horizontal	PK
6	37593.1	-14.87	47.83	32.96	68.20	35.24	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20336.4	-25.49	59.95	34.46	74.00	39.54	PASS	Vertical	PK
2	22476.7	-25.06	59.79	34.73	74.00	39.27	PASS	Vertical	PK
3	26537.2	-21.13	56.84	35.71	68.20	32.49	PASS	Vertical	PK
4	29958.7	-21.05	55.54	34.49	68.20	33.71	PASS	Vertical	PK
5	33668.1	-17.49	52.17	34.68	68.20	33.52	PASS	Vertical	PK
6	39272.2	-13.27	45.47	32.20	68.20	36.00	PASS	Vertical	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.46	13.64	33.52	47.16	74.00	26.84	PASS	Horizontal	PK
2	2814.41	17.32	33.83	51.15	74.00	22.85	PASS	Horizontal	PK
3	4087.38	21.92	30.50	52.42	74.00	21.58	PASS	Horizontal	PK
4	5045.96	25.00	32.55	57.55	74.00	16.45	PASS	Horizontal	PK
5	11996.2	3.34	52.79	56.13	74.00	17.87	PASS	Horizontal	PK
6	15888.5	10.04	50.60	60.64	74.00	13.36	PASS	Horizontal	PK
7	5012.96	24.90	10.02	34.92	54.00	19.08	PASS	Horizontal	AV
8	11860.1	3.10	41.12	44.22	54.00	9.78	PASS	Horizontal	AV
9	15895.8	10.10	39.40	49.50	54.00	4.50	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1509.54	13.38	33.64	47.02	74.00	26.98	PASS	Vertical	PK
2	2785.81	17.26	33.07	50.33	74.00	23.67	PASS	Vertical	PK
3	3959.33	21.49	31.24	52.73	74.00	21.27	PASS	Vertical	PK
4	5030.56	24.95	33.64	58.59	74.00	15.41	PASS	Vertical	PK
5	11904.7	3.02	52.48	55.50	74.00	18.50	PASS	Vertical	PK
6	15913.3	10.05	50.32	60.37	74.00	13.63	PASS	Vertical	PK
7	5015.16	24.86	10.20	35.06	54.00	18.94	PASS	Vertical	AV
8	11842.1	2.98	41.24	44.22	54.00	9.78	PASS	Vertical	AV
9	15895.8	10.10	39.34	49.44	54.00	4.56	PASS	Vertical	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18682.0	-26.53	61.90	35.37	74.00	38.63	PASS	Horizontal	PK
2	21802.6	-25.53	60.68	35.15	68.20	33.05	PASS	Horizontal	PK
3	26570.6	-21.11	56.89	35.78	68.20	32.42	PASS	Horizontal	PK
4	31168.8	-19.92	54.45	34.53	68.20	33.67	PASS	Horizontal	PK
5	33639.9	-17.41	51.32	33.91	68.20	34.29	PASS	Horizontal	PK
6	37534.1	-15.17	48.57	33.40	68.20	34.80	PASS	Horizontal	PK

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19851.5	-25.07	60.01	34.94	74.00	39.06	PASS	Vertical	PK
2	22760.9	-25.04	57.80	32.76	74.00	41.24	PASS	Vertical	PK
3	26420.1	-21.17	56.98	35.81	68.20	32.39	PASS	Vertical	PK
4	29699.1	-20.79	56.18	35.39	68.20	32.81	PASS	Vertical	PK
5	34431.1	-17.03	50.68	33.65	68.20	34.55	PASS	Vertical	PK
6	38032.2	-14.89	48.84	33.95	68.20	34.25	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1545.18	13.62	33.36	46.98	74.00	27.02	PASS	Horizontal	PK
2	2800.33	17.37	33.96	51.33	74.00	22.67	PASS	Horizontal	PK
3	4014.12	21.41	31.26	52.67	74.00	21.33	PASS	Horizontal	PK
4	5011.20	25.18	32.17	57.35	74.00	16.65	PASS	Horizontal	PK
5	11873.9	3.08	52.47	55.55	74.00	18.45	PASS	Horizontal	PK
6	15899.5	10.13	52.01	62.14	74.00	11.86	PASS	Horizontal	PK
7	5006.58	25.12	10.50	35.62	54.00	18.38	PASS	Horizontal	AV
8	11962.7	2.86	41.12	43.98	54.00	10.02	PASS	Horizontal	AV
9	15900.4	10.13	39.63	49.76	54.00	4.24	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1476.09	13.24	33.80	47.04	74.00	26.96	PASS	Vertical	PK
2	2798.35	17.38	33.47	50.85	74.00	23.15	PASS	Vertical	PK
3	4024.68	21.24	32.67	53.91	74.00	20.09	PASS	Vertical	PK
4	5029.68	25.28	32.46	57.74	74.00	16.26	PASS	Vertical	PK
5	12003.6	3.41	52.27	55.68	74.00	18.32	PASS	Vertical	PK
6	15898.6	10.12	51.17	61.29	74.00	12.71	PASS	Vertical	PK
7	5168.50	27.54	8.18	35.72	54.00	18.28	PASS	Vertical	AV
8	11953.5	2.72	41.44	44.16	54.00	9.84	PASS	Vertical	AV
9	15893.5	10.07	39.69	49.76	54.00	4.24	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19307.7	-25.82	60.58	34.76	74.00	39.24	PASS	Horizontal	PK
2	21507.8	-25.81	59.70	33.89	68.20	34.31	PASS	Horizontal	PK
3	25101.0	-21.58	56.13	34.55	68.20	33.65	PASS	Horizontal	PK
4	28724.9	-21.65	56.01	34.36	68.20	33.84	PASS	Horizontal	PK
5	32448.4	-18.25	53.61	35.36	68.20	32.84	PASS	Horizontal	PK
6	36266.0	-16.74	48.82	32.08	68.20	36.12	PASS	Horizontal	PK

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19591.9	-25.59	60.45	34.86	74.00	39.14	PASS	Vertical	PK
2	21798.2	-25.53	60.79	35.26	68.20	32.94	PASS	Vertical	PK
3	26223.9	-21.34	56.65	35.31	68.20	32.89	PASS	Vertical	PK
4	30016.0	-21.09	54.99	33.90	68.20	34.30	PASS	Vertical	PK
5	34375.6	-17.23	50.97	33.74	68.20	34.46	PASS	Vertical	PK
6	38893.7	-13.06	46.37	33.31	68.20	34.89	PASS	Vertical	PK