


Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.31	53.39	68.20	14.81	PASS	Vertical	PK
2	5150	24.08	15.52	39.60	54.00	14.40	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.55	54.63	68.20	13.57	PASS	Horizontal	PK
2	5150	24.08	15.92	40.00	54.00	14.00	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.88	53.96	68.20	14.24	PASS	Vertical	PK
2	5150	24.08	15.69	39.77	54.00	14.23	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.94	53.02	68.20	15.18	PASS	Horizontal	PK
2	5150	24.08	15.41	39.49	54.00	14.51	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.35	53.43	68.20	14.77	PASS	Vertical	PK
2	5150	24.08	16.11	40.19	54.00	13.81	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.71	52.79	68.20	15.41	PASS	Horizontal	PK
2	5150	24.08	15.70	39.78	54.00	14.22	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.99	54.07	68.20	14.13	PASS	Vertical	PK
2	5150	24.08	16.17	40.25	54.00	13.75	PASS	Vertical	AV

Test_Mode	802.11 be(EHT160)Transmit ting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.43	53.51	68.20	14.69	PASS	Horizontal	PK
2	5150	24.08	15.52	39.60	54.00	14.40	PASS	Horizontal	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.73	53.81	68.20	14.39	PASS	Vertical	PK
2	5150	24.08	16.02	40.10	54.00	13.90	PASS	Vertical	AV

U-U-NII-2A:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.33	53.81	68.20	14.39	PASS	Horizontal	PK
2	5350	24.48	15.72	40.20	54.00	13.80	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.13	53.61	68.20	14.59	PASS	Vertical	PK
2	5350	24.48	16.45	40.93	54.00	13.07	PASS	Vertical	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.00	53.48	68.20	14.72	PASS	Horizontal	PK
2	5350	24.48	15.86	40.34	54.00	13.66	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.59	54.07	68.20	14.13	PASS	Vertical	PK
2	5350	24.48	15.98	40.46	54.00	13.54	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.30	53.78	68.20	14.42	PASS	Horizontal	PK
2	5350	24.48	17.00	41.48	54.00	12.52	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.47	54.95	68.20	13.25	PASS	Vertical	PK
2	5350	24.48	17.13	41.61	54.00	12.39	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.03	53.51	68.20	14.69	PASS	Horizontal	PK
2	5350	24.48	15.87	40.35	54.00	13.65	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.54	55.02	68.20	13.18	PASS	Vertical	PK
2	5350	24.48	17.25	41.73	54.00	12.27	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.85	54.33	68.20	13.87	PASS	Horizontal	PK
2	5350	24.48	15.60	40.08	54.00	13.92	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5290MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.17	53.65	68.20	14.55	PASS	Vertical	PK
2	5350	24.48	16.09	40.57	54.00	13.43	PASS	Vertical	AV

U-NII-3:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5740.27	-5.89	106.79	100.90	122.20	21.30	PASS	Horizontal	PK

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.43	-5.85	107.26	101.41	122.20	20.79	PASS	Vertical	PK

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.65	-5.42	106.22	100.80	122.20	21.40	PASS	Horizontal	PK

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/7/27

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5826.23	-5.38	106.04	100.66	122.20	21.54	PASS	Vertical	PK