


Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5752.81	-5.83	104.33	98.50	122.20	23.70	PASS	Horizontal	PK

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5763.55	-5.79	105.42	99.63	122.20	22.57	PASS	Vertical	PK

Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5794.00	-5.66	104.42	98.76	122.20	23.44	PASS	Horizontal	PK

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5793.10	-5.67	105.72	100.05	122.20	22.15	PASS	Vertical	PK

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5771.61	-5.75	101.58	95.83	122.20	26.37	PASS	Horizontal	PK

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/7/27

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5776.98	-5.73	103.59	97.86	122.20	24.34	PASS	Vertical	PK

MIMO:
U-NII-1:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.83	51.91	68.20	16.29	PASS	Horizontal	PK
2	5150	24.08	15.05	39.13	54.00	14.87	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.48	52.56	68.20	15.64	PASS	Vertical	PK
2	5150	24.08	16.69	40.77	54.00	13.23	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.10	51.18	68.20	17.02	PASS	Horizontal	PK
2	5150	24.08	14.17	38.25	54.00	15.75	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.39	52.47	68.20	15.73	PASS	Horizontal	PK
2	5150	24.08	14.63	38.71	54.00	15.29	PASS	Horizontal	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.58	53.66	68.20	14.54	PASS	Vertical	PK
2	5150	24.08	16.50	40.58	54.00	13.42	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.27	51.35	68.20	16.85	PASS	Horizontal	PK
2	5150	24.08	16.00	40.08	54.00	13.92	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.25	53.33	68.20	14.87	PASS	Horizontal	PK
2	5150	24.08	15.18	39.26	54.00	14.74	PASS	Horizontal	AV

Test_Mode	802.11be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.52	54.60	68.20	13.60	PASS	Vertical	PK
2	5150	24.08	16.32	40.40	54.00	13.60	PASS	Vertical	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.41	52.49	68.20	15.71	PASS	Horizontal	PK
2	5150	24.08	14.87	38.95	54.00	15.05	PASS	Horizontal	AV

Test_Mode	802.11be(EHT160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	\	Test_Date	2026/7/22

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.48	54.56	68.20	13.64	PASS	Vertical	PK
2	5150	24.08	16.93	41.01	54.00	12.99	PASS	Vertical	AV

U-U-NII-2A:

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.07	53.55	68.20	14.65	PASS	Horizontal	PK
2	5350	24.48	15.41	39.89	54.00	14.11	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.32	54.80	68.20	13.40	PASS	Vertical	PK
2	5350	24.48	16.31	40.79	54.00	13.21	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	29.37	53.85	68.20	14.35	PASS	Horizontal	PK
2	5350	24.48	16.54	41.02	54.00	12.98	PASS	Horizontal	AV

Test_Mode	802.11be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	\	Test_Date	2026/7/23


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.03	54.51	68.20	13.69	PASS	Vertical	PK
2	5350	24.48	17.40	41.88	54.00	12.12	PASS	Vertical	AV

Test_Mode	802.11be(EHT40)Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/7/23

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.48	30.82	55.30	68.20	12.90	PASS	Horizontal	PK
2	5350	24.48	17.15	41.63	54.00	12.37	PASS	Horizontal	AV