



Appendix B

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: BE3600 Whole Home Mesh Wi-Fi 7 System(2.5GE)

Test Model: ME3 Pro

Environmental Conditions

Temperature:	24.6 ° C
Relative Humidity:	53.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Paddi Chen



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



B.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant3	25.807	---	Pass
NVNT	a	5200	Ant3	28.697	---	Pass
NVNT	a	5240	Ant3	27.005	---	Pass
NVNT	n20	5180	Ant3	25.271	---	Pass
NVNT	n20	5200	Ant3	27.397	---	Pass
NVNT	n20	5240	Ant3	25.71	---	Pass
NVNT	n40	5190	Ant3	56.5	---	Pass
NVNT	n40	5230	Ant3	41.421	---	Pass
NVNT	ac20	5180	Ant3	27.839	---	Pass
NVNT	ac20	5200	Ant3	27.193	---	Pass
NVNT	ac20	5240	Ant3	28.705	---	Pass
NVNT	ac40	5190	Ant3	55.234	---	Pass
NVNT	ac40	5230	Ant3	39.955	---	Pass
NVNT	ac80	5210	Ant3	86.363	---	Pass
NVNT	ax20	5180	Ant3	28.217	---	Pass
NVNT	ax20	5200	Ant3	28.261	---	Pass
NVNT	ax20	5240	Ant3	27.361	---	Pass
NVNT	ax40	5190	Ant3	55.926	---	Pass
NVNT	ax40	5230	Ant3	42.354	---	Pass
NVNT	ax80	5210	Ant3	86.887	---	Pass
NVNT	be20	5180	Ant3	26.691	---	Pass
NVNT	be20	5200	Ant3	27.518	---	Pass
NVNT	be20	5240	Ant3	27.692	---	Pass
NVNT	be40	5190	Ant3	50.497	---	Pass
NVNT	be40	5230	Ant3	46.814	---	Pass
NVNT	be80	5210	Ant3	87.127	---	Pass
NVNT	ac160	5250	Ant3	193.209	---	Pass
NVNT	ax160	5250	Ant3	205.64	---	Pass
NVNT	be160	5250	Ant3	218.718	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant3



-26dB Bandwidth NVNT a 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant3



-26dB Bandwidth NVNT n20 5180MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5200MHz Ant3



-26dB Bandwidth NVNT n20 5240MHz Ant3





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






-26dB Bandwidth NVNT ac20 5180MHz Ant3



-26dB Bandwidth NVNT ac20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant3



-26dB Bandwidth NVNT ac40 5190MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant3



-26dB Bandwidth NVNT ac80 5210MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5180MHz Ant3



-26dB Bandwidth NVNT ax20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5240MHz Ant3



-26dB Bandwidth NVNT ax40 5190MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5230MHz Ant3




-26dB Bandwidth NVNT ax80 5210MHz Ant3






-26dB Bandwidth NVNT be20 5180MHz Ant3



-26dB Bandwidth NVNT be20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5240MHz Ant3



-26dB Bandwidth NVNT be40 5190MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be40 5230MHz Ant3



-26dB Bandwidth NVNT be80 5210MHz Ant3



-26dB Bandwidth NVNT ac160 5250MHz Ant3




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant3




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant4	25.535	---	Pass
NVNT	a	5200	Ant4	27.748	---	Pass
NVNT	a	5240	Ant4	27.471	---	Pass
NVNT	n20	5180	Ant4	29.612	---	Pass
NVNT	n20	5200	Ant4	28.151	---	Pass
NVNT	n20	5240	Ant4	27.658	---	Pass
NVNT	n40	5190	Ant4	49.929	---	Pass
NVNT	n40	5230	Ant4	39.73	---	Pass
NVNT	ac20	5180	Ant4	27.612	---	Pass
NVNT	ac20	5200	Ant4	25.513	---	Pass
NVNT	ac20	5240	Ant4	27.559	---	Pass
NVNT	ac40	5190	Ant4	51.009	---	Pass
NVNT	ac40	5230	Ant4	40.69	---	Pass
NVNT	ac80	5210	Ant4	87.208	---	Pass
NVNT	ax20	5180	Ant4	28.594	---	Pass
NVNT	ax20	5200	Ant4	27.765	---	Pass
NVNT	ax20	5240	Ant4	27.291	---	Pass
NVNT	ax40	5190	Ant4	52.004	---	Pass
NVNT	ax40	5230	Ant4	41.297	---	Pass
NVNT	ax80	5210	Ant4	86.081	---	Pass
NVNT	be20	5180	Ant4	28.487	---	Pass
NVNT	be20	5200	Ant4	27.822	---	Pass
NVNT	be20	5240	Ant4	27.756	---	Pass
NVNT	be40	5190	Ant4	45.479	---	Pass
NVNT	be40	5230	Ant4	39.496	---	Pass
NVNT	be80	5210	Ant4	85.963	---	Pass
NVNT	ac160	5250	Ant4	214.675	---	Pass
NVNT	ax160	5250	Ant4	208.128	---	Pass
NVNT	be160	5250	Ant4	218.673	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant4



-26dB Bandwidth NVNT a 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant4




-26dB Bandwidth NVNT n20 5180MHz Ant4






-26dB Bandwidth NVNT n20 5200MHz Ant4



-26dB Bandwidth NVNT n20 5240MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant4



-26dB Bandwidth NVNT n40 5230MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5180MHz Ant4



-26dB Bandwidth NVNT ac20 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant4



-26dB Bandwidth NVNT ac40 5190MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant4




-26dB Bandwidth NVNT ac80 5210MHz Ant4






-26dB Bandwidth NVNT ax20 5180MHz Ant4



-26dB Bandwidth NVNT ax20 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5240MHz Ant4



-26dB Bandwidth NVNT ax40 5190MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5230MHz Ant4



-26dB Bandwidth NVNT ax80 5210MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5180MHz Ant4



-26dB Bandwidth NVNT be20 5200MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5240MHz Ant4



-26dB Bandwidth NVNT be40 5190MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be40 5230MHz Ant4



-26dB Bandwidth NVNT be80 5210MHz Ant4



-26dB Bandwidth NVNT ac160 5250MHz Ant4




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant4







Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant5	26.783	---	Pass
NVNT	a	5200	Ant5	25.407	---	Pass
NVNT	a	5240	Ant5	26.796	---	Pass
NVNT	n20	5180	Ant5	26.509	---	Pass
NVNT	n20	5200	Ant5	28.326	---	Pass
NVNT	n20	5240	Ant5	26.891	---	Pass
NVNT	n40	5190	Ant5	51.025	---	Pass
NVNT	n40	5230	Ant5	42.359	---	Pass
NVNT	ac20	5180	Ant5	28.618	---	Pass
NVNT	ac20	5200	Ant5	27.061	---	Pass
NVNT	ac20	5240	Ant5	28.789	---	Pass
NVNT	ac40	5190	Ant5	50.926	---	Pass
NVNT	ac40	5230	Ant5	42.393	---	Pass
NVNT	ac80	5210	Ant5	87.054	---	Pass
NVNT	ax20	5180	Ant5	28.031	---	Pass
NVNT	ax20	5200	Ant5	28.007	---	Pass
NVNT	ax20	5240	Ant5	29.096	---	Pass
NVNT	ax40	5190	Ant5	53.296	---	Pass
NVNT	ax40	5230	Ant5	39.791	---	Pass
NVNT	ax80	5210	Ant5	86.45	---	Pass
NVNT	be20	5180	Ant5	26.94	---	Pass
NVNT	be20	5200	Ant5	27.736	---	Pass
NVNT	be20	5240	Ant5	28.251	---	Pass
NVNT	be40	5190	Ant5	49.973	---	Pass
NVNT	be40	5230	Ant5	39.35	---	Pass
NVNT	be80	5210	Ant5	86.128	---	Pass
NVNT	ac160	5250	Ant5	170.603	---	Pass
NVNT	ax160	5250	Ant5	168.372	---	Pass
NVNT	be160	5250	Ant5	163.878	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant5



-26dB Bandwidth NVNT a 5200MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant5



-26dB Bandwidth NVNT n20 5180MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5200MHz Ant5



-26dB Bandwidth NVNT n20 5240MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant5



-26dB Bandwidth NVNT n40 5230MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5180MHz Ant5



-26dB Bandwidth NVNT ac20 5200MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant5



-26dB Bandwidth NVNT ac40 5190MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5230MHz Ant5



-26dB Bandwidth NVNT ac80 5210MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5180MHz Ant5



-26dB Bandwidth NVNT ax20 5200MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5240MHz Ant5




-26dB Bandwidth NVNT ax40 5190MHz Ant5






-26dB Bandwidth NVNT ax40 5230MHz Ant5



-26dB Bandwidth NVNT ax80 5210MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5180MHz Ant5



-26dB Bandwidth NVNT be20 5200MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5240MHz Ant5



-26dB Bandwidth NVNT be40 5190MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be40 5230MHz Ant5



-26dB Bandwidth NVNT be80 5210MHz Ant5



-26dB Bandwidth NVNT ac160 5250MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant3	13	0.24	13.24	24	Pass
NVNT	a	5200	Ant3	13.71	0.24	13.95	24	Pass
NVNT	a	5240	Ant3	13.21	0.24	13.45	24	Pass
NVNT	n20	5180	Ant3	12.38	0.12	12.5	24	Pass
NVNT	n20	5200	Ant3	12.22	0.12	12.34	24	Pass
NVNT	n20	5240	Ant3	12.68	0.12	12.8	24	Pass
NVNT	n40	5190	Ant3	11.24	0.24	11.48	24	Pass
NVNT	n40	5230	Ant3	11.55	0.24	11.79	24	Pass
NVNT	ac20	5180	Ant3	12.41	0.12	12.53	24	Pass
NVNT	ac20	5200	Ant3	12.21	0.12	12.33	24	Pass
NVNT	ac20	5240	Ant3	12.58	0.12	12.7	24	Pass
NVNT	ac40	5190	Ant3	11.3	0.24	11.54	24	Pass
NVNT	ac40	5230	Ant3	11.49	0.23	11.72	24	Pass
NVNT	ac80	5210	Ant3	11.34	0.47	11.81	24	Pass
NVNT	ax20	5180	Ant3	12.4	0.12	12.52	24	Pass
NVNT	ax20	5200	Ant3	12.22	0.12	12.34	24	Pass
NVNT	ax20	5240	Ant3	12.55	0.12	12.67	24	Pass
NVNT	ax40	5190	Ant3	11.28	0.24	11.52	24	Pass
NVNT	ax40	5230	Ant3	11.45	0.24	11.69	24	Pass
NVNT	ax80	5210	Ant3	11.32	0.47	11.79	24	Pass
NVNT	be20	5180	Ant3	12.41	0.12	12.53	24	Pass
NVNT	be20	5200	Ant3	12.24	0.12	12.36	24	Pass
NVNT	be20	5240	Ant3	12.59	0.12	12.71	24	Pass
NVNT	be40	5190	Ant3	11.25	0.24	11.49	24	Pass
NVNT	be40	5230	Ant3	11.45	0.24	11.69	24	Pass
NVNT	be80	5210	Ant3	11.35	0.47	11.82	24	Pass
NVNT	ac160	5250	Ant3	11.32	3.77	15.09	24	Pass
NVNT	ax160	5250	Ant3	11.87	3.77	15.64	24	Pass
NVNT	be160	5250	Ant3	11.79	3.76	15.55	24	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant4	13.03	0.24	13.27	24	Pass
NVNT	a	5200	Ant4	12.79	0.24	13.03	24	Pass
NVNT	a	5240	Ant4	12.18	0.24	12.42	24	Pass
NVNT	n20	5180	Ant4	12.33	0.12	12.45	24	Pass
NVNT	n20	5200	Ant4	12.19	0.12	12.31	24	Pass
NVNT	n20	5240	Ant4	12.5	0.12	12.62	24	Pass
NVNT	n40	5190	Ant4	11.2	0.24	11.44	24	Pass
NVNT	n40	5230	Ant4	11.45	0.24	11.69	24	Pass
NVNT	ac20	5180	Ant4	12.3	0.12	12.42	24	Pass
NVNT	ac20	5200	Ant4	12.15	0.12	12.27	24	Pass
NVNT	ac20	5240	Ant4	12.51	0.12	12.63	24	Pass
NVNT	ac40	5190	Ant4	11.25	0.24	11.49	24	Pass
NVNT	ac40	5230	Ant4	11.47	0.23	11.7	24	Pass
NVNT	ac80	5210	Ant4	11.31	0.47	11.78	24	Pass
NVNT	ax20	5180	Ant4	12.3	0.12	12.42	24	Pass
NVNT	ax20	5200	Ant4	12.1	0.12	12.22	24	Pass
NVNT	ax20	5240	Ant4	12.51	0.12	12.63	24	Pass
NVNT	ax40	5190	Ant4	11.18	0.24	11.42	24	Pass
NVNT	ax40	5230	Ant4	11.4	0.24	11.64	24	Pass
NVNT	ax80	5210	Ant4	11.35	0.47	11.82	24	Pass
NVNT	be20	5180	Ant4	12.3	0.12	12.42	24	Pass
NVNT	be20	5200	Ant4	12.12	0.12	12.24	24	Pass
NVNT	be20	5240	Ant4	12.55	0.12	12.67	24	Pass
NVNT	be40	5190	Ant4	11.16	0.24	11.4	24	Pass
NVNT	be40	5230	Ant4	11.48	0.24	11.72	24	Pass
NVNT	be80	5210	Ant4	11.28	0.47	11.75	24	Pass
NVNT	ac160	5250	Ant4	12.38	3.77	16.15	24	Pass
NVNT	ax160	5250	Ant4	12.29	3.79	16.08	24	Pass
NVNT	be160	5250	Ant4	12.39	3.79	16.18	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant5	12.42	0.24	12.66	24	Pass
NVNT	a	5200	Ant5	12.78	0.24	13.02	24	Pass
NVNT	a	5240	Ant5	11.6	0.24	11.84	24	Pass
NVNT	n20	5180	Ant5	12.42	0.12	12.54	24	Pass
NVNT	n20	5200	Ant5	12.13	0.12	12.25	24	Pass
NVNT	n20	5240	Ant5	12.22	0.12	12.34	24	Pass
NVNT	n40	5190	Ant5	11.43	0.24	11.67	24	Pass
NVNT	n40	5230	Ant5	10.8	0.24	11.04	24	Pass
NVNT	ac20	5180	Ant5	12.78	0.12	12.9	24	Pass
NVNT	ac20	5200	Ant5	12.61	0.12	12.73	24	Pass
NVNT	ac20	5240	Ant5	11.88	0.12	12	24	Pass
NVNT	ac40	5190	Ant5	11.42	0.24	11.66	24	Pass
NVNT	ac40	5230	Ant5	11.6	0.23	11.83	24	Pass
NVNT	ac80	5210	Ant5	11.62	0.47	12.09	24	Pass
NVNT	ax20	5180	Ant5	12.77	0.12	12.89	24	Pass
NVNT	ax20	5200	Ant5	12.54	0.12	12.66	24	Pass
NVNT	ax20	5240	Ant5	11.8	0.12	11.92	24	Pass
NVNT	ax40	5190	Ant5	11.35	0.23	11.58	24	Pass
NVNT	ax40	5230	Ant5	11.49	0.24	11.73	24	Pass
NVNT	ax80	5210	Ant5	11.62	0.47	12.09	24	Pass
NVNT	be20	5180	Ant5	12.77	0.12	12.89	24	Pass
NVNT	be20	5200	Ant5	12.57	0.12	12.69	24	Pass
NVNT	be20	5240	Ant5	11.78	0.12	11.9	24	Pass
NVNT	be40	5190	Ant5	11.37	0.24	11.61	24	Pass
NVNT	be40	5230	Ant5	11.47	0.24	11.71	24	Pass
NVNT	be80	5210	Ant5	11.54	0.47	12.01	24	Pass
NVNT	ac160	5250	Ant5	12.58	3.76	16.34	24	Pass
NVNT	ax160	5250	Ant5	11.98	3.77	15.75	24	Pass
NVNT	be160	5250	Ant5	11.83	3.79	15.62	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)				Limit (dBm)	Verdict
			Ant3	Ant4	Ant5	Ant3+Ant4+ Ant5		
NVNT	n20	5180	12.5	12.45	12.54	17.27	30	Pass
NVNT	n20	5200	12.34	12.31	12.25	17.07	30	Pass
NVNT	n20	5240	12.8	12.62	12.34	17.36	30	Pass
NVNT	n40	5190	11.48	11.44	11.67	16.30	30	Pass
NVNT	n40	5230	11.79	11.69	11.04	16.29	30	Pass
NVNT	ac20	5180	12.53	12.42	12.9	17.39	30	Pass
NVNT	ac20	5200	12.33	12.27	12.73	17.22	30	Pass
NVNT	ac20	5240	12.7	12.63	12	17.23	30	Pass
NVNT	ac40	5190	11.54	11.49	11.66	16.34	30	Pass
NVNT	ac40	5230	11.72	11.7	11.83	16.52	30	Pass
NVNT	ac80	5210	11.81	11.78	12.09	16.67	30	Pass
NVNT	ax20	5180	12.52	12.42	12.89	17.39	30	Pass
NVNT	ax20	5200	12.34	12.22	12.66	17.18	30	Pass
NVNT	ax20	5240	12.67	12.63	11.92	17.19	30	Pass
NVNT	ax40	5190	11.52	11.42	11.58	16.28	30	Pass
NVNT	ax40	5230	11.69	11.64	11.73	16.46	30	Pass
NVNT	ax80	5210	11.79	11.82	12.09	16.67	30	Pass
NVNT	be20	5180	12.53	12.42	12.89	17.39	30	Pass
NVNT	be20	5200	12.36	12.24	12.69	17.21	30	Pass
NVNT	be20	5240	12.71	12.67	11.9	17.21	30	Pass
NVNT	be40	5190	11.49	11.4	11.61	16.27	30	Pass
NVNT	be40	5230	11.69	11.72	11.71	16.48	30	Pass
NVNT	be80	5210	11.82	11.75	12.01	16.63	30	Pass
NVNT	ac160	5250	15.09	16.15	16.34	20.67	30	Pass
NVNT	ax160	5250	15.64	16.08	15.75	20.60	30	Pass
NVNT	be160	5250	15.55	16.18	15.62	20.56	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant3	2.55	0.24	2.79	17	Pass
NVNT	a	5200	Ant3	3.28	0.24	3.52	17	Pass
NVNT	a	5240	Ant3	2.67	0.24	2.91	17	Pass
NVNT	n20	5180	Ant3	1.56	0.12	1.68	17	Pass
NVNT	n20	5200	Ant3	1.64	0.12	1.76	17	Pass
NVNT	n20	5240	Ant3	1.9	0.12	2.02	17	Pass
NVNT	n40	5190	Ant3	-2.32	0.24	-2.08	17	Pass
NVNT	n40	5230	Ant3	-2.07	0.24	-1.83	17	Pass
NVNT	ac20	5180	Ant3	1.48	0.12	1.6	17	Pass
NVNT	ac20	5200	Ant3	1.25	0.12	1.37	17	Pass
NVNT	ac20	5240	Ant3	1.9	0.12	2.02	17	Pass
NVNT	ac40	5190	Ant3	-2.31	0.24	-2.07	17	Pass
NVNT	ac40	5230	Ant3	-2.05	0.23	-1.82	17	Pass
NVNT	ac80	5210	Ant3	-5.04	0.47	-4.57	17	Pass
NVNT	ax20	5180	Ant3	1.78	0.12	1.9	17	Pass
NVNT	ax20	5200	Ant3	1.69	0.12	1.81	17	Pass
NVNT	ax20	5240	Ant3	1.7	0.12	1.82	17	Pass
NVNT	ax40	5190	Ant3	-2.54	0.24	-2.3	17	Pass
NVNT	ax40	5230	Ant3	-2.08	0.24	-1.84	17	Pass
NVNT	ax80	5210	Ant3	-5.03	0.47	-4.56	17	Pass
NVNT	be20	5180	Ant3	1.8	0.12	1.92	17	Pass
NVNT	be20	5200	Ant3	1.53	0.12	1.65	17	Pass
NVNT	be20	5240	Ant3	2.05	0.12	2.17	17	Pass
NVNT	be40	5190	Ant3	-2.39	0.24	-2.15	17	Pass
NVNT	be40	5230	Ant3	-1.76	0.24	-1.52	17	Pass
NVNT	be80	5210	Ant3	-5.25	0.47	-4.78	17	Pass
NVNT	ac160	5250	Ant3	-5.93	3.77	-2.16	17	Pass
NVNT	ax160	5250	Ant3	-5.68	3.77	-1.91	17	Pass
NVNT	be160	5250	Ant3	-5.15	3.76	-1.39	17	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant4	2.21	0.24	2.45	17	Pass
NVNT	a	5200	Ant4	2.18	0.24	2.42	17	Pass
NVNT	a	5240	Ant4	1.78	0.24	2.02	17	Pass
NVNT	n20	5180	Ant4	1.6	0.12	1.72	17	Pass
NVNT	n20	5200	Ant4	1.47	0.12	1.59	17	Pass
NVNT	n20	5240	Ant4	1.91	0.12	2.03	17	Pass
NVNT	n40	5190	Ant4	-2.35	0.24	-2.11	17	Pass
NVNT	n40	5230	Ant4	-2.01	0.24	-1.77	17	Pass
NVNT	ac20	5180	Ant4	1.49	0.12	1.61	17	Pass
NVNT	ac20	5200	Ant4	1.31	0.12	1.43	17	Pass
NVNT	ac20	5240	Ant4	1.6	0.12	1.72	17	Pass
NVNT	ac40	5190	Ant4	-2.49	0.24	-2.25	17	Pass
NVNT	ac40	5230	Ant4	-2.15	0.23	-1.92	17	Pass
NVNT	ac80	5210	Ant4	-5.09	0.47	-4.62	17	Pass
NVNT	ax20	5180	Ant4	1.46	0.12	1.58	17	Pass
NVNT	ax20	5200	Ant4	1.25	0.12	1.37	17	Pass
NVNT	ax20	5240	Ant4	1.76	0.12	1.88	17	Pass
NVNT	ax40	5190	Ant4	-2.1	0.24	-1.86	17	Pass
NVNT	ax40	5230	Ant4	-2	0.24	-1.76	17	Pass
NVNT	ax80	5210	Ant4	-4.96	0.47	-4.49	17	Pass
NVNT	be20	5180	Ant4	1.48	0.12	1.6	17	Pass
NVNT	be20	5200	Ant4	1.49	0.12	1.61	17	Pass
NVNT	be20	5240	Ant4	1.9	0.12	2.02	17	Pass
NVNT	be40	5190	Ant4	-2.38	0.24	-2.14	17	Pass
NVNT	be40	5230	Ant4	-1.85	0.24	-1.61	17	Pass
NVNT	be80	5210	Ant4	-4.92	0.47	-4.45	17	Pass
NVNT	ac160	5250	Ant4	-5.55	3.77	-1.78	17	Pass
NVNT	ax160	5250	Ant4	-5.21	3.79	-1.42	17	Pass
NVNT	be160	5250	Ant4	-4.86	3.79	-1.07	17	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant5	1.92	0.24	2.16	17	Pass
NVNT	a	5200	Ant5	2.07	0.24	2.31	17	Pass
NVNT	a	5240	Ant5	1.03	0.24	1.27	17	Pass
NVNT	n20	5180	Ant5	1.5	0.12	1.62	17	Pass
NVNT	n20	5200	Ant5	1.56	0.12	1.68	17	Pass
NVNT	n20	5240	Ant5	2.21	0.12	2.33	17	Pass
NVNT	n40	5190	Ant5	-2.17	0.24	-1.93	17	Pass
NVNT	n40	5230	Ant5	-2.68	0.24	-2.44	17	Pass
NVNT	ac20	5180	Ant5	2.03	0.12	2.15	17	Pass
NVNT	ac20	5200	Ant5	1.68	0.12	1.8	17	Pass
NVNT	ac20	5240	Ant5	1.2	0.12	1.32	17	Pass
NVNT	ac40	5190	Ant5	-2.12	0.24	-1.88	17	Pass
NVNT	ac40	5230	Ant5	-1.83	0.23	-1.6	17	Pass
NVNT	ac80	5210	Ant5	-4.84	0.47	-4.37	17	Pass
NVNT	ax20	5180	Ant5	2.22	0.12	2.34	17	Pass
NVNT	ax20	5200	Ant5	1.6	0.12	1.72	17	Pass
NVNT	ax20	5240	Ant5	1.13	0.12	1.25	17	Pass
NVNT	ax40	5190	Ant5	-2.25	0.23	-2.02	17	Pass
NVNT	ax40	5230	Ant5	-1.85	0.24	-1.61	17	Pass
NVNT	ax80	5210	Ant5	-4.85	0.47	-4.38	17	Pass
NVNT	be20	5180	Ant5	2.05	0.12	2.17	17	Pass
NVNT	be20	5200	Ant5	1.6	0.12	1.72	17	Pass
NVNT	be20	5240	Ant5	0.92	0.12	1.04	17	Pass
NVNT	be40	5190	Ant5	-2.24	0.24	-2	17	Pass
NVNT	be40	5230	Ant5	-2.03	0.24	-1.79	17	Pass
NVNT	be80	5210	Ant5	-4.99	0.47	-4.52	17	Pass
NVNT	ac160	5250	Ant5	-4.89	3.76	-1.13	17	Pass
NVNT	ax160	5250	Ant5	-4.97	3.77	-1.2	17	Pass
NVNT	be160	5250	Ant5	-4.82	3.79	-1.03	17	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)				Limit dBm/MHz)	Verdict
			Ant3	Ant4	Ant5	Ant3+Ant4+ Ant5		
NVNT	n20	5180	1.56	1.72	1.62	6.41	13.95	Pass
NVNT	n20	5200	1.64	1.59	1.68	6.41	13.95	Pass
NVNT	n20	5240	1.9	2.03	2.33	6.86	13.95	Pass
NVNT	n40	5190	-2.32	-2.11	-1.93	2.65	13.95	Pass
NVNT	n40	5230	-2.07	-1.77	-2.44	2.69	13.95	Pass
NVNT	ac20	5180	1.48	1.61	2.15	6.53	13.95	Pass
NVNT	ac20	5200	1.25	1.43	1.8	6.27	13.95	Pass
NVNT	ac20	5240	1.9	1.72	1.32	6.42	13.95	Pass
NVNT	ac40	5190	-2.31	-2.25	-1.88	2.63	13.95	Pass
NVNT	ac40	5230	-2.05	-1.92	-1.6	2.92	13.95	Pass
NVNT	ac80	5210	-5.04	-4.62	-4.37	0.10	13.95	Pass
NVNT	ax20	5180	1.78	1.58	2.34	6.68	13.95	Pass
NVNT	ax20	5200	1.69	1.37	1.72	6.37	13.95	Pass
NVNT	ax20	5240	1.7	1.88	1.25	6.39	13.95	Pass
NVNT	ax40	5190	-2.54	-1.86	-2.02	2.64	13.95	Pass
NVNT	ax40	5230	-2.08	-1.76	-1.61	2.96	13.95	Pass
NVNT	ax80	5210	-5.03	-4.49	-4.38	0.15	13.95	Pass
NVNT	be20	5180	1.8	1.6	2.17	6.63	13.95	Pass
NVNT	be20	5200	1.53	1.61	1.72	6.39	13.95	Pass
NVNT	be20	5240	2.05	2.02	1.04	6.50	13.95	Pass
NVNT	be40	5190	-2.39	-2.14	-2	2.60	13.95	Pass
NVNT	be40	5230	-1.76	-1.61	-1.79	3.05	13.95	Pass
NVNT	be80	5210	-5.25	-4.45	-4.52	0.05	13.95	Pass
NVNT	ac160	5250	-5.93	-1.78	-1.13	2.28	13.95	Pass
NVNT	ax160	5250	-5.68	-1.42	-1.2	2.43	13.95	Pass
NVNT	be160	5250	-5.15	-1.07	-1.03	2.73	13.95	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant3




PSD NVNT a 5200MHz Ant3










PSD NVNT a 5240MHz Ant3



PSD NVNT n20 5180MHz Ant3













PSD NVNT ac20 5180MHz Ant3




PSD NVNT ac20 5200MHz Ant3










PSD NVNT ac40 5230MHz Ant3




PSD NVNT ac80 5210MHz Ant3








PSD NVNT ax20 5240MHz Ant3




PSD NVNT ax40 5190MHz Ant3






PSD NVNT ax40 5230MHz Ant3




PSD NVNT ax80 5210MHz Ant3






PSD NVNT be20 5180MHz Ant3



PSD NVNT be20 5200MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT be20 5240MHz Ant3




PSD NVNT be40 5190MHz Ant3






PSD NVNT be40 5230MHz Ant3




PSD NVNT be80 5210MHz Ant3





PSD NVNT ac160 5250MHz Ant3





PSD NVNT ax160 5250MHz Ant3









Test Graphs

PSD NVNT a 5180MHz Ant4




PSD NVNT a 5200MHz Ant4










PSD NVNT a 5240MHz Ant4



PSD NVNT n20 5180MHz Ant4













PSD NVNT ac20 5180MHz Ant4




PSD NVNT ac20 5200MHz Ant4








PSD NVNT ac40 5230MHz Ant4




PSD NVNT ac80 5210MHz Ant4






PSD NVNT ax20 5180MHz Ant4




PSD NVNT ax20 5200MHz Ant4






PSD NVNT ax20 5240MHz Ant4




PSD NVNT ax40 5190MHz Ant4






PSD NVNT ax40 5230MHz Ant4



PSD NVNT ax80 5210MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT be20 5180MHz Ant4




PSD NVNT be20 5200MHz Ant4






PSD NVNT be20 5240MHz Ant4




PSD NVNT be40 5190MHz Ant4






PSD NVNT be40 5230MHz Ant4



PSD NVNT be80 5210MHz Ant4



PSD NVNT ac160 5250MHz Ant4

