






PSD NVNT ax160 5250MHz Ant4









## Test Graphs

## PSD NVNT a 5180MHz Ant5




## PSD NVNT a 5200MHz Ant5








PSD NVNT a 5240MHz Ant5







PSD NVNT n20 5180MHz Ant5















## PSD NVNT ac40 5230MHz Ant5




## PSD NVNT ac80 5210MHz Ant5






PSD NVNT ax20 5180MHz Ant5




PSD NVNT ax20 5200MHz Ant5






## PSD NVNT ax20 5240MHz Ant5




## PSD NVNT ax40 5190MHz Ant5






PSD NVNT ax40 5230MHz Ant5




PSD NVNT ax80 5210MHz Ant5






PSD NVNT be20 5180MHz Ant5




PSD NVNT be20 5200MHz Ant5






## PSD NVNT be20 5240MHz Ant5




## PSD NVNT be40 5190MHz Ant5






PSD NVNT be40 5230MHz Ant5




PSD NVNT be80 5210MHz Ant5





PSD NVNT ac160 5250MHz Ant5





PSD NVNT ax160 5250MHz Ant5







## B.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | a    | 5180            | Ant3    | 4500            | -49.53      | 4.17       | -                | 49.87      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5180            | Ant3    | 4500            | -58.97      | 4.17       | 0.24             | 40.67      | Average  | 54             | Pass    |
| NVNT      | a    | 5180            | Ant3    | 5052.3          | -46.19      | 4.17       | -                | 53.21      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5180            | Ant3    | 5146.8          | -56.3       | 4.17       | 0.24             | 43.34      | Average  | 54             | Pass    |
| NVNT      | a    | 5180            | Ant3    | 5150            | -49.16      | 4.17       | -                | 50.24      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5180            | Ant3    | 5150            | -57.07      | 4.17       | 0.24             | 42.57      | Average  | 54             | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5350            | -51.02      | 4.17       | -                | 48.38      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5350            | -58.21      | 4.17       | 0.24             | 41.43      | Average  | 54             | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5385.6          | -47.26      | 4.17       | -                | 52.14      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5389.92         | -57.46      | 4.17       | 0.24             | 42.18      | Average  | 54             | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5460            | -49.81      | 4.17       | -                | 49.59      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5240            | Ant3    | 5460            | -58.13      | 4.17       | 0.24             | 41.51      | Average  | 54             | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 4500            | -49.62      | 4.17       | -                | 49.78      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 4500            | -58.69      | 4.17       | 0.12             | 40.83      | Average  | 54             | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 5148.9          | -44.66      | 4.17       | -                | 54.74      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 5143.3          | -55.79      | 4.17       | 0.12             | 43.73      | Average  | 54             | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 5150            | -44.74      | 4.17       | -                | 54.66      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5180            | Ant3    | 5150            | -55.68      | 4.17       | 0.12             | 43.84      | Average  | 54             | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5350            | -51.35      | 4.17       | -                | 48.05      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5350            | -58.4       | 4.17       | 0.12             | 41.12      | Average  | 54             | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5433.36         | -46.23      | 4.17       | -                | 53.17      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5437.92         | -57.29      | 4.17       | 0.12             | 42.23      | Average  | 54             | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5460            | -50.7       | 4.17       | -                | 48.70      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5240            | Ant3    | 5460            | -58.31      | 4.17       | 0.12             | 41.21      | Average  | 54             | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 4500            | -51.14      | 4.17       | -                | 48.26      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 4500            | -58.91      | 4.17       | 0.24             | 40.73      | Average  | 54             | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 5146.78         | -43.93      | 4.17       | -                | 55.47      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 5148.97         | -55.43      | 4.17       | 0.24             | 44.21      | Average  | 54             | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 5150            | -45.77      | 4.17       | -                | 53.63      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5190            | Ant3    | 5150            | -55.46      | 4.17       | 0.24             | 44.18      | Average  | 54             | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5350            | -48.98      | 4.17       | -                | 50.42      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5350            | -58.32      | 4.17       | 0.24             | 41.32      | Average  | 54             | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5359.02         | -47.46      | 4.17       | -                | 51.94      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5383.59         | -57.47      | 4.17       | 0.24             | 42.17      | Average  | 54             | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5460            | -51.22      | 4.17       | -                | 48.18      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5230            | Ant3    | 5460            | -58.46      | 4.17       | 0.24             | 41.18      | Average  | 54             | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20 | 5180 | Ant3 | 4500    | -50.51 | 4.17 | -    | 48.89 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant3 | 4500    | -58.75 | 4.17 | 0.12 | 40.77 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant3 | 5146.1  | -45.2  | 4.17 | -    | 54.20 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant3 | 5148.9  | -56.01 | 4.17 | 0.12 | 43.51 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant3 | 5150    | -44.24 | 4.17 | -    | 55.16 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant3 | 5150    | -55.11 | 4.17 | 0.12 | 44.41 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5350    | -49.21 | 4.17 | -    | 50.19 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5350    | -57.78 | 4.17 | 0.12 | 41.74 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5382.24 | -46.14 | 4.17 | -    | 53.26 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5438.4  | -57.44 | 4.17 | 0.12 | 42.08 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5460    | -50.57 | 4.17 | -    | 48.83 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant3 | 5460    | -58.26 | 4.17 | 0.12 | 41.26 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant3 | 4500    | -50.63 | 4.17 | -    | 48.77 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant3 | 4500    | -58.59 | 4.17 | 0.24 | 41.05 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant3 | 5149.7  | -45.36 | 4.17 | -    | 54.04 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant3 | 5146.05 | -55.69 | 4.17 | 0.24 | 43.95 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant3 | 5150    | -45.36 | 4.17 | -    | 54.04 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant3 | 5150    | -56.34 | 4.17 | 0.24 | 43.30 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5350    | -49    | 4.17 | -    | 50.40 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5350    | -58.08 | 4.17 | 0.23 | 41.55 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5444.88 | -47.95 | 4.17 | -    | 51.45 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5360.37 | -57.25 | 4.17 | 0.23 | 42.38 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5460    | -51.09 | 4.17 | -    | 48.31 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant3 | 5460    | -58.33 | 4.17 | 0.23 | 41.30 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5350    | -48.87 | 4.17 | -    | 50.53 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5350    | -56.43 | 4.17 | 0.47 | 43.44 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5351.43 | -45.61 | 4.17 | -    | 53.79 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5351.1  | -55.9  | 4.17 | 0.47 | 43.97 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5460    | -49.63 | 4.17 | -    | 49.77 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5460    | -58.04 | 4.17 | 0.47 | 41.83 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 4500    | -49.94 | 4.17 | -    | 49.46 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 4500    | -58.44 | 4.17 | 0.47 | 41.43 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5147.01 | -44.18 | 4.17 | -    | 55.22 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5149.38 | -55.13 | 4.17 | 0.47 | 44.74 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5150    | -45.55 | 4.17 | -    | 53.85 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant3 | 5150    | -55.44 | 4.17 | 0.47 | 44.43 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant3 | 4500    | -50.3  | 4.17 | -    | 49.10 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant3 | 4500    | -59.04 | 4.17 | 0.12 | 40.48 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant3 | 5148.9  | -44.79 | 4.17 | -    | 54.61 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant3 | 5149.6  | -55.82 | 4.17 | 0.12 | 43.70 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant3 | 5150    | -46.14 | 4.17 | -    | 53.26 | Peak    | 68.2 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax20 | 5180 | Ant3 | 5150    | -55.92 | 4.17 | 0.12 | 43.60 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5350    | -49.72 | 4.17 | -    | 49.68 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5350    | -58.48 | 4.17 | 0.12 | 41.04 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5361.6  | -47.67 | 4.17 | -    | 51.73 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5454.72 | -57.46 | 4.17 | 0.12 | 42.06 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5460    | -49.49 | 4.17 | -    | 49.91 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant3 | 5460    | -58.54 | 4.17 | 0.12 | 40.98 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant3 | 4500    | -50.2  | 4.17 | -    | 49.20 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant3 | 4500    | -59.05 | 4.17 | 0.24 | 40.59 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant3 | 5149.7  | -44.88 | 4.17 | -    | 54.52 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant3 | 5148.97 | -55.24 | 4.17 | 0.24 | 44.40 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant3 | 5150    | -44.88 | 4.17 | -    | 54.52 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant3 | 5150    | -55.96 | 4.17 | 0.24 | 43.68 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5350    | -49.94 | 4.17 | -    | 49.46 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5350    | -58.72 | 4.17 | 0.24 | 40.92 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5377.92 | -47.29 | 4.17 | -    | 52.11 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5352.81 | -57.33 | 4.17 | 0.24 | 42.31 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5460    | -49.13 | 4.17 | -    | 50.27 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant3 | 5460    | -58.44 | 4.17 | 0.24 | 41.20 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5350    | -48.5  | 4.17 | -    | 50.90 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5350    | -56.45 | 4.17 | 0.47 | 43.42 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5359.35 | -45.07 | 4.17 | -    | 54.33 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5360.67 | -55.98 | 4.17 | 0.47 | 43.89 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5460    | -50.77 | 4.17 | -    | 48.63 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5460    | -57.84 | 4.17 | 0.47 | 42.03 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 4500    | -50.43 | 4.17 | -    | 48.97 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 4500    | -58.78 | 4.17 | 0.47 | 41.09 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5147.01 | -44.12 | 4.17 | -    | 55.28 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5147.01 | -55.78 | 4.17 | 0.47 | 44.09 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5150    | -46.28 | 4.17 | -    | 53.12 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant3 | 5150    | -55.14 | 4.17 | 0.47 | 44.73 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant3 | 4500    | -48.62 | 4.17 | -    | 50.78 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant3 | 4500    | -59.17 | 4.17 | 0.12 | 40.35 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant3 | 5147.5  | -44.5  | 4.17 | -    | 54.90 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant3 | 5146.8  | -56.32 | 4.17 | 0.12 | 43.20 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant3 | 5150    | -41.66 | 4.17 | -    | 57.74 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant3 | 5150    | -55.71 | 4.17 | 0.12 | 43.81 | Average | 54   | Pass |
| NVNT | be20 | 5240 | Ant3 | 5350    | -51.05 | 4.17 | -    | 48.35 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5240 | Ant3 | 5350    | -58.35 | 4.17 | 0.12 | 41.17 | Average | 54   | Pass |
| NVNT | be20 | 5240 | Ant3 | 5394.24 | -47.9  | 4.17 | -    | 51.50 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5240 | Ant3 | 5385.84 | -57.48 | 4.17 | 0.12 | 42.04 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |       |      |      |         |        |      |      |       |         |      |      |
|------|-------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | be20  | 5240 | Ant3 | 5460    | -50.53 | 4.17 | -    | 48.87 | Peak    | 68.2 | Pass |
| NVNT | be20  | 5240 | Ant3 | 5460    | -58.4  | 4.17 | 0.12 | 41.12 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant3 | 4500    | -50.87 | 4.17 | -    | 48.53 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant3 | 4500    | -58.91 | 4.17 | 0.24 | 40.73 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant3 | 5149.7  | -45.2  | 4.17 | -    | 54.20 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant3 | 5149.7  | -55.24 | 4.17 | 0.24 | 44.40 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant3 | 5150    | -45.2  | 4.17 | -    | 54.20 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant3 | 5150    | -55.24 | 4.17 | 0.24 | 44.40 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant3 | 5350    | -49.9  | 4.17 | -    | 49.50 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant3 | 5350    | -57.61 | 4.17 | 0.24 | 42.03 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant3 | 5360.37 | -47.79 | 4.17 | -    | 51.61 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant3 | 5369.82 | -57.36 | 4.17 | 0.24 | 42.28 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant3 | 5460    | -49.81 | 4.17 | -    | 49.59 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant3 | 5460    | -58.09 | 4.17 | 0.24 | 41.55 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 5350    | -47.25 | 4.17 | -    | 52.15 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 5350    | -55.96 | 4.17 | 0.47 | 43.91 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 5366.28 | -46.5  | 4.17 | -    | 52.90 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 5351.1  | -55.79 | 4.17 | 0.47 | 44.08 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 5460    | -48.98 | 4.17 | -    | 50.42 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 5460    | -57.61 | 4.17 | 0.47 | 42.26 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 4500    | -51.16 | 4.17 | -    | 48.24 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 4500    | -58.9  | 4.17 | 0.47 | 40.97 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 5147.8  | -43.11 | 4.17 | -    | 56.29 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 5149.38 | -55.55 | 4.17 | 0.47 | 44.32 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant3 | 5150    | -42.21 | 4.17 | -    | 57.19 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant3 | 5150    | -55.57 | 4.17 | 0.47 | 44.30 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5350    | -55.63 | 4.17 | -    | 43.77 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5350    | -63.8  | 4.17 | 3.77 | 39.37 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5350.85 | -45.11 | 4.17 | -    | 54.29 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5379.71 | -62.28 | 4.17 | 3.77 | 40.89 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5460    | -59.59 | 4.17 | -    | 39.81 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5460    | -67.38 | 4.17 | 3.77 | 35.79 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 4500    | -60.19 | 4.17 | -    | 39.21 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 4500    | -68.47 | 4.17 | 3.77 | 34.70 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5147.92 | -44.5  | 4.17 | -    | 54.90 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5143.37 | -58.98 | 4.17 | 3.77 | 44.19 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5150    | -47.62 | 4.17 | -    | 51.78 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant3 | 5150    | -60.31 | 4.17 | 3.77 | 42.86 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5350    | -52.17 | 4.17 | -    | 47.23 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5350    | -64.31 | 4.17 | 3.77 | 38.86 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5351.22 | -44.31 | 4.17 | -    | 55.09 | Peak    | 68.2 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




|      |       |      |      |         |        |      |      |       |         |      |      |
|------|-------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax160 | 5250 | Ant3 | 5362.32 | -60.73 | 4.17 | 3.77 | 42.44 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5460    | -56.23 | 4.17 | -    | 43.17 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5460    | -67.03 | 4.17 | 3.77 | 36.14 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 4500    | -59.42 | 4.17 | -    | 39.98 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant3 | 4500    | -67.9  | 4.17 | 3.77 | 35.27 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5142.46 | -44.79 | 4.17 | -    | 54.61 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5143.37 | -58.02 | 4.17 | 3.77 | 45.15 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5150    | -49.55 | 4.17 | -    | 49.85 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant3 | 5150    | -60.08 | 4.17 | 3.77 | 43.09 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 5350    | -42.49 | 4.17 | -    | 56.91 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 5350    | -57.73 | 4.17 | 3.76 | 45.43 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 5350.11 | -42.49 | 4.17 | -    | 56.91 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 5380.45 | -56.46 | 4.17 | 3.76 | 46.70 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 5460    | -49.12 | 4.17 | -    | 50.28 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 5460    | -57.75 | 4.17 | 3.76 | 45.41 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 4500    | -50.15 | 4.17 | -    | 49.25 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 4500    | -58.8  | 4.17 | 3.76 | 44.36 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 5147.92 | -44.57 | 4.17 | -    | 54.83 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 5139.73 | -55.42 | 4.17 | 3.76 | 47.74 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant3 | 5150    | -47.15 | 4.17 | -    | 52.25 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant3 | 5150    | -55.94 | 4.17 | 3.76 | 47.22 | Average | 54   | Pass |






## Test Graphs

## Restrict Band NVNT a 5180MHz Ant3 Peak



## Restrict Band NVNT a 5180MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5240MHz Ant3 Peak



## Restrict Band NVNT a 5240MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5180MHz Ant3 Peak




## Restrict Band NVNT n20 5180MHz Ant3 Average






## Restrict Band NVNT n20 5240MHz Ant3 Peak



## Restrict Band NVNT n20 5240MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5190MHz Ant3 Peak



## Restrict Band NVNT n40 5190MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5230MHz Ant3 Peak




## Restrict Band NVNT n40 5230MHz Ant3 Average






## Restrict Band NVNT ac20 5180MHz Ant3 Peak



## Restrict Band NVNT ac20 5180MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5240MHz Ant3 Peak




## Restrict Band NVNT ac20 5240MHz Ant3 Average






## Restrict Band NVNT ac40 5190MHz Ant3 Peak



## Restrict Band NVNT ac40 5190MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5230MHz Ant3 Peak




## Restrict Band NVNT ac40 5230MHz Ant3 Average






## Restrict Band NVNT ac80 5210MHz Ant3 Peak



## Restrict Band NVNT ac80 5210MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5210MHz Ant3 Peak



## Restrict Band NVNT ac80 5210MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5180MHz Ant3 Peak




## Restrict Band NVNT ax20 5180MHz Ant3 Average






## Restrict Band NVNT ax20 5240MHz Ant3 Peak



## Restrict Band NVNT ax20 5240MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5190MHz Ant3 Peak



## Restrict Band NVNT ax40 5190MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5230MHz Ant3 Peak



## Restrict Band NVNT ax40 5230MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5210MHz Ant3 Peak



## Restrict Band NVNT ax80 5210MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5210MHz Ant3 Peak



## Restrict Band NVNT ax80 5210MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be20 5180MHz Ant3 Peak



## Restrict Band NVNT be20 5180MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be20 5240MHz Ant3 Peak




## Restrict Band NVNT be20 5240MHz Ant3 Average






## Restrict Band NVNT be40 5190MHz Ant3 Peak



## Restrict Band NVNT be40 5190MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be40 5230MHz Ant3 Peak



## Restrict Band NVNT be40 5230MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be80 5210MHz Ant3 Peak



## Restrict Band NVNT be80 5210MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be80 5210MHz Ant3 Peak



## Restrict Band NVNT be80 5210MHz Ant3 Average



## Restrict Band NVNT ac160 5250MHz Ant3 Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Restrict Band NVNT ac160 5250MHz Ant3 Average






## Restrict Band NVNT ac160 5250MHz Ant3 Peak



## Restrict Band NVNT ac160 5250MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax160 5250MHz Ant3 Peak



## Restrict Band NVNT ax160 5250MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax160 5250MHz Ant3 Peak



## Restrict Band NVNT ax160 5250MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be160 5250MHz Ant3 Peak




## Restrict Band NVNT be160 5250MHz Ant3 Average






## Restrict Band NVNT be160 5250MHz Ant3 Peak



## Restrict Band NVNT be160 5250MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|------------------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5180               | Ant4    | 4500               | -50.77         | 4.08          | -                      | 48.54         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant4    | 4500               | -58.79         | 4.08          | 0.24                   | 40.76         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant4    | 5143.3             | -46.32         | 4.08          | -                      | 52.99         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant4    | 5130               | -56.31         | 4.08          | 0.24                   | 43.24         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant4    | 5150               | -47.44         | 4.08          | -                      | 51.87         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant4    | 5150               | -56.66         | 4.08          | 0.24                   | 42.89         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5350               | -49.58         | 4.08          | -                      | 49.73         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5350               | -58.07         | 4.08          | 0.24                   | 41.48         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5403.36            | -46.76         | 4.08          | -                      | 52.55         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5366.64            | -57.47         | 4.08          | 0.24                   | 42.08         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5460               | -50.8          | 4.08          | -                      | 48.51         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant4    | 5460               | -58.05         | 4.08          | 0.24                   | 41.50         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 4500               | -51.12         | 4.08          | -                      | 48.19         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 4500               | -58.45         | 4.08          | 0.12                   | 40.98         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 5144.7             | -46.02         | 4.08          | -                      | 53.29         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 5147.5             | -56.07         | 4.08          | 0.12                   | 43.36         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 5150               | -44.62         | 4.08          | -                      | 54.69         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant4    | 5150               | -55.54         | 4.08          | 0.12                   | 43.89         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5350               | -49.58         | 4.08          | -                      | 49.73         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5350               | -58.02         | 4.08          | 0.12                   | 41.41         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5402.88            | -47.34         | 4.08          | -                      | 51.97         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5436.48            | -57.34         | 4.08          | 0.12                   | 42.09         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5460               | -49.77         | 4.08          | -                      | 49.54         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant4    | 5460               | -58.18         | 4.08          | 0.12                   | 41.25         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 4500               | -51.21         | 4.08          | -                      | 48.10         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 4500               | -58.79         | 4.08          | 0.24                   | 40.76         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 5149.7             | -42.62         | 4.08          | -                      | 56.69         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 5149.7             | -55.45         | 4.08          | 0.24                   | 44.10         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 5150               | -42.62         | 4.08          | -                      | 56.69         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant4    | 5150               | -55.45         | 4.08          | 0.24                   | 44.10         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5350               | -48.19         | 4.08          | -                      | 51.12         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5350               | -58.46         | 4.08          | 0.24                   | 41.09         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5353.62            | -47.71         | 4.08          | -                      | 51.60         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5368.2             | -57.34         | 4.08          | 0.24                   | 42.21         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5460               | -51.52         | 4.08          | -                      | 47.79         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant4    | 5460               | -57.7          | 4.08          | 0.24                   | 41.85         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | Ant4    | 4500               | -50.7          | 4.08          | -                      | 48.61         | Peak     | 68.2              | Pass    |





|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20 | 5180 | Ant4 | 4500    | -59.51 | 4.08 | 0.12 | 39.92 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant4 | 5148.9  | -43.91 | 4.08 | -    | 55.40 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant4 | 5147.5  | -55.97 | 4.08 | 0.12 | 43.46 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant4 | 5150    | -44.9  | 4.08 | -    | 54.41 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant4 | 5150    | -55.32 | 4.08 | 0.12 | 44.11 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5350    | -49.97 | 4.08 | -    | 49.34 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5350    | -58.44 | 4.08 | 0.12 | 40.99 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5437.68 | -47.61 | 4.08 | -    | 51.70 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5438.64 | -57.32 | 4.08 | 0.12 | 42.11 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5460    | -50.13 | 4.08 | -    | 49.18 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant4 | 5460    | -58.58 | 4.08 | 0.12 | 40.85 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant4 | 4500    | -50.83 | 4.08 | -    | 48.48 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant4 | 4500    | -58.84 | 4.08 | 0.24 | 40.71 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant4 | 5149.7  | -45.56 | 4.08 | -    | 53.75 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant4 | 5149.7  | -55.05 | 4.08 | 0.24 | 44.50 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant4 | 5150    | -45.56 | 4.08 | -    | 53.75 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant4 | 5150    | -55.05 | 4.08 | 0.24 | 44.50 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5350    | -50.75 | 4.08 | -    | 48.56 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5350    | -58.36 | 4.08 | 0.23 | 41.18 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5395.2  | -47.33 | 4.08 | -    | 51.98 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5364.42 | -57.48 | 4.08 | 0.23 | 42.06 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5460    | -50.63 | 4.08 | -    | 48.68 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant4 | 5460    | -58.06 | 4.08 | 0.23 | 41.48 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5350    | -48.04 | 4.08 | -    | 51.27 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5350    | -56.27 | 4.08 | 0.47 | 43.51 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5364.96 | -45.32 | 4.08 | -    | 53.99 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5355.39 | -55.65 | 4.08 | 0.47 | 44.13 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5460    | -49.57 | 4.08 | -    | 49.74 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5460    | -58.13 | 4.08 | 0.47 | 41.65 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 4500    | -50.2  | 4.08 | -    | 49.11 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 4500    | -58.45 | 4.08 | 0.47 | 41.33 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5148.59 | -44.72 | 4.08 | -    | 54.59 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5149.38 | -55.41 | 4.08 | 0.47 | 44.37 | Average | 54   | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5150    | -47.18 | 4.08 | -    | 52.13 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5210 | Ant4 | 5150    | -55.54 | 4.08 | 0.47 | 44.24 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant4 | 4500    | -49.69 | 4.08 | -    | 49.62 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant4 | 4500    | -58.97 | 4.08 | 0.12 | 40.46 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant4 | 5148.2  | -43.8  | 4.08 | -    | 55.51 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant4 | 5149.6  | -55.64 | 4.08 | 0.12 | 43.79 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant4 | 5150    | -46.22 | 4.08 | -    | 53.09 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant4 | 5150    | -55.58 | 4.08 | 0.12 | 43.85 | Average | 54   | Pass |





|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax20 | 5240 | Ant4 | 5350    | -50.26 | 4.08 | -    | 49.05 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant4 | 5350    | -58.13 | 4.08 | 0.12 | 41.30 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant4 | 5451.84 | -46.86 | 4.08 | -    | 52.45 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant4 | 5351.28 | -57.31 | 4.08 | 0.12 | 42.12 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant4 | 5460    | -48.82 | 4.08 | -    | 50.49 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant4 | 5460    | -58.48 | 4.08 | 0.12 | 40.95 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant4 | 4500    | -50.56 | 4.08 | -    | 48.75 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant4 | 4500    | -58.81 | 4.08 | 0.24 | 40.74 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant4 | 5148.97 | -44.67 | 4.08 | -    | 54.64 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant4 | 5148.97 | -55.29 | 4.08 | 0.24 | 44.26 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant4 | 5150    | -44.92 | 4.08 | -    | 54.39 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant4 | 5150    | -55.68 | 4.08 | 0.24 | 43.87 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5350    | -50.22 | 4.08 | -    | 49.09 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5350    | -58.42 | 4.08 | 0.24 | 41.13 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5411.94 | -47.58 | 4.08 | -    | 51.73 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5381.43 | -57.47 | 4.08 | 0.24 | 42.08 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5460    | -49.4  | 4.08 | -    | 49.91 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant4 | 5460    | -58.49 | 4.08 | 0.24 | 41.06 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5350    | -47.18 | 4.08 | -    | 52.13 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5350    | -56.18 | 4.08 | 0.47 | 43.60 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5370.57 | -46.04 | 4.08 | -    | 53.27 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5352.42 | -55.65 | 4.08 | 0.47 | 44.13 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5460    | -49.5  | 4.08 | -    | 49.81 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5460    | -57.34 | 4.08 | 0.47 | 42.44 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 4500    | -50.22 | 4.08 | -    | 49.09 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 4500    | -58.85 | 4.08 | 0.47 | 40.93 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5145.43 | -45.18 | 4.08 | -    | 54.13 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5147.8  | -55.3  | 4.08 | 0.47 | 44.48 | Average | 54   | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5150    | -45.03 | 4.08 | -    | 54.28 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5210 | Ant4 | 5150    | -54.93 | 4.08 | 0.47 | 44.85 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant4 | 4500    | -51.52 | 4.08 | -    | 47.79 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant4 | 4500    | -58.99 | 4.08 | 0.12 | 40.44 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant4 | 5149.6  | -45.82 | 4.08 | -    | 53.49 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant4 | 5148.9  | -55.48 | 4.08 | 0.12 | 43.95 | Average | 54   | Pass |
| NVNT | be20 | 5180 | Ant4 | 5150    | -46.09 | 4.08 | -    | 53.22 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5180 | Ant4 | 5150    | -55.73 | 4.08 | 0.12 | 43.70 | Average | 54   | Pass |
| NVNT | be20 | 5240 | Ant4 | 5350    | -51.03 | 4.08 | -    | 48.28 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5240 | Ant4 | 5350    | -58.51 | 4.08 | 0.12 | 40.92 | Average | 54   | Pass |
| NVNT | be20 | 5240 | Ant4 | 5433.6  | -47.48 | 4.08 | -    | 51.83 | Peak    | 68.2 | Pass |
| NVNT | be20 | 5240 | Ant4 | 5387.28 | -57.36 | 4.08 | 0.12 | 42.07 | Average | 54   | Pass |
| NVNT | be20 | 5240 | Ant4 | 5460    | -49.18 | 4.08 | -    | 50.13 | Peak    | 68.2 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |       |      |      |         |        |      |      |       |         |      |      |
|------|-------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | be20  | 5240 | Ant4 | 5460    | -58.73 | 4.08 | 0.12 | 40.70 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant4 | 4500    | -50.51 | 4.08 | -    | 48.80 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant4 | 4500    | -58.78 | 4.08 | 0.24 | 40.77 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant4 | 5147.51 | -41.01 | 4.08 | -    | 58.30 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant4 | 5148.97 | -55.25 | 4.08 | 0.24 | 44.30 | Average | 54   | Pass |
| NVNT | be40  | 5190 | Ant4 | 5150    | -42.07 | 4.08 | -    | 57.24 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5190 | Ant4 | 5150    | -55.89 | 4.08 | 0.24 | 43.66 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant4 | 5350    | -49.13 | 4.08 | -    | 50.18 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant4 | 5350    | -57.82 | 4.08 | 0.24 | 41.73 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant4 | 5405.46 | -46.97 | 4.08 | -    | 52.34 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant4 | 5400.87 | -57.39 | 4.08 | 0.24 | 42.16 | Average | 54   | Pass |
| NVNT | be40  | 5230 | Ant4 | 5460    | -50.98 | 4.08 | -    | 48.33 | Peak    | 68.2 | Pass |
| NVNT | be40  | 5230 | Ant4 | 5460    | -58.35 | 4.08 | 0.24 | 41.20 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 5350    | -48.83 | 4.08 | -    | 50.48 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 5350    | -56.17 | 4.08 | 0.47 | 43.61 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 5372.55 | -45.54 | 4.08 | -    | 53.77 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 5350.77 | -55.93 | 4.08 | 0.47 | 43.85 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 5460    | -50.35 | 4.08 | -    | 48.96 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 5460    | -57.65 | 4.08 | 0.47 | 42.13 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 4500    | -51.32 | 4.08 | -    | 47.99 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 4500    | -58.64 | 4.08 | 0.47 | 41.14 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 5096.45 | -45.94 | 4.08 | -    | 53.37 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 5147.01 | -55.7  | 4.08 | 0.47 | 44.08 | Average | 54   | Pass |
| NVNT | be80  | 5210 | Ant4 | 5150    | -45.98 | 4.08 | -    | 53.33 | Peak    | 68.2 | Pass |
| NVNT | be80  | 5210 | Ant4 | 5150    | -55.91 | 4.08 | 0.47 | 43.87 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5350    | -53.94 | 4.08 | -    | 45.37 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5350    | -64.43 | 4.08 | 3.77 | 38.65 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5352.7  | -43.97 | 4.08 | -    | 55.34 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5381.56 | -62.24 | 4.08 | 3.77 | 40.84 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5460    | -56.8  | 4.08 | -    | 42.51 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5460    | -66.73 | 4.08 | 3.77 | 36.35 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 4500    | -60.46 | 4.08 | -    | 38.85 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 4500    | -68.79 | 4.08 | 3.77 | 34.29 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5141.55 | -47.44 | 4.08 | -    | 51.87 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5138.82 | -63.33 | 4.08 | 3.77 | 39.75 | Average | 54   | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5150    | -54.26 | 4.08 | -    | 45.05 | Peak    | 68.2 | Pass |
| NVNT | ac160 | 5250 | Ant4 | 5150    | -64.03 | 4.08 | 3.77 | 39.05 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5350    | -53.28 | 4.08 | -    | 46.03 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5350    | -64.51 | 4.08 | 3.79 | 38.59 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5354.18 | -43.68 | 4.08 | -    | 55.63 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5353.44 | -60.97 | 4.08 | 3.79 | 42.13 | Average | 54   | Pass |






|      |       |      |      |         |        |      |      |       |         |      |      |
|------|-------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax160 | 5250 | Ant4 | 5460    | -58.27 | 4.08 | -    | 41.04 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5460    | -67.14 | 4.08 | 3.79 | 35.96 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant4 | 4500    | -60.14 | 4.08 | -    | 39.17 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 4500    | -68.82 | 4.08 | 3.79 | 34.28 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5129.72 | -49.97 | 4.08 | -    | 49.34 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5143.37 | -61.63 | 4.08 | 3.79 | 41.47 | Average | 54   | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5150    | -53.45 | 4.08 | -    | 45.86 | Peak    | 68.2 | Pass |
| NVNT | ax160 | 5250 | Ant4 | 5150    | -62.24 | 4.08 | 3.79 | 40.86 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 5350    | -49.96 | 4.08 | -    | 49.35 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 5350    | -57.72 | 4.08 | 3.79 | 45.38 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 5352.33 | -43.64 | 4.08 | -    | 55.67 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 5371.2  | -56.09 | 4.08 | 3.79 | 47.01 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 5460    | -49.92 | 4.08 | -    | 49.39 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 5460    | -57.83 | 4.08 | 3.79 | 45.27 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 4500    | -50.25 | 4.08 | -    | 49.06 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 4500    | -58.6  | 4.08 | 3.79 | 44.50 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 5056.92 | -46.03 | 4.08 | -    | 53.28 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 5118.8  | -56.31 | 4.08 | 3.79 | 46.79 | Average | 54   | Pass |
| NVNT | be160 | 5250 | Ant4 | 5150    | -48.57 | 4.08 | -    | 50.74 | Peak    | 68.2 | Pass |
| NVNT | be160 | 5250 | Ant4 | 5150    | -57.2  | 4.08 | 3.79 | 45.90 | Average | 54   | Pass |






## Test Graphs

## Restrict Band NVNT a 5180MHz Ant4 Peak



## Restrict Band NVNT a 5180MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5240MHz Ant4 Peak



## Restrict Band NVNT a 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5180MHz Ant4 Peak



## Restrict Band NVNT n20 5180MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5240MHz Ant4 Peak



## Restrict Band NVNT n20 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5190MHz Ant4 Peak



## Restrict Band NVNT n40 5190MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5230MHz Ant4 Peak




## Restrict Band NVNT n40 5230MHz Ant4 Average






## Restrict Band NVNT ac20 5180MHz Ant4 Peak



## Restrict Band NVNT ac20 5180MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5240MHz Ant4 Peak



## Restrict Band NVNT ac20 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5190MHz Ant4 Peak



## Restrict Band NVNT ac40 5190MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5230MHz Ant4 Peak



## Restrict Band NVNT ac40 5230MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5210MHz Ant4 Peak




## Restrict Band NVNT ac80 5210MHz Ant4 Average






## Restrict Band NVNT ac80 5210MHz Ant4 Peak



## Restrict Band NVNT ac80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5180MHz Ant4 Peak



## Restrict Band NVNT ax20 5180MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5240MHz Ant4 Peak



## Restrict Band NVNT ax20 5240MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5190MHz Ant4 Peak



## Restrict Band NVNT ax40 5190MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5230MHz Ant4 Peak




## Restrict Band NVNT ax40 5230MHz Ant4 Average






## Restrict Band NVNT ax80 5210MHz Ant4 Peak



## Restrict Band NVNT ax80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5210MHz Ant4 Peak



## Restrict Band NVNT ax80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be20 5180MHz Ant4 Peak




## Restrict Band NVNT be20 5180MHz Ant4 Average






## Restrict Band NVNT be20 5240MHz Ant4 Peak




## Restrict Band NVNT be20 5240MHz Ant4 Average






## Restrict Band NVNT be40 5190MHz Ant4 Peak



## Restrict Band NVNT be40 5190MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT be40 5230MHz Ant4 Peak




## Restrict Band NVNT be40 5230MHz Ant4 Average






## Restrict Band NVNT be80 5210MHz Ant4 Peak



## Restrict Band NVNT be80 5210MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity