



Appendix C

RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: BE3600 Whole Home Mesh Wi-Fi 7 System(2.5GE)

Test Model: ME3 Pro

Environmental Conditions

Temperature:	24.6 ° C
Relative Humidity:	53.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Paddi Chen



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant3	26.045	---	Pass
NVNT	a	5300	Ant3	26.268	---	Pass
NVNT	a	5320	Ant3	28.776	---	Pass
NVNT	n20	5260	Ant3	26.041	---	Pass
NVNT	n20	5300	Ant3	25.1	---	Pass
NVNT	n20	5320	Ant3	28.62	---	Pass
NVNT	n40	5270	Ant3	46.258	---	Pass
NVNT	n40	5310	Ant3	48.05	---	Pass
NVNT	ac20	5260	Ant3	28.465	---	Pass
NVNT	ac20	5300	Ant3	28.265	---	Pass
NVNT	ac20	5320	Ant3	26.962	---	Pass
NVNT	ac40	5270	Ant3	47.135	---	Pass
NVNT	ac40	5310	Ant3	45.834	---	Pass
NVNT	ac80	5290	Ant3	85.876	---	Pass
NVNT	ax20	5260	Ant3	26.252	---	Pass
NVNT	ax20	5300	Ant3	29.69	---	Pass
NVNT	ax20	5320	Ant3	29.19	---	Pass
NVNT	ax40	5270	Ant3	40.714	---	Pass
NVNT	ax40	5310	Ant3	45.518	---	Pass
NVNT	ax80	5290	Ant3	85.34	---	Pass
NVNT	be20	5260	Ant3	26.405	---	Pass
NVNT	be20	5300	Ant3	29.385	---	Pass
NVNT	be20	5320	Ant3	27.994	---	Pass
NVNT	be40	5270	Ant3	46.724	---	Pass
NVNT	be40	5310	Ant3	51.746	---	Pass
NVNT	be80	5290	Ant3	87.707	---	Pass
NVNT	ac160	5250	Ant3	193.209	---	Pass
NVNT	ax160	5250	Ant3	205.64	---	Pass
NVNT	be160	5250	Ant3	218.718	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant3




-26dB Bandwidth NVNT a 5300MHz Ant3






-26dB Bandwidth NVNT a 5320MHz Ant3



-26dB Bandwidth NVNT n20 5260MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5300MHz Ant3



-26dB Bandwidth NVNT n20 5320MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant3



-26dB Bandwidth NVNT n40 5310MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant3



-26dB Bandwidth NVNT ac20 5300MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant3




-26dB Bandwidth NVNT ac40 5270MHz Ant3






-26dB Bandwidth NVNT ac40 5310MHz Ant3



-26dB Bandwidth NVNT ac80 5290MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant3



-26dB Bandwidth NVNT ax20 5300MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant3



-26dB Bandwidth NVNT ax40 5270MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5310MHz Ant3



-26dB Bandwidth NVNT ax80 5290MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5260MHz Ant3



-26dB Bandwidth NVNT be20 5300MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5320MHz Ant3



-26dB Bandwidth NVNT be40 5270MHz Ant3



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be40 5310MHz Ant3



-26dB Bandwidth NVNT be80 5290MHz Ant3



-26dB Bandwidth NVNT ac160 5250MHz Ant3




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant3








Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant4	26.12	---	Pass
NVNT	a	5300	Ant4	27.892	---	Pass
NVNT	a	5320	Ant4	25.171	---	Pass
NVNT	n20	5260	Ant4	28.933	---	Pass
NVNT	n20	5300	Ant4	27.779	---	Pass
NVNT	n20	5320	Ant4	27.486	---	Pass
NVNT	n40	5270	Ant4	42.974	---	Pass
NVNT	n40	5310	Ant4	47.385	---	Pass
NVNT	ac20	5260	Ant4	29.577	---	Pass
NVNT	ac20	5300	Ant4	28.93	---	Pass
NVNT	ac20	5320	Ant4	27.15	---	Pass
NVNT	ac40	5270	Ant4	48.206	---	Pass
NVNT	ac40	5310	Ant4	48.663	---	Pass
NVNT	ac80	5290	Ant4	86.047	---	Pass
NVNT	ax20	5260	Ant4	28.79	---	Pass
NVNT	ax20	5300	Ant4	28.776	---	Pass
NVNT	ax20	5320	Ant4	27.988	---	Pass
NVNT	ax40	5270	Ant4	48.303	---	Pass
NVNT	ax40	5310	Ant4	51.093	---	Pass
NVNT	ax80	5290	Ant4	85.445	---	Pass
NVNT	be20	5260	Ant4	28.847	---	Pass
NVNT	be20	5300	Ant4	28.314	---	Pass
NVNT	be20	5320	Ant4	27.338	---	Pass
NVNT	be40	5270	Ant4	56.064	---	Pass
NVNT	be40	5310	Ant4	44.159	---	Pass
NVNT	be80	5290	Ant4	85.832	---	Pass
NVNT	ac160	5250	Ant4	214.675	---	Pass
NVNT	ax160	5250	Ant4	208.128	---	Pass
NVNT	be160	5250	Ant4	218.673	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant4




-26dB Bandwidth NVNT a 5300MHz Ant4






-26dB Bandwidth NVNT a 5320MHz Ant4



-26dB Bandwidth NVNT n20 5260MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5300MHz Ant4



-26dB Bandwidth NVNT n20 5320MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant4



-26dB Bandwidth NVNT n40 5310MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant4




-26dB Bandwidth NVNT ac20 5300MHz Ant4






-26dB Bandwidth NVNT ac20 5320MHz Ant4



-26dB Bandwidth NVNT ac40 5270MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant4



-26dB Bandwidth NVNT ac80 5290MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant4




-26dB Bandwidth NVNT ax20 5300MHz Ant4






-26dB Bandwidth NVNT ax20 5320MHz Ant4




-26dB Bandwidth NVNT ax40 5270MHz Ant4






-26dB Bandwidth NVNT ax40 5310MHz Ant4



-26dB Bandwidth NVNT ax80 5290MHz Ant4



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5260MHz Ant4




-26dB Bandwidth NVNT be20 5300MHz Ant4






-26dB Bandwidth NVNT be20 5320MHz Ant4




-26dB Bandwidth NVNT be40 5270MHz Ant4






-26dB Bandwidth NVNT be40 5310MHz Ant4



-26dB Bandwidth NVNT be80 5290MHz Ant4



-26dB Bandwidth NVNT ac160 5250MHz Ant4




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant4







Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant5	25.401	---	Pass
NVNT	a	5300	Ant5	25.192	---	Pass
NVNT	a	5320	Ant5	28.146	---	Pass
NVNT	n20	5260	Ant5	28.074	---	Pass
NVNT	n20	5300	Ant5	29.244	---	Pass
NVNT	n20	5320	Ant5	29.233	---	Pass
NVNT	n40	5270	Ant5	48.643	---	Pass
NVNT	n40	5310	Ant5	47.326	---	Pass
NVNT	ac20	5260	Ant5	28.251	---	Pass
NVNT	ac20	5300	Ant5	29.283	---	Pass
NVNT	ac20	5320	Ant5	25.844	---	Pass
NVNT	ac40	5270	Ant5	49.955	---	Pass
NVNT	ac40	5310	Ant5	52.31	---	Pass
NVNT	ac80	5290	Ant5	86.368	---	Pass
NVNT	ax20	5260	Ant5	27.541	---	Pass
NVNT	ax20	5300	Ant5	29.407	---	Pass
NVNT	ax20	5320	Ant5	28.537	---	Pass
NVNT	ax40	5270	Ant5	44.926	---	Pass
NVNT	ax40	5310	Ant5	46.834	---	Pass
NVNT	ax80	5290	Ant5	86.329	---	Pass
NVNT	be20	5260	Ant5	28.686	---	Pass
NVNT	be20	5300	Ant5	27.819	---	Pass
NVNT	be20	5320	Ant5	29.589	---	Pass
NVNT	be40	5270	Ant5	46.216	---	Pass
NVNT	be40	5310	Ant5	47.492	---	Pass
NVNT	be80	5290	Ant5	86.568	---	Pass
NVNT	ac160	5250	Ant5	170.603	---	Pass
NVNT	ax160	5250	Ant5	168.372	---	Pass
NVNT	be160	5250	Ant5	163.878	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant5



-26dB Bandwidth NVNT a 5300MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant5




-26dB Bandwidth NVNT n20 5260MHz Ant5






-26dB Bandwidth NVNT n20 5300MHz Ant5



-26dB Bandwidth NVNT n20 5320MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant5




-26dB Bandwidth NVNT n40 5310MHz Ant5






-26dB Bandwidth NVNT ac20 5260MHz Ant5



-26dB Bandwidth NVNT ac20 5300MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant5



-26dB Bandwidth NVNT ac40 5270MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant5



-26dB Bandwidth NVNT ac80 5290MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant5



-26dB Bandwidth NVNT ax20 5300MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant5



-26dB Bandwidth NVNT ax40 5270MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5310MHz Ant5



-26dB Bandwidth NVNT ax80 5290MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5260MHz Ant5



-26dB Bandwidth NVNT be20 5300MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be20 5320MHz Ant5



-26dB Bandwidth NVNT be40 5270MHz Ant5



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT be40 5310MHz Ant5



-26dB Bandwidth NVNT be80 5290MHz Ant5



-26dB Bandwidth NVNT ac160 5250MHz Ant5




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax160 5250MHz Ant5







C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant3	13.61	0.24	13.85	24	Pass
NVNT	a	5300	Ant3	12.81	0.24	13.05	24	Pass
NVNT	a	5320	Ant3	12.76	0.24	13	24	Pass
NVNT	n20	5260	Ant3	12.09	0.12	12.21	24	Pass
NVNT	n20	5300	Ant3	12.27	0.12	12.39	24	Pass
NVNT	n20	5320	Ant3	12.3	0.12	12.42	24	Pass
NVNT	n40	5270	Ant3	11.44	0.24	11.68	24	Pass
NVNT	n40	5310	Ant3	12.06	0.24	12.3	24	Pass
NVNT	ac20	5260	Ant3	12.07	0.12	12.19	24	Pass
NVNT	ac20	5300	Ant3	12.33	0.12	12.45	24	Pass
NVNT	ac20	5320	Ant3	12.32	0.12	12.44	24	Pass
NVNT	ac40	5270	Ant3	11.34	0.24	11.58	24	Pass
NVNT	ac40	5310	Ant3	12.83	0.23	13.06	24	Pass
NVNT	ac80	5290	Ant3	11.96	0.47	12.43	24	Pass
NVNT	ax20	5260	Ant3	12.06	0.12	12.18	24	Pass
NVNT	ax20	5300	Ant3	12.17	0.12	12.29	24	Pass
NVNT	ax20	5320	Ant3	12.32	0.12	12.44	24	Pass
NVNT	ax40	5270	Ant3	11.39	0.24	11.63	24	Pass
NVNT	ax40	5310	Ant3	12.96	0.24	13.2	24	Pass
NVNT	ax80	5290	Ant3	11.9	0.47	12.37	24	Pass
NVNT	be20	5260	Ant3	12.04	0.12	12.16	24	Pass
NVNT	be20	5300	Ant3	12.32	0.12	12.44	24	Pass
NVNT	be20	5320	Ant3	12.36	0.12	12.48	24	Pass
NVNT	be40	5270	Ant3	11.38	0.24	11.62	24	Pass
NVNT	be40	5310	Ant3	12.23	0.23	12.46	24	Pass
NVNT	be80	5290	Ant3	11.85	0.47	12.32	24	Pass
NVNT	ac160	5250	Ant3	11.32	3.77	15.09	24	Pass
NVNT	ax160	5250	Ant3	11.87	3.77	15.64	24	Pass
NVNT	be160	5250	Ant3	11.79	3.76	15.55	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant4	13.58	0.24	13.82	24	Pass
NVNT	a	5300	Ant4	12.86	0.24	13.1	24	Pass
NVNT	a	5320	Ant4	12.78	0.24	13.02	24	Pass
NVNT	n20	5260	Ant4	12.12	0.12	12.24	24	Pass
NVNT	n20	5300	Ant4	12.39	0.12	12.51	24	Pass
NVNT	n20	5320	Ant4	12.4	0.12	12.52	24	Pass
NVNT	n40	5270	Ant4	11.39	0.23	11.62	24	Pass
NVNT	n40	5310	Ant4	12.18	0.24	12.42	24	Pass
NVNT	ac20	5260	Ant4	12.15	0.12	12.27	24	Pass
NVNT	ac20	5300	Ant4	12.34	0.12	12.46	24	Pass
NVNT	ac20	5320	Ant4	12.29	0.12	12.41	24	Pass
NVNT	ac40	5270	Ant4	11.38	0.24	11.62	24	Pass
NVNT	ac40	5310	Ant4	11.97	0.23	12.2	24	Pass
NVNT	ac80	5290	Ant4	11.8	0.47	12.27	24	Pass
NVNT	ax20	5260	Ant4	12	0.12	12.12	24	Pass
NVNT	ax20	5300	Ant4	12.17	0.12	12.29	24	Pass
NVNT	ax20	5320	Ant4	12.29	0.12	12.41	24	Pass
NVNT	ax40	5270	Ant4	11.38	0.24	11.62	24	Pass
NVNT	ax40	5310	Ant4	12.16	0.24	12.4	24	Pass
NVNT	ax80	5290	Ant4	11.8	0.47	12.27	24	Pass
NVNT	be20	5260	Ant4	12.03	0.12	12.15	24	Pass
NVNT	be20	5300	Ant4	12.13	0.12	12.25	24	Pass
NVNT	be20	5320	Ant4	12.32	0.12	12.44	24	Pass
NVNT	be40	5270	Ant4	11.4	0.24	11.64	24	Pass
NVNT	be40	5310	Ant4	12.2	0.24	12.44	24	Pass
NVNT	be80	5290	Ant4	11.87	0.47	12.34	24	Pass
NVNT	ac160	5250	Ant4	12.38	3.77	16.15	24	Pass
NVNT	ax160	5250	Ant4	12.29	3.79	16.08	24	Pass
NVNT	be160	5250	Ant4	12.39	3.79	16.18	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant5	13.71	0.24	13.95	24	Pass
NVNT	a	5300	Ant5	13.67	0.24	13.91	24	Pass
NVNT	a	5320	Ant5	13.8	0.24	14.04	24	Pass
NVNT	n20	5260	Ant5	12.07	0.12	12.19	24	Pass
NVNT	n20	5300	Ant5	12.24	0.12	12.36	24	Pass
NVNT	n20	5320	Ant5	12.49	0.12	12.61	24	Pass
NVNT	n40	5270	Ant5	11.61	0.24	11.85	24	Pass
NVNT	n40	5310	Ant5	12.07	0.24	12.31	24	Pass
NVNT	ac20	5260	Ant5	12.07	0.12	12.19	24	Pass
NVNT	ac20	5300	Ant5	12.28	0.12	12.4	24	Pass
NVNT	ac20	5320	Ant5	12.48	0.12	12.6	24	Pass
NVNT	ac40	5270	Ant5	11.56	0.24	11.8	24	Pass
NVNT	ac40	5310	Ant5	11.46	0.24	11.7	24	Pass
NVNT	ac80	5290	Ant5	12.1	0.47	12.57	24	Pass
NVNT	ax20	5260	Ant5	12.05	0.12	12.17	24	Pass
NVNT	ax20	5300	Ant5	12.25	0.12	12.37	24	Pass
NVNT	ax20	5320	Ant5	12.33	0.12	12.45	24	Pass
NVNT	ax40	5270	Ant5	11.63	0.24	11.87	24	Pass
NVNT	ax40	5310	Ant5	11.48	0.24	11.72	24	Pass
NVNT	ax80	5290	Ant5	12.03	0.47	12.5	24	Pass
NVNT	be20	5260	Ant5	12.05	0.12	12.17	24	Pass
NVNT	be20	5300	Ant5	12.23	0.12	12.35	24	Pass
NVNT	be20	5320	Ant5	12.53	0.12	12.65	24	Pass
NVNT	be40	5270	Ant5	11.63	0.24	11.87	24	Pass
NVNT	be40	5310	Ant5	11.44	0.24	11.68	24	Pass
NVNT	be80	5290	Ant5	11.99	0.47	12.46	24	Pass
NVNT	ac160	5250	Ant5	12.58	3.76	16.34	24	Pass
NVNT	ax160	5250	Ant5	11.98	3.77	15.75	24	Pass
NVNT	be160	5250	Ant5	11.83	3.79	15.62	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)				Limit (dBm)	Verdict
			Ant3	Ant4	Ant5	Ant3+Ant4+ Ant5		
NVNT	n20	5260	12.21	12.24	12.19	16.98	24	Pass
NVNT	n20	5300	12.39	12.51	12.36	17.19	24	Pass
NVNT	n20	5320	12.42	12.52	12.61	17.29	24	Pass
NVNT	n40	5270	11.68	11.62	11.85	16.49	24	Pass
NVNT	n40	5310	12.3	12.42	12.31	17.11	24	Pass
NVNT	ac20	5260	12.19	12.27	12.19	16.99	24	Pass
NVNT	ac20	5300	12.45	12.46	12.4	17.21	24	Pass
NVNT	ac20	5320	12.44	12.41	12.6	17.26	24	Pass
NVNT	ac40	5270	11.58	11.62	11.8	16.44	24	Pass
NVNT	ac40	5310	13.06	12.2	11.7	17.13	24	Pass
NVNT	ac80	5290	12.43	12.27	12.57	17.20	24	Pass
NVNT	ax20	5260	12.18	12.12	12.17	16.93	24	Pass
NVNT	ax20	5300	12.29	12.29	12.37	17.09	24	Pass
NVNT	ax20	5320	12.44	12.41	12.45	17.20	24	Pass
NVNT	ax40	5270	11.63	11.62	11.87	16.48	24	Pass
NVNT	ax40	5310	13.2	12.4	11.72	17.25	24	Pass
NVNT	ax80	5290	12.37	12.27	12.5	17.15	24	Pass
NVNT	be20	5260	12.16	12.15	12.17	16.93	24	Pass
NVNT	be20	5300	12.44	12.25	12.35	17.12	24	Pass
NVNT	be20	5320	12.48	12.44	12.65	17.30	24	Pass
NVNT	be40	5270	11.62	11.64	11.87	16.48	24	Pass
NVNT	be40	5310	12.46	12.44	11.68	16.98	24	Pass
NVNT	be80	5290	12.32	12.34	12.46	17.14	24	Pass
NVNT	ac160	5250	15.09	16.15	16.34	20.67	24	Pass
NVNT	ax160	5250	15.64	16.08	15.75	20.60	24	Pass
NVNT	be160	5250	15.55	16.18	15.62	20.56	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant3	2.88	0.24	3.12	11	Pass
NVNT	a	5300	Ant3	2.17	0.24	2.41	11	Pass
NVNT	a	5320	Ant3	2.04	0.24	2.28	11	Pass
NVNT	n20	5260	Ant3	1.33	0.12	1.45	11	Pass
NVNT	n20	5300	Ant3	1.54	0.12	1.66	11	Pass
NVNT	n20	5320	Ant3	1.68	0.12	1.8	11	Pass
NVNT	n40	5270	Ant3	-2.15	0.24	-1.91	11	Pass
NVNT	n40	5310	Ant3	-2.07	0.24	-1.83	11	Pass
NVNT	ac20	5260	Ant3	1.38	0.12	1.5	11	Pass
NVNT	ac20	5300	Ant3	1.58	0.12	1.7	11	Pass
NVNT	ac20	5320	Ant3	1.54	0.12	1.66	11	Pass
NVNT	ac40	5270	Ant3	-2.39	0.24	-2.15	11	Pass
NVNT	ac40	5310	Ant3	-0.56	0.23	-0.33	11	Pass
NVNT	ac80	5290	Ant3	-4.86	0.47	-4.39	11	Pass
NVNT	ax20	5260	Ant3	1.28	0.12	1.4	11	Pass
NVNT	ax20	5300	Ant3	1.24	0.12	1.36	11	Pass
NVNT	ax20	5320	Ant3	1.44	0.12	1.56	11	Pass
NVNT	ax40	5270	Ant3	-2.15	0.24	-1.91	11	Pass
NVNT	ax40	5310	Ant3	-0.86	0.24	-0.62	11	Pass
NVNT	ax80	5290	Ant3	-5.05	0.47	-4.58	11	Pass
NVNT	be20	5260	Ant3	1.42	0.12	1.54	11	Pass
NVNT	be20	5300	Ant3	1.42	0.12	1.54	11	Pass
NVNT	be20	5320	Ant3	1.56	0.12	1.68	11	Pass
NVNT	be40	5270	Ant3	-2.62	0.24	-2.38	11	Pass
NVNT	be40	5310	Ant3	-1.78	0.23	-1.55	11	Pass
NVNT	be80	5290	Ant3	-4.98	0.47	-4.51	11	Pass
NVNT	ac160	5250	Ant3	-5.93	3.77	-2.16	11	Pass
NVNT	ax160	5250	Ant3	-5.68	3.77	-1.91	11	Pass
NVNT	be160	5250	Ant3	-5.15	3.76	-1.39	11	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant4	2.99	0.24	3.23	11	Pass
NVNT	a	5300	Ant4	2.33	0.24	2.57	11	Pass
NVNT	a	5320	Ant4	2.39	0.24	2.63	11	Pass
NVNT	n20	5260	Ant4	1.45	0.12	1.57	11	Pass
NVNT	n20	5300	Ant4	1.76	0.12	1.88	11	Pass
NVNT	n20	5320	Ant4	1.73	0.12	1.85	11	Pass
NVNT	n40	5270	Ant4	-2.35	0.23	-2.12	11	Pass
NVNT	n40	5310	Ant4	-1.91	0.24	-1.67	11	Pass
NVNT	ac20	5260	Ant4	1.44	0.12	1.56	11	Pass
NVNT	ac20	5300	Ant4	1.47	0.12	1.59	11	Pass
NVNT	ac20	5320	Ant4	1.47	0.12	1.59	11	Pass
NVNT	ac40	5270	Ant4	-2.45	0.24	-2.21	11	Pass
NVNT	ac40	5310	Ant4	-1.8	0.23	-1.57	11	Pass
NVNT	ac80	5290	Ant4	-4.94	0.47	-4.47	11	Pass
NVNT	ax20	5260	Ant4	1.2	0.12	1.32	11	Pass
NVNT	ax20	5300	Ant4	1.43	0.12	1.55	11	Pass
NVNT	ax20	5320	Ant4	1.67	0.12	1.79	11	Pass
NVNT	ax40	5270	Ant4	-2.43	0.24	-2.19	11	Pass
NVNT	ax40	5310	Ant4	-1.89	0.24	-1.65	11	Pass
NVNT	ax80	5290	Ant4	-5.13	0.47	-4.66	11	Pass
NVNT	be20	5260	Ant4	1.11	0.12	1.23	11	Pass
NVNT	be20	5300	Ant4	1.6	0.12	1.72	11	Pass
NVNT	be20	5320	Ant4	1.59	0.12	1.71	11	Pass
NVNT	be40	5270	Ant4	-2.75	0.24	-2.51	11	Pass
NVNT	be40	5310	Ant4	-2	0.24	-1.76	11	Pass
NVNT	be80	5290	Ant4	-5.05	0.47	-4.58	11	Pass
NVNT	ac160	5250	Ant4	-5.55	3.77	-1.78	11	Pass
NVNT	ax160	5250	Ant4	-5.21	3.79	-1.42	11	Pass
NVNT	be160	5250	Ant4	-4.86	3.79	-1.07	11	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant5	3.14	0.24	3.38	11	Pass
NVNT	a	5300	Ant5	3.04	0.24	3.28	11	Pass
NVNT	a	5320	Ant5	3.2	0.24	3.44	11	Pass
NVNT	n20	5260	Ant5	1.35	0.12	1.47	11	Pass
NVNT	n20	5300	Ant5	1.22	0.12	1.34	11	Pass
NVNT	n20	5320	Ant5	1.64	0.12	1.76	11	Pass
NVNT	n40	5270	Ant5	-2.37	0.24	-2.13	11	Pass
NVNT	n40	5310	Ant5	-1.63	0.24	-1.39	11	Pass
NVNT	ac20	5260	Ant5	1.31	0.12	1.43	11	Pass
NVNT	ac20	5300	Ant5	1.36	0.12	1.48	11	Pass
NVNT	ac20	5320	Ant5	1.66	0.12	1.78	11	Pass
NVNT	ac40	5270	Ant5	-2.06	0.24	-1.82	11	Pass
NVNT	ac40	5310	Ant5	-2.65	0.24	-2.41	11	Pass
NVNT	ac80	5290	Ant5	-4.66	0.47	-4.19	11	Pass
NVNT	ax20	5260	Ant5	1.69	0.12	1.81	11	Pass
NVNT	ax20	5300	Ant5	1.17	0.12	1.29	11	Pass
NVNT	ax20	5320	Ant5	1.75	0.12	1.87	11	Pass
NVNT	ax40	5270	Ant5	-2.1	0.24	-1.86	11	Pass
NVNT	ax40	5310	Ant5	-2.53	0.24	-2.29	11	Pass
NVNT	ax80	5290	Ant5	-4.47	0.47	-4	11	Pass
NVNT	be20	5260	Ant5	1.25	0.12	1.37	11	Pass
NVNT	be20	5300	Ant5	1.33	0.12	1.45	11	Pass
NVNT	be20	5320	Ant5	1.62	0.12	1.74	11	Pass
NVNT	be40	5270	Ant5	-2.2	0.24	-1.96	11	Pass
NVNT	be40	5310	Ant5	-2.68	0.24	-2.44	11	Pass
NVNT	be80	5290	Ant5	-4.97	0.47	-4.5	11	Pass
NVNT	ac160	5250	Ant5	-4.89	3.76	-1.13	11	Pass
NVNT	ax160	5250	Ant5	-4.97	3.77	-1.2	11	Pass
NVNT	be160	5250	Ant5	-4.82	3.79	-1.03	11	Pass





MIMO

Condition	Mode	Frequency (MHz)	PSD(dBm/MHz)				Limit (dBm/MHz)	Verdict
			Ant3	Ant4	Ant5	Ant3+Ant4+ Ant5		
NVNT	n20	5260	1.45	1.57	1.47	6.27	7.95	Pass
NVNT	n20	5300	1.66	1.88	1.34	6.40	7.95	Pass
NVNT	n20	5320	1.8	1.85	1.76	6.57	7.95	Pass
NVNT	n40	5270	-1.91	-2.12	-2.13	2.72	7.95	Pass
NVNT	n40	5310	-1.83	-1.67	-1.39	3.15	7.95	Pass
NVNT	ac20	5260	1.5	1.56	1.43	6.27	7.95	Pass
NVNT	ac20	5300	1.7	1.59	1.48	6.36	7.95	Pass
NVNT	ac20	5320	1.66	1.59	1.78	6.45	7.95	Pass
NVNT	ac40	5270	-2.15	-2.21	-1.82	2.71	7.95	Pass
NVNT	ac40	5310	-0.33	-1.57	-2.41	3.42	7.95	Pass
NVNT	ac80	5290	-4.39	-4.47	-4.19	0.42	7.95	Pass
NVNT	ax20	5260	1.4	1.32	1.81	6.29	7.95	Pass
NVNT	ax20	5300	1.36	1.55	1.29	6.17	7.95	Pass
NVNT	ax20	5320	1.56	1.79	1.87	6.51	7.95	Pass
NVNT	ax40	5270	-1.91	-2.19	-1.86	2.79	7.95	Pass
NVNT	ax40	5310	-0.62	-1.65	-2.29	3.31	7.95	Pass
NVNT	ax80	5290	-4.58	-4.66	-4	0.37	7.95	Pass
NVNT	be20	5260	1.54	1.23	1.37	6.15	7.95	Pass
NVNT	be20	5300	1.54	1.72	1.45	6.34	7.95	Pass
NVNT	be20	5320	1.68	1.71	1.74	6.48	7.95	Pass
NVNT	be40	5270	-2.38	-2.51	-1.96	2.49	7.95	Pass
NVNT	be40	5310	-1.55	-1.76	-2.44	2.87	7.95	Pass
NVNT	be80	5290	-4.51	-4.58	-4.5	0.24	7.95	Pass
NVNT	ac160	5250	-2.16	-1.78	-1.13	3.10	7.95	Pass
NVNT	ax160	5250	-1.91	-1.42	-1.2	3.27	7.95	Pass
NVNT	be160	5250	-1.39	-1.07	-1.03	3.61	7.95	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5260MHz Ant3




PSD NVNT a 5300MHz Ant3










PSD NVNT a 5320MHz Ant3







PSD NVNT n20 5260MHz Ant3



















PSD NVNT ac40 5310MHz Ant3





PSD NVNT ac80 5290MHz Ant3













PSD NVNT be20 5260MHz Ant3




PSD NVNT be20 5300MHz Ant3






PSD NVNT be20 5320MHz Ant3




PSD NVNT be40 5270MHz Ant3






PSD NVNT be40 5310MHz Ant3




PSD NVNT be80 5290MHz Ant3





PSD NVNT ac160 5250MHz Ant3





PSD NVNT ax160 5250MHz Ant3









Test Graphs

PSD NVNT a 5260MHz Ant4




PSD NVNT a 5300MHz Ant4










PSD NVNT a 5320MHz Ant4







PSD NVNT n20 5260MHz Ant4































PSD NVNT ax40 5310MHz Ant4



PSD NVNT ax80 5290MHz Ant4











PSD NVNT be40 5310MHz Ant4



PSD NVNT be80 5290MHz Ant4



PSD NVNT ac160 5250MHz Ant4

