


EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.70	51.66	74.00	22.34	PASS	Horizontal	PK
2	2390	15.96	21.07	37.03	54.00	16.97	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.01	49.97	74.00	24.03	PASS	Vertical	PK
2	2390	15.96	20.43	36.39	54.00	17.61	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.70	50.99	74.00	23.01	PASS	Horizontal	PK
2	2483.5	16.29	20.66	36.95	54.00	17.05	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.55	50.84	74.00	23.16	PASS	Vertical	PK
2	2483.5	16.29	21.63	37.92	54.00	16.08	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.22	53.18	74.00	20.82	PASS	Horizontal	PK
2	2390	15.96	23.69	39.65	54.00	14.35	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.82	52.78	74.00	21.22	PASS	Vertical	PK
2	2390	15.96	22.73	38.69	54.00	15.31	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	38.10	54.39	74.00	19.61	PASS	Horizontal	PK
2	2483.5	16.29	23.23	39.52	54.00	14.48	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2452Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.07	52.36	74.00	21.64	PASS	Vertical	PK
2	2483.5	16.29	36.07	52.36	54.00	1.64	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	2412Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.94	50.90	74.00	23.10	PASS	Horizontal	PK
2	2390	15.96	21.09	37.05	54.00	16.95	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	2412Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.16	50.12	74.00	23.88	PASS	Vertical	PK
2	2390	15.96	20.68	36.64	54.00	17.36	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	2462Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.23	51.52	74.00	22.48	PASS	Horizontal	PK
2	2483.5	16.29	21.98	38.27	54.00	15.73	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	2462Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.09	51.38	74.00	22.62	PASS	Vertical	PK
2	2483.5	16.29	21.28	37.57	54.00	16.43	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	2422Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.10	52.06	74.00	21.94	PASS	Horizontal	PK
2	2390	15.96	22.84	38.80	54.00	15.20	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	2422Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.87	51.83	74.00	22.17	PASS	Vertical	PK
2	2390	15.96	22.96	38.92	54.00	15.08	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	2452Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.06	51.35	74.00	22.65	PASS	Horizontal	PK
2	2483.5	16.29	23.17	39.46	54.00	14.54	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	2452Mhz
Tset_Engineer	chenjun	Test_Date	2025/04/26
Remark			

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	37.96	54.25	74.00	19.75	PASS	Vertical	PK
2	2483.5	16.29	23.36	39.65	54.00	14.35	PASS	Vertical	AV

Note:
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level =Receiver Reading - Correct Factor
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

6 Appendix A

Refer to Appendix: 2.4G Wi-Fi of EED32R80589101

Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

*** End of Report ***