


EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 n(HT40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	36.88	52.19	74.00	21.81	PASS	Horizontal	PK
2	2390	15.31	23.52	38.83	54.00	15.17	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 n(HT40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	37.33	52.64	74.00	21.36	PASS	Vertical	PK
2	2390	15.31	23.39	38.70	54.00	15.30	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 n(HT40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	35.81	50.97	74.00	23.03	PASS	Horizontal	PK
2	2483.5	15.16	23.57	38.73	54.00	15.27	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 n(HT40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	35.86	51.02	74.00	22.98	PASS	Vertical	PK
2	2483.5	15.16	23.05	38.21	54.00	15.79	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2462MHz	Test_Frequency	802.11 ax(HE20) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	36.10	51.26	74.00	22.74	PASS	Horizontal	PK
2	2483.5	15.16	21.69	36.85	54.00	17.15	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2462MHz	Test_Frequency	802.11 ax(HE20) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	35.55	50.71	74.00	23.29	PASS	Vertical	PK
2	2483.5	15.16	21.18	36.34	54.00	17.66	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 ax(HE40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	35.99	51.30	74.00	22.70	PASS	Horizontal	PK
2	2390	15.31	23.41	38.72	54.00	15.28	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 ax(HE40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	36.65	51.96	74.00	22.04	PASS	Vertical	PK
2	2390	15.31	23.49	38.80	54.00	15.20	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 ax(HE40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	37.31	52.47	74.00	21.53	PASS	Horizontal	PK
2	2483.5	15.16	23.36	38.52	54.00	15.48	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 ax(HE40) Transmitting
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	37.17	52.33	74.00	21.67	PASS	Vertical	PK
2	2483.5	15.16	23.37	38.53	54.00	15.47	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2462MHz	Test_Frequency	802.11 be(EHT20)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	35.12	50.28	74.00	23.72	PASS	Horizontal	PK
2	2483.5	15.16	21.82	36.98	54.00	17.02	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2462MHz	Test_Frequency	802.11 be(EHT20)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	35.05	50.21	74.00	23.79	PASS	Vertical	PK
2	2483.5	15.16	21.38	36.54	54.00	17.46	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 be(EHT40)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	36.97	52.28	74.00	21.72	PASS	Horizontal	PK
2	2390	15.31	23.13	38.44	54.00	15.56	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2422MHz	Test_Frequency	802.11 be(EHT40)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	36.31	51.62	74.00	22.38	PASS	Vertical	PK
2	2390	15.31	23.82	39.13	54.00	14.87	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 be(EHT40)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	37.19	52.35	74.00	21.65	PASS	Horizontal	PK
2	2483.5	15.16	23.30	38.46	54.00	15.54	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	2452MHz	Test_Frequency	802.11 be(EHT40)Transmittin g
Tset_Engineer	chenjun	Test_Date	2024/11/29
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	15.16	38.08	53.24	74.00	20.76	PASS	Vertical	PK
2	2483.5	15.16	23.05	38.21	54.00	15.79	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20) Transmitting	Test_Frequency	2402MHz
Tset_Engineer	chenjun	Test_Date	2024/12/08
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	35.83	51.14	74.00	22.86	PASS	Horizontal	PK
2	2390	15.31	23.11	38.42	54.00	15.58	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20) Transmitting	Test_Frequency	2402MHz
Tset_Engineer	chenjun	Test_Date	2024/12/08
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	36.33	51.64	74.00	22.36	PASS	Vertical	PK
2	2390	15.31	22.99	38.30	54.00	15.70	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2024/12/08
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	35.54	50.85	74.00	23.15	PASS	Horizontal	PK
2	2390	15.31	22.64	37.95	54.00	16.05	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2024/12/08
Remark	21.8°C59.9%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.31	35.60	50.91	74.00	23.09	PASS	Vertical	PK
2	2390	15.31	23.25	38.56	54.00	15.44	PASS	Vertical	AV