


|               |                            |                |            |
|---------------|----------------------------|----------------|------------|
| EUT_Name      |                            | Test_Model     |            |
| Test_Mode     | 802.11ax(HE40)Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                    | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\               |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 22.37       | 31.15          | 53.52          | 68.20          | 14.68       | PASS   | Vertical | PK     |
| 2              | 5350        | 22.37       | 18.18          | 40.55          | 54.00          | 13.45       | PASS   | Vertical | AV     |

|               |                            |                |            |
|---------------|----------------------------|----------------|------------|
| EUT_Name      |                            | Test_Model     |            |
| Test_Mode     | 802.11ax(HE80)Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                    | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\               |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5150        | 21.79       | 31.82          | 53.61          | 68.20          | 14.59       | PASS   | Horizontal | PK     |
| 2              | 5150        | 21.79       | 19.01          | 40.80          | 54.00          | 13.20       | PASS   | Horizontal | AV     |

|               |                            |                |            |
|---------------|----------------------------|----------------|------------|
| EUT_Name      |                            | Test_Model     |            |
| Test_Mode     | 802.11ax(HE80)Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                    | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\               |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5150        | 21.79       | 32.36          | 54.15          | 68.20          | 14.05       | PASS   | Vertical | PK     |
| 2              | 5150        | 21.79       | 18.99          | 40.78          | 54.00          | 13.22       | PASS   | Vertical | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT20)Transmitting | Test_Frequency | 5320MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 22.37       | 30.26          | 52.63          | 68.20          | 15.57       | PASS   | Horizontal | PK     |
| 2              | 5350        | 22.37       | 18.24          | 40.61          | 54.00          | 13.39       | PASS   | Horizontal | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT20)Transmitting | Test_Frequency | 5320MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 22.37       | 30.30          | 52.67          | 68.20          | 15.53       | PASS   | Vertical | PK     |
| 2              | 5350        | 22.37       | 18.26          | 40.63          | 54.00          | 13.37       | PASS   | Vertical | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT40)Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5350        | 22.37       | 30.04          | 52.41          | 68.20          | 15.79       | PASS   | Horizontal | PK     |
| 2              | 5350        | 22.37       | 17.57          | 39.94          | 54.00          | 14.06       | PASS   | Horizontal | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT40)Transmitting | Test_Frequency | 5310MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5350        | 22.37       | 30.38          | 52.75          | 68.20          | 15.45       | PASS   | Vertical | PK     |
| 2              | 5350        | 22.37       | 19.19          | 41.56          | 54.00          | 12.44       | PASS   | Vertical | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT80)Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5150        | 21.79       | 30.50          | 52.29          | 68.20          | 15.91       | PASS   | Horizontal | PK     |
| 2              | 5150        | 21.79       | 19.38          | 41.17          | 54.00          | 12.83       | PASS   | Horizontal | AV     |

|               |                                 |                |            |
|---------------|---------------------------------|----------------|------------|
| EUT_Name      |                                 | Test_Model     |            |
| Test_Mode     | 802.11<br>be(EHT80)Transmitting | Test_Frequency | 5290MHz    |
| Tset_Engineer | chenjun                         | Test_Date      | 2024/12/05 |
| Remark        | 21.8°C59.9%\                    |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5150        | 21.79       | 30.65          | 52.44          | 68.20          | 15.76       | PASS   | Vertical | PK     |
| 2              | 5150        | 21.79       | 18.98          | 40.77          | 54.00          | 13.23       | PASS   | Vertical | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\             |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5711.4307   | -9.01       | 96.69          | 87.68          | 108.40         | 20.72       | PASS   | Horizontal | PK     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\             |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5717.2086   | -8.78       | 96.36          | 87.58          | 110.02         | 22.44       | PASS   | Vertical | PK     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\             |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5823.6868   | -7.63       | 97.13          | 89.50          | 122.20         | 32.70       | PASS   | Horizontal | PK     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| EUT_Name      |                          | Test_Model     |            |
| Test_Mode     | 802.11 a<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                  | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\             |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5826.1631   | -7.62       | 97.09          | 89.47          | 122.20         | 32.73       | PASS   | Vertical | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5743.6218   | -7.73       | 98.10          | 90.37          | 122.20         | 31.83       | PASS   | Horizontal | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5746.9235   | -7.60       | 96.69          | 89.09          | 122.20         | 33.11       | PASS   | Vertical | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5826.9885   | -7.62       | 96.68          | 89.06          | 122.20         | 33.14       | PASS   | Horizontal | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5830.2901   | -7.59       | 96.57          | 88.98          | 122.20         | 33.22       | PASS   | Vertical | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5751.0505   | -7.49       | 95.21          | 87.72          | 122.20         | 34.48       | PASS   | Horizontal | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5755MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5751.0505   | -7.49       | 94.54          | 87.05          | 122.20         | 35.15       | PASS   | Vertical | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5795MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5793.1466   | -7.74       | 94.90          | 87.16          | 122.20         | 35.04       | PASS   | Horizontal | PK     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| EUT_Name      |                                | Test_Model     |            |
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5795MHz    |
| Tset_Engineer | chenjun                        | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                   |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5796.4482   | -7.76       | 95.33          | 87.57          | 122.20         | 34.63       | PASS   | Vertical | PK     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                     |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5733.7169   | -8.13       | 96.26          | 88.13          | 122.20         | 34.07       | PASS   | Horizontal | PK     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5745MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                     |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5737.0185   | -8.00       | 96.19          | 88.19          | 122.20         | 34.01       | PASS   | Vertical | PK     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                     |                |            |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 5826.9885   | -7.62       | 96.73          | 89.11          | 122.20         | 33.09       | PASS   | Horizontal | PK     |

|               |                                  |                |            |
|---------------|----------------------------------|----------------|------------|
| EUT_Name      |                                  | Test_Model     |            |
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5825MHz    |
| Tset_Engineer | chenjun                          | Test_Date      | 2024/12/06 |
| Remark        | 21.8°C59.9%\                     |                |            |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 5826.1631   | -7.62       | 96.73          | 89.11          | 122.20         | 33.09       | PASS   | Vertical | PK     |