



802.11ac40_5190MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:04:58

802.11ac40_5230MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:10:38

802.11ac80_5210MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:21:13

802.11ax20_5180MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:29:02

802.11ax20_5200MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:33:34

802.11ax20_5240MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:39:49

802.11ax40_5190MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:45:49

802.11ax40_5230MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:55:30


802.11ax80_5210MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:01:43

6 Bandwidth
5725-5850MHz


ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:08:14




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:13:37




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:17:06



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:20:59




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:24:54




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:29:04

802.11ac40_5755MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:34:17

802.11ac40_5795MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:39:19

802.11ac80_5775MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:45:27

802.11ax20_5745MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:34:16

802.11ax20_5785MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:37:55

802.11ax20_5825MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:41:21

802.11ax40_5755MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:45:42

802.11ax40_5795MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:50:37

802.11ax80_5775MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:56:28

CONDUCTED TRANSMITTER OUTPUT POWER**Environmental Conditions & Test Information**

Test Date:	2026-02-26	2026-03-03
Temperature:	19.4 °C	22.5 °C
Relative Humidity:	40 %	51 %
ATM Pressure:	102.2 kPa	103.1 kPa
Test Result:	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu

*Test Mode: Transmitting***5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	15.52	24	Pass
	5200	15.6		Pass
	5240	15.51		Pass
802.11ac20	5180	14.32		Pass
	5200	14.03		Pass
	5240	13.53		Pass
802.11ac40	5190	11.49		Pass
	5230	11.65		Pass
802.11ac80	5210	11.46		Pass
802.11ax20_RU_Full	5180	13.79		Pass
	5200	13.6		Pass
	5240	13.31		Pass
802.11ax40_RU_Full	5190	11.07		Pass
	5230	11.5		Pass
802.11ax80_RU_Full	5210	10.7		Pass

Note: The EUT supports client mode and master mode, more stringent limits were adopted for the test.

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	14.1	30	Pass
	5785	13.53	30	Pass
	5825	12.67	30	Pass
802.11ac20	5745	14.1	30	Pass
	5785	13.71	30	Pass
	5825	12.63	30	Pass
802.11ac40	5755	14.06	30	Pass
	5795	13.5	30	Pass
802.11ac80	5775	13.67	30	Pass
802.11ax20_RU_Full	5745	15.18	30	Pass
	5785	14.31	30	Pass
	5825	13.63	30	Pass
802.11ax40_RU_Full	5755	14.8	30	Pass
	5795	14.01	30	Pass
802.11ax80_RU_Full	5775	14.47	30	Pass

POWER SPECTRAL DENSITY**Environmental Conditions & Test Information**

Test Date:	2026-02-26	2026-03-03
Temperature:	19.4 °C	22.5 °C
Relative Humidity:	40 %	51 %
ATM Pressure:	102.2 kPa	103.1 kPa
Test Result:	Pass	Pass
Test Engineer:	Hugh Wu	Hugh Wu

*Test Mode: Transmitting***Power Spectral Density****5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	4.76	0.26	5.02	11	Pass
	5200	4.55	0.26	4.81		Pass
	5240	4.62	0.26	4.88		Pass
802.11ac20	5180	3.12	0.16	3.28		Pass
	5200	2.75	0.16	2.91		Pass
	5240	2.23	0.16	2.39		Pass
802.11ac40	5190	-2.83	0.17	-2.66		Pass
	5230	-2.57	0.17	-2.40		Pass
802.11ac80	5210	-5.86	0.13	-5.73		Pass
802.11ax20_RU_Full	5180	2.37	0.25	2.62		Pass
	5200	2.13	0.25	2.38		Pass
	5240	1.86	0.25	2.11		Pass
802.11ax40_RU_Full	5190	-3.23	0.14	-3.09		Pass
	5230	-2.90	0.14	-2.76		Pass
802.11ax80_RU_Full	5210	-6.77	0.20	-6.57		Pass



Note: The EUT supports client mode and master mode, more stringent limits were adopted for the test.

5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-0.45	0.35	-0.10	30	Pass
	5785	-0.75	0.35	-0.40	30	Pass
	5825	-1.76	0.35	-1.41	30	Pass
802.11ac20	5745	-0.74	0.09	-0.65	30	Pass
	5785	-1.11	0.09	-1.02	30	Pass
	5825	-1.98	0.09	-1.89	30	Pass
802.11ac40	5755	-3.90	0.18	-3.72	30	Pass
	5795	-4.25	0.18	-4.07	30	Pass
802.11ac80	5775	-7.35	0.15	-7.20	30	Pass
802.11ax20_RU_Full	5745	0.16	0.13	0.29	30	Pass
	5785	-0.79	0.13	-0.66	30	Pass
	5825	-1.36	0.13	-1.23	30	Pass
802.11ax40_RU_Full	5755	-3.11	0.14	-2.97	30	Pass
	5795	-3.71	0.14	-3.57	30	Pass
802.11ax80_RU_Full	5775	-6.35	0.21	-6.14	30	Pass



Result = Reading + Duty Cycle Factor

5150-5250MHz





ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 11:41:54

ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 13:28:37



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 13:35:57


ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 13:51:40



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 13:56:24


ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:01:16

802.11ac40_5190MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:07:17

802.11ac40_5230MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:12:54

802.11ac80_5210MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:23:41

802.11ax20_5180MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:30:34

802.11ax20_5200MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:35:05

802.11ax20_5240MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:41:26

802.11ax40_5190MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:48:09


802.11ax40_5230MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 14:57:47


5725-5850MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:04:11

802.11a_5745MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:09:45

802.11a_5785MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:15:09

802.11a_5825MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:18:40

802.11ac20_5745MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:22:31

802.11ac20_5785MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:26:25

802.11ac20_5825MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:30:37

802.11ac40_5755MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:36:40

802.11ac40_5795MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:41:46

802.11ac80_5775MHz




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 26.FEB.2026 15:48:03

802.11ax20_5745MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:35:43

802.11ax20_5785MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:39:24

802.11ax20_5825MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:42:53

802.11ax40_5755MHz_RU_Full




ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:48:05

802.11ax40_5795MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:53:04

802.11ax80_5775MHz_RU_Full



ProjectNo.:RSZA251226002 Tester:Neil Zhou
Date: 3.MAR.2026 09:59:04

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT D - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

*******END OF REPORT*******