



7-18GHz_Vertical_Average_5GWiFi_B1_AX20_5200MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B1_AX20_5200

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	36.73	46.26	54.00	-7.74	Average


1-7GHz_Horizontal_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6547.000	-1.25	48.73	47.48	68.20 -20.72 Peak


1-7GHz_Vertical_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6415.750	-1.19	48.90	47.71	68.20	-20.49 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.26	53.68	55.94	68.20	-12.26 Peak
2 17979.380	9.47	48.59	58.06	74.00	-15.94 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	36.90	46.43	54.00	-7.57	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.26	56.19	58.45	68.20	-9.75 Peak
2 17934.000	9.26	48.06	57.32	74.00	-16.68 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B1_AX40_5230

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17982.130	9.47	36.95	46.42	54.00	-7.58 Average


1-7GHz_Horizontal_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6946.000	-0.95	49.14	48.19	68.20	-20.01 Peak


1-7GHz_Vertical_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6536.500	-1.23	48.49	47.26	68.20	-20.94 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	54.47	56.87	68.20	-11.33 Peak
2 17862.500	8.40	49.13	57.53	74.00	-16.47 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17965.630	9.40	36.85	46.25	54.00	-7.75 Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	54.22	56.62	68.20	-11.58	Peak
2	17990.380	9.51	48.36	57.87	74.00	-16.13	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B1_AX80_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17968.380	9.42	36.71	46.13	54.00	-7.87 Average


1-7GHz_Horizontal_5GWiFi_B4_A_5825MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6762.250	-1.48	49.84	48.36	68.20	-19.84 Peak


1-7GHz_Vertical_5GWiFi_B4_A_5825MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6453.250	-1.18	49.37	48.19	68.20	-20.01	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_5825MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	56.90	60.36	74.00	-13.64	Peak
2 18000.000	9.56	48.77	58.33	74.00	-15.67	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_5825MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	44.65	48.11	54.00	-5.89 Average
2 17995.880	9.54	37.62	47.16	54.00	-6.84 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_5825MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_A_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	55.42	58.88	74.00	-15.12 Peak
2 17983.500	9.48	48.60	58.08	74.00	-15.92 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_5825MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_A_5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	42.31	45.77	54.00	-8.23	Average
2 17993.130	9.53	37.21	46.74	54.00	-7.26	Average


1-7GHz_Horizontal_5GWiFi_B4_AC20_5785MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6883.750	-1.32	49.20	47.88	68.20	-20.32	Peak


1-7GHz_Vertical_5GWiFi_B4_AC20_5785MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6528.250	-1.22	48.95	47.73	68.20	-20.47 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC20_5785MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11570.000	3.34	54.99	58.33	74.00	-15.67 Peak
2 17984.880	9.49	48.46	57.95	74.00	-16.05 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC20_5785MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11570.000	3.34	42.15	45.49	54.00	-8.51	Average
2 17991.750	9.52	36.89	46.41	54.00	-7.59	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC20_5785MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11570.000	3.34	54.20	57.54	74.00	-16.46	Peak
2 17954.630	9.35	49.72	59.07	74.00	-14.93	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC20_5785MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC20_5785

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11570.000	3.34	40.86	44.20	54.00	-9.80	Average
2 17979.380	9.47	37.17	46.64	54.00	-7.36	Average


1-7GHz_Horizontal_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6467.500	-1.18	49.42	48.24	68.20	-19.96 Peak


1-7GHz_ Vertical_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6645.250	-1.19	49.24	48.05	68.20	-20.15	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.67	57.30	74.00	-16.70 Peak
2 17968.380	9.42	48.61	58.03	74.00	-15.97 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11510.000	3.63	40.86	44.49	54.00	-9.51	Average
2	18000.000	9.56	37.07	46.63	54.00	-7.37	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.42	57.05	74.00	-16.95 Peak
2 17894.130	8.99	49.47	58.46	74.00	-15.54 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC40_5755

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	40.71	44.34	54.00	-9.66	Average
2 17990.380	9.51	37.05	46.56	54.00	-7.44	Average


1-7GHz_Horizontal_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6480.250	-1.19	48.87	47.68	68.20	-20.52 Peak


1-7GHz_Vertical_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.750	-1.17	48.93	47.76	68.20	-20.44 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	52.44	55.88	74.00	-18.12 Peak
2 17935.380	9.27	48.66	57.93	74.00	-16.07 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.64	43.08	54.00	-10.92	Average
2 17979.380	9.47	37.32	46.79	54.00	-7.21	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	52.66	56.10	74.00	-17.90 Peak
2 17995.880	9.54	48.15	57.69	74.00	-16.31 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AC80_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.55	42.99	54.00	-11.01	Average
2 17995.880	9.54	37.09	46.63	54.00	-7.37	Average


1-7GHz_Horizontal_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6983.500	-1.11	49.20	48.09	68.20	-20.11 Peak


1-7GHz_Vertical_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6841.750	-1.40	49.67	48.27	68.20	-19.93	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	55.42	59.06	74.00	-14.94	Peak
2 17984.880	9.49	48.78	58.27	74.00	-15.73	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX20_5745MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	42.66	46.30	54.00	-7.70 Average
2 17989.000	9.51	36.85	46.36	54.00	-7.64 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	54.76	58.40	74.00	-15.60 Peak
2 17975.250	9.45	48.18	57.63	74.00	-16.37 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX20_5745MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX20_5745

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	42.80	46.44	54.00	-7.56	Average
2 17986.250	9.49	37.03	46.52	54.00	-7.48	Average


1-7GHz_Horizontal_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6457.000	-1.18	48.89	47.71	68.20	-20.49 Peak


1-7GHz_Vertical_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6437.500	-1.18	49.11	47.93	68.20	-20.27	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	53.82	57.45	74.00	-16.55	Peak
2 17931.250	9.25	48.63	57.88	74.00	-16.12	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX40_5755MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	40.15	43.78	54.00	-10.22	Average
2 17995.880	9.54	36.86	46.40	54.00	-7.60	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.02	56.65	74.00	-17.35 Peak
2 17954.630	9.35	49.28	58.63	74.00	-15.37 Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX40_5755MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX40_5755

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.85	43.48	54.00	-10.52	Average
2 17986.250	9.49	37.09	46.58	54.00	-7.42	Average


1-7GHz_Horizontal_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6977.500	-1.08	48.90	47.82	68.20	-20.38	Peak


1-7GHz_Vertical_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6496.000	-1.20	48.88	47.68	68.20	-20.52	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	52.25	55.69	74.00	-18.31 Peak
2 17916.130	9.16	48.19	57.35	74.00	-16.65 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.80	43.24	54.00	-10.76	Average
2 18000.000	9.56	36.94	46.50	54.00	-7.50	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	52.70	56.14	74.00	-17.86 Peak
2 17946.380	9.31	48.55	57.86	74.00	-16.14 Peak

7-18GHz_Vertical_Average_5GWiFi_B4_AX80_5775MHz




Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_B4_AX80_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	40.32	43.76	54.00	-10.24	Average
2 17995.880	9.54	37.17	46.71	54.00	-7.29	Average

18-40GHz (Only Listed with the worst harmonic margin test plot)


18-40GHz_Horizontal_5GWiFi_B1_A_5180MHz



Condition : Horizontal
 Project No. : 2601P07161E-RF
 Tester : Leon Guo
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_B1_A_5180

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz	dB/m		dBuV	dBuV/m	dBuV/m	dB	
1 39645.250	23.82		37.11	60.93	83.50	-22.57	Peak

18-40GHz_Vertical_5GWiFi_B1_A_5180MHz



Condition : Vertical
Project No. : 2601P07161E-RF
Tester : Leon Guo
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_B1_A_5180

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39881.750		23.81	37.13	60.94	83.50	-22.56	Peak

Emission Bandwidth**Test Information:**

Sample No.:	3GGU-1	Test Date:	2026/03/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.3	Relative Humidity: (%)	53	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:**26dB Emission Bandwidth
5150-5250MHz**


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	26.301
	5200	25.958
	5240	25.337
802.11ac20	5180	26.293
	5200	27.120
	5240	26.871
802.11ac40	5190	47.447
	5230	47.047
802.11ac80	5210	91.532
802.11ax20_RU_Full	5180	25.189
	5200	26.087
	5240	27.560
802.11ax40_RU_Full	5190	46.346
	5230	46.146
802.11ax80_RU_Full	5210	87.447

6dB Emission Bandwidth
5725-5850MHz

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	16.467	0.5	Pass
	5785	16.467	0.5	Pass
	5825	16.467	0.5	Pass
802.11ac20	5745	17.718	0.5	Pass
	5785	17.718	0.5	Pass
	5825	17.668	0.5	Pass
802.11ac40	5755	36.537	0.5	Pass
	5795	36.537	0.5	Pass
802.11ac80	5775	76.677	0.5	Pass
802.11ax20_RU_Full	5745	19.169	0.5	Pass
	5785	19.119	0.5	Pass
802.11ax20_RU_Full	5825	19.119	0.5	Pass
802.11ax40_RU_Full	5755	38.238	0.5	Pass
	5795	38.438	0.5	Pass
802.11ax80_RU_Full	5775	78.278	0.5	Pass


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:36:30

802.11a_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:38:41

802.11a_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:41:32

802.11ac20_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:56:34

802.11ac20_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:59:20

802.11ac20_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:01:43

802.11ac40_5190MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:10:58

802.11ac40_5230MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:12:43

802.11ac80_5210MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 15:05:11

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:25:11

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:28:08

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:30:25

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:41:02


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:42:44


5725-5850MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 15:02:00

802.11a_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:44:20

802.11a_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:46:08

802.11a_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:47:44

802.11ac20_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:05:06

802.11ac20_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:06:42

802.11ac20_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:08:15

802.11ac40_5755MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:15:49

802.11ac40_5795MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:16:50

802.11ac80_5775MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:22:16

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:34:10

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:36:19

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:37:37

802.11ax40_5755MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:46:26

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:48:57

802.11ax80_5775MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:50:17

99% Occupied Bandwidth**Test Information:**

Sample No.:	3GGU-1	Test Date:	2026/03/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.3	Relative Humidity: (%)	53	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.700
	5200	16.750
	5240	16.700
802.11ac20	5180	17.900
	5200	17.950
	5240	17.900
802.11ac40	5190	36.700
	5230	36.600
802.11ac80	5210	76.200
802.11ax20_RU_Full	5180	19.050
	5200	19.150
	5240	19.050
802.11ax40_RU_Full	5190	38
	5230	38
802.11ax80_RU_Full	5210	77.600

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	16.800
	5785	16.900
	5825	16.900
802.11ac20	5745	18
	5785	18.050
	5825	18.100
802.11ac40	5755	37
	5795	36.900
802.11ac80	5775	76.400
802.11ax20_RU_Full	5745	19.200
	5785	19.150
802.11ax20_RU_Full	5825	19.200
802.11ax40_RU_Full	5755	38.200
	5795	38.100
802.11ax80_RU_Full	5775	77.600

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:36:40

802.11a_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:38:51

802.11a_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:41:42

802.11ac20_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:56:45

802.11ac20_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:59:30

802.11ac20_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:01:53

802.11ac40_5190MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:11:06

802.11ac40_5230MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:12:51

802.11ac80_5210MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:19:00

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:25:21

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:28:18

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:30:35

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:41:11


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:42:53


5725-5850MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:51:57

802.11a_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:44:32

802.11a_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:46:20

802.11a_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:47:54

802.11ac20_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:05:17

802.11ac20_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:06:54

802.11ac20_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:08:24

802.11ac40_5755MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:15:57

802.11ac40_5795MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:16:58

802.11ac80_5775MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:22:25

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:34:21

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:36:30

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:37:46

802.11ax40_5755MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:46:34

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:49:05

802.11ax80_5775MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:58:26

Maximum Conducted Output Power**Test Information:**

Sample No.:	3GGU-1	Test Date:	2026/03/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.3	Relative Humidity: (%)	53	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	14.47	24	Pass
	5200	13.91	24	Pass
	5240	14.27	24	Pass
802.11ac20	5180	14.02	24	Pass
	5200	13.51	24	Pass
	5240	13.93	24	Pass
802.11ac40	5190	14.32	24	Pass
	5230	13.44	24	Pass
802.11ac80	5210	14.46	24	Pass
802.11ax20_RU_Full	5180	13.98	24	Pass
	5200	13.99	24	Pass
	5240	13.51	24	Pass
802.11ax40_RU_Full	5190	13.75	24	Pass
	5230	13.81	24	Pass
802.11ax80_RU_Full	5210	13.25	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	11.39	30	Pass
	5785	10.29	30	Pass
	5825	9.86	30	Pass
802.11ac20	5745	11.37	30	Pass
	5785	10.9	30	Pass
	5825	9.66	30	Pass
802.11ac40	5755	11.01	30	Pass
	5795	10.18	30	Pass
802.11ac80	5775	10.9	30	Pass
802.11ax20_RU_Full	5745	11.08	30	Pass
	5785	10.65	30	Pass
	5825	10.08	30	Pass
802.11ax40_RU_Full	5755	11.38	30	Pass
802.11ax40_RU_Full	5795	10.71	30	Pass
802.11ax80_RU_Full	5775	11.15	30	Pass

Note :**Average Output Power = Reading + Duty Factor****EIRP = Average Output Power + Antenna gain****Duty Factor refer to the Duty Cycle.**

Power Spectral Density**Test Information:**

Sample No.:	3GGU-1	Test Date:	2026/03/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.3	Relative Humidity: (%)	53	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	3.05	0.66	3.71	11	Pass
	5200	2.86	0.66	3.52	11	Pass
	5240	3.05	0.66	3.71	11	Pass
802.11ac20	5180	3.02	0.19	3.21	11	Pass
	5200	2.42	0.19	2.61	11	Pass
	5240	2.60	0.19	2.79	11	Pass
802.11ac40	5190	0.39	0.20	0.59	11	Pass
	5230	-0.31	0.20	-0.11	11	Pass
802.11ac80	5210	-3.45	0.39	-3.06	11	Pass
802.11ax20_RU_Full	5180	2.51	0.25	2.76	11	Pass
	5200	2.70	0.25	2.95	11	Pass
	5240	2.29	0.25	2.54	11	Pass
802.11ax40_RU_Full	5190	-0.63	0.25	-0.38	11	Pass
	5230	-0.47	0.25	-0.22	11	Pass
802.11ax80_RU_Full	5210	-3.63	0.25	-3.38	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-3.81	0.66	-3.15	30	Pass
	5785	-4.20	0.66	-3.54	30	Pass
	5825	-4.97	0.66	-4.31	30	Pass
802.11ac20	5745	-2.63	0.19	-2.44	30	Pass
	5785	-3.65	0.19	-3.46	30	Pass
	5825	-4.93	0.19	-4.74	30	Pass
802.11ac40	5755	-6.07	0.20	-5.87	30	Pass
	5795	-7.38	0.20	-7.18	30	Pass
802.11ac80	5775	-10.25	0.39	-9.86	30	Pass
802.11ax20_RU_Full	5745	-3.78	0.25	-3.53	30	Pass
	5785	-4.29	0.25	-4.04	30	Pass
	5825	-4.56	0.25	-4.31	30	Pass
802.11ax40_RU_Full	5755	-6.23	0.25	-5.98	30	Pass
802.11ax40_RU_Full	5795	-6.99	0.25	-6.74	30	Pass
802.11ax80_RU_Full	5775	-9.80	0.25	-9.55	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:36:59

802.11a_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:39:08

802.11a_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:42:00

802.11ac20_5180MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:57:02

802.11ac20_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:59:47

802.11ac20_5240MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:02:10

802.11ac40_5190MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:11:23

802.11ac40_5230MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:13:08

802.11ac80_5210MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:19:19

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:25:38

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:28:33

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:30:50

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:41:29


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:43:16


5725-5850MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:52:16

802.11a_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:44:49

802.11a_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:46:36

802.11a_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:48:10

802.11ac20_5745MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:05:34

802.11ac20_5785MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:07:11

802.11ac20_5825MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:08:42

802.11ac40_5755MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:16:14

802.11ac40_5795MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:17:14

802.11ac80_5775MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 14:22:43


802.11ax20_5745MHz_RU_Full




802.11ax20_5785MHz_RU_Full




802.11ax20_5825MHz_RU_Full




802.11ax40_5755MHz_RU_Full



802.11ax40_5795MHz_RU_Full



802.11ax80_5775MHz_RU_Full



Duty Cycle**Test Information:**

Sample No.:	3GGU-1	Test Date:	2026/03/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.3	Relative Humidity: (%)	53	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----


Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.383	1.609	85.95	0.66	723	1
802.11ac20	5200	5.088	5.311	95.80	0.19	197	0.2
802.11ac40	5190	4.893	5.118	95.60	0.20	204	0.3
802.11ac80	5210	4.519	4.942	91.44	0.39	221	0.3
802.11ax20_RU_Full	5200	3.870	4.099	94.41	0.25	258	0.3
802.11ax40_RU_Full	5190	3.866	4.095	94.41	0.25	259	0.3
802.11ax80_RU_Full	5210	3.693	3.913	94.38	0.25	271	0.3

Duty Cycle = Ton/(Ton+Toff)*100%


5150-5250MHz

802.11a_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:25:53

802.11ac20_5200MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:27:02

802.11ac40_5190MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:27:54

802.11ac80_5210MHz




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:28:30

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:33:39

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3.MAR.2026 13:30:52

802.11ax80_5210MHz_RU_Full



ProjectNo.:2601P07161E-RF Tester:Cheeb Huang
Date: 3,MAR,2026 13:31:25

RF EXPOSURE EVALUATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: 2601P07161E-SA.

EUT PHOTOGRAPHS

Please refer to the attachment 2601P07161E-RF-EXP External photo and 2601P07161E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601P07161E-RF-00B-TSP Test Setup photo.

***** **END OF REPORT** *****